UNIVERSITY OF LONDON LIBRARY

THIS BOOK
MUST NOT BE REMOVED
FROM THE LIBRARY


University of London

607916

REPORTS

FROM

COMMISSIONERS, INSPECTORS,

AND OTHERS:

TWENTY-SEVEN VOLUMES.

—(5.)—

BIRTHS, DEATHS, MARRIAGES, &c. (SCOTLAND).

Session

5 February —— 13 *August* 1875.

VOL. XIX.

REPORTS

FROM

COMMISSIONERS, INSPECTORS,

AND OTHERS:

1875.

TWENTY-SEVEN VOLUMES:—CONTENTS OF THE

FIFTH VOLUME.

N.B.—*THE* Figures *at the* beginning of the line, *correspond with the* N° *at the ot of each* Report; *and the* Figures *at the* end of the line, *refer to the* MS. Paging *f the Volumes arranged for The House of Commons.*

BIRTHS, DEATHS, AND MARRIAGES (SCOTLAND):

. 1201.] Twentieth Annual Report of the Registrar General on the Births, Deaths, and Marriages registered in Scotland, during the Year 1874; and Tenth Annual Report on Vaccination - - p. 1

. 1299.] Seventeenth Detailed Annual Report of the Registrar General of Births, Deaths, and Marriages in Scotland (Abstracts of 1871) - - - - - - - - - - - 85

TWENTIETH ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

ON THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN

SCOTLAND

DURING THE

YEAR 1874;

AND

TENTH ANNUAL REPORT

ON

VACCINATION.

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1875.

C.—1201.] [*Price 6d.*

CONTENTS.

PAGE

Report of the Registrar-General to the Secretary of State for the Home Department, . . 5

Report to the Registrar-General, by Dr. Robertson 7

SCOTLAND.

Births registered in Scotland during the year 1874; the Average Scottish Birth-rate; the Proportion of Births in the Town and Rural Districts; Illegitimate Births; Proportion of Boys to Girls, etc.; with relative Tables, ... 8

Deaths registered in Scotland during the year 1874; the Average Scottish Death-rate; the Proportion of Deaths in the Town and Rural Districts; with relative Tables, . 11

Marriages registered in Scotland during the year 1874; the Average Scottish Marriage-rate; the Proportion of Marriages in the Town and Rural Districts, . . 12

EIGHT PRINCIPAL TOWNS.

Births in the Eight Principal Towns of Scotland during the year 1874, with the Mean Annual Proportion of Births, and the relative Birth-rate in each Town; the Proportion of Illegitimate Births, and the Sexes at Birth; with relative Tables, . . 13

Deaths in the Eight Towns during the year 1874, with the Mean Death-rate in these Towns, and the Proportional Death-rate in each Town; the Deaths in each Town, and the Diseases which proved fatal; with relative Tables, ... 13

Marriages in the Eight Towns during the year 1874, ... 19

Weather, and its Influence on the Mortality; with relative Tables, . . . 19

VACCINATION IN SCOTLAND—1873.

Tenth Report on Vaccination in Scotland applicable to the Children born and registered during the year 1873; showing the Number and Proportion who were successfully vaccinated; the Number whose Vaccination had been postponed, etc. . . 26

ABSTRACTS.

PAGE

I. Births registered in Scotland and its Counties during each Month of the year 1874, conform to Act 17 and 18 Vict. cap. 80, ... 32

II. Deaths registered in Scotland and its Counties during each Month of the year 1874, . 33

III. Marriages registered in Scotland and its Counties during each Month of the year 1874, . 34

IV. Summary of Deaths from All Causes at Four Periods of Life in the Eight Principal Towns of Scotland during 1874, ... 35

V. Deaths in each of the Eight Principal Towns of Scotland at Four Periods of Life in 1874, 36

VI. Monthly Deaths from All Causes in the Eight Principal Towns during 1874, . . 40

VII. Births in each of the Eight Principal Towns during each Month of the year 1874, and Aggregate Monthly Births for each of the Six previous years, ... 42

VIII. Illegitimate Births in each of the Eight Principal Towns during each Month of the year 1874, and Aggregate Monthly Illegitimate Births for each of the Six previous years, . 43

IX. Marriages in each of the Eight Towns during each Month of the year 1874, and Aggregate Monthly Marriages during each of the Nine previous years, ... 43

X. Deaths in each of the Eight Principal Towns during each Month of 1874, and Aggregate Monthly Deaths during each of the Six previous years, ... 44

XI. Meteorology of the Eight Principal Towns during each Month of the year 1874, . . 45

XII. Part I.—Births, Deaths, and Marriages in every County and District in Scotland during the year 1874, ... 46

Part II.—Vaccinations in every County and District of Scotland during the year 1873, pursuant to the Act 26 and 27 Vict. cap. 108, ... 46

Annual Average of Vaccinations in Scotland during the Ten years 1864–1873, . . . 74

Registrars' Notes relative to Vaccination, ... 75

Constitution of the Compound Districts, ... 79

Index to Registration Districts, ... 80

REPORT.

TO THE

RIGHT HON^BLE. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 21*st April* 1875.

SIR,

I HAVE the honour to submit to you, in accordance with the requirements of the Scottish Registration Act (17 and 18 Vict. cap. 80), a General Abstract of the Births, Deaths, and Marriages registered in Scotland during the year 1874, which has been prepared in the usual form, in order that it may be laid before Parliament.

In accordance, also, with the 19th Section of the Scottish Vaccination Act (26 and 27 Vict. cap. 108), I have the honour to submit to you the Tenth Annual Report on Vaccination, which refers to the Vaccination of children whose births were registered in Scotland during the year 1873. This Report contains the usual Tables illustrative of the working of that Statute from 1864 to 1874 inclusive, and showing the numbers of Deaths from Small-pox which have been registered in Scotland during each year from 1855 to 1871, and likewise the *estimated* numbers of such deaths during 1872, 1873, and 1874.

Appended to the General Abstract will be found a Table based upon the experience of the last ten years, and exhibiting, in the form of an Annual Average, the nature of the Vaccination Returns which have been collected from the whole of Scotland,

and from each of the Eight Divisions and Thirty-three Counties into which the country is divided. The details of this Table suffice to prove that the working of the Vaccination Act in Scotland has, up to this time, been very effective.

I have the honour to be,

SIR,

Your most obedient Servant,

W. PITT DUNDAS,
Registrar-General.

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

THIS Report refers to the Births, Deaths, and Marriages which, during the past year 1874, were registered in the 1025 Districts into which Scotland was at that time for Registration purposes divided. It has also reference to the Vaccination of the children whose births were recorded during the year 1873.

There were entered on the Registers of Scotland during 1874, 123795 Births, 80676 Deaths, and 26247 Marriages, which furnish the proportions of 35·7 births, 23·3 deaths, and 7·6 marriages to every thousand persons of the estimated population. On reference to the last three lines of Table II., it may be seen that the birth-rate of 1874 exceeded the mean rate observed during the preceding ten years, and was, in fact, the highest which the Table records—that the death-rate was considerably above the ten years' mean, and was only slightly exceeded by that of 1864—that the marriage-rate was above the average of the decennium, and surpassed only by the rate of 1873, the highest which the Table exhibits.

TABLE I.—Population estimated to the middle of each year, with the number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855 to 1874, and their proportion to the Population; also the excess of Births over Deaths, the number of Illegitimate Births, and their proportion to the total Births.

YEAR.	Estimated Population.	BIRTHS.		DEATHS.	MARRIAGES.	Excess of Births over Deaths.	Per centage to Population.			Per cent. of Illeg. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,068	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,856	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,127	11,073	74,644	23,966	41,483	3·4481	2·2163	0·7116	9.5
1872	3,399,226	118,873	10,817	75,741	25,580	43,132	3·4971	2·2282	0·7525	9·1
1873	3,430,923	119,738	10,804	76,857	26,730	42,881	3·4897	2·2401	0·7791	9·0
1874	3,462,916	123,795	10,837	80,676	26,247	43,119	3·5749	2·3297	0·7579	8·7

BIRTHS.

123795 Births were registered in Scotland in 1874, being at the rate of 3·57 per cent., or of 357 for every ten thousand of the population. The exceptionally high marriage-rates of 1872 and 1873 have no doubt powerfully contributed to the increase of the population noted in 1874.

TABLE II.—Number of Births, Deaths, and Marriages in Scotland, and their Proportion to the Population, estimated to the middle of each year, during each Quarter of the Years 1864 to 1874 inclusive.

	1864.		1865.		1866.		1867.		1868.		1869.		1870.		1871.		1872.		1873.		Mean per cent. Ten Years.	1874.	
	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.	No.	Per cent.		No.	Per cent.
FIRST QUARTER.																							
Births,	28049	3·55	28594	3·60	28883	3·59	27952	3·44	28697	3·50	28428	3·44	28665	3·44	28902	3·43	29506	3·47	30210	3·52	3·498	29837	3·45
Deaths,	22605	2·86	20804	2 62	19095	2·37	19977	2·46	18042	2·20	20429	2·47	22198	2·66	19756	2·34	21245	2·50	21443	2·50	2·498	20775	2·40
Marriages,	5346	0·67	5416	0·68	5642	0·70	5356	0·67	5287	0·64	5307	0·64	5647	0·67	5415	0·64	5820	0·68	6618	0·77	0·676	6777	0·78
Mean Temperat.	35°·7		35°·3		38°·0		36°·5		40°·6		40°·0		36°·9		39°·1		40°·7		38°·1		38°·09	40°·9	
SECOND QUARTER.																							
Births,	29964	3·79	30318	3·81	29808	3·71	30375	3·74	30983	3·78	29450	3·56	30636	3·67	30583	3·63	30726	3·61	31283	3·64	3·694	32295	3·73
Deaths,	18473	2·34	17074	2·15	18575	2·31	17475	2·15	16958	2·07	19492	2·35	18027	2·15	18715	2·22	19045	2·24	19931	2·32	2·230	19640	2·27
Marriages,	5723	0·72	5707	0·72	6034	0·75	5627	0·69	5661	0·69	5611	0·67	5770	0·69	5946	0·70	6398	0·75	6690	0·78	0·716	6730	0·76
Mean Temperat.	48°·9		51°·5		49°·3		49°·0		51°·0		48°·4		51°·0		48°·7		49°·2		49°·2		49°·72	49°·53	
THIRD QUARTER.																							
Births,	27035	3·42	27306	3·40	27204	3·38	27870	3·43	28354	3·46	27637	3·33	28263	3·39	28689	3·40	29181	3·43	28975	3·38	3·402	30702	3 55
Deaths,	16159	2·05	15924	2·00	15470	1·92	15125	1·86	16659	2·03	16528	2·00	16573	2·03	16835	2·00	16692	1·96	17072	1·99	1·984	18099	2 09
Marriages,	5005	0·63	5343	0·67	5104	0·63	5071	0·62	4704	0·57	4885	0·59	5318	0·63	5424	0·64	5891	0·69	5816	0·68	0·635	5582	0·64
Mean Temperat.	54°·5		57°·5		54°·4		55°·2		57°·4		56°·4		57°·1		56°·3		55°·8		55°·4		56°·00	56°·03	
FOURTH QUARTER.																							
Births,	27185	3·44	26852	3·38	27772	3·45	27847	3·43	27480	3·35	27339	3·37	27826	3·26	27953	3·32	29460	3·46	29270	3·41	3·387	30961	3·58
Deaths,	17179	2·17	17039	2·15	18210	2·26	16491	2·03	17757	2·17	19426	2·34	17367	2·08	19338	2·29	18759	2·20	18411	2·15	2·184	22162	2·54
Marriages,	6651	0·84	7145	0·89	6908	0·85	6564	0·81	6203	0·77	6341	0·76	7119	0·85	7181	0·85	7471	0·88	7606	0·88	0·838	7158	0·83
Mean Temperat.	42°·0		43°·4		43°·5		42°·3		41°·5		40°·9		39°·6		41°·3		41°·8		42°·7		41°·90	39°·5	
YEAR.																							
Population,	3156021		3185437		3215129		3245098		3275350		3305885		3336707		3367922		3399226		3430923			3462916	
Births,	112333	3·56	113070	3·56	113667	3·53	114044	3·51	115514	3·53	113354	3·43	115390	3·46	116127	3·45	118873	3·49	119738	3·49	3·501	123795	3·57
Deaths,	74416	2·36	70891	2·23	71350	2·22	69068	2·13	69416	2·12	75875	2 29	74165	2·22	74644	2·22	75741	2·22	76857	2·24	2·225	80676	2·33
Marriages,	22725	0·72	23611	0·74	23688	0·73	22618	0·69	21855	0·66	22144	0·67	23854	0·71	23966	0·71	25580	0·75	26730	0·78	0·714	26247	0·76

For the constitution of the Five Groups of Districts into which, for statistical purposes, it has been found convenient to divide Scotland, reference may be made to the Nineteenth Annual Report. The birth-rate varies considerably in these Five Groups. Thus, 42641 births were registered during 1874 in the Group of Principal Towns, 15209 in the Large Towns, 29547 in the Small Towns, 32953 in the Mainland-Rural Districts, and 3345 in the Insular-Rural Group; and the birth-rates which these numbers indicate, when contrasted with the estimated population of the several Groups, are 3·75 per cent. in the Eight Principal Towns, 4·29 per cent. in the Large Towns, 3·71 per cent. in the Small Towns, 3·15 per cent. in the Mainland-Rural Districts, and 2·64 per cent. in the Insular-Rural Districts. As has before been remarked in these Annual Reports, there is reason to believe that the proportion of births to inhabitants is greater in the Large Towns than in the Eight Principal Towns, and that the difference of birth-rates has been annually becoming more marked since 1870—in fact, that while the birth-rate in the Large Towns has been, year by year, becoming more considerable, that in the Prin-

TABLE III.—Births, Deaths, and Marriages in each of the Eight Divisions of Scotland during the Year 1874, and their Proportion to the estimated Population.

DIVISIONS.	POPULATION.		BIRTHS.		DEATHS.		MARRIAGES.	
	Census 1861.	Census 1871.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.
Northern . .	130,422	127,191	3159	2·50	1838	1·46	611	0·48
North-Western .	167,242	166,351	4326	2·60	2936	1·77	785	0·47
North-Eastern .	366,870	393,199	12861	3·20	7176	1·78	2518	0·62
East Midland .	523,822	559,676	19027	3·33	12990	2·27	4257	0·74
West Midland . .	242,487	251,088	8653	3·41	5767	2·27	1598	0·63
South-Western .	1,008,273	1,183,218	52829	4·24	35484	2·85	11464	0·92
South-Eastern .	413,116	475,523	16753	3·37	10577	2·12	3779	0·76
Southern . . .	210,062	203,772	6187	3·07	3908	1·93	1235	0·61

TABLE IV.—Births, Illegitimate Births, Deaths, and Marriages, in the Five New Registration Groups of Town, Rural, and Insular Districts in Scotland in 1874.

FIVE NEW GROUPS OF DISTRICTS.	POPULATION estimated to the Middle of 1874.			BIRTHS.			ILLEGITIMATE BIRTHS.	DEATHS.			MARRIAGES.
	Males.	Females.	Both Sexes.	Males.	Fem.	Both Sexes.		Males.	Fem.	Both Sexes.	
Principal Towns . . .	537,090	599,064	1,136,154	21,864	20,777	42,641	3,805	16,245	15,873	32,118	10,491
Large Towns . .	170,483	183,852	354,335	7,784	7,425	15,209	974	5,087	4,942	10,029	3,050
Small Towns . . .	381,172	415,728	796,900	15,264	14,283	29,547	2,430	8,939	8,804	17,743	5,766
Mainland-Rural . .	507,247	537,780	1,045,027	16,922	16,031	32,953	3,430	9,333	9,264	18,597	6,321
Insular-Rural . .	60,380	70,120	130,500	1,808	1,637	3,445	198	1,076	1,113	2,189	619
SCOTLAND . .	1,656,372	1,806,544	3,462,916	63,642	60,153	123,795	10,837	40,680	39,996	80,676	26,247

N.B.—The Principal Town Districts contain towns with above 25,000 inhabitants; the Large Town Districts contain towns with from 10,000 to 25,000 inhabitants, and also the suburbs of Glasgow; the Small Town Districts contain towns with from 2,000 to 10,000 inhabitants; and the Mainland Rural and Insular-Districts contain the remainder of the inhabitants of Scotland.

cipal Towns has, upon the whole, been diminishing. There were registered in the Large Towns during 1873, 406 births to every ten thousand persons, and during 1874, as may be seen on reference to Table V., the births were at the rate of 429 per ten thousand, indicating a very large increase. But during 1873 there were registered in the Eight Principal Towns only 373 births to every ten thousand persons, and, although the rate in 1874 was 375 per ten thousand, and consequently had not diminished, it is nevertheless plain that conditions favourable to the multiplication of the human species have of late been in operation in the Large Towns, but have acted with less energy in the Eight Towns of more than 25000 inhabitants.

Out of 123795 registered births, 10837, or 8·7 per cent., were illegitimate. As in former years, the Insular-Rural Districts show the lowest rate of illegitimate births, viz. 5·7 per cent., and this rate is not much exceeded by the Large Town Group, where the illegitimates were 6·4 per cent. The Small Towns and Principal Towns contributed respectively 8·2 and 8·9 per cent. of illegitimate births, and, finally, 10·4 per cent. of all births registered in the Mainland-Rural Districts were illegitimate.

Table VI. sufficiently illustrates the relative frequency of illegitimate births in the different counties of Scotland. In Ross and Cromarty, the illegitimate were only 4·3 per cent. of the total registered births; in Shetland, the rate was 4·7 per cent.; in Orkney, 5·1; and in Renfrewshire, 5·9. In four counties, consequently, the rate was below 6 per cent. In twenty-

TABLE V.—Percentage of Births, Deaths, and Marriages to the Population, distinguishing the Sexes; Percentage of Illegitimate to Total Births, and Proportion of Boys to Girls at Birth, in the Five New Groups of Registration Districts in 1874.

NEW REGISTRATION GROUPS OF DISTRICTS.	Percentage to Population in 1874.							Percentage of Illegitimate to Total Births.	Proportion of Boys to every 100 Girls at Birth.
	BIRTHS.			DEATHS.			MARRIAGES.		
	Males.	Females	Both Sexes.	Males.	Females	Both Sexes.			
Principal Towns . .	4·07	3·47	3·75	3·02	2·65	2·83	0·92	8·9	105·2
Large Towns . . .	4·56	4·04	4·29	2·98	2·68	2·83	0·86	6·4	104·8
Small Towns . . .	4·00	3·43	3·71	2·34	2·12	2·23	0·72	8·2	106·8
Mainland-Rural .	3·34	2·98	3·15	1·84	1·72	1·78	0·65	10·4	105·5
Insular-Rural . .	2·99	2·33	2·64	1·78	1·59	1·68	0·47	5·7	110·4
SCOTLAND . . .	3·84	3·33	3·57	2·46	2·21	2·33	0·76	8·7	105·8

TABLE VI.—Proportion of Illegitimate to every 100 Births in Scotland, its Divisions and Counties, in 1874.

DIVISIONS.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.	Counties.	Per Cent. of Illegit.
SCOTLAND.	8·7	Shetland	4·7	Forfar	10·5	Lanark	7·4
		Orkney	5·1	Perth	10·1	Linlithgow	8·4
NORTHERN DIVISION	7·8	Caithness	12·2	Fife	6·6	Edinburgh	7·9
NORTH-WESTERN Do.	6·4	Sutherland	7·3	Kinross	8·4	Haddington	7·5
NORTH-EASTERN Do.	14·9	Ross & Cromarty	4·3	Clackmannan	9·4	Berwick	9·4
EAST-MIDLAND Do.	9·2	Inverness	8·3	Stirling	7·3	Peebles	7·2
WEST-MIDLAND Do.	7·2	Nairn.....	8·9	Dumbarton	6·1	Selkirk	8·2
SOUTH-WESTERN Do.	7·2	Elgin	16·4	Argyll	8·3	Roxburgh	11·1
SOUTH-EASTERN Do.	8·0	Banff	17·1	Bute	7·9	Dumfries	14·8
SOUTHERN Do.	13·9	Aberdeen	14·4	Renfrew	5·9	Kirkcudbright	14·6
		Kincardine.....	14·4	Ayr	7·7	Wigtown.....	15·1

one counties, the illegitimates constituted at least 6, and not more than 12, per cent. of the total births. This list is headed by Dumbartonshire, with only 6·1 per cent., and closed by Roxburghshire, with 11·1 per cent. of illegitimate births. In eight counties the rate exceeded 12 per cent.: thus, Caithness shows a rate of 12·2 per cent.; Aberdeenshire and Kincardineshire have the same rate, 14·4 per cent.; Kirkcudbrightshire contributes its 14·6 per cent.; Dumfries, its 14·8 per cent.; Wigtownshire, its 15·1 per cent.; Elgin, its 16·4 per cent.; and Banffshire, 17·1 per cent.

Of the 123795 children whose births were registered, 63642 were males and 60153 females. The proportion of boys and girls was, consequently, 105·8 of the former to 100 of the latter. The preponderance of male births in Scotland has been frequently alluded to in these Reports, and during the year 1874 it did not materially exceed its usual amount throughout the whole country. It is worth noting that the amount of this male preponderance is apt to vary considerably in the several Groups of Districts. Thus, in the Large Towns, the male births were to the females in 1874 as 104·8 to 100; but in 1873 the ratio was 107 to 100. In the Insular-Rural Districts, on the other hand, the male births were to the female births in 1874 as 110·4 to 100; but in 1873 the ratio was 107·2 to 100. The most probable explanation of these fluctuations seems to be the smallness of the number of annual births in these two Groups of Districts, which do not indeed include so much as one-seventh of the population of Scotland.

Births occurred with greatest frequency during the month of June, when they were registered at the rate of 360 per diem, and they were least frequent during August, when the daily registrations were only 320.

DEATHS.

80676 Deaths were registered in Scotland during 1874, and the death-rate was consequently 233 to ten thousand persons, or 2·33 per cent.

TABLE VII.—Births, Deaths, and Marriages, and their Proportion to the Population, in the Eight Principal Towns of Scotland, during each of the Years 1855–1874.

YEARS.	Population estimated to the middle of each year.	BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per cent. to Population.	Number.	Per cent. to Population.	Number.	Per cent. to Population.
1855	827,558	28,113	3·39	22,706	2·74	6,937	0·84
1856	837,540	31,719	3·78	22,254	2·65	7,507	0·89
1857	847,522	32,764	3·85	23,363	2·75	7,476	0·88
1858	857,504	32,563	3·79	23,445	2·73	6,865	0·80
1859	867,486	33,027	3·80	22,352	2·56	7,554	0·87
1860	877,468	32,958	3·75	26,066	2·97	7,688	0·87
1861	889,133	34,351	3·86	23,149	2·60	7,753	0·87
1862	906,042	34,436	3·81	24,960	2·76	7,724	0·87
1863	923,276	35,888	3·88	27,045	2·93	8,544	0·85
1864	940,840	37,058	3·94	28,845	3·07	8,897	0·92
1865	958,731	38,109	3·97	28,515	2·90	9,347	0·94
1866	976,986	38,541	3·94	27,466	2·81	9,458	0·96
1867	995,583	39,012	3·96	26,519	2·69	8,870	0·90
1868	1,014,536	39,492	3·89	28,037	2·76	8,589	0·86
1869	1,033,853	39,517	3·82	31,477	3·04	9,156	0·88
1870	1,053,542	40,452	3·83	28,508	2·70	9,733	0·92
1871	1,073,608	40,444	3·76	31,385	2·92	9,815	0·91
1872	1,094,061	41,657	3·81	30,186	2·76	10,445	0·95
1873	1,114,907	41,504	3·73	30,004	2·69	10,596	0·95
1874	1,136,154	42,641	3·75	32,118	2·83	10,491	0·92

The numbers for 1871, 1872, 1873, and 1874, are made up from the Quarterly Returns; the remainder from the Detailed Annual Reports, where the figures are corrected.

This is a very heavy mortality—far above the mean death-rate deduced from the preceding ten years' statistics, and, in fact, never exceeded since the year 1864, when it amounted to 2·36 per cent. There is reason to believe that this unusual mortality has been due, partly to the local prevalence of certain destructive Zymotic Diseases, such as Scarlatina, but, perhaps, still more to the general prevalence of very trying weather during the month of December.

The death-rates were very different in the Five Groups of Registration Districts. In the Principal and Large Towns, 283 died out of every ten thousand inhabitants, and in the Small Towns the rate was 223. In the Mainland-Rural Group, the rate was 178, and in the Insular-Rural population only 168 to every ten thousand. In every Group, however, the death-rate exceeded the previous year's average.

MARRIAGES.

The number of Marriages registered in Scotland during 1874 was 26247, being at the rate of 76 marriages to every ten thousand of the estimated population. With the exception of the year 1873, when the marriage-rate of 78 per ten thousand was attained, the year 1874 furnished the highest marriage-rate hitherto recorded in Scotland.

The frequency of marriages varies exceedingly in the different Registration Groups, and is beyond all question connected with the degree of density or massing of the population in each. For every ten thousand inhabitants of the Principal Towns, there were 92 marriages, while in the Large Towns the rate was 86, in the Small Towns 72, in the Mainland-Rural Districts 65, and in the Insular-Rural Districts only 47.

EIGHT PRINCIPAL TOWNS OF SCOTLAND.

Although it would be highly satisfactory were means devised by which prompt notice could be given to the public regarding the births, deaths, and marriages which take place in the whole of Scotland, embracing all desirable particulars as to the sex, age, and disease of each person that dies, and regarding the meteorological observations conducted in every part of the country, it has been hitherto found quite impossible to anticipate the publication of the Detailed Annual Reports on such matters issued from this Department, in which the condition of the whole of Scotland is reviewed with such light as the careful correction of the returns enables us to use. But, as regards the Eight Principal Towns of Scotland, information is communicated by means of Weekly and Monthly Reports. The former merely give, for each town, the estimated population and the number of births, deaths, and marriages which have been registered during a week, together with some slight notice of meteorological conditions, and means for comparing observations made at the same period during the preceding year. The Monthly Reports, however, exhibit various particulars regarding the ages of those who have died, and regarding the nature of the diseases which have proved fatal. The Eight Principal Towns contain about 32 per cent. of the whole population of Scotland. They differ from each other not only in geographical position, but in the circumstances and occupations of their inhabitants; and it has now been shown by long experience, that an epidemic disorder hardly ever gathers considerable intensity in any part of

the country without having its approach clearly foretold, and its progress accurately marked in the tabular statements of the Monthly Returns from this Department.

BIRTHS IN THE EIGHT TOWNS.

42641 Births were registered in these Principal Towns during the year 1874, and are seen to have occurred at the rate of 375 to every ten thousand of the estimated population. The birth-rate was consequently 3·75 per cent., and decidedly under the previous ten years' average, which amounted to 3·865 per cent. The birth-rate varied less than usual in the different towns. It was lowest in Edinburgh, and highest in Greenock (Table VIII.). Thus, for every ten thousand inhabitants of Edinburgh, there were 323 births; while in Perth there were, for a like number of persons, 327; in Aberdeen, 345; in Paisley, 367; in Dundee, 387; in Leith, 393; in Glasgow, 394; and in Greenock, 425.

Of the 42641 births in the Eight Towns, 3805, or 8·9 per cent., were illegitimate. The proportion of illegitimate births varied, as usual, in the different towns: being 4·9 per cent. of the total births in Greenock, 5·5 per cent. in Leith, 6·9 per cent. in Paisley, 8·6 per cent. in Edinburgh, 8·9 per cent. in Glasgow, 9·3 per cent. in Perth, 11·4 per cent. in Dundee, and 12 per cent. in Aberdeen.

Of the children born in the Eight Towns, 21864 were of the male, 20777 of the female sex. These numbers give a ratio of 105·2 boys for every 100 girls,—an excess of male births which was more decidedly marked in the Small Towns and Rural Districts.

DEATHS IN THE EIGHT TOWNS.

32118 Deaths were registered in the Principal Towns during 1874, being in the proportion of 283 to every ten thousand persons. The mean

TABLE VIII.—Births, Deaths, and Marriages, and their Proportion to the Population, during the Year 1874, in each of the Principal Towns of Scotland; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Population estimated to the middle of 1874.	BIRTHS.		ILLEGIT. BIRTHS.		DEATHS.		MARRIAGES.	
		Number.	Per Cent. to Pop.	Number.	Per Cent. to Total Births.	Number.	Per Cent. to Pop.	Number.	Per Cent. to Pop.
Glasgow	508,109	20038	3·94	1789	8·9	15841	3·12	4992	0·98
Edinburgh	211,691	6839	3·23	599	8·6	5005	2·36	1813	0·86
Dundee	131,777	5103	3·87	584	11·4	4169	3·16	1251	0·95
Aberdeen	93,222	3221	3·45	388	12·0	2066	2·22	692	0·74
Greenock	66,020	2804	4·25	139	4·9	1689	2·56	599	0·91
Paisley	48,517	1779	3·67	123	6·9	1388	2·86	445	0·92
Leith	50,341	1978	3·93	108	5·5	1254	2·49	471	0·94
Perth	26,477	866	3·27	81	9·3	700	2·64	229	0·86

N.B.—The Tables referring to the Eight Towns are made up from the Monthly Returns, and we have not the means of correcting the discrepancies between them and the Quarterly Returns, as the Registration Books are not received at this office till many months after the close of the year.

death-rate during the ten previous years was 2·83 per cent., the same rate as that now recorded for 1874.

The mortality was by no means the same in each of the Principal Towns. For each ten thousand persons resident in Aberdeen there were 222 deaths; for like numbers in Edinburgh, 236; in Leith, 249; in Greenock, 256; in Perth, 264; in Paisley, 286; in Glasgow, 312; and in Dundee, 316 deaths. The average death-rate of the previous ten years was exceeded by that of 1874 in Perth, Leith, Glasgow, and especially in Dundee; but the death-rate of 1874 was below the ten years' mean in Aberdeen, Edinburgh, Paisley, and Greenock.

Table X. illustrates the subject of infantile mortality in each of the Eight Principal Towns. Contrasting the numbers of children living at ages under five years with the numbers of children who died at ages under five years in each town, we find that infantile mortality was least felt in Aberdeen, and was most marked in Dundee. For every thousand children under five years of age in Aberdeen, there died during 1874, 54·8; in Greenock, 64·8; in Edinburgh, 66·6; in Perth, 72·4; in Leith, 74·9; in Paisley, 75·8; in Glasgow, 103·4; and in Dundee, 108·2.

If, however, passing to the last column of Table X., we seek the proportion which the infantile mortality bears to the whole mortality in each locality during 1874, we find that this proportion is least in Perth and highest in Dundee. The numbers show that 32·8 per cent. of the mortality was infantile in Perth, 34·6 per cent. in Aberdeen, 34·7 per cent. in Edinburgh, 35·2 per cent. in Paisley, 37·7 per cent. in Greenock, 40·3 per cent. in Leith, 45·3 per cent. in Glasgow, and 47·7 per cent. in Dundee.

TABLE IX.—Percentage of Deaths to the Population in each of the Eight Principal Towns of Scotland, during each of the Years 1864–1874.

Towns.	Percentage of Deaths to the Population.											
	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.	1872.	1873.	Mean of Ten Years.	1874.
Glasgow	3·25	2·25	2·93	2·82	3·04	3·37	2·96	3·29	2·87	2·91	3·07	3·12
Edinburgh	2·60	2·65	2·58	2·52	2·48	2·77	2·37	2·69	2·67	2·19	2·55	2·36
Dundee	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·74	2·79	2·56	2·81	3·16
Aberdeen	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·25	2·35	2·31	2·39	2·22
Greenock	3·97	3·34	2·88	2·69	3·02	3·09	2·86	3·01	2·73	3·47	3·11	2·56
Paisley	3·19	2·95	2·81	2·78	2·54	3·01	2·80	2·94	2·95	3·28	2·92	2·86
Leith	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·31	2·79	2·21	2·40	2·49
Perth	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·08	2·22	2·41	2·43	2·64

TABLE X.—Deaths of Children under 5 Years of age in each of the Eight Principal Towns of Scotland during the Year 1874.

TOWNS.	Number of Living Children under 5 years in 1874.	Deaths under 5 years of age.	Percentage of Deaths under 5 years.	Percentage of Deaths under 5 years to the Total Deaths.
Glasgow	69,360	7173	10·34	45·3
Edinburgh	26,102	1739	6·66	34·7
Dundee	18,360	1987	10·82	47·7
Aberdeen	13,051	715	5·48	34·6
Greenock	9,830	637	6·48	37·7
Paisley	6,453	489	7·58	35·2
Leith	7,476	560	7·49	40·3
Perth	3,175	230	7·24	32·8

The Class of Diseases termed Zymotic, which includes those popularly known as Epidemic and Contagious, occasioned during 1874 no less than 8122 deaths, and consequently was the registered cause of 25·5 per cent. of the mortality of the Eight Towns, carrying off 72·1 out of every ten thousand of their inhabitants.

Although the influence of Zymotic Diseases seems to have been felt with more than average severity in every one of the Principal Towns, it did not produce the same destructive effects in each. Thus, the proportion of deaths from Zymotic Diseases to the total deaths in each Town was, in Edinburgh, 19·88 per cent.; in Greenock, 20·62 per cent.; in Aberdeen, 22·21; in Paisley, 22·98; in Glasgow, 25·97; in Perth, 27·97; in Leith, 29·03; and in Dundee, 33·43 per cent.

Glasgow suffered much during 1874 from Scarlatina, which caused 10·52 per cent. of the total registered deaths. Of the other Zymotic Diseases, Hooping-cough, which caused 4·42 per cent. of the total deaths, was the most destructive. The mortality from Diarrhœa, from Fevers, and, generally from all other epidemics, was comparatively light.

In Edinburgh, Scarlatina was likewise very prevalent, being the registered cause of 5·19 per cent. of the total deaths. 3·52 per cent. of the deaths were due to Fevers, 2·61 per cent. to Diarrhœa, and 2·19 per cent. to Hooping-cough.

In Dundee, 20·40 per cent. of the total deaths were due to Scarlatina. As may be seen by reference to Table XI., 64·5 persons out of every ten thousand in Dundee died last year of this single disease. In comparison with this terrible mortality, the ravages of all other Zymotic Diseases appear to have been slight. Thus, Diarrhœa was the cause of only 3·89 per cent. of the deaths, and Fevers of only 2·78, while the numbers who died from other epidemic disorders were quite trifling.

In Aberdeen, 3·45 per cent. of the deaths were from Scarlatina—a lower proportion than was observed in any other of the Eight Towns. Measles caused 3·30 per cent. of the deaths; Hooping-cough, 2·09 per cent.; Diarrhœa, 3·69; and Fevers, 3·55 per cent.

In Greenock, Scarlatina was the cause of 6·04 per cent. of the total deaths. Fevers, chiefly of the Enteric type, accounted for 3·35 per cent. of the whole mortality, and Small-pox for 2·39 per cent.

In Paisley, the deaths from Scarlatina amounted to 7·64 per cent. of all registered; those from Small-pox to 4·41 per cent. The mortality from Fevers and all other Zymotic Diseases, except those above specified, was inconsiderable.

In Leith, 15·72 per cent. of the deaths were due to Scarlatina, 3·53 per cent. to Diarrhœa, 2·56 per cent. to Fevers, 2·33 per cent. to Croup. No other epidemic seems to have been prevalent in Leith.

In Perth, the victims to Scarlatina constituted 16·52 per cent. of the total deaths. Fevers proved fatal to 3·19 per cent. of those who died; Hooping-cough and Croup, to 2·03 and 2·17 respectively; Diphtheria, to 1·16 per cent. The mortality from other epidemics hardly requires notice.

Combining the returns from the whole Group of Principal Towns, we find that the leading epidemic during 1874 was Scarlatina, which caused 10·49 per cent. of the whole registered deaths, and actually destroyed 29·6 per ten thousand of the estimated population of the Group. The deaths from Scarlatina numbered 3340; those from Hooping-cough, 975; from

Diarrhœa, 885; from Fevers, 839; from Measles, 488; from Small-pox, 356; from Croup, 353; and from Diphtheria, 306.

The form of Fever which was most prevalent was the Enteric or Typhoid. In Edinburgh, Dundee, and Perth, Typhus was more frequent, but in all the other towns the majority of deaths from Fever was due to disease of the Enteric type. Out of 839 deaths from Fever in the Principal Towns, 449 were caused by Enteric Fever, and 361 by Typhus.

Of the other important diseases of the Zymotic Class, Erysipelas caused 137 deaths; Metria, 114; Syphilis, 95; Rheumatic Fever, 57; Pyæmia, 18; and Noma, 7 deaths.

On reviewing the mortality from diseases of Uncertain Seat, we find 496 deaths attributed to Cancer. As during 1873, the deaths from this cause appear to have been in 1874, likewise, decidedly more frequent in Edinburgh and in Aberdeen than in Glasgow, Dundee, or any other of the Principal Towns. It is not very creditable to medical nomenclature to find no less than 366 deaths attributed to the vague cause, Dropsy; and it is hardly possible to resist the impression that, in a considerable number of cases, the term might have been avoided, and such causes as "Disease of Heart," of "Kidneys," or of "Liver" substituted by those who filled up the medical certificates for the Registrars.

Tubercular Diseases caused 4713 deaths, or 14·80 per cent of the total mortality of the Eight Principal Towns, cutting off 418 of every ten

TABLE XI.—Percentage of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1874, allowing for the causes not specified.

DISEASES CAUSING DEATH.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
TOTAL DEATHS .	2·826	3·118	2·364	3·164	2·216	2·558	2·861	2·491	2·644
I. Zymotic Diseases .	0·721	0·810	0·470	1·058	0·492	0·527	0·657	0·723	0·739
III. Tubercular Diseases	0·418	0·451	0·343	0·407	0·309	0·424	0·496	0·380	0·364
IV. Brain Diseases . .	0·242	0·233	0·251	0·258	0·228	0·260	0·275	0·210	0·276
V. Heart, etc., Diseases	0·137	0·121	0·173	0·124	0·146	0·131	0·126	0·140	0·199
VI. Respiratory Organs .	0·563	0·715	0·419	0·590	0·361	0·404	0·452	0·381	0·318
VII. Digestive Organs .	0·175	0·211	0·143	0·114	0·147	0·182	0·210	0·132	0·146
XIII. Urinary Diseases .	0·042	0·037	0·051	0·038	0·070	0·034	0·031	0·030	0·038
XII. Premature Debility	0·141	0·149	0·112	0·197	0·096	0·148	0·100	0·154	0·142
XV. Old Age	0·113	0·091	0·125	0·112	0·143	0·109	0·212	0·092	0·222
XVII. Violent Deaths .	0·107	0·114	0·095	0·105	0·072	0·162	0·111	0·104	0·077
Small-pox . . .	0·031	0·042	0·003	0·005	0·032	0·061	0·126	0·002	0·000
Measles . . .	0·043	0·054	0·045	0·028	0·073	0·009	0·002	0·018	0·004
SCARLATINA . .	0·296	0·328	0·123	0·645	0·076	0·154	0·218	0·392	0·437
Diphtheria . .	0·027	0·027	0·031	0·037	0·012	0·027	0·025	0·012	0·039
HOOPING-COUGH .	0·086	0·138	0·052	0·044	0·046	0·017	0·057	0·038	0·054
Croup . . .	0·031	0·028	0·028	0·023	0·035	0·032	0·046	0·058	0·057
DIARRHŒA . .	0·078	0·075	0·062	0·123	0·082	0·076	0·071	0·088	0·038
Dysentery . .	0·006	0·005	0·005	0·010	0·005	0·008	0·013	0·002	0·004
Cholera . . .	0·003	0·002	0·002	0·000	0·001	0·007	0·000	0·008	0·000
All FEVERS . .	0·074	0·068	0·083	0·088	0·079	0·085	0·046	0·064	0·084
Viz. Typhus . .	0·032	0·023	0·046	0·053	0·030	0·027	0·008	0·028	0·049
Enteric . .	0·037	0·040	0·032	0·030	0·040	0·053	0·032	0·034	0·035
Relapsing .	0·001	0·001	0·000	0·002	0·000	0·000	0·000	0·000	0·000
Simple Cont.	0·002	0·001	0·002	0·002	0·000	0·002	0·002	0·000	0·000
Infantile .	0·002	0·002	0·002	0·001	0·009	0·003	0·004	0·002	0·000
Dropsy . . .	0·030	0·032	0·026	0·031	0·012	0·035	0·053	0·038	0·008
Cancer . . .	0·044	0·036	0·066	0·040	0·058	0·031	0·040	0·030	0·057
PHTHISIS . .	0·289	0·329	0·236	0·291	0·229	0·271	0·338	0·210	0·257
Apoplexy . . .	0·052	0·047	0·052	0·062	0·032	0·081	0·082	0·046	0·077
Paralysis . . .	0·065	0·054	0·074	0·064	0·066	0·058	0·103	0·080	0·119
Convulsions . .	0·044	0·048	0·029	0·065	0·054	0·032	0·027	0·042	0·008
BRONCHITIS . .	0·389	0·497	0·258	0·434	0·269	0·254	0·342	0·266	0·218
Pneumonia . .	0·131	0·164	0·105	0·138	0·063	0·125	0·088	0·096	0·069
Teething . . .	0·039	0·051	0·014	0·024	0·049	0·044	0·073	0·016	0·015
Liver Diseases .	0·038	0·041	0·046	0·027	0·029	0·032	0·053	0·020	0·035

thousand of the population. The deaths from Pulmonary Consumption numbered 3258, being 10·23 per cent. of all deaths registered, or 28·9 in each ten thousand persons. No single disease is in ordinary years the cause of so many deaths as Consumption; but 1874 was so far exceptional, that the mortality from Scarlatina and Bronchitis was greater than that from Phthisis. The deaths from Consumption were, upon the whole, less numerous than usual. Whether as regards the percentage of deaths from this cause, or the percentage of the population which it removed, Leith contrasts favourably with the other Principal Towns, and especially with Paisley. In Leith, the deaths from Consumption constituted 8·42 per cent. of the total deaths, while, in Paisley, the proportion was 11·82 per cent. In the former Town, 21 died of this disease out of every ten thousand persons; in the latter, 33·8 per ten thousand died.

Hydrocephalus caused 789 deaths; Tabes Mesenterica, 422; and Scrofula, 244.

Diseases of the Brain and Nervous System caused 2732 deaths, that is to say, 8·58 per cent. of the mortality of the Eight Towns, or 24·2 deaths for every ten thousand inhabitants. The relative mortality from this Class of Diseases was highest in Edinburgh, where it amounted to 10·64 per cent. of the whole deaths. The corresponding numbers were, for Perth, 10·43 per cent.; for Aberdeen, 10·30; for Greenock, 10·16; for Paisley, 9·62; for Leith, 8·42; for Dundee, 8·15; and for Glasgow, 7·49. But the above order will be considerably altered if the Eight

TABLE XII.—Percentage of Deaths from different Diseases to the Total Deaths in each of the Eight Principal Towns of Scotland during the Year 1874, allowing for the causes of Death not specified.

DISEASES CAUSING DEATH.	Total Eight Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
I. Zymotic Diseases	25·50	25·97	19·88	33·43	22·21	20·62	22·98	29·03	27·97
III. Tubercular Diseases	14·80	15·11	14·52	12·86	13·95	16·56	17·73	15·24	13·77
IV. Brain, etc., Diseases	8·58	7·49	10·64	8·15	10·30	10·16	9·62	8·42	10·43
V. Heart, etc., Diseases	4·83	3·87	7·34	3·92	6·61	5·14	4·41	5·61	7·54
VI. Respiratory Organs	19·92	22·93	17·73	18·66	16·28	15·78	15·79	15·32	12·03
VII. Digestive Organs	6·20	6·78	6·03	3·60	6·66	7·11	7·34	5·29	5·51
VIII. Urinary Organs	1·48	1·18	2·17	1·21	3·16	1·31	1·10	1·20	1·45
XIII. Debility, Premat. Birth	4·99	4·77	4·72	6·24	4·32	5·80	3·52	6·17	5·36
XV. Old Age	4·02	2·93	5·29	3·55	6·46	4·24	7·42	3·69	8·41
XVII. Violent Deaths	3·81	3·67	4·00	3·34	3·26	6·34	3·89	4·17	2·90
Small-pox	1·12	1·35	0·15	0·15	1·46	2·39	4·41	0·08	0·00
Measles	1·53	1·73	1·89	0·89	3·30	0·36	0·07	0·72	0·14
SCARLATINA	10·49	10·52	5·19	20·40	3·45	6·04	7·64	15·72	16·52
Diphtheria	0·96	0·87	1·33	1·18	0·53	1·08	0·88	0·48	1·16
HOOPING-COUGH	3·06	4·42	2·19	1·21	2·09	0 66	1·98	1·52	2·03
Croup	1·11	0·91	1·21	0·73	1·60	1·26	1·62	2·33	2·17
DIARRHŒA	2·78	2·42	2·61	3·89	3·69	2·99	2·50	3·53	1·45
Dysentery	0·21	0·16	0·20	0·31	0·24	0·30	0·44	0·08	0·14
Cholera	0·09	0·09	0·08	0·02	0·05	0·30	0·00	0·32	0·00
All FEVERS	2·63	2·19	3·52	2·78	3·55	3·35	1·62	2·56	3·19
Viz. Typhus	1·13	0·73	2·01	1·69	1·36	1·08	0·29	1·12	1·88
Enteric	1·32	1·29	1·31	0·95	1·80	2·09	1·11	1·36	1·31
Relapsing	0·03	0·04	0·00	0·07	0·00	0·00	0·00	0·00	0·00
Simple Cont.	0·06	0·06	0·10	0·05	0·00	0·06	0·07	0·00	0·00
Infantile	0·09	0·07	0·10	0·02	0·39	0·12	0·15	0·08	0·00
Dropsy	1·05	1·02	1·09	0·99	0·53	1·37	1·84	1·52	0·29
Cancer	1·56	1·15	2·81	1·28	2·62	1·20	1·39	1·20	2·17
PHTHISIS	10·23	10·55	9·99	9·19	10·35	10·58	11·82	8·42	9·71
Apoplexy	1·86	1·50	2·21	1·96	1·46	3·17	2·86	1·84	2·90
Paralysis	2·30	1·74	3·12	2·03	2·96	2·27	3·60	3·21	4·49
Convulsions	1·56	1·55	1·23	2·05	2·43	1·26	0·95	1·68	0·29
BRONCHITIS	13·77	15·96	10·90	13·70	12·15	9·92	11·97	10·67	8·26
Pneumonia	4·63	5·25	4·44	4·35	2·87	4·90	3·08	3·85	2·61
Teething	1·39	1·64	0·60	0·77	2·24	1·73	2·57	0·64	0·58
Liver Diseases	1·35	1·31	1·95	0·85	1·31	1·26	1·34	0·80	1·30

Towns be ranged in the order indicated by the percentage of the population of each which was in 1874 removed by Brain Diseases. Out of ten thousand persons, it appears that Perth lost 276; Paisley, 275; Greenock, 260; Dundee, 258; Edinburgh, 251; Glasgow, 233; and Leith, only 210.

Diseases of the Heart and Circulatory System caused 1539 deaths, or 4·83 per cent. of the mortality. The frequency of these diseases was most marked in Perth, least marked in Glasgow. In Perth, 7·54 per cent. of the deaths were referred to this class; in Edinburgh, 7·34 per cent.; in Aberdeen, 6·61 per cent.; in Leith, 5·61 per cent.; in Greenock, 5·14 per cent.; in Paisley, 4·41 per cent.; in Dundee, 3·92 per cent.; and in Glasgow, 3·87 per cent.

Diseases of Respiratory System, always a very large class, were in 1874 exceedingly prevalent, the deaths numbering 6344, and removing 56·3 of every ten thousand of the population, while constituting 19·92 per cent. of the total deaths recorded. The highest mortality from Pulmonary Disease was experienced in Glasgow, and the lowest in Perth. The percentage of the total deaths which was attributed to this Class of Diseases was, in Glasgow, 22·92 per cent.; in Dundee, 18·66; in Edinburgh, 17·73; in Aberdeen, 16·28; in Paisley, 15·79; in Greenock, 15·78; in Leith, 15·32; and in Perth, only 12·03. Out of every ten thousand persons in Glasgow, there died 71·5; in Dundee, 59·0; in Paisley, 45·2; in Edinburgh, 41·9; in Greenock, 40·4; in Leith, 38·1; in Aberdeen, 36·1; and in Perth, 31·8.

Brom Bronchitis alone, 4385 deaths occurred; from Pneumonia, 1475; from Pleurisy, 95; from Asthma, 155; from Laryngitis, 78; and from 'Disease of the Lungs' (not more particularly specified), 156.

Diseases of the Digestive System caused 1974 deaths, being 6·20 per cent. of the whole mortality, or 17·5 to every ten thousand of the population. The relative frequency of these diseases was least in Dundee, and greatest in the Towns of Greenock and Paisley.

Diseases of the Kidneys and Urinary System caused 470 Deaths. The relative mortality from these complaints was highest in Aberdeen and in Edinburgh, lowest in Paisley and in Glasgow.

Diseases of the Uterus (exclusive of Metria) caused 261 deaths; Diseases of the Bones and Joints, 183; Debility and Premature Birth, 1591; Skin Diseases, 33; Malformations, 71; Atrophy, 202; Sudden Death (not more strictly defined), 73; Violence or Privation, 1212. There were, besides, 1279 deaths referred to Old Age.

Of the Violent Deaths, 46 were cases of Suicide. Of the direct effects of Intemperance, there died 114 persons; or, if 29 deaths from Delirium Tremens be taken into account, it may be stated that 143 persons were poisoned by alcohol.

Thirteen persons were registered as having been at least 96 years of age at the period of their deaths. Of these, five were males, and their ages were, in two cases, 98 years, and in three cases, 97 years. Of the eight females, one, who was unmarried, had attained the age of 102; another, who was a widow, was of the same age; one female of unknown conjugal condition was 99; and another was 98; there were, likewise, two widows of the age of 98; and other two aged 96 years.

MARRIAGES IN THE EIGHT TOWNS.

10491 Marriages having been registered in the Eight Principal Towns during 1874, and the Population of these Towns estimated to the middle of that year being 1136154, it follows that the proportion of marriages has been 92 to every ten thousand persons, decidedly below the rate observed in 1872 and 1873, but just the mean rate deduced from the ten years' observations, 1864–73. There was, as usual, considerable difference in the marriage-rate of the various Towns, that of Aberdeen being lowest, and that of Glasgow highest. For every ten thousand persons, there were registered 98 marriages in Glasgow, 95 in Dundee, 94 in Leith, 92 in Paisley, 91 in Greenock, 86 in Edinburgh and in Perth, and 74 in Aberdeen.

WEATHER AND ITS INFLUENCE ON THE MORTALITY.

The popular idea that cold weather has much to do with the production of disease in Scotland has been amply confirmed by the careful comparison of the Death Registers with the Meteorological Observations made in various parts of the country. Multiplied experience shows that, when the temperature of any locality happens to fall materially below the average temperature of the season, and more especially if the transition be sudden and accompanied with much rain, and with the easterly and northerly winds which our invalids with too good reason dread, the great majority of the causes of death seem to acquire a temporary intensity, and the diffusion or fatality of epidemics is obviously promoted. Of course, extreme heat, likewise, is not without its influence on disease; but it is by the increase in the number of deaths from Diarrhœa and allied affections that this influence may be said to be exclusively manifested.

In endeavouring to trace the influence of temperature upon mortality, it would perhaps be well to avoid much reference to monthly and annual mean temperatures, or, at all events, not to attach much importance to the record of 'means' deduced from observations conducted in a variety of different localities, and combined so as to give an arithmetical result. It is quite conceivable that at two stations—say Aberdeen and Greenock—the most opposite meteorological conditions may during a month prevail not only as regards temperature, but as regards the force and direction of the winds, the amount of rainfall, and the humidity of the atmosphere; and yet these extremes in opposite directions may so balance each other that the monthly 'means' obtained by their combination may offer no peculiarity. A scientific inquirer in either locality would trace the fluctuations of the mortality to their source in connection with the variations of temperature; but, by the use of 'means' exhibiting the results of the combined observations, he could arrive at no very trustworthy opinion.

Still, as a rude approximation to the truth, Table XIII. has its value. By its means we attempt to exhibit for every month of 1874 the mean temperature, deduced from observations made at 55 different stations in Scotland, the actual number of deaths which occurred in each month, and the proportion of these which took place in each month equalized so as to embrace a period of 31 days. In the last two columns of the Table are exhibited the proportion of deaths, and the mean monthly temperature, deduced from observations made during the ten years 1855–64. In ordinary years, January and February are our coldest months, their

average temperature being 37°·2 and 37°·4 respectively. After these, we may rank December with a mean temperature of 38°·6, and March with 39°·8. But, in 1874, the month of December was by far the coldest month of the year, the mean temperature being only 30°·9, or more than 9½ degrees below the mean of ten previous Decembers. In order of coldness, February, with a temperature of 38°·8 came next, and was followed by January, with

TABLE XIII.—Monthly Mortality and Mean Temperature in Scotland during 1874, compared with the Mean of the Ten Years 1855–1864.

	Year 1874.				1855–1864.	
Months.	Mean Temperature.	Actual Deaths.	Deaths when Months are equalized to 31 Days.	Proportion to 12,000 per Annum, or 1000 per Month.	Proportion.	Mean Temperature.
January	40°·5	6933	6933	1011	1134	37°·2
February	38·8	6604	7312	1068	1193	37·4
March	43·3	7238	7238	1056	1145	39·8
April	46·7	6811	7038	1027	1083	44·1
May	47·1	6455	6455	942	1010	49·5
June	54·8	6374	6586	961	956	55·6
July	59·4	6265	6265	914	895	57·6
August	55 9	6044	6044	882	856	57·3
September	52·8	5790	5983	873	843	52·8
October	46·5	6166	6166	900	858	47·2
November	41·1	6815	7042	1027	954	40·2
December	30·9	9181	9181	1339	1073	38·6
Year	46·5	80,676	82,243	12,000	12,000	46·7

TABLE XIV.—Meteorology of Scotland for 1874, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1874.

1874.	Jan.	Feb.	Mar.	Apr.	May.	June.	July.	Aug	Sept.	Oct.	Nov	Dec	Year
Highest Temp. in shade	55°·5	58°·0	63°·5	79° 0	76°·0	82°·0	87°·3	80°·5	70°·0	65°·0	61°·7	53°·0	87°·3
Lowest Temp. in do	15° 3	11°·0	13° 0	25° 0	25°·0	26°·0	36°·4	31°·0	31°·0	23°·2	20°·0	–1°·0	–1°·0
Mean Day Temp.	45°·4	44°·5	49°·3	54°·4	54°·2	64°·2	67°·3	63°·2	59°·3	58°·1	45°·9	36°·6	53°·1
Mean Night Temp.	35°·5	33°·2	37°·3	39° 0	40°·0	45°·4	51°·6	48°·7	46°·2	39°·9	36°·4	25°·2	39°·9
Daily Range	9°·9	11°·3	12°·0	15°·4	14°·2	18°·8	15°·7	14°·6	13°·2	13°·2	9°·5	11°·4	13°·3
Mean Temperature	40°·5	38°·8	43°·3	46°·7	47°·1	54°·8	59°·4	55°·9	52°·8	46°·5	41°·1	30°·9	46°·5
Highest Temperature in sun	87°·1	91°·3	113°·8	121°·0	123° 0	131°·0	129°·0	127°·0	116°·3	110°·0	90°·0	76°·[illegible]	131° 0
Lowest on grass at night	21°·8	9°·2	9° 0	18°·2	15°·0	22°·0	29°·5	27°·0	23°·8	18°·2	12°·3	–6°·0	–6°·0
Wet-bulb Temperature	38°·7	36°·7	40°·7	43°·9	44°·4	51°·7	56°·3	53°·0	50°·3	44°·4	39° 3	29°·3	44°·1
Dew-point Temperature	36° 9	34°·8	38°·4	41°·2	41°·4	48°·4	53°·6	50°·6	48°·2	42°·4	37° 5	26°·3	41° 6
Humidity of Air	88	88	86	83	81	78	82	84	86	87	89	84	85
Elastic force of Vapour (inches)	0·216	0·2 2	0·233	0·258	0 262	0·341	0·413	0·370	0·338	0·272	0 225	0·143	0·273
Number of Rainy Days	18	11	16	13	12	9	14	20	19	17	17	13	179
Amount of Rain (inch.)	4·02	1·71	2 82	2·27	1·82	1·42	3·11	5·54	4·18	6·05	4·54	2·69	40·17
Amount of Cloud	6·3	5·9	6 2	5·9	6·6	4·9	6·1	6·2	6 6	5·8	6·6	5·4	6·0
Hours of Sunshine	74	103	138	179	170	277	239	188	145	140	78	84	1816
Mean Barometer (in.)	29·748	29·867	29·988	29·741	30·001	30·075	29·890	29·732	29·717	29·670	29·850	29·781	29·842
Easterly Winds (number of days)	1	6	4	6	15	7	5	5	4	3	8	9	73
Westerly Winds (do.)	25	14	20	18	8	16	18	19	18	21	15	12	204
Births	10339	9040	10458	10772	10712	10311	10780	9916	10006	10642	9890	10429	123795
Deaths	6933	6604	7238	6811	6455	6374	6265	6044	5790	6166	6815	9181	80676
Marriages	3596	1539	1642	1600	1142	3988	2497	1640	1445	1721	2467	2970	26247
Daily Births	334	323	337	359	346	360	348	320	334	343	330	336	339
Daily Deaths	224	236	233	227	208	212	202	195	193	199	227	296	221

40°·5; November, with 41°·1; and March, with 43°·3. The month of March then appears to have been unusually warm,—in fact, 3½ degrees warmer than the average of March 1855-64.

The year 1873 had closed with a by no means inclement December. In fact, the mean temperature of that month had been 42°·5, or 3°·9 above the ten years' average, and deaths had taken place at the rate of 217 per diem.

From the Astronomer-Royal's Notes appended to our Quarterly Returns, we have the means of gleaning the following particulars regarding the meteorological phenomena of each month of 1874, and of the average of the corresponding months of 1856–73:—

January 1874 was characterized by high mean temperature, heavy westerly and southerly winds, and a rainfall not much short of the average. The thermometer stood highest at the Southern and Western stations. The daily number of deaths was 224.

February showed a mean temperature very slightly exceeding the average. There was some frost, with east wind, recorded in the Principal Town stations about the 7th of the month. But, on the whole, the prevailing air-currents were from the south and west, and towards the end of the month a south-east gale caused considerable destruction on our East coast. The rainfall was far short of the average of former seasons. As might have been expected from the increasing cold of winter, the daily deaths rose to 236.

March was an unusually mild month, the mean temperature having exceeded the average by 3°·6, and having been the highest hitherto recorded in Scotland. The barometer stood high, and there was a full rainfall, with general prevalence of W.S.W. winds, and a very fair amount of sunshine. The genial influences indicated by these mean numbers were, however, either too partial, or continued for too short a time, materially to affect the daily rate of mortality, which continued to be 233 deaths per diem.

TABLE XV.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1874.

1874.	Jan.	Feb.	Mar.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	41°·0	40°·0	44°·1	47°·2	47°·3	55°·7	60°·2	57°·0	53°·9	47°·3	41°·9	31°·5
Highest Temperature	54°·3	56°·5	63°·5	70°·0	67°·5	75°·3	81°·3	80°·0	70°·0	65°·0	61°·7	51°·0
Lowest Temperature	26°·2	21°·0	20°·0	30°·0	25°·0	35°·0	44°·5	38°·6	36°·3	28°·9	25°·0	7°·0
Rainfall in inches	3·07	0·97	2·17	1·57	1·92	1·05	3·16	5·03	3·39	5·57	3·54	2·28
Easterly Winds (days)	2	6	4	6	20	9	6	6	4	4	8	8
Westerly Winds (days)	26	16	24	19	7	18	20	20	23	23	19	16
Total Deaths	2668	2464	2728	2636	2568	2464	2527	2413	2305	2536	2897	3906
Daily Deaths	86	88	88	88	83	82	82	78	77	82	97	126
Zymotic Diseases	612	535	585	522	541	613	667	758	748	881	860	800
Small-pox	70	41	65	60	41	25	14	10	5	4	13	8
Measles	80	49	45	36	41	51	62	32	24	22	20	26
Scarlatina	178	166	176	148	166	214	175	295	402	570	490	360
Diphtheria	36	36	29	35	16	20	21	20	18	34	13	28
Hooping-Cough	43	58	73	67	111	107	76	71	56	54	112	147
Croup	45	37	30	24	20	21	16	26	23	25	47	39
All Fevers	78	64	80	81	61	62	77	48	70	59	77	82
Diarrhœa	33	40	41	23	47	64	169	208	108	69	38	45
Dysentery	2	6	3	2	5	11	10	13	1	4	5	4
Cholera	1	1	1	–	1	3	10	6	3	3	–	–
Consumption	266	271	318	320	308	286	259	254	209	190	238	339
Diseases Respiratory Organs	560	528	552	539	527	433	337	276	271	466	657	1258
Heart, etc., Diseases	131	133	126	136	137	144	111	104	100	94	144	179
Brain, etc., Diseases	228	213	255	243	213	197	255	230	221	188	212	277
Debility and Premat. Birth	116	99	135	151	122	121	147	140	141	117	123	179
Age	122	114	105	99	103	106	81	79	88	74	106	202

April was likewise a remarkably fine month, with high mean temperature, considerable amount of westerly and southerly wind, average rainfall, and plenty of clear sunny weather. The daily deaths during the month were 227,—still slightly exceeding the death-rate observed in January.

May was far from a genial month. The mean temperature was fully two degrees below the average, there was much fog with cold northerly or north-east winds, a somewhat deficient rainfall, and prevalence of dull, cloudy weather. The mortality, however, which had no doubt been influenced by the fine April weather, continued to fall during May, and only amounted to 208 deaths a-day.

The weather in June was in no respect remarkable, except that, towards the end of the month, heavy rains and lightning were recorded at most of the meteorological stations throughout the country. The deaths were 212 per diem.

During July, the mean temperature was about 1°·9 above the average of the period 1856–73. There was more than the usual amount of clear sunshine, the rainfall was ample, and the prevailing breezes were from the south and west. The average daily number of deaths was 202.

In August, the mean temperature was below the average. The barometer, too, was low, the rainfall large, and the winds strong, without, however, any unusual preponderance of easterly or northerly gales. The mortality continued to fall, the deaths numbering 195 daily.

September, as regards mean temperature, was an average month. There was a full amount of rain. The atmospheric currents were chiefly from the south and west. The month was the most salubrious in the whole year, the daily number of deaths having been only 193.

October presented no marked peculiarity as to mean temperature. It was, however, a very wet month, and it was remarked that the amount of rainfall, everywhere great, was on the West coast three to four times that

---

TABLE XVI.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1874.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest.	Lowest.					Mean.	Highest.	Lowest.	
			°	°	°					°	°	°	
1	January 3	615	39·0	51·8	27·0	0·82	27	July 4	517	59·0	75·0	42·0	1·24
2	10	624	40·0	49·0	26·9	0·34	28	11	544	58·9	76·2	44·5	0·08
3	17	645	40·9	53·2	30·1	1·09	29	18	539	61·6	81·4	44·3	0·56
4	24	608	40·9	52·8	28·6	0·86	30	25	643	61·2	81·0	46·1	1·25
5	31	572	43·6	54·0	26·2	0·24	31	August 1	587	58·6	76·0	44·4	0·44
6	February 7	582	41·5	52·6	29·2	0·11	32	8	550	56·7	71·5	42·0	0·97
7	14	621	36·6	56·5	21·0	0·19	33	15	557	56·1	66·2	46·0	3·19
8	21	650	40·6	52·5	27·0	0·36	34	22	549	59·3	78·0	42·0	0·24
9	28	611	41·1	52·3	29·0	0·35	35	29	545	57·6	80·0	38·6	0·60
10	March 7	627	44·2	56·4	28·0	0·28	36	September 5	518	55·4	69·0	37·0	1·26
11	14	613	38·3	55·0	20·0	0·29	37	12	512	52·9	66·0	38·0	1·04
12	21	635	46·4	61·0	32·0	0·94	38	19	546	51·4	65·4	33·0	0·64
13	28	591	47·1	63·5	27·0	0·44	39	26	561	54·9	67·5	41·9	1·28
14	April 4	609	43·7	55·8	30·0	1·77	40	October 3	530	52·1	65·5	42·0	1·25
15	11	638	43·8	55·7	32·0	0·41	41	10	558	47·9	59·3	33·5	1·16
16	18	623	43·9	61·0	31·0	0·26	42	17	567	48·6	63·0	33·3	1·83
17	25	609	53·1	69·0	33·0	0·07	43	24	571	47·0	65·0	32·0	2·01
18	May 2	593	49·9	70·0	32·0	0·03	44	31	628	44·5	58·7	28·9	0·15
19	9	573	44·2	64·5	31·0	0·39	45	November 7	668	45·7	58·1	27·5	0·74
20	16	619	44·1	60·6	25·0	0·29	46	14	645	43·1	61·7	27·0	0·35
21	23	571	48·9	67·5	32·0	0·07	47	21	672	41·8	53·3	31·0	0·53
22	30	631	51·5	66·3	40·0	1·30	48	28	689	37·5	49·0	25·0	1·15
23	June 6	573	57·5	74·4	40·5	0·12	49	December 5	714	37·8	50·0	25·0	1·55
24	13	573	53·6	70·0	35·0	0·16	50	12	759	34·9	50·7	22·5	1·07
25	20	547	56·0	76·2	38·0	0·00	51	19	840	32·2	47·0	16·0	0·38
26	27	535	55·9	71·0	41·0	0·65	52	26	888	29·7	51·0	12·1	0·19
							53	January 2	1096	26·5	45·4	5·0	0·74

which fell on the East coast. The barometer was low, and fluctuated exceedingly. The winds were high, and at times blew in strong gales from the south-west. The daily number of deaths did not, however, exceed 199.

In November, the mean temperature was above the average, the rainfall still excessive, the winds normal both in force and direction. The daily deaths, however, rose to 227.

December was the month which, in its meteorological features, was most exceptional. The mean temperature was only 30°·9, being 7°·5 below the mean of 1856–73, and 2°·5 below the average temperature of any December included within that period. The cold was more remarkable in the Southern than in the Northern parts of the country. It was associated with moderate north winds, a considerable amount of snow and rain, little cloud, and much clear sunshine. The deaths during this month became greatly increased in frequency, reaching the very high average of 296 per diem.

The influence of season upon the fatality of various diseases in our Eight Principal Towns may be traced by reference to Table XV. Similar information relative to the whole of Scotland cannot be epitomized till the materials for the Detailed Annual Report for 1874 have been collected and adjusted.

As regards the Principal Towns, it is at once made obvious by the Table that the cold of December—unprecedented since the institution of these Reports—was accompanied with a most marked increase in the number of deaths recorded. This increase was more particularly due to the fatality of Diseases of the Respiratory System, and of such complaints as Consumption and Hooping-cough, in which the symptons immediately referrible to the Respiratory System are of the highest importance. The Diseases of the Brain and Nervous System, Infantile Debility, and Senile Decay were likewise obviously influenced by the cold of December. Diseases of the Heart (which there is reason to believe were in very many instances associated with Pneumonia or Bronchitis) likewise carried off victims in larger numbers during December than in any other month.

Turning now to individual diseases, we find that deaths from Small-

---

TABLE XVII.—Monthly Deaths at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1874, and proportion at each Age in every hundred Deaths per Month.

MONTHS.	Actual Number of Deaths in 1874.					Proportion at each Age in every Hundred Deaths per Month.				
	0–5 years.	5–20.	20–60.	60 and above.	Total Deaths.	0–5 years.	5–20.	20–60.	60 and above.	Total.
January . .	1041	285	865	477	2668	39·0	10·7	32·5	17·8	100·0
February . .	979	278	750	462	2464	39·7	11·1	30·4	18·8	100·0
March . . .	1061	331	882	454	2728	38·9	12·1	32·3	16·7	100·0
April . . .	1062	319	819	436	2636	40·3	12·1	31·1	16·5	100·0
May . . .	1005	333	791	439	2568	39·1	13·0	30·8	17·1	100·0
June . . .	1045	297	716	406	2464	42·4	12·0	29·1	16·5	100·0
July . . .	1168	315	669	375	2527	46·2	12·5	26·4	14·9	100·0
August . .	1134	300	635	344	2413	47·0	12·4	26·3	14·3	100·0
September .	1037	339	587	342	2305	45·0	14·7	25·5	14·8	100·0
October . .	1185	399	636	316	2536	46·7	15·7	25·1	12·5	100·0
November .	1332	410	717	438	2897	46·0	14·2	24·7	15·1	100·0
December .	1481	397	1198	830	3906	37·9	10·2	30·6	21·3	100·0
YEAR .	13,530	3,998	9,265	5,319	32,112	42·1	12·5	28·8	16·6	100·0

pox, upon the whole, decreased in frequency from January to December, and that deaths from Measles obeyed a somewhat similar law.

Scarlatina was prevailing rather extensively when the year set in. In January it caused 178 deaths; but by the end of April the mortality from this cause began to decrease. With the approach of Autumn the disease again assumed more formidable proportions, and during the last four months of the year caused 1822 deaths, whereof 402 occurred in September, 570 in October, 490 in November, and 360 in December.

Hooping-cough was most fatal in December, though it caused many deaths likewise in November, May, and June. In January, it had not prevailed to any great extent.

The mortality from Fevers had its minimum during August, when the deaths were 48. It had fluctuated a good deal from January up to this time, and continued to fluctuate till December, when it attained its maximum, causing 82 deaths.

The influence of warm weather upon the mortality from Bowel Complaints is illustrated by the deaths from Diarrhœa, Dysentery, and Cholera, which were only 25 in April, but 78 in June, 189 in July, 227 in August, and 112 in September, falling to 49 in December.

The Deaths from Consumption were 339 in December, when the extreme cold, no doubt, precipitated the fatal event in many cases, 320 during April, 318 during March, and 308 during the cold, ungenial, foggy month of May.

Diseases of the Respiratory System caused only 271 deaths in September; but, no doubt in consequence of the excessive rainfall of October, they numbered 406 in October, 657 in November, and no less than 1258 in December. It seems needless here to reiterate the trite popular doctrine which attributes to cold and wet the fatality if not the production of Bronchitis, Pneumonia, Pleurisy, etc. On referring to Table XV., it will be found that the deaths from Respiratory Disorders during the cold month of December 1874 far exceeded in number the deaths from the same causes during the *whole quarter* from 1st July to 1st October.

By means of Tables XVII. and XVIII., the attempt is made to show

TABLE XVIII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1874.

MONTHS.	Relative Number of Deaths in 1874.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum.
	0–5 years.	5–20.	20–60.	60 and above.	Total.	
January	1041	285	865	477	2668	979
February	1084	302	830	512	2728	1000
March	1061	331	882	454	2728	1000
April	1097	330	846	451	2724	999
May	1005	333	791	439	2568	942
June	1080	307	740	419	2546	934
July	1168	315	669	375	2527	927
August	1134	300	635	344	2413	885
September	1072	350	607	353	2382	874
October	1185	399	636	316	2536	930
November	1376	424	741	453	2994	1098
December	1481	397	1198	830	3906	1432
YEAR	13,784	4,073	9,440	5,423	32,720	12,000

how the influence of season during 1874 affected, 1st, children under the age of five; 2d, adolescents between five and twenty years of age; 3d, adults between twenty and sixty; and 4th, aged persons whose years exceeded sixty.

To children under five, the cold December was the most fatal month. From the first column of Table XVIII., in which for convenience of comparison the months are equalized to 31 days, and a correction of the death-numbers introduced, it appears that there died 1481 children in December, 1376 in November, 1185 in October. The influence of hot weather in the production of Diarrhœa is traceable in the 1168 deaths which occurred in July, and in the 1134 which took place in August. The health of children seems to have been best preserved during January, when the deaths were 1041, and during May, when they were only 1005.

Adolescents, or those between the ages of five and of twenty years, suffered in largest proportion during November, when the deaths amounted to 424. It is curious to observe that even October, which though a wet month was not ungenial as regards temperature, was to adolescents more fatal than the unprecedentedly severe December. The deaths were, in November, 424; in October, 399; and in December, 397. January was to persons between the fifth and the twentieth year of life decidedly the most healthy month of the year, the deaths numbering only 285. In August, February, and June, the numbers of deaths registered were 300, 302, and 307 respectively.

Adults, between the ages of twenty and sixty years, died in largest numbers in December, when the deaths were 1198. March, January, April, and February were next in order of fatality, causing from 882 to 830 deaths. The cold easterly winds of May, too, appear to have made their lethal influence felt upon adults, for during this month there were registered 791 deaths among such adults. Next in order of fatality to such persons was November with 741 deaths, and June with 740. September furnished only 607 deaths, and was, as regards adults, the healthiest month of 1874.

Aged persons, that is to say, persons whose age exceeds sixty years, seem to have been severely tried by the cold weather in December. During that month the frequency of deaths among aged persons was, indeed, matter of popular remark, and a very cursory glance at the figures in the fourth column of Table XVIII. will show that the remark was well founded. The deaths of aged persons in December amounted to 830, while in February, the second month in point of fatality, the deaths were only 512. In January, they numbered 477, and in October, which was for old people the most salubrious month, only 316 deaths were recorded.

In short, the mortality at the four periods of life, contrasted in Table XVIII., was, during 1874, influenced by season in very different ways; and in connection with this subject, no circumstance is more remarkable than the extraordinary havoc which the cold of December seems to have committed, firstly, among those who, from age and consequent exhaustion of vitality, were liable to suffer from extreme diminution of atmospheric temperature; secondly, among the very young, whose delicate frames were not yet inured to the unfavourable influence of hard winter weather; and, thirdly, among the adult members of the population aged from 20 to 60, including, of course, the bulk of the labouring classes and of those whose daily duties and occupations caused them to be much exposed to the cold and wet.

TENTH ANNUAL REPORT

ON THE

VACCINATION OF CHILDREN

BORN IN SCOTLAND DURING 1873.

THE purpose of the following Report is to show what has been the proportion of the children born in Scotland during 1873 that has received the protection afforded by the working of the Scottish Vaccination Act, and likewise to point out the circumstances which it is believed prevent the benefits of vaccination from being universally diffused throughout the country. Although published along with the Report of the Births, Marriages, and Deaths of 1874, the Vaccination Report is necessarily confined

TABLE XIX.—VACCINATIONS in SCOTLAND, 1864–1873, and proportion to the Births each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	3701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	39	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	116184
1872	Numbers .	104902	811	184	64	322	10325	2351	118959
1873	Numbers .	105177	1113	162	39	163	10527	2629	119810
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	9769·9	2620·0	114935·2
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·501	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000
1872	Percentage	88·183	0·682	0·155	0·054	0·271	8·679	1·976	100·000
1873	Percentage	87·786	0·930	0·135	0·033	0·136	8·786	2·194	100·000
10 Years.	Percentage	88·008	0·706	0·258	0·046	0·202	8·500	2·280	100·000

to the operation of the Act upon children born during 1873; for, the statutory period during which the Act permits the postponement of vaccination being six months, it of course follows that many children born during the later months of 1873 are not yet vaccinated, and that several months must elapse before the returns relative to the vaccinations of 1874 can be received and tabulated.

From the completed Returns relative to 1873, it is found that the number of children born in Scotland during that year was 119810. Of these children, 105177, or 87·786 per cent. of the total born, have been successfully vaccinated. In 1113 cases, or 0·93 per cent. of the births, the performance of the operation was, on medical authority, postponed. In 364 children, or 0·304 per cent. of the births, insusceptibility of vaccination was found to exist. The cause of this insusceptibility was in 162 cases reported as 'constitutional;' in 39 cases, it proceeded from the child having already had Small-pox; and, in 163 cases, from its having been previously vaccinated. 10527 children, or 8·786 per cent. of all born, died before the lapse of the statutory period during which vaccination is not compulsory. 2629 children, or 2·194 per cent. of the births, were removed from the districts in which they had been born before the compulsory powers of the Act could be applied, or from other circumstances, generally from the migratory habits of their parents, were lost sight of by the Registrars. It is necessary here to remark that during 1873 the number of cases in which vaccination was postponed has been unusually large, exceeding by 300 the number of postponements in 1872, and the average of the ten years, 1864–72.

In Table XX., the number of 10527 children who were born during

---

TABLE XX.—VACCINATIONS in SCOTLAND, 1864–1873, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise unaccounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1872	Numbers .	104902	811	184	64	322	2351	108634
1873	Numbers .	105177	1113	162	39	163	2629	109283
10 Years.	Average .	101152·4	811·8	296·2	53·1	231·8	2620·0	105165·3
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000
1872	Percentage	96·565	0·747	0·169	0·059	0·296	2·164	100·000
1873	Percentage	96·248	1·018	0·148	0·036	0·149	2·406	100·000
10 Years.	Percentage	96·184	0·772	0·282	0·051	0·220	2·491	100·000

1873, but who died unvaccinated, is excluded, and the attempt is made, by means of the remaining figures, to estimate the proportion of living children to whom the benefits of vaccination are, under the provisions of the Act, extended.

From this Table it appears that during 1873, out of 109283 alive six months after birth, 105177, or 96·243 per cent., were known to have been successfully vaccinated; that in 1113 cases, or in 1·018 per cent., vaccination was for various reasons postponed; that in 364 cases, or 0·333 per cent., insusceptibility was certified—such insusceptibility being due in 162 cases or 0·148 per cent., to constitutional peculiarity; in 39 cases, or 0·36 per cent., to a previous attack of Small-pox; and in 163 cases, or 0·149 per cent., to previous vaccination. In 2649 cases, *i.e.* in 2·406 per cent. of children who lived for six months after birth, there is no record of vaccination. Although the great proportion of these children were lost sight of by the Registrars before it became their duty to enforce the provisions of the Act, and although it cannot be positively asserted that none of such children have, after the lapse of the statutory period, had the operation of vaccination performed, it seems safest in such a Report as the present to regard them all as unvaccinated. Hence, we may compute that in 1873, 2·406 per cent. of children that lived for six months had, at the expiry of that period, not received the protection which vaccination affords. This proportion is small, and has not materially varied during the last ten years. It shows that due efforts are made by the Registrars efficiently to carry out the provisions of the Vaccination Act; and it is satisfactory to know that the humane intentions of the legislature secure the vaccination of 96·243 per cent. of children who survive their birth by six months. There are, however, two points in which it appears that the Vaccination Act might be amended. The number of postponements might, we think, be greatly diminished, and the number of those who escape vaccination might be proportionally reduced. As has been pointed out in former Reports, both these ends might be achieved by an enactment reducing the statutory period during which vaccination may be postponed from six to four months. In Scotland, there is but little of that unreasonable opposition to the practice of vaccination by which some opinionative men are elsewhere moved.

TABLE XXI.—Deaths from Small-pox in Scotland, 1855–1874.

YEARS.	Small-pox Deaths.	YEARS.	Small-pox Deaths.
1855	1309	1865	383
1856	1306	1866	200
1857	845	1867	100
1858	332	1868	15
1859	682	1869	64
1860	1495	1870	114
1861	766	1871	1442
1862	426	1872	2946*
1863	1646	1873	895*
1864	1741	1874	682*

* For 1872, 1873, and 1874, the Small-pox Deaths are estimated from the ascertained Small-pox Deaths in the Principal Towns, as compared with the Total Deaths in all Scotland during the seventeen years, 1855–1871.

But the greatest enemy to the practice is, in Scotland, the habit of procrastination existing among the lower classes of society. This habit, it is feared, prevents many parents from applying to the vaccinator till a reminder from the Registrar has been issued requiring them to have their children vaccinated. Such reminder is not issued till near the close of the sixth month after the registration of a child's birth, and it were much to be desired that it were far seldomer required. For, during the fifth and sixth months of life a number of infantile diseases are apt to show themselves, and to justify the postponement of vaccination, or even to prevent the full success of the operation. It is only necessary to allude to certain cutaneous disorders, and to the whole train of complaints included under the term 'disorders connected with teething.' There is, generally speaking, no objection whatever to the performance of vaccination on a child three months old. The very fact that the operation confers upon a child comparative immunity from the dangers of Small-pox should induce its parents to secure for it this immunity as soon as it can with prudence be obtained. If then, as is contemplated, the legislature should see fit to make four months instead of six months the limit after which vaccination shall become compulsory, there are good grounds for believing that the efficiency of the Scottish Vaccination Act would be greatly promoted.

In reference to the deaths from Small-pox which have occurred in Scotland, Table XXI. will be found of considerable interest. It will be seen that, since 1871 an epidemic of Small-pox has raged in Scotland, that the deaths which it occasioned were most numerous during 1872, but that for the last two years the mortality from this cause has greatly declined. 'But why,' it may be asked, 'should we now have epidemics of Small-pox? We have vaccination laws, and are accustomed to hear that these are of the most effective nature and carefully administered. How comes it, then, that Small-pox has, during the last few years, reappeared in a threatening form amongst us?' The reason has been alluded to in our former Reports, and in further illustration of it, we beg to call attention to the Annual Ten Years Average Table, which is presented at page 74 in the Appendix to the present Report. From the first line of that Table it is seen that 26,000 of the children born in Scotland during the last ten years are believed to have escaped the provisions of the Vaccination Act; that 97,699 have died (some of them, no doubt, of Small-pox) before the lapse of the period of six months after which vaccination becomes obligatory; and that 531 recovered from Small-pox before they became six months old, and that they were consequently found

TABLE XXII.—SMALL-POX DEATHS in the Eight Principal Towns at different Ages in 1874, compared with those of the Ten years, 1855–1864, in the same Towns before the Vaccination Act came into operation.

AGES.	SMALL-POX DEATHS, 1874.		SMALL-POX DEATHS, 1855–1864.	
	Number.	Percentage at each Age.	Number.	Percentage at each Age.
0–5	89	25·00	4062	75·03
5–20	109	30·62	660	12·19
20–60	156	43·82	687	12·67
60 and above.	2	0·56	6	0·11
Total . .	356	100·00	5415	100·00

to be insusceptible to the influence of vaccination. Besides, there are notoriously living amongst us thousands of unvaccinated persons, who were born in Scotland before the Vaccination Act came into operation, or who have emigrated from foreign lands to this country. The late epidemic of Small-pox was not an unmixed evil; for the alarm which it created had the effect of inducing many persons who knew themselves to be unvaccinated to repair this imprudent omission, and the practice of revaccination was likewise extensively pursued. Our returns do not, however, enable us to give any accurate information regarding revaccinations or the vaccinations of adults. From what has been now said it is tolerably plain that materials for the spread of Small-pox still exist amongst us in undesirable profusion, and that it would be irrational to undervalue vaccination because it has not hitherto rendered the accumulation of such materials impossible.

The Scottish Vaccination Act applies only to children born in Scotland since the 1st day of January 1764. Reference to Table XXII. will at once illustrate the benefits which it has been the means of conferring. It is quite notorious that, before the days of Jenner, every epidemic of Small-pox cut off a very large proportion of the young. As Dr. Stark pointed out in his Report on Vaccination of 16th April 1874, of every 100 deaths from Small-pox, 60 to 70 used to occur among children under five years of age. Now-a-days, this mortality is, as our Table shows, reduced to 25 per cent. There is likewise good reason to believe that, by means of the slight amendment of the vaccination above alluded to, the protection afforded to children may be materially increased.

In Table XXI. we present a note of the number of deaths from Small-pox which have taken place in all Scotland during the last twenty years. It must, however, be observed that the numbers for 1872, 1873, and 1874 are not exact, but are estimated from the ascertained numbers of Small-pox Deaths in the Principal Towns. In forming such an estimate, it is assumed that the ratio between the number of deaths from Small-pox and deaths from all causes will not much differ in the Principal Towns and in the country at large.

Finally, it has been deemed expedient to introduce into this Report, for the first time, the Table at p. 74 of the Appendix, which will be found to give a sufficiently accurate view of the operation of the Vaccination Act during the ten years terminating with 1873. It is presented under the form of an Annual Average Statement for the whole of Scotland, and for each of its Eight Divisions and Thirty-three Counties.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON, M.D.

STATISTICAL DEPARTMENT,
5th April 1875.

ABSTRACTS

OF THE

BIRTHS, DEATHS, AND MARRIAGES

REGISTERED IN EVERY

COUNTY AND REGISTRATION DISTRICT

OF

SCOTLAND

IN

1874;

ALSO OF

THE VACCINATIONS

IN EVERY COUNTY AND DISTRICT

OF THE CHILDREN BORN IN

SCOTLAND

IN

1873.

REFERENCE ONLY

I.—BIRTHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1874.

	Population.	Births.															
	1871.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Births.	Males	Fem.	Total Illegit. Births.
SCOTLAND,	3,360,018	10339	9040	10458	10772	10712	10811	10780	9916	10006	10642	9890	10429	123795	63642	60153	10837
GROUPS OF DISTRICTS.																	
PRINCIPAL TOWNS,	1,068,556	3565	3101	3604	3765	3494	3753	3723	3342	3561	3674	3430	3629	42641	21864	20777	3805
LARGE TOWNS,	332,180	1232	1140	1316	1306	1326	1349	1325	1133	1230	1289	1221	1342	15209	7784	7425	974
SMALL TOWNS,	772,229	2440	2198	2498	2607	2625	2508	2522	2458	2364	2531	2343	2453	29547	15264	14283	2430
MAINLAND-RURAL,	1,055,049	2827	2331	2792	2853	3014	2932	2877	2683	2562	2826	2583	2673	32953	16922	16031	3430
INSULAR-RURAL,	132,004	275	270	248	241	253	269	335	300	289	322	313	332	3445	1808	1637	198
DIVISIONS.																	
NORTHERN,	127,191	254	206	214	254	257	267	286	287	292	284	271	287	3159	1658	1501	248
NORTH-WESTERN,	166,351	398	342	360	334	300	355	414	323	354	393	392	361	4326	2259	2067	276
NORTH-EASTERN,	393,199	1023	932	1061	1073	1084	1141	1127	1057	1026	1166	1038	1133	12861	6587	6274	1919
EAST-MIDLAND,	559,676	1508	1366	1546	1599	1678	1680	1720	1554	1576	1688	1523	1589	19027	9787	9240	1746
WEST-MIDLAND,	251,088	759	602	704	736	816	804	720	741	666	715	677	713	8653	4415	4238	626
SOUTH-WESTERN,	1,183,218	4501	3932	4610	4799	4513	4553	4585	4079	4169	4422	4182	4484	52829	27245	25584	3817
SOUTH-EASTERN,	475,523	1384	1203	1427	1462	1465	1464	1411	1354	1463	1432	1317	1371	16753	8500	8253	1345
SOUTHERN,	203,772	512	457	536	515	599	547	517	521	460	542	490	491	6187	3191	2996	860
I. NORTHERN.																	
Shetland,	31,608	41	41	43	35	68	66	80	65	74	73	62	72	720	376	344	34
Orkney,	31,274	66	62	51	86	68	52	70	71	68	82	80	84	840	434	406	43
Caithness,	41,011	111	75	79	98	80	98	97	110	88	97	87	89	1109	582	527	135
Sutherland,	23,298	36	28	41	35	41	51	39	41	62	32	42	42	490	266	224	36
II. NORTH-WESTERN.																	
Ross and Cromarty,	82,093	180	167	174	164	115	178	230	155	161	212	175	157	2068	1086	982	89
Inverness,	84,258	218	175	186	170	185	177	184	168	193	181	217	204	2258	1173	1085	187
III. NORTH-EASTERN.																	
Nairn,	8,372	12	12	12	19	15	20	22	22	19	25	24	23	225	111	114	20
Elgin (or Moray),	44,549	122	91	106	116	96	124	113	95	97	118	100	106	1284	631	653	211
Banff,	58,883	136	137	142	164	176	178	182	145	136	180	125	168	1869	948	921	320
Aberdeen,	246,298	662	610	722	683	715	727	717	696	682	742	707	760	8423	4328	4095	1215
Kincardine,	35,097	91	82	79	91	82	92	93	99	92	101	82	76	1060	569	491	153
IV. EAST-MIDLAND.																	
Forfar,	240,049	687	659	716	738	749	794	831	713	768	784	698	751	8888	4591	4297	930
Perth,	128,550	280	257	304	313	316	296	298	282	273	293	280	269	3461	1769	1692	349
Fife,	160,924	448	373	454	452	496	494	494	479	459	508	469	486	5612	2881	2731	369
Kinross,	7,918	24	15	11	21	27	17	20	11	20	17	15	15	213	116	97	18
Clackmannan,	22,235	69	62	61	75	90	79	77	69	56	86	61	68	853	430	423	80
V. WEST-MIDLAND.																	
Stirling,	93,345	323	255	320	342	330	347	325	329	290	329	311	340	3839	1972	1867	281
Dumbarton,	61,116	236	162	199	198	234	230	206	201	173	181	180	191	2391	1189	1202	145
Argyll,	79,661	171	152	149	163	219	190	160	176	159	178	152	151	2020	1033	987	168
Bute,	16,966	29	33	36	33	33	37	31	35	44	27	34	31	403	221	182	32
VI. SOUTH-WESTERN.																	
Renfrew,	195,305	657	584	726	688	669	752	721	605	614	711	627	660	8014	4171	3843	472
Ayr,	200.908	723	646	747	795	688	716	689	633	644	660	650	709	8300	4330	3970	636
Lanark,	787,005	3121	2702	3137	3316	3156	3085	3175	2841	2911	3051	2905	3115	36515	18744	17771	2709
VII. SOUTH-EASTERN.																	
Linlithgow,	41,379	151	147	159	124	151	135	147	160	129	125	124	151	1703	875	828	144
Edinburgh,	328,138	961	816	995	1008	988	1029	977	940	1054	1014	932	951	11665	5873	5792	922
Haddington,	37,755	91	75	85	113	110	93	95	86	100	112	79	104	1143	610	533	86
Berwick,	36,382	84	86	78	115	95	91	101	77	76	91	82	81	1057	551	506	100
Peebles,	12,218	36	32	37	32	37	32	23	28	39	38	32	25	391	187	204	28
Selkirk,	19,651	61	47	73	70	84	84	68	63	65	52	68	59	794	404	390	65
VIII. SOUTHERN.																	
Roxburgh,	48,241	119	128	126	125	150	133	132	126	121	140	123	112	1535	793	742	171
Dumfries,	74,842	180	157	195	174	206	208	176	199	173	188	169	173	2198	1155	1043	325
Kirkcudbright,	42,087	111	81	107	106	133	111	109	106	91	112	107	108	1282	642	640	187
Wigtown,	38,602	192	91	108	110	110	95	100	90	75	102	91	98	1172	601	571	177

II.—DEATHS

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1874.

	Population.	Deaths.														
	1871.	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total Deaths.	Males.	Fem.
SCOTLAND,	3,360,018	6933	6604	7238	6811	6455	6374	6265	6044	5790	6166	6815	9181	80676	40680	39996
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS,	1,068,556	2668	2464	2728	2633	2569	2465	2526	2418	2305	2537	2882	3920	32118	16245	15873
LARGE TOWNS,	332,180	883	795	941	868	775	816	760	704	724	725	847	1191	10029	5087	4942
SMALL TOWNS,	772,229	1578	1499	1612	1431	1405	1404	1393	1387	1298	1338	1466	1932	17743	8939	8804
MAINLAND-RURAL,	1,055,049	1632	1675	1774	1673	1525	1516	1395	1377	1319	1402	1450	1859	18597	9333	9264
INSULAR-RURAL,	132,004	172	171	183	203	181	173	191	158	144	164	170	279	2189	1076	1113
DIVISIONS.																
NORTHERN,	127,191	142	133	176	166	182	155	171	123	133	150	118	189	1838	845	993
NORTH-WESTERN,	166,351	253	230	255	256	240	236	224	205	211	225	248	353	2936	1417	1519
NORTH-EASTERN,	393,199	676	629	717	629	566	577	546	499	534	555	521	727	7176	3526	3650
EAST-MIDLAND,	559,676	1047	1055	1140	1094	1029	1015	1019	1069	994	1056	1098	1374	12990	6445	6545
WEST-MIDLAND,	251,088	509	483	522	482	445	459	471	418	419	444	494	621	5767	2953	2814
SOUTH-WESTERN,	1,183,218	2991	2840	3091	2946	2851	2790	2687	2636	2468	2672	3166	4346	35484	18226	17258
SOUTH-EASTERN,	475,523	926	850	946	902	869	809	821	786	792	804	875	1197	10577	5302	5275
SOUTHERN,	203,772	389	384	391	336	273	333	326	308	239	260	295	374	3908	1966	1942
I. NORTHERN.																
Shetland,	31,608	37	46	52	52	56	33	51	43	25	37	31	57	520	221	299
Orkney,	31,274	39	26	25	36	43	46	34	22	32	37	27	38	405	188	217
Caithness,	41,011	42	28	59	50	54	49	56	39	49	49	35	57	567	267	300
Sutherland,	23,298	24	33	40	28	29	27	30	19	27	27	25	37	346	169	177
II. NORTH-WESTERN.																
Ross and Cromarty,	82,093	112	109	121	112	107	103	104	110	115	141	145	200	1479	696	783
Inverness,	84,258	141	121	134	144	133	133	120	95	96	84	103	153	1457	721	736
III. NORTH-EASTERN.																
Nairn,	8,372	19	14	22	12	16	6	14	8	8	13	13	7	152	79	73
Elgin (or Moray),	44,549	70	65	87	73	80	73	58	54	52	58	53	80	803	367	436
Banff,	58,883	67	80	90	72	82	79	74	62	81	92	69	90	938	466	472
Aberdeen,	246,298	460	426	459	413	356	373	348	329	346	351	346	493	4700	2319	2381
Kincardine,	35,097	60	44	59	59	32	46	52	46	47	41	40	57	583	295	288
IV. EAST-MIDLAND.																
Forfar,	240,049	507	471	559	495	528	512	547	559	522	560	552	675	6487	3166	3321
Perth,	128,550	206	250	224	214	189	183	197	221	195	234	215	277	2605	1286	1319
Fife,	160,924	274	272	301	329	252	275	232	259	243	226	286	354	3303	1687	1616
Kinross,	7,918	13	16	12	11	16	4	11	6	9	10	12	16	136	80	56
Clackmannan,	22,235	47	46	44	45	44	41	32	24	25	26	33	52	459	226	233
V. WEST-MIDLAND.																
Stirling,	93,345	191	183	195	178	181	186	196	148	156	195	211	236	2256	1170	1086
Dumbarton,	61,116	158	141	167	124	129	141	119	131	125	107	129	196	1667	846	821
Argyll,	79,661	122	119	125	146	100	101	114	113	114	111	114	151	1430	736	694
Bute,	16,966	38	40	35	34	35	31	42	26	24	31	40	38	414	201	213
VI. SOUTH-WESTERN.																
Renfrew,	195,305	492	419	456	435	414	411	380	391	359	330	414	595	5096	2576	2520
Ayr,	200,908	474	464	457	408	386	391	348	383	340	384	423	540	4998	2526	2472
Lanark,	787,005	2025	1957	2178	2103	2051	1988	1959	1862	1769	1958	2329	3211	25390	13124	12266
VII. SOUTH-EASTERN.																
Linlithgow,	41,379	78	65	82	67	59	54	53	51	51	55	50	79	744	388	356
Edinburgh,	328,138	691	624	700	710	664	614	607	581	580	609	657	912	7949	3964	3985
Haddington,	37,755	50	57	48	38	67	65	66	71	75	65	73	74	749	377	372
Berwick,	36,382	48	57	53	47	34	35	53	46	41	42	49	63	568	288	280
Peebles,	12,218	15	17	20	15	17	12	19	13	12	10	17	15	182	86	96
Selkirk,	19,651	44	30	43	25	28	29	23	24	33	23	29	54	385	199	186
VIII. SOUTHERN.																
Roxburgh,	48,241	77	73	69	70	53	69	59	78	39	51	46	74	758	389	369
Dumfries,	74,842	151	146	178	124	108	124	139	115	108	95	130	164	1582	809	773
Kirkcudbright,	42,087	86	73	73	75	62	68	71	65	37	57	59	71	797	390	407
Wigtown,	38,602	75	92	71	67	50	72	57	50	55	57	60	65	771	378	393

III.—MARRIAGES

REGISTERED IN SCOTLAND DURING EACH MONTH OF THE YEAR 1874.

		Population.		Marriages.												
		1861	1871	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct.	Nov	Dec	Total.
	SCOTLAND,	3,062,294	3,360,018	3596	1539	1642	1600	1142	3988	2497	1640	1445	1721	2467	2970	26247
	GROUPS OF DISTRICTS.															
1	PRINCIPAL TOWNS,	884,955	1,068,556	1463	593	685	692	438	1606	1080	679	620	679	970	986	10491
2	LARGE TOWNS,	272,540	332,180	418	153	165	192	153	423	327	248	205	202	305	259	3050
3	SMALL TOWNS,	700,474	772,229	871	355	360	340	233	848	505	358	338	421	513	624	5766
4	MAINLAND-RURAL,	1,067,560	1,055,049	737	347	362	339	293	1082	559	331	252	[illegible]	640	983	6321
5	INSULAR-RURAL,	136,765	132,004	107	91	70	37	25	[illegible]	26	24	30	23	39	118	619
	DIVISIONS.															
1	NORTHERN,	130,422	127,191	89	69	53	29	47	40	36	25	34	31	52	106	611
2	NORTH-WESTERN,	167,242	166,351	122	91	65	41	28	75	65	28	29	50	66	125	785
3	NORTH-EASTERN,	366,870	393,199	247	119	111	103	135	415	237	151	130	230	235	405	2518
4	EAST-MIDLAND,	523,822	559,676	622	216	235	242	206	717	335	276	209	225	460	514	4257
5	WEST-MIDLAND,	242,487	251,088	227	93	91	107	57	251	172	[illegible]	92	91	124	195	1598
6	SOUTH-WESTERN,	1,008,273	1,183,218	1653	669	755	731	445	1652	1235	753	711	754	1046	1060	11464
7	SOUTH-EASTERN,	413,116	475,523	512	204	255	283	163	627	316	238	182	262	350	387	3779
8	SOUTHERN,	210,062	203,772	124	78	77	64	61	211	101	71	58	78	134	178	1235
	I. NORTHERN.															
1	Shetland,	31,670	31,608	27	19	12	3	4	2	2	6	10	5	19	35	144
2	Orkney,	32,395	31,274	21	23	20	10	17	14	13	7	11	2	13	28	179
3	Caithness,	42,200	41,011	27	11	12	13	23	15	16	9	10	17	13	30	196
4	Sutherland,	24,157	23,298	14	16	9	3	3	9	5	3	3	7	7	13	92
	II. NORTH-WESTERN.															
5	Ross and Cromarty,	82,427	82,093	56	40	29	17	15	29	28	7	5	33	37	61	357
6	Inverness,	84,815	84,258	66	51	36	24	13	46	37	21	24	17	29	64	428
	III. NORTH-EASTERN.															
7	Nairn,	8,347	8,372	3	3	3	1	4	6	3	1	2	3	4	5	38
8	Elgin (or Moray),	44,305	44,549	19	8	8	15	9	45	18	10	17	33	15	47	244
9	Banff,	56,020	58,883	33	11	22	11	15	55	30	17	19	48	40	58	359
10	Aberdeen,	223,417	246,298	167	81	69	74	95	274	165	103	80	118	154	245	1625
11	Kincardine,	34,781	35,097	25	16	9	2	12	35	21	20	12	28	22	50	252
	IV. EAST-MIDLAND.															
12	Forfar,	206,750	240,049	312	114	99	122	113	414	145	143	107	128	165	232	2094
13	Perth,	133,198	128,550	100	36	52	49	29	124	61	44	31	31	88	127	772
14	Fife,	155,021	160,924	191	56	72	57	58	153	106	77	62	61	171	142	1206
15	Kinross,	8,731	7,918	3	2	3	3	1	6	6	1	3	0	16	3	47
16	Clackmannan,	20,122	22,235	16	8	9	11	5	20	17	11	6	5	20	10	138
	V. WEST-MIDLAND.															
17	Stirling,	88,138	93,345	116	44	43	46	25	117	62	60	48	41	63	78	743
18	Dumbarton,	54,179	61,116	61	25	25	28	17	71	64	20	25	21	43	55	455
19	Argyll,	83,859	79,661	41	20	15	22	9	50	39	13	14	18	15	48	304
20	Bute,	16,311	16,966	9	4	8	11	6	13	7	5	5	11	3	14	96
	VI. SOUTH-WESTERN.															
21	Renfrew,	168,746	195,305	278	108	106	112	51	229	200	142	108	121	153	116	1724
22	Ayr,	199,083	200,908	238	108	129	113	77	287	128	136	112	136	168	190	1822
23	Lanark,	640,444	787,005	1137	453	520	506	317	1136	907	475	491	497	725	754	7918
	VII. SOUTH-EASTERN.															
24	Linlithgow,	39,045	41,379	57	20	18	25	11	39	30	17	7	17	26	32	299
25	Edinburgh,	273,792	328,138	382	157	199	199	121	473	233	187	147	200	271	292	2861
26	Haddington,	37,626	37,755	30	10	12	18	21	39	22	9	4	15	23	20	223
27	Berwick,	36,488	36,382	15	9	11	25	5	37	15	10	11	11	9	24	182
28	Peebles,	11,264	12,218	8	3	3	2	3	15	7	4	5	4	7	9	70
29	Selkirk,	14,901	19,651	20	5	12	14	2	24	9	11	8	15	14	10	144
	VIII. SOUTHERN.															
30	Roxburgh,	49,568	48,241	28	16	22	22	19	44	30	21	12	16	31	42	303
31	Dumfries,	75,904	74,842	47	25	26	17	28	86	38	24	23	27	42	72	455
32	Kirkcudbright,	42,680	42,087	25	14	19	13	5	47	18	12	8	14	32	36	243
33	Wigtown,	41,910	38,602	24	23	10	12	9	34	15	14	15	21	29	28	234

IV.—Total DEATHS from all Causes at Four Periods of Life in the Eight Principal Towns of Scotland.—Year 1874.

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
ALL CAUSES	13530	3998	9265	5319	32112
SPECIFIED CAUSES	13387	3974	9177	5314	31852
DISEASES:—					
I. Zymotic Class	5091	1804	991	236	8122
II. Dropsy, Cancer, and others of uncertain seat	85	77	536	355	1053
III. Tubercular Class	1376	954	2264	119	4713
IV. Of Brain, etc.	849	258	795	830	2732
V. Of Heart, etc.	17	84	874	564	1539
VI. Of Resp. Organs	2887	345	1789	1323	6344
VII. Of Digest. Organs	989	113	591	281	1974
VIII. Of Kidneys, etc.	32	68	247	123	470
IX. Of Uterus, etc.	–	14	241	6	261
X. Of Joints, Bones, etc.	10	65	77	31	183
XI. Of Skin, etc.	14	5	10	4	33
XII. Malformations	71	–	–	–	71
XIII. Debility from Premature Birth	1591	–	–	–	1591
XIV. Atrophy	75	21	106	–	202
XV. Age	–	–	–	1279	1279
XVI. Sudden	16	4	34	19	73
XVII. Violence, Privation, etc.	284	162	622	144	1212
I. Small-pox	89	109	156	2	356
Measles	452	31	4	1	488
Scarlatina	2108	1176	54	2	3340
Diphtheria	216	75	12	3	306
Hooping-Cough	924	49	1	1	975
Croup	318	33	2	–	353
Thrush	9	–	–	–	9
Diarrhœa	682	31	68	104	885
Dysentery	17	5	19	25	66
Cholera	14	6	5	4	29
Influenza	8	3	6	10	27
Purpura; Scurvy	2	4	8	–	14
Ague	–	–	3	1	4
Worms	3	–	–	–	3
Typhus Fever	22	77	238	24	361
Enteric Fever	65	161	171	22	419
Relapsing Fever	1	3	3	3	10
Simple Cont. Fever	8	6	1	4	19
Infant. Rem. Fever	24	6	–	–	30
Metria	–	7	107	–	114
Rheumatic Fever	4	10	39	4	57
Erysipelas	40	8	65	24	137
Pyæmia	1	4	13	–	18
Syphilis	79	–	15	1	95
Noma	5	–	1	1	7
Hydrophobia	–	–	–	–	–
II. Hæmorrhage	10	6	29	11	56
Dropsy	41	54	136	105	336
Abscess	17	14	38	13	82
Ulcer	3	–	13	10	26
Fistula	–	–	7	1	8
Mortification	6	1	11	25	43
Cancer	8	2	301	185	496
Gout	–	–	1	5	6
III. Scrofula	105	79	56	4	244
Tabes Mesenterica	312	90	18	2	422
Phthisis	282	679	2184	113	3258
Hydrocephalus	677	106	6	–	789

CAUSES OF DEATH.	AGES. 0–5	5–20	20–60	Above 60	Total.
IV. Cephalitis	202	80	47	8	337
Apoplexy	89	40	237	226	592
Paralysis	6	8	239	479	732
Delirium Tremens	–	1	24	4	29
Chorea	1	1	2	–	4
Epilepsy	1	10	49	13	73
Tetanus	5	1	2	–	8
Insanity	2	–	22	8	32
Convulsions	456	33	8	–	497
Dis. of Brain, etc.	87	84	165	92	428
V. Pericarditis	2	9	13	2	26
Aneurism	–	1	46	7	54
Dis. of Heart, etc.	15	74	815	555	1459
VI. Laryngitis	50	6	18	4	78
Bronchitis	2233	174	984	994	4385
Pleurisy	3	16	48	28	95
Pneumonia	558	133	589	195	1475
Asthma	–	–	78	77	155
Dis. of Lungs, etc.	43	16	72	25	156
VII. Teething	442	–	–	–	442
Quinsey	17	5	2	2	26
Gastritis	53	4	24	7	88
Enteritis	234	43	66	20	363
Peritonitis	11	17	67	16	111
Ascites	3	1	5	5	14
Ulcer. of Intest.	3	3	35	9	50
Hernia	2	1	23	18	44
Ileus	35	4	35	15	89
Intussusception	2	1	2	2	7
Strict. of Intest.	–	–	4	–	4
Dis. of Stomach	124	19	93	68	304
Dis. of Pancreas	–	–	–	–	–
Hepatitis	8	2	33	16	59
Jaundice	32	2	24	21	79
Dis. of Liver	23	11	176	82	292
Dis. of Spleen	–	–	2	–	2
VIII. Nephritis	16	20	27	2	65
Nephria	4	20	94	24	142
Addison's Disease	–	–	–	–	–
Ischuria	1	–	3	7	11
Diabetes	–	4	29	3	36
Stone	–	1	4	14	19
Cystitis	–	1	7	17	25
Strict. of Urethra	–	–	7	1	8
Dis. of Kidneys	11	22	76	55	164
IX. Paramenia	–	1	5	1	7
Ovarian Dropsy	–	–	18	3	21
Childbirth	–	11	188	–	199
Dis. of Uterus	–	2	30	2	34
X. Arthritis	3	6	9	3	21
Rheumatism	1	11	33	23	68
Dis. of Joints, etc.	6	48	35	5	94
XI. Carbuncle	1	1	3	2	7
Phlegmon	–	–	3	–	3
Dis. of Skin	13	4	4	2	23
XVII. Intemperance	–	2	95	17	114
Privation of Food	1	–	–	–	1
Wt. Breast-milk	69	–	–	–	69
Neglect	4	–	–	–	4
Cold	1	–	2	1	4
Poison	5	2	12	4	23
Poisoned Wounds	–	1	1	1	3
Burns and Scalds	59	23	25	15	122
Hanging, etc.	1	–	16	7	24
Suffocation	92	3	12	2	109
Drowning	12	36	121	13	182
Fractures & Contus.	27	75	285	72	459
Gunshot Wounds	–	2	5	–	7
Cuts and Stabs	2	1	16	2	21
Other Vio. Causes	11	17	32	10	70
Not specified	143	24	88	5	260

V.—DEATHS from all Causes at Four Periods of Life Year 1874.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
ALL CAUSES	7173	2062	4550	2056	15841	1739	472	1614	1180	5005	1987	607	1019	556	4169	715	222	557	572	2066
SPECIFIED CAUSES	7113	2053	4493	2052	15711	1720	468	1607	1179	4974	1965	605	1011	556	4137	711	221	554	572	2058
DISEASES:—																				
I. Zymotic Class	2678	886	435	81	4080	591	189	167	42	989	894	338	121	30	1383	253	89	77	38	457
II. Dropsy, Cancer, and others of uncertain seat	33	42	228	120	423	20	15	111	103	249	9	8	68	29	114	7	6	30	45	88
III. Tubercular Class	744	525	1058	47	2374	195	104	403	20	722	130	113	276	13	532	55	61	156	15	287
IV. Of Brain, etc	434	120	347	275	1176	125	41	155	208	529	133	36	88	80	337	60	20	49	83	212
V. Of Heart, etc.	8	44	381	175	608	5	12	190	158	365	3	9	89	61	162	–	6	59	71	136
VI. Of Resp. Organs	1641	214	1100	647	3602	363	39	230	250	882	402	36	189	145	772	136	14	70	115	335
VII. Of Digest. Organs	602	65	278	120	1065	99	15	123	63	300	60	14	54	21	149	72	2	30	33	137
VIII. Of Kidneys, etc.	14	31	109	31	185	5	12	57	34	108	8	11	20	11	50	3	9	27	26	65
IX. Of Uterus, etc.	–	6	127	2	135	–	3	32	3	38	–	2	17	–	19	–	1	18	–	19
X. Of Joints, Bones, etc.	4	36	43	15	98	3	13	16	6	38	1	5	5	3	14	–	6	8	1	15
XI. Of Skin, etc.	4	2	3	1	10	3	2	–	2	7	1	–	5	1	7	1	–	–	–	1
XII. Malformations	22	–	–	–	22	14	–	–	–	14	17	–	–	–	17	9	–	–	–	9
XIII. Debility from Premature Birth	750	–	–	–	750	235	–	–	–	235	258	–	–	–	258	89	–	–	–	89
XIV. Atrophy	41	8	48	–	97	4	5	21	–	30	8	3	17	–	28	2	1	4	–	7
XV. Age	–	–	–	460	460	–	–	–	263	263	–	–	–	147	147	–	–	–	133	133
XVI. Sudden	10	1	26	12	49	3	–	2	1	6	3	2	2	3	10	–	–	–	1	1
XVII. Violence, Privation, etc.	128	73	310	66	577	55	18	100	26	199	38	28	60	12	138	24	6	26	11	67
I. Small-pox	49	64	99	–	212	2	1	4	–	7	2	3	1	–	6	6	9	13	2	30
Measles	258	14	–	–	272	87	4	3	1	94	33	4	–	–	37	58	8	1	1	68
Scarlatina	1052	575	25	–	1652	136	116	5	1	258	558	273	13	–	844	38	28	5	–	71
Diphtheria	94	36	5	1	136	49	11	5	1	66	42	7	–	–	49	7	4	–	–	11
Hooping-Cough	654	38	1	1	694	103	6	–	–	109	56	2	–	–	58	43	–	–	–	43
Croup	124	18	1	–	143	56	4	–	–	60	29	1	–	–	30	31	2	–	–	33
Thrush	–	–	–	–	–	2	–	–	–	2	1	–	–	–	1	5	–	–	–	5
Diarrhœa	299	12	28	41	380	96	4	15	15	130	134	9	8	10	161	53	3	5	15	76
Dysentery	11	1	8	5	25	3	1	2	4	10	2	2	2	7	13	–	1	–	4	5
Cholera	6	2	5	1	14	3	–	–	1	4	–	–	–	1	1	–	1	–	–	1
Influenza	3	3	3	4	13	5	–	2	3	10	–	–	–	–	–	–	–	1	3	4
Purpura; Scurvy	2	2	4	–	8	–	–	1	–	1	–	–	1	–	1	–	1	1	–	2
Ague	–	–	3	–	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	2	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Typhus Fever	10	22	77	5	114	5	21	68	6	100	4	13	49	4	70	1	9	15	3	28
Enteric Fever	42	82	69	9	202	10	19	32	4	65	6	18	12	3	39	2	13	19	3	37
Relapsing Fever	–	3	2	2	7	–	–	–	–	–	1	–	1	1	3	–	–	–	–	–
Simple Cont. Fever	5	5	–	–	10	2	1	–	2	5	–	–	1	1	2	–	–	–	–	–
Infant. Rem. Fever	10	1	–	–	11	4	1	–	–	5	1	–	–	–	1	4	4	–	–	8
Metria	–	–	42	–	42	–	–	12	–	12	–	3	18	–	21	–	1	7	–	8
Rheumatic Fever	1	4	13	2	20	3	–	10	1	14	–	1	5	–	6	–	2	4	1	7
Erysipelas	20	2	35	9	66	7	–	3	3	13	5	1	8	2	16	2	3	2	6	13
Pyæmia	–	2	6	–	8	1	–	2	–	3	–	1	2	–	3	–	–	2	–	2
Syphilis	32	–	9	1	42	17	–	2	–	19	19	–	–	–	19	3	–	2	–	5
Noma	4	–	–	–	4	–	–	1	–	1	–	–	–	1	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	15	5	23	4	3	6	4	17	1	–	6	–	7	1	1	1	2	5
Dropsy	20	33	60	48	161	7	8	17	22	54	4	7	23	7	41	3	2	1	5	11
Abscess	3	7	18	6	34	8	3	6	2	19	2	1	1	–	4	1	2	1	1	5
Ulcer	1	–	6	2	9	–	–	2	1	3	–	–	2	1	3	1	–	1	5	7
Fistula	–	–	4	–	4	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Mortification	2	–	2	5	9	–	–	2	13	15	1	–	2	2	5	1	1	–	3	5
Cancer	5	1	123	51	180	1	1	78	60	140	1	–	34	18	53	–	–	25	29	54
Gout	–	–	–	3	3	–	–	–	1	1	–	–	–	–	–	–	–	1	–	1
III. Scrofula	42	37	20	–	99	16	15	10	–	41	7	7	10	–	24	2	5	5	2	14
Tabes Mesenterica	180	59	9	1	249	41	6	3	–	50	28	5	1	–	34	13	6	1	–	20
Phthisis	197	389	1026	46	1658	20	69	388	20	497	26	77	264	13	380	10	40	150	13	213
Hydrocephalus	325	40	3	–	368	118	14	2	–	134	69	24	1	–	94	30	10	–	–	40

Year 1874.

CAUSES OF DEATH.	GREENOCK.					PAISLEY.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	
ALL CAUSES	637	214	587	251	1689	489	163	425	311	1388	560	169	328	197	1254	230	89	185	196	700	32112
SPECIFIED CAUSES	628	210	584	251	1673	473	161	417	311	1362	556	167	327	197	1247	221	89	184	196	690	31852
DISEASES:—																					
I. Zymotic Class	176	74	81	14	345	170	70	55	18	313	221	100	36	5	362	108	58	19	8	193	8122
II. Dropsy, Cancer, and others of uncertain seat	8	5	33	15	61	6	–	24	26	56	2	1	29	10	42	–	–	13	7	20	1053
III. Tubercular Class	91	59	117	10	277	63	52	115	6	236	74	27	85	4	190	24	13	54	4	95	4713
IV. Of Brain, etc.	40	23	62	45	170	29	4	38	60	131	24	10	33	38	105	4	4	23	41	72	2732
V. Of Heart, etc.	–	4	56	26	86	–	6	35	19	60	1	2	39	28	70	–	1	25	26	52	1539
VI. Of Resp. Organs	117	23	78	46	264	86	6	67	56	215	110	8	36	37	191	32	5	19	27	83	6344
VII. Of Digest. Organs	63	5	42	9	119	53	6	32	9	100	29	5	20	12	66	11	1	12	14	38	1974
VIII. Of Kidneys, etc.	2	2	15	3	22	–	1	11	3	15	–	1	6	8	15	–	1	2	7	10	470
IX. Of Uterus, etc.	–	–	16	–	16	–	1	12	1	14	–	1	16	–	17	–	–	3	–	3	261
X. Of Joints, Bones, etc.	1	1	2	3	7	1	3	1	2	7	–	1	1	–	2	–	–	1	1	2	183
XI. Of Skin, etc.	3	1	2	–	6	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	33
XII. Malformations	6	–	–	–	6	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	71
XIII. Debility from Premature Birth	97	–	–	–	97	48	–	–	–	48	77	–	–	–	77	37	–	–	–	37	1591
XIV. Atrophy	5	1	8	–	14	6	2	1	–	9	6	1	3	–	10	3	–	4	–	7	202
XV. Age	–	–	–	71	71	–	–	–	101	101	–	–	–	46	46	–	–	–	58	58	1279
XVI. Sudden	–	1	3	2	6	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	73
XVII. Violence, Privation, etc.	19	11	69	7	106	7	10	26	10	53	11	10	22	9	52	2	6	9	3	20	1212
I. Small-pox	10	8	22	–	40	20	24	16	–	60	–	–	1	–	1	–	–	–	–	–	356
Measles	5	1	–	–	6	1	–	–	–	1	9	–	–	–	9	1	–	–	–	1	488
Scarlatina	61	37	2	1	101	71	33	–	–	104	120	74	2	–	196	72	40	2	–	114	3340
Diphtheria	15	2	–	1	18	6	5	1	–	12	2	4	–	–	6	1	6	1	–	8	306
Hooping-Cough	11	–	–	–	11	27	–	–	–	27	19	–	–	–	19	11	3	–	–	14	975
Croup	20	1	–	–	21	20	2	–	–	22	26	3	–	–	29	12	2	1	–	15	353
Thrush	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	9
Diarrhœa	38	1	4	7	50	20	–	4	10	34	35	2	4	3	44	7	–	–	3	10	885
Dysentery	–	–	3	2	5	–	–	3	3	6	–	–	1	–	1	1	–	–	–	1	66
Cholera	3	2	–	–	5	–	–	–	–	–	2	1	–	1	4	–	–	–	–	–	29
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	27
Purpura; Scurvy	–	–	–	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	14
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Typhus Fever	1	3	12	2	18	–	1	2	1	4	–	6	7	1	14	1	2	8	2	13	361
Enteric Fever	2	14	19	–	35	–	3	11	1	15	2	7	8	–	17	1	5	1	2	9	419
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	10
Simple Cont. Fever	1	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	19
Infant. Rem. Fever	2	–	–	–	2	2	–	–	–	2	1	–	–	–	1	–	–	–	–	–	30
Metria	–	1	10	–	11	–	–	8	–	8	–	2	8	–	10	–	–	2	–	2	114
Rheumatic Fever	–	1	2	–	3	–	1	1	–	2	–	1	2	–	3	–	–	2	–	2	57
Erysipelas	1	2	6	1	10	2	–	7	2	11	3	–	3	–	6	–	–	1	1	2	137
Pyæmia	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	18
Syphilis	6	–	–	–	6	–	–	1	–	1	1	–	–	–	1	1	–	1	–	2	95
Noma	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	7
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	1	1	–	3	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	56
Dropsy	6	3	10	4	23	1	–	12	12	25	–	1	12	6	19	–	–	1	1	2	336
Abscess	–	1	5	3	9	2	–	3	1	6	1	–	3	–	4	–	–	1	–	1	82
Ulcer	–	–	–	–	–	1	–	–	–	1	–	–	1	1	2	–	–	1	–	1	26
Fistula	–	–	1	–	1	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	8
Mortification	1	–	2	1	4	1	–	1	1	3	–	–	1	–	1	–	–	1	–	1	43
Cancer	–	–	14	6	20	–	–	7	12	19	1	–	11	3	15	–	–	9	6	15	496
Gout	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	6
III. Scrofula	20	6	5	1	32	2	4	3	1	10	13	4	2	–	19	3	1	1	–	5	244
Tabes Mesenterica	14	3	1	1	19	13	5	3	–	21	15	3	–	–	18	8	3	–	–	11	422
Phthisis	18	40	111	8	177	8	39	109	5	161	1	17	83	4	105	2	8	53	4	67	3258
Hydrocephalus	39	10	–	–	49	40	4	–	–	44	45	3	–	–	48	11	1	–	–	12	789

DEATHS from all Causes at Four Periods of Life Year 1874.

CAUSES OF DEATH.	GLASGOW.					EDINBURGH.					DUNDEE.					ABERDEEN.				
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.
IV. Cephalitis	113	36	19	–	168	38	15	14	4	71	27	13	4	2	46	7	7	1	1	16
Apoplexy	44	1	101	70	236	9	3	42	56	110	17	5	33	26	81	–	1	13	16	30
Paralysis	3	2	108	161	274	1	3	38	113	155	2	1	35	46	84	–	1	9	51	61
Delirium Tremens	–	1	10	2	13	–	–	6	1	7	–	–	3	1	4	–	–	1	–	1
Chorea	1	1	1	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	23	6	35	–	2	9	4	15	–	–	2	–	2	–	2	4	1	7
Tetanus	1	–	2	–	3	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	8	6	16	–	–	7	–	7	–	–	–	–	–	–	–	5	2	7
Convulsions	222	18	4	–	244	57	3	1	–	61	82	3	–	–	85	47	2	1	–	50
Dis. of Brain, etc.	47	36	71	30	184	17	15	38	30	100	5	14	11	5	35	6	7	15	12	40
V. Pericarditis	1	5	6	1	13	1	1	2	1	5	–	2	–	–	2	–	1	–	–	1
Aneurism	–	–	19	1	20	–	1	16	2	19	–	–	–	–	–	–	–	5	3	8
Dis. of Heart, etc.	7	39	356	173	575	4	10	172	155	341	3	7	[illegible]	61	160	–	5	54	68	127
VI. Laryngitis	27	3	9	–	39	6	1	6	3	16	4	1	1	–	6	5	1	1	1	8
Bronchitis	1261	115	628	503	2507	268	15	102	157	542	331	20	108	108	567	114	6	35	95	250
Pleurisy	[illegible]	9	26	10	47	–	5	11	11	27	–	1	4	1	6	–	–	1	2	3
Pneumonia	325	77	337	86	825	78	13	83	47	221	66	14	70	30	180	17	7	24	11	59
Asthma	–	–	55	36	91	–	–	9	23	32	–	–	4	4	8	–	–	6	6	12
Dis. of Lungs, etc.	26	10	45	12	93	11	5	19	9	44	1	–	2	2	5	–	–	3	–	3
VII. Teething	258	–	–	–	258	30	–	–	–	30	32	–	–	–	32	46	–	–	–	[illegible]
Quinsey	8	3	1	–	12	1	1	1	1	4	2	–	–	–	2	1	–	–	1	2
Gastritis	47	4	12	1	64	2	–	–	–	2	2	–	1	1	4	–	–	1	3	4
Enteritis	156	27	40	11	234	5	4	7	3	39	9	5	4	–	18	4	1	2	–	7
Peritonitis	4	6	21	2	33	1	3	18	6	28	2	2	10	3	17	2	–	3	1	6
Ascites	1	–	2	1	4	–	–	1	1	2	1	1	1	2	5	1	–	–	–	1
Ulcer. of Intest.	1	–	13	2	16	2	–	11	3	16	–	1	1	1	3	–	1	6	–	7
Hernia	1	1	13	9	24	–	–	5	3	8	–	–	1	2	3	1	–	–	3	4
Ileus	24	2	14	5	45	5	2	5	3	15	1	–	6	–	7	3	–	8	4	15
Intussusception	1	–	1	1	3	–	1	–	1	2	1	–	–	–	1	–	–	1	–	1
Strict. of Intest.	–	–	–	–	–	–	–	2	–	2	–	–	1	–	1	–	–	–	–	–
Dis. of Stomach	78	12	40	36	166	19	3	22	11	55	5	3	9	3	20	3	–	3	10	16
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	1	22	11	38	2	–	2	1	5	2	–	4	1	7	–	–	–	–	–
Jaundice	9	1	11	7	28	5	–	8	7	20	2	–	2	4	8	10	–	–	1	11
Dis. of Liver	10	8	88	34	140	7	1	41	23	72	1	2	13	4	20	1	–	5	10	16
Dis. of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1
VIII. Nephritis	11	7	20	–	38	2	2	3	–	7	3	8	1	–	12	–	1	1	–	2
Nephria	–	9	38	7	54	1	4	23	7	35	2	3	14	1	20	1	4	9	6	20
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	1	2	3	–	–	–	2	2	1	–	–	–	1	–	–	1	2	3
Diabetes	–	2	11	1	14	–	2	3	–	8	–	–	3	1	4	–	–	3	–	3
Stone	–	–	2	3	5	–	–	2	4	6	–	–	–	2	2	–	1	–	2	3
Cystitis	–	–	3	3	6	–	–	–	5	5	–	–	–	2	2	–	–	1	–	1
Strict. of Urethra	–	–	4	1	5	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–
Dis. of Kidneys	3	13	30	14	60	2	4	21	16	43	2	–	2	5	9	2	3	12	16	33
IX. Paramenia	–	1	–	–	1	–	–	2	1	3	–	–	–	–	–	–	–	1	–	1
Ovarian Dropsy	–	–	7	1	8	–	–	5	2	7	–	–	–	–	–	–	–	2	–	2
Childbirth	–	5	97	–	102	–	3	24	–	27	–	1	15	–	16	–	1	13	–	14
Dis. of Uterus	–	–	23	1	24	–	–	1	–	1	–	1	2	–	3	–	–	2	–	2
X. Arthritis	1	4	5	–	10	–	–	1	2	3	1	1	–	–	2	–	1	2	1	4
Rheumatism	1	8	23	12	44	–	–	5	3	8	–	1	2	3	6	–	1	2	–	3
Dis. of Joints, etc.	2	24	15	3	44	3	13	10	1	27	–	3	3	–	6	–	4	4	–	8
XI. Carbuncle	1	–	1	–	2	–	–	–	1	1	–	–	2	1	3	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Disease of Skin	3	2	2	1	8	3	2	–	1	6	1	–	2	–	3	1	–	–	–	1
XVII. Intemperance	–	1	51	9	61	–	–	20	5	25	–	–	12	–	12	–	–	3	2	5
Privation of Food	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Wt. Breast-milk	4	–	–	–	34	15	–	–	–	15	5	–	–	–	5	11	–	–	–	11
Neglect	3	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1	1	3
Poison	4	2	7	2	15	–	–	3	2	5	1	–	–	–	1	–	–	–	–	–
Poisoned Wounds	–	–	1	1	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	1
Burns and Scalds	23	8	11	2	44	9	2	8	3	22	12	8	3	2	25	1	1	1	2	5
Hanging, etc.	–	–	6	2	8	–	–	5	–	5	1	–	3	3	7	–	–	–	–	–
Suffocation	42	1	7	2	52	15	2	2	–	19	16	–	–	–	16	9	–	2	–	11
Drowning	3	15	57	7	82	2	2	2	–	6	1	6	13	1	21	2	2	8	1	13
Fractures	16	40	141	33	230	4	10	49	14	77	1	10	26	5	42	–	1	8	5	14
Gunshot Wounds	–	1	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	7	–	7	2	–	6	–	8	–	–	1	1	2	–	–	1	–	1
Other Vio. Causes	2	5	1	8	36	8	2	3	2	15	1	4	2	–	7	–	1	2	–	3
Not specified	[illegible]	9	57	4	130	19	4	7	1	31	[illegible]	2	6	–	23	4	[illegible]	[illegible]	[illegible]	[illegible]

Year 1874.

CAUSES OF DEATH.	GREENOCK.					PAISLEY.					LEITH.					PERTH.					Grand Total.
	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	0–5	5–20	20–60	60,etc.	Total.	
IV. Cephalitis	15	5	4	–	24	–	–	1	1	2	2	1	1	–	4	–	3	3	–	6	337
Apoplexy	4	4	23	22	53	13	4	6	16	39	1	2	12	8	23	1	–	7	12	20	592
Paralysis	–	1	18	19	38	–	–	13	36	49	–	–	12	28	40	–	–	6	25	31	732
Delirium Tremens	–	–	2	–	2	–	–	–	–	–	–	–	1	–	1	–	–	1	–	1	29
Hydrophobia	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	4
Epilepsy	–	1	2	1	4	–	–	6	1	7	–	–	3	–	3	–	–	–	–	–	73
Tetanus	–	1	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	8
Insanity	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	32
Convulsions	15	5	1	–	21	13	–	–	–	13	19	2	–	–	21	1	–	1	–	2	497
Dis. of Brain, etc.	6	6	11	3	26	2	–	11	6	19	2	5	3	2	12	2	1	5	4	12	428
V. Pericarditis	–	–	–	–	–	–	–	3	–	3	–	–	2	–	2	–	–	–	–	–	26
Aneurism	–	–	1	1	2	–	–	1	–	1	–	–	3	–	3	–	–	1	–	1	54
Dis. of Heart, etc.	–	4	55	[illegible]	84	–	6	31	19	56	1	2	34	28	65	–	1	24	26	51	1459
VI. Laryngitis	3	–	1	–	4	1	–	–	–	1	1	–	–	–	1	3	–	–	–	3	78
Bronchitis	80	10	41	35	166	69	3	44	47	163	83	5	17	28	133	27	–	9	21	57	4385
Pleurisy	1	–	2	–	3	–	–	1	1	2	–	1	1	3	5	–	–	2	–	2	95
Pneumonia	29	12	32	9	82	16	3	18	5	42	25	2	17	4	48	2	5	8	3	18	1475
Asthma	–	–	–	–	–	–	–	4	3	7	–	–	–	2	2	–	–	–	3	3	155
Dis. of Lungs, etc.	4	1	2	2	9	–	–	–	–	–	1	–	1	–	2	–	–	–	–	–	156
VII. Teething	29	–	–	–	29	35	–	–	–	35	8	–	–	–	8	4	–	–	–	4	442
Quinsey	1	–	–	–	1	–	–	–	–	–	3	1	–	–	4	1	–	–	–	1	26
Gastritis	1	–	3	–	4	–	–	3	1	4	1	–	3	1	5	–	–	1	–	1	88
Enteritis	24	2	5	1	32	10	1	7	2	20	3	2	–	2	7	3	1	1	1	6	363
Peritonitis	1	2	11	3	17	1	2	1	–	4	–	2	2	1	5	–	–	1	–	1	111
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1	2	14
Ulcer. of Intest.	–	–	–	–	–	–	1	2	–	3	–	–	1	1	2	–	–	1	2	3	50
Hernia	–	–	2	1	3	–	–	1	–	1	–	–	1	–	1	–	–	–	–	–	44
Ileus	–	–	–	2	2	–	–	–	–	–	1	–	2	1	4	1	–	–	–	1	89
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Strict. of Intest.	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Dis. of Stomach	4	–	5	–	9	3	1	4	–	8	10	–	6	4	20	2	–	4	4	10	304
Dis. of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	1	–	–	3	1	4	–	–	2	–	2	–	–	–	2	2	59
Jaundice	3	–	2	–	5	2	1	1	2	6	1	–	–	–	1	–	–	–	–	–	79
Dis. of Liver	–	–	13	2	15	2	–	10	3	15	2	–	3	2	7	–	–	3	4	7	292
Dis. of Spleen	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2
VIII. Nephritis	–	–	2	1	3	–	–	–	–	–	–	1	–	1	2	–	1	–	–	1	65
Nephria	–	–	5	2	7	–	–	2	–	2	–	–	3	–	3	–	–	–	1	1	142
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	1	1	11
Diabetes	–	–	2	–	2	–	–	1	–	1	–	–	1	–	1	–	–	2	1	3	36
Stone	–	–	–	–	–	–	–	–	2	2	–	–	–	1	1	–	–	–	–	–	19
Cystitis	–	–	1	–	1	–	1	2	–	3	–	–	–	3	3	–	–	–	4	4	25
Strict. of Urethra	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8
Dis. of Kidneys	2	2	4	–	8	–	–	5	1	6	–	–	2	3	5	–	–	–	–	–	164
IX. Paramenia	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Ovarian Dropsy	–	–	–	–	–	–	–	3	–	3	–	–	–	–	–	–	–	1	–	1	21
Childbirth	–	–	13	–	13	–	1	9	–	10	–	–	15	–	15	–	–	2	–	2	199
Dis. of Uterus	–	–	1	–	1	–	–	–	1	1	–	1	1	–	2	–	–	–	–	–	34
X. Arthritis	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–	–	–	–	–	21
Rheumatism	–	–	1	2	3	–	1	–	2	3	–	–	–	–	–	–	–	–	1	1	68
Dis. of Joints, etc.	1	1	1	1	4	–	2	1	–	3	–	1	–	–	1	–	–	1	–	1	94
XI. Carbuncle	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	7
Phlegmon	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Disease of Skin	3	–	–	–	3	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	23
XVII. Intemperance	–	–	4	–	4	–	–	2	1	3	–	1	3	–	4	–	–	–	–	–	114
Privation of Food	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Wt. Breast-milk	2	–	–	–	2	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–	69
Neglect	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Poison	–	–	1	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	23
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Burns and Scalds	6	–	1	1	8	4	3	1	–	8	3	–	–	3	6	1	1	–	2	4	122
Hanging, etc.	–	–	–	–	–	–	–	2	1	3	–	–	–	1	1	–	–	–	–	–	24
Suffocation	4	–	–	–	4	2	–	1	–	3	4	–	–	–	4	–	–	–	–	–	109
Drowning	3	5	25	–	33	–	2	7	1	10	–	1	7	2	10	1	3	2	1	7	182
Fractures	3	5	36	6	50	–	2	11	6	19	3	6	9	3	21	–	1	5	–	6	459
Gunshot Wounds	–	–	–	–	–	–	1	1	–	2	–	–	1	–	1	–	–	1	–	1	7
Cuts and Stabs	–	–	1	–	1	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	21
Other Vio. Causes	–	1	1	–	2	–	2	1	–	3	–	1	1	–	2	–	1	1	–	2	70
Not specified	9	4	3	–	16	[illegible]	2	8	–	[illegible]	4	2	1	–	7	9	–	1	–	10	260

VI.—DEATHS from all Causes in the Eight Principal Towns

CAUSES OF DEATH.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	TOTAL.
ALL CAUSES	2668	2464	2728	2636	2568	2464	2527	2413	2305	2536	2897	3906	32112
SPECIFIED CAUSES	2640	2446	2709	2616	2547	2441	2507	2400	2295	2511	2870	3870	[illegible]
DISEASES:—													
I. Zymotic Class	612	535	585	522	541	613	667	758	748	881	860	800	8122
II. Dropsy, Cancer, and others of uncertain seat	95	82	99	89	89	81	86	76	75	88	79	114	1053
III. Tubercular Class	391	385	459	454	471	423	392	373	299	288	338	440	4713
IV. Of Brain, Nerves, etc.	228	213	255	243	213	197	255	230	221	188	212	277	2732
V. Of Heart, etc.	131	133	126	136	137	144	111	104	100	94	144	179	1539
VI. Of Respiratory Organs	560	528	552	539	527	433	337	276	271	406	657	1258	6344
VII. Of Digestive Organs	163	142	157	168	139	145	229	167	162	166	148	188	1974
VIII. Of Kidneys, etc.	41	43	47	43	32	34	33	38	34	39	42	44	470
IX. Of Uterus, viz. Puerperal Disease, etc.	26	23	28	25	13	12	17	8	21	22	28	38	261
X. Of Joints, Bones, viz. Rheumatism, etc.	12	19	19	20	13	12	17	13	13	16	14	15	183
XI. Of Skin, etc.	6	1	5	4	2	4	3	2	1	1	2	2	33
XII. Malformations	[illegible]	8	6	7	4	5	7	7	7	8	6	3	71
XIII. Debility from Premature Birth, etc.	116	99	135	151	122	121	147	140	141	117	123	179	1591
XIV. Atrophy	15	18	14	12	24	20	23	11	10	20	8	27	202
XV. Age	122	114	105	99	103	106	81	79	88	74	106	202	1279
XVI. Sudden	9	7	2	4	5	6	6	11	3	4	3	13	73
XVII. Violence, Privation, etc.	110	96	115	100	112	85	96	107	101	99	100	91	1212
I. Small-pox	70	41	65	60	41	25	14	10	5	4	13	8	356
Measles	80	49	45	36	41	51	62	32	24	22	20	26	488
Scarlatina	178	166	176	148	166	214	175	295	402	570	490	360	3340
Diphtheria	36	36	29	35	16	20	21	20	18	34	13	28	306
Hooping-cough	43	58	73	67	111	107	76	71	56	54	112	147	975
Croup	45	37	30	24	20	21	16	26	23	25	47	39	353
Thrush	1	–	1	1	–	2	3	1	–	–	–	–	9
Diarrhœa	33	40	41	23	47	64	169	208	108	69	38	45	885
Dysentry	2	6	3	2	5	11	10	13	1	4	5	4	66
Cholera	1	1	1	–	1	3	10	6	3	3	–	–	29
Influenza	1	2	–	2	3	4	2	–	1	1	4	7	27
Purpura	2	1	1	1	3	1	1	–	2	–	1	1	14
Ague	1	–	1	1	–	–	–	–	–	–	1	–	4
Worms	–	–	–	–	–	–	1	–	–	–	–	2	3
Typhus Fever	45	22	37	40	19	31	29	18	35	22	28	35	361
Enteric Fever	31	36	36	37	34	28	39	29	29	33	46	41	419
Relapsing Fever	–	–	1	1	1	1	3	–	1	1	–	1	10
Simple Continued Fever	1	1	–	1	3	1	3	–	2	3	1	3	19
Infantile Remitt. Fever	1	5	6	2	4	1	3	1	3	–	2	2	30
Metria	11	10	5	13	6	12	4	5	7	9	12	20	114
Rheumatic Fever	4	5	6	6	5	3	3	6	11	2	1	5	57
Erysipelas	18	10	14	9	6	6	13	6	11	17	12	15	137
Pyæmia	–	–	–	3	–	1	–	–	1	4	3	6	18
Syphilis	7	9	14	8	9	6	9	10	5	3	10	5	95
Noma (or Canker)	1	–	–	2	–	–	1	1	–	1	1	–	7
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	10	3	3	5	4	7	–	5	5	7	5	56
Dropsy	23	30	30	23	26	29	24	27	27	31	26	40	336
Abscess	6	8	5	11	7	5	6	9	7	6	3	9	82
Ulcer	3	1	5	3	1	3	1	1	1	2	2	3	26
Fistula	–	1	–	3	3	–	–	–	–	1	–	–	8
Mortification	9	6	3	1	1	2	4	4	4	1	2	6	43
Cancer	52	25	53	45	43	38	43	34	31	42	39	51	496
Gout	–	1	–	–	3	–	1	1	–	–	–	–	6
III. Scrofula	24	18	21	22	20	23	24	21	14	22	21	14	244
Tabes Mesenterica	22	29	40	34	59	40	38	37	32	31	21	39	422
Phthisis	266	271	318	320	308	286	259	254	209	190	238	339	3258
Hydrocephalus	79	67	80	78	84	74	71	61	44	45	58	48	789

CAUSES OF DEATH.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	TOTAL.
IV. Cephalitis	22	30	33	33	26	26	33	31	26	24	24	29	337
Apoplexy	51	38	54	56	48	42	62	50	55	43	40	53	592
Paralysis	66	56	66	60	54	39	65	62	61	45	67	91	732
Delirium Tremens	2	1	2	3	4	2	3	4	2	3	1	2	29
Chorea	1	–	–	–	2	–	–	–	–	–	–	1	4
Epilepsy	11	9	7	4	4	7	4	9	2	6	3	7	73
Tetanus	1	–	1	–	–	1	1	1	–	1	–	2	8
Insanity	3	1	4	1	2	3	2	4	3	3	3	3	32
Convulsions	42	45	51	51	39	35	50	34	36	32	41	41	497
Disease of Brain, etc.	29	33	37	35	34	42	35	35	36	31	33	48	428
V. Pericarditis	3	3	2	2	4	3	1	2	3	–	1	2	26
Aneurism	8	3	5	5	4	1	1	5	9	3	4	6	54
Disease of Heart, etc.	120	127	119	129	129	140	109	97	88	91	139	171	1459
VI. Laryngitis	7	12	10	5	5	5	1	3	2	3	16	9	78
Bronchitis	391	380	393	370	349	276	218	171	137	264	478	908	4385
Pleurisy	7	7	12	8	8	9	5	9	2	8	7	13	95
Pneumonia	128	105	113	131	135	124	89	83	65	114	136	252	1475
Asthma	18	16	15	11	12	4	6	2	4	6	13	48	155
Disease of Lungs	9	8	9	14	18	15	18	8	11	11	7	28	156
VII. Teething	44	24	37	51	32	33	52	33	35	28	30	38	442
Quinsey	2	2	2	3	2	–	2	1	4	3	[illegible]	3	26
Gastritis	12	4	7	10	4	6	10	6	5	[illegible]	[illegible]	9	88
Enteritis	27	35	17	24	19	19	53	44	32	27	23	33	363
Peritonitis	14	4	8	14	6	7	8	8	11	8	14	9	111
Ascites	–	–	4	–	3	2	–	3	1	–	1	–	14
Ulceration of Intest.	4	5	5	4	3	2	5	5	3	5	6	3	50
Hernia	1	–	4	3	6	3	4	2	3	5	5	8	44
Ileus	7	9	6	12	9	5	7	7	4	10	5	8	89
Intussception	2	2	3	–	–	–	–	–	–	–	–	–	7
Stricture of Intest. Canal	1	–	–	–	–	–	–	–	2	–	–	1	4
Disease of Stomach	20	22	31	17	15	21	46	30	18	28	21	25	304
Disease of Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	2	–	5	5	6	3	2	6	6	11	6	59
Jaundice	5	6	6	6	5	9	5	7	9	7	6	8	79
Disease of Liver	17	27	26	18	20	27	23	19	29	30	18	37	292
Disease of Spleen	–	–	1	–	–	–	1	–	–	–	–	–	2
VIII. Nephritis	4	3	4	8	3	10	6	7	7	5	3	5	65
Nephria	16	13	14	13	12	9	11	15	5	8	11	15	142
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	1	1	2	3	–	–	–	1	–	–	1	11
Diabetes	3	4	4	3	3	4	2	4	3	2	2	2	36
Stone	2	5	1	2	–	2	2	2	–	2	1	–	19
Cystitis	1	–	2	2	1	2	2	1	1	4	4	5	25
Stricture of Urethra	–	2	1	1	–	1	1	1	–	1	–	–	8
Disease of Kidneys	13	15	10	12	10	6	9	8	17	17	21	16	164
IX. Paramenia	1	1	–	1	1	–	1	–	–	–	–	2	7
Ovarian Dropsy	–	4	5	2	1	2	1	–	2	1	2	1	21
Childbirth	22	15	18	19	10	8	15	6	17	20	21	18	199
Disease of Uterus	3	3	5	3	1	2	–	2	2	1	5	7	34
X. Bone Diseases	1	1	1	2	2	2	1	4	–	3	1	3	21
Rheumatism	6	[illegible]	7	6	4	5	9	2	4	7	5	4	68
Disease of Joints, etc.	5	9	11	12	7	5	7	7	9	6	8	8	94
XI. Carbuncle	–	1	3	–	–	–	2	–	–	–	–	1	7
Phlegmon	2	–	–	–	1	–	–	–	–	–	–	–	3
Disease of Skin	4	–	2	4	1	4	1	2	1	1	2	1	23
XVII. Intemperance	12	7	11	10	11	8	5	8	12	7	10	8	114
Privation of Food	–	–	–	1	–	–	–	–	–	–	–	–	1
Want of Breast-milk	3	3	2	4	5	3	12	15	6	10	2	4	69
Neglect	–	–	–	–	2	–	–	–	–	1	–	1	4
Cold	–	1	–	1	–	–	–	–	–	–	1	1	4
Poison	2	1	1	4	2	2	3	2	3	–	2	1	23
Poisoned Wounds	–	–	1	–	–	–	–	1	–	–	–	1	3
Burns and Scalds	9	12	13	13	8	6	–	5	10	11	11	14	122
Hanging, etc.	–	1	–	3	2	5	1	3	3	3	3	–	24
Suffocation	19	10	12	8	7	9	10	5	6	8	7	8	109
Drowning	18	17	19	7	19	12	11	12	16	12	29	8	182
Fractures	41	38	43	41	40	31	41	49	34	43	31	32	459
Gunshot Wounds	–	–	1	1	2	1	–	1	–	–	–	1	7
Cuts and Stabs	2	–	5	2	3	1	3	3	2	–	–	–	21
Other Violent Causes	4	11	7	5	6	7	8	3	9	4	4	2	70
Causes not specified	26	18	19	20	21	23	10	13	10	25	17	11	260

VII.—BIRTHS IN THE EIGHT TOWNS—1874.

	MALE BIRTHS.												Total Male Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	887	705	887	974	849	889	923	809	825	879	852	864	10343
Edinburgh,	285	260	284	307	261	303	286	288	328	283	290	280	3455
Dundee,	195	196	219	210	216	216	232	195	238	228	213	216	2574
Aberdeen,	131	128	137	123	122	141	129	123	142	146	155	154	1631
Greenock,	129	105	135	140	108	149	120	108	100	128	112	131	1465
Paisley,	86	69	93	71	72	90	86	49	80	79	87	71	933
Leith,	86	82	66	77	91	103	97	75	86	103	80	86	1032
Perth,	38	31	32	26	36	35	42	31	45	36	38	36	426
Total, 1874,	1837	1576	1853	1928	1755	1926	1915	1678	1844	1882	1827	1838	21859
Total, 1873,	1927	1635	1921	1793	1982	1751	1816	1625	1746	1790	1580	1758	21224
Total, 1872,	1961	1668	1755	1975	1879	1712	1868	1601	1625	1823	1735	1803	21405
Total, 1871,	1766	1606	1849	1680	1897	1791	1774	1722	1649	1802	1578	1650	20764
Total, 1870,	1753	1509	1881	1845	1934	1861	1659	1731	1680	1678	1604	1593	20728
Total, 1869,	1640	1486	1819	1787	1685	1756	1749	1601	1566	1661	1749	1706	20205
Total, 1868,	1702	1553	1794	1814	1796	1902	1728	1616	1588	1665	1513	1595	20266

	FEMALE BIRTHS.												Total Female Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	811	738	801	889	814	820	860	782	792	804	778	806	9695
Edinburgh,	281	231	292	297	284	276	297	260	308	302	256	300	3384
Dundee,	224	181	197	195	194	242	234	214	203	215	194	236	2529
Aberdeen,	125	115	135	136	128	146	127	112	147	147	121	151	1590
Greenock,	101	98	125	121	118	129	115	91	89	130	91	131	1339
Paisley,	78	67	73	71	73	89	76	73	66	71	52	57	846
Leith,	74	55	92	85	79	84	63	83	81	85	81	84	946
Perth,	27	39	37	46	47	42	34	47	31	37	29	24	440
Total, 1874,	1721	1524	1752	1840	1737	1828	1806	1662	1717	1791	1602	1789	20769
Total, 1873,	1785	1580	1780	1824	1907	1632	1763	1508	1564	1724	1494	1719	20280
Total, 1872,	1776	1532	1670	1877	1857	1616	1748	1632	1513	1712	1582	1739	20254
Total, 1871,	1745	1503	1764	1666	1837	1683	1624	1658	1523	1583	1537	1555	19678
Total, 1870,	1703	1436	1765	1746	1774	1730	1643	1624	1589	1577	1580	1586	19753
Total, 1869,	1651	1508	1755	1765	1612	1642	1638	1563	1478	1534	1513	1651	19310
Total, 1868,	1645	1450	1674	1692	1701	1834	1655	1527	1457	1544	1489	1579	19247

	BIRTHS—BOTH SEXES.												Total Births.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1698	1443	1688	1863	1663	1709	1783	1591	1617	1683	1630	1670	20038
Edinburgh,	566	491	576	604	545	579	583	548	636	585	546	580	6839
Dundee,	419	377	416	405	410	458	466	409	441	443	407	452	5103
Aberdeen,	256	243	272	259	250	287	256	235	289	293	276	305	3221
Greenock,	230	203	260	261	226	278	235	199	189	258	203	262	2804
Paisley,	164	136	166	142	145	179	162	122	146	150	139	128	1779
Leith,	160	137	158	162	170	187	160	158	167	188	161	170	1978
Perth,	65	70	69	72	83	77	76	78	76	73	67	60	866
Total, 1874,	3558	3100	3605	3768	3492	3754	3721	3340	3561	3673	3429	3627	42628
Total, 1873,	3712	3215	3701	3617	3839	3383	3579	3133	3310	3514	3024	3477	41504
Total, 1872,	3737	3200	3425	3852	3736	3328	3616	3233	3138	3535	3317	3542	41659
Total, 1871,	3511	3109	3613	3346	3734	3474	3398	3380	3172	3385	3115	3205	40442
Total, 1870,	3456	2945	3646	3591	3708	3591	3302	3355	3269	3255	3184	3179	40181
Total, 1869,	3291	2994	3574	3552	3297	3398	3387	3164	3044	3195	3262	3357	39515
Total, 1868,	3347	3003	3468	3506	3497	3736	3383	3143	3045	3209	3002	3174	39513

VIII.—ILLEGITIMATE BIRTHS IN EIGHT TOWNS—1874.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	146	135	158	161	145	156	156	132	144	140	160	156	1789
Edinburgh,	49	44	46	53	48	44	59	53	64	44	42	53	599
Dundee,	56	42	41	54	50	54	48	45	43	54	49	48	584
Aberdeen,	32	39	25	35	24	28	41	22	28	44	38	32	388
Greenock,	10	12	8	8	8	13	11	15	18	10	11	15	139
Paisley,	12	10	9	10	10	15	15	2	13	15	5	7	123
Leith,	9	2	5	11	10	11	6	9	6	10	12	17	108
Perth,	4	7	6	8	5	7	4	7	5	11	9	8	81
Total, 1874,	318	291	298	340	300	328	340	285	321	328	326	336	3811
Total, 1873,	339	290	340	305	365	331	320	283	285	331	289	297	3775
Total, 1872,	378	304	269	302	309	296	336	301	294	316	276	347	3728
Total, 1871,	322	304	350	270	358	329	322	343	265	332	282	279	3756
Total, 1870,	342	278	329	334	364	322	330	356	305	266	292	283	3801
Total, 1869,	354	304	368	346	298	342	327	287	296	278	324	324	3848
Total, 1868,	355	300	360	288	334	353	326	313	306	310	303	286	3834

IX.—MARRIAGES IN THE EIGHT TOWNS—1874.

	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total.
Glasgow,	695	282	344	325	204	703	624	267	308	311	460	469	4992
Edinburgh,	233	97	127	124	81	315	135	115	87	139	178	182	1813
Dundee,	189	74	62	85	77	243	71	80	67	84	102	117	1251
Aberdeen,	82	40	32	28	31	105	88	59	49	43	64	71	692
Greenock,	94	47	42	43	16	73	71	42	42	33	52	44	599
Paisley,	83	23	32	31	9	59	37	54	27	27	39	24	445
Leith,	55	22	31	41	14	63	52	35	25	32	45	56	471
Perth,	31	8	17	12	6	45	16	19	14	9	26	26	229
Total, 1874,	1462	593	687	689	438	1606	1094	671	619	678	966	989	10492
Total, 1873,	1384	607	665	699	511	1480	1178	650	721	695	1019	987	10596
Total, 1872,	1273	564	553	747	491	1415	1249	702	711	669	993	1012	10,379
Total, 1871,	1222	553	497	637	529	1332	1148	714	633	618	879	1030	9792
Total, 1870,	1298	544	513	509	493	1347	1094	705	643	716	945	923	9730
Total, 1869,	1134	520	550	567	456	1299	1046	687	587	646	942	727	9161
Total, 1868,	1049	492	527	513	382	1269	943	612	578	575	859	807	8606
Total, 1867,	1049	509	510	573	436	1219	1034	583	638	577	899	840	8867
Total, 1866,	1168	599	501	641	462	1331	992	620	624	654	930	928	9450
Total, 1865,	1197	570	462	473	498	1227	1094	649	603	656	945	946	9320

X.—DEATHS IN THE EIGHT TOWNS—1874.

	MALE DEATHS.												Total Male Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	627	605	655	683	630	633	666	619	553	683	756	1006	8116
Edinburgh,	232	196	233	228	217	206	190	174	167	185	226	259	2513
Dundee,	163	135	159	142	182	160	195	174	181	196	174	197	2058
Aberdeen,	122	112	111	82	64	76	57	72	70	67	57	92	982
Greenock,	77	72	78	72	72	74	53	73	71	59	91	100	892
Paisley,	73	51	44	63	58	46	51	46	50	50	65	79	676
Leith,	47	42	51	42	51	55	57	53	64	53	62	60	637
Perth,	17	33	29	28	25	19	24	35	27	41	45	40	363
Total, 1874,	1358	1246	1360	1340	1299	1269	1293	1246	1183	1334	1476	1833	16237
Total, 1873,	1235	1340	1433	1317	1388	1201	1261	1158	1089	1230	1184	1396	15232
Total, 1872,	1607	1360	1311	1422	1332	1147	1148	1127	1078	1206	1174	1259	15171
Total, 1871,	1441	1223	1368	1231	1429	1299	1218	1233	1086	1186	1302	1478	15494
Total, 1870,	1497	1286	1371	1225	1133	1068	1025	1176	962	929	1148	1414	14234
Total, 1869,	1350	1240	1644	1380	1334	1355	1266	1118	1057	1091	1366	1547	15748
Total, 1868,	1192	1084	1215	1212	1155	1098	1224	1225	996	1163	1253	1321	14138

	FEMALE DEATHS.												Total Female Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	578	566	645	595	609	579	619	573	533	591	742	1095	7725
Edinburgh,	226	203	216	236	198	173	183	150	167	193	204	343	2492
Dundee,	160	155	172	174	156	163	166	189	180	177	192	227	2111
Aberdeen,	121	96	112	100	99	84	77	61	67	64	73	130	1084
Greenock,	91	82	68	61	63	57	58	61	60	48	61	87	797
Paisley,	63	53	76	67	70	57	49	44	44	40	64	85	712
Leith,	47	36	52	44	51	53	50	58	48	57	53	68	617
Perth,	24	27	27	19	23	29	32	31	23	32	32	38	337
Total, 1874,	1310	1218	1368	1296	1269	1195	1234	1167	1122	1202	1421	2073	15875
Total, 1873,	1206	1455	1426	1250	1262	1247	1222	1058	1087	1149	1168	1242	14772
Total, 1872,	1567	1420	1351	1352	1277	1062	1153	1109	1029	1185	1148	1354	15007
Total, 1871,	1509	1354	1395	1279	1371	1268	1220	1217	1068	1290	1309	1627	15907
Total, 1870,	1584	1343	1388	1176	1100	1043	1000	1192	949	1013	1106	1365	14259
Total, 1869,	1399	1266	1574	1348	1328	1331	1158	1126	1038	1097	1422	1615	15702
Total, 1868,	1231	1086	1194	1036	1093	1134	1134	1179	1069	1135	1221	1381	13893

	DEATHS—BOTH SEXES.												Total Deaths.
	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	
Glasgow,	1205	1171	1300	1278	1239	1212	1285	1192	1086	1274	1498	2101	15841
Edinburgh,	458	399	449	464	415	379	373	324	334	378	430	602	5005
Dundee,	323	290	331	316	338	323	361	363	361	373	366	424	4169
Aberdeen,	243	208	223	182	163	160	134	133	137	131	130	222	2066
Greenock,	168	154	146	133	135	131	111	134	131	107	152	187	1689
Paisley,	136	104	120	130	128	103	100	90	94	90	129	164	1388
Leith,	94	78	103	86	102	108	107	111	112	110	115	128	1254
Perth,	41	60	56	47	48	48	56	66	50	73	77	78	700
Total, 1874,	2668	2464	2728	2636	2568	2464	2527	2413	2305	2536	2897	3906	32112
Total, 1873,	2441	2795	2859	2567	2650	2448	2483	2216	2176	2379	2352	2638	30004
Total, 1872,	3174	2780	2662	2774	2609	2209	2301	2236	2107	2391	2322	2613	30178
Total, 1871,	2950	2577	2763	2510	2800	2567	2438	2450	2154	2476	2611	3105	31401
Total, 1870,	3081	2629	2759	2401	2233	2111	2025	2368	1911	1942	2254	2779	28493
Total, 1869,	2749	2506	3218	2728	2662	2686	2424	2244	2095	2188	2788	3162	31450
Total, 1868,	2423	2170	2409	2248	2248	2232	2358	2404	2065	2298	2474	2702	28031

XI.—ABSTRACT of the METEOROLOGY of the Eight Principal Towns of Scotland during the several Months of the Year 1874.

Mean Height above the Sea-level, 111 feet. Mean North Latitude, 56°·12′. Mean West Longitude, 3°·30′.

1874.	BAROMETER.		SELF-REGISTERING THERMOMETER.						HYGROMETER.		DEDUCTIONS from Glaisher's Tables, 2d Edit.				RAIN.		WINDS.									
	Mean at 32° and Sea-level.	Monthly Range.	Highest in Month.	Lowest in Month.	Mean Temperature.	Monthly Range.	Mean Daily Range.	Greatest Daily Range.	Dry Bulb, or Mean Temp. of Air.	Wet Bulb, or Temp. of Evaporation.	Dew-point Temperature.	Elastic Force of Vapour.	Wt. of Vapour in Cubic Foot of Air.	Humidity. Sat. 100.	Number of Days it fell.	Amount.	Number of Days it blew in certain Directions. N	NE	E	SE	S	SW	W	NW	Calm or Variable.	Pressure on square foot.
	inch.	inch.	°	°	°	°	°	°	°	°	°	inch.	grs.		days.	inch.										lbs.
JANUARY,	29·762	1·502	54·3	26·2	41·0	24·4	10·9	19·8	40·4	38·6	36·4	·215	2·49	86	19	3·07	0	1	0	1	3	10	11	5	0	2·08
FEBRUARY,	29·878	1·714	56·5	21·0	40·0	29·5	12·0	20·4	38·6	37·1	35·2	·206	2·38	88	13	0·97	1	1	1	4	4	8	4	4	1	1·06
MARCH,	30·009	1·534	63·5	20·0	44·1	36·3	12·7	24·1	43·0	41·0	38·6	·234	2·70	84	15	2·17	1	1	1	2	2	8	11	5	0	2·34
APRIL,	29·752	1·758	70·0	30·0	47·2	36·2	15·1	26·9	46·5	43·9	40·9	·257	2·98	82	13	1·57	1	2	2	2	3	8	8	3	1	1·38
MAY,	30·004	0·859	67·5	25·0	47·3	35·0	13·2	28·5	47·0	44·2	41·0	·257	2·98	80	13	1·92	2	7	9	4	1	2	3	2	1	1·37
JUNE,	30·075	1·046	75·3	35·0	55·7	35·9	18·6	28·6	55·6	51·7	48·0	·336	3·77	76	8	1·05	2	2	4	3	1	6	8	4	0	1·14
JULY,	29·895	0·717	81·3	44·5	60·2	34·1	14·8	25·0	59·3	56·3	53·6	·412	4·61	82	16	3·16	0	1	3	2	3	8	10	2	2	1·06
AUGUST,	29·765	1·249	80·0	38·6	57·0	35·9	14·6	26·8	55·6	53·1	50·7	·371	4·17	85	19	5·03	0	1	3	2	2	6	10	4	3	1·26
SEPTEMBER,	29·724	1·215	70·0	36·3	53·9	29·4	13·1	24·7	53·0	50·8	48·7	·344	3·87	86	20	3·39	0	0	2	2	2	10	11	2	1	1·93
OCTOBER,	29·670	1·616	65·0	28·9	47·3	30·1	13·6	20·9	46·1	44·4	42·4	·272	3·11	88	17	5·57	1	1	2	1	2	8	10	5	1	1·78
NOVEMBER,	29·863	1·545	61·7	25·0	41·9	30·9	10·1	21·2	40·8	39·5	37·9	·228	2·64	90	17	3·54	2	2	4	2	0	6	8	5	1	1·21
DECEMBER,	29·798	1·643	51·0	7·0	31·5	38·0	12·4	21·8	30·6	29·5	26·5	·144	1·69	84	13	2·28	4	5	2	1	1	3	5	8	2	1·20
YEAR,	29·850	1·366	81·3	7·0	47·3	33·0	13·4	28·6	46·4	44·2	41·7	·273	3·12	84	183	33·72	14	24	33	26	24	83	99	49	13	1·48

TABLE XII.

BIRTHS, DEATHS, AND MARRIAGES, 1874, AND VACCINATIONS, 1873.

REGISTRATION GROUPS, DIVISIONS, AND COUNTIES.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
								Insusceptible of Vaccine Disease.					
	1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	Children having already had Small-pox.	In respect of the Successful Vaccination.	On the ground of previous	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
SCOTLAND, - -	3,062,294	3,360,018	123795	80676	26247	105177	1113	162	39	163	10527	2629	119810
GROUPS OF DISTRICTS.													
PRINCIPAL TOWNS, - -	884,955	1,068,556	42641	32118	10491	35780	111	65	14	92	4337	1110	41509
LARGE TOWNS, - - -	272,540	332,180	15209	10029	3050	12264	70	16	15	29	1338	317	14049
SMALL TOWNS, - - -	700,474	772,229	29547	17743	5766	25697	304	18	9	28	2437	503	28996
MAINLAND-RURAL, - -	1,067,560	1,055,049	32953	18597	6321	28823	366	60	1	13	2191	427	31881
INSULAR-RURAL, - - -	136,765	132,004	3445	2189	619	2613	262	3	0	1	224	272	3375
DIVISIONS.													
NORTHERN, - - -	130,422	127,191	3159	1838	611	2481	179	5	0	3	203	201	3072
NORTH-WESTERN, - -	167,242	166,351	4326	2936	785	3374	348	24	0	6	327	185	4264
NORTH-EASTERN, - -	366,870	393,199	12861	7176	2518	11561	81	17	0	1	915	87	12662
EAST-MIDLAND, - -	523,822	559,676	19027	12990	4257	16579	74	32	0	41	1660	173	18559
WEST-MIDLAND, - -	242,487	251,088	8653	5767	1598	7283	141	6	7	13	633	237	8320
SOUTH-WESTERN, - -	1,008,273	1,183,218	52829	35484	11464	43947	96	50	30	90	4786	1269	50268
SOUTH-EASTERN, - -	413,116	475,523	16753	10577	3779	14540	117	19	1	7	1496	401	16581
SOUTHERN, - -	210,062	203,772	6187	3908	1235	5412	77	9	1	2	507	76	6084
COUNTIES.													
I. NORTHERN DIVISION.													
Shetland, - - - -	31,670	31,608	720	520	144	523	19	0	0	0	43	132	717
Orkney, - - - -	32,395	31,274	840	405	179	713	25	0	0	0	34	9	781
Caithness, - - - -	42,200	41,011	1109	567	196	789	123	2	0	2	76	41	1033
Sutherland, - - -	24,157	23,298	490	346	92	456	12	3	0	1	50	19	541

	II. North-Western Division.													
5	Ross and Cromarty, - - -	82,427	82,093	2068	1479	357	1666	159	4	0	2	155	54	2040
6	Inverness, - - -	84,815	84,258	2258	1457	428	1708	189	20	0	4	172	131	2224
	III. North-Eastern Division.													
7	Nairn, - - - -	8,347	8,372	225	152	38	222	2	1	0	0	18	5	248
8	Elgin (or Moray), - - -	44,305	44,549	1284	803	244	1101	14	1	0	0	79	16	1211
9	Banff, - - - -	56,020	58,883	1869	938	359	1610	20	2	0	0	141	15	1788
10	Aberdeen, - - -	223,417	246,298	8423	4700	1625	7628	36	10	0	1	605	47	8327
11	Kincardine, - - -	34,781	35,097	1060	583	252	1000	9	3	0	0	72	4	1088
	IV. East-Midland Division.													
12	Forfar, - - - -	206,750	240,049	8888	6487	2094	7600	23	23	0	38	895	86	8665
13	Perth, - - - -	133,198	128,550	3461	2605	772	3046	16	4	0	1	275	52	3394
14	Fife, - - - -	155,021	160,924	5612	3303	1206	5034	34	5	0	2	390	29	5494
15	Kinross, - - - -	8,731	7,918	213	136	47	160	0	0	0	0	17	1	178
16	Clackmannan, - - -	20,122	22,235	853	459	138	739	1	0	0	0	83	5	828
	V. West-Midland Division.													
17	Stirling, - - - -	88,138	93,345	3839	2256	743	3281	18	2	0	12	286	61	3660
18	Dumbarton, - - -	54,179	61,116	2391	1667	455	2000	13	3	7	0	199	75	2297
19	Argyll, - - - -	83,859	79,661	2020	1430	304	1663	108	1	0	1	131	74	1978
20	Bute, - - - -	16,311	16,966	403	414	96	339	2	0	0	0	17	27	385
	VI. South-Western Division.													
21	Renfrew, - - - -	168,746	195,305	8014	5096	1724	6780	14	27	11	25	727	206	7790
22	Ayr, - - - -	199,083	200,908	8300	4998	1822	7292	27	3	6	0	652	71	8051
23	Lanark, - - - -	640,444	787,005	36515	25390	7918	29875	55	20	13	65	3407	992	34427
	VII. South-Eastern Division.													
24	Linlithgow, - - -	39,045	41,379	1703	744	299	1496	10	3	0	0	165	42	1716
25	Edinburgh, - - -	273,792	328,138	11665	7949	2861	16073	69	10	1	1	1041	311	11506
26	Haddington, - - -	37,626	37,755	1143	749	223	1031	20	2	0	5	94	14	1166
27	Berwick, - - - -	36,488	36,382	1057	568	182	918	6	1	0	1	82	12	1020
28	Peebles, - - - -	11,264	12,218	391	182	70	314	4	3	0	0	30	11	362
29	Selkirk, - - - -	14,901	19,651	794	385	144	708	8	0	0	0	84	11	811
	VIII. Southern Division.													
30	Roxburgh, - - -	49,568	48,241	1535	758	303	1393	9	0	1	0	144	16	1563
31	Dumfries, - - - -	75,904	74,842	2198	1582	455	1876	54	6	0	2	196	37	2171
32	Kircudbright, - - -	42,680	42,087	1282	797	243	1115	11	1	0	0	92	13	1232
33	Wigtown, - - -	41,910	38,602	1172	771	234	1028	3	2	0	0	75	10	1118

No. of District	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
									Insusceptible of Vaccine Disease.					
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Successful Vaccination.	On the ground of previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	I. NORTHERN DIVISION.													
	1. SHETLAND.													
1	Bressay, etc.—(1) Bressay, - -	915	902	21	19	2	15	0	0	0	0	1	0	16
	(2) Burra and Quarff, -	890	952	22	5	5	27	0	0	0	0	0	0	27
2	Delting, - - - -	1975	1862	46	26	5	29	0	0	0	0	5	4	38
3	Dunrossness, etc.—(1) Dunrossness, -	2113	1970	40	28	6	19	0	0	0	0	5	13	37
	(2) Sandwick & Cunningsburgh, -	2337	2326	61	45	10	46	0	0	0	0	2	9	57
	(3) Fair Isle, - - -	380	226	9	5	2	0	0	0	0	0	0	6	6
4	Fetlar, etc.—(1) Fetlar, - -	548	517	10	14	2	6	0	0	0	0	0	0	6
	(2) North Yell, - -	932	893	21	11	3	18	1	0	0	0	0	3	22
5	LERWICK, - - - -	3631	4180	87	93	38	95	1	0	0	0	8	2	106
6	Mid and South Yell, - -	1784	1843	41	34	3	9	2	0	0	0	7	27	45
7	Nesting, etc.—(1) Nesting, - -	855	868	16	12	5	26	2	0	0	0	1	0	29
	(2) Lunnasting, -	880	822	29	13	1	13	0	0	0	0	0	5	18
	(3) Whalsay and Skerries	848	989	26	10	5	24	7	0	0	0	2	0	33
8	Northmavine, - - -	2585	2602	53	49	15	42	0	0	0	0	4	7	53
9	Sandsting and Aithsting, - -	2670	2806	77	29	15	43	0	0	0	0	2	9	54
0	Tingwall, etc.—(1) Tingwall, - -	1554	1442	29	29	9	26	0	0	0	0	0	2	28
	(2) Whiteness and Weisdale,	1143	1049	22	12	4	16	0	0	0	0	1	5	22
1	Unst, - - - -	3060	2780	61	50	7	53	6	0	0	0	2	0	61
2	Walls, etc.—(1) Walls, - -	1365	1325	17	15	7	8	0	0	0	0	2	19	29
	(2) Sandness, - -	606	646	18	13	0	8	0	0	0	0	1	10	19
	(3) Papa-Stour, - -	366	351	11	6	0	0	0	0	0	0	0	5	5
	(4) Foula, - -	233	257	3	2	0	0	0	0	0	0	0	6	6
	2. ORKNEY.													
3	Birsay, - - - -	1774	1597	35	28	10	33	0	0	0	0	1	3	37
4	Deerness, - - - -	813	863	28	7	6	16	0	0	0	0	0	0	16
5	Eday and Pharay, - - -	979	905	23	7	5	20	2	0	0	0	0	0	22
6	Evie and Rendall, - - -	1408	1340	28	18	7	36	1	0	0	0	0	0	37
7	Firth and Stennes, - - -	1493	1434	40	23	11	24	1	0	0	0	3	0	28
8	Harray, - - - -	819	727	16	6	5	16	0	0	0	0	0	0	16
9	Holm and Paplay, - - -	834	935	28	12	7	24	2	0	0	0	0	0	26
0	Hoy and Græmsay, - - -	556	581	15	3	0	15	1	0	0	0	1	0	17
1	KIRKWALL and St Ola, - -	4422	4261	126	77	26	98	2	0	0	0	6	1	107
2	North Ronaldshay, - - -	532	539	12	7	1	11	2	0	0	0	1	0	14
3	Orphir, - - - -	1133	1040	27	10	9	20	0	0	0	0	0	0	20
4	Rousay and Egilsay, - -	1152	1101	26	9	6	35	1	0	0	0	5	0	41

25	St Andrews, - - -	868	870	20	7	4	14	0	0	0	0	1	1	16
26	Sanday, - - - -	2145	2053	52	19	10	52	0	0	0	0	0	1	53
27	Sandwick, - - - -	1225	1153	37	13	4	13	2	0	0	0	3	0	18
28	Shapinshay, - - -	973	949	26	7	8	23	1	0	0	0	0	0	24
29	South Ronaldshay and Burray, -	3282	3228	108	36	14	85	4	0	0	0	2	2	93
30	Stromness, - - -	2540	2403	55	56	9	44	2	0	0	0	5	1	52
31	Stronsay, - - - -	1228	1305	34	13	8	29	1	0	0	0	1	0	31
32	Walls, etc.—(1) Walls, - -	1254	1107	30	9	6	25	1	0	0	0	1	0	27
	(2) Flotta, - -	420	423	14	3	4	7	0	0	0	0	1	0	8
33	Westray, etc.—(1) Westray, - -	2153	2090	49	31	15	63	2	0	0	0	3	0	68
	(2) Papa-Westray, -	392	370	11	4	4	10	0	0	0	0	0	0	10
	3. CAITHNESS.													
34	Bower, - - - -	1746	1700	39	21	9	32	5	0	0	0	4	0	41
35	Canisbay, - - - -	2730	2729	81	27	12	60	18	0	0	0	5	0	83
36	Dunnet, - - - -	1861	1661	46	28	7	24	4	0	0	0	2	2	32
37	Halkirk, - - - -	2864	2664	78	29	21	61	2	1	0	0	3	0	67
38	Latheron, - - - -	8571	7400	195	92	30	151	4	0	0	1	7	0	163
39	Olrig, - - - -	2059	2028	57	31	14	37	1	0	0	0	4	0	42
40	Reay, - - - -	2476	2331	41	24	11	41	6	0	0	0	2	0	49
41	THURSO, - - - -	5561	5754	181	90	23	143	11	1	0	0	17	3	175
42	Watten, - - - -	1491	1453	35	16	8	27	1	0	0	1	2	0	31
43	WICK, - - - -	12841	13291	356	209	61	213	71	0	0	0	30	36	350
	4. SUTHERLAND.													
44	Assynt—(1) Kirkton, - -	553	487	13	7	1	8	0	0	0	0	3	0	11
	(2) Stoer, - - -	2625	2519	39	39	6	44	0	0	0	0	13	2	59
45	Clyne, - - - -	1886	1733	35	41	12	31	0	0	0	0	4	1	36
46	Creich—(1) Bonar, - - -	1982	1854	46	24	5	33	0	0	0	0	2	0	35
	(2) Rosehall, - -	539	670	16	12	2	14	0	0	0	0	0	1	15
47	DORNOCH, - - -	2885	2764	56	36	13	51	0	0	0	0	5	0	56
48	Durness, - - - -	1109	1049	19	10	2	21	1	0	0	0	0	0	22
49	Eddrachillis—(1) Scourie, - -	727	648	8	6	2	8	0	0	0	0	2	0	10
	(2) Kinlochbervie, -	914	882	22	11	7	20	5	0	0	1	1	3	30
50	Farr—(1) Kirkton, - - -	1251	1190	24	12	3	27	1	0	0	0	1	1	30
	(2) Strathy, - - -	852	829	11	5	4	17	0	1	0	0	2	1	21
51	Golspie, - - - -	1615	1804	41	22	6	32	0	0	0	0	7	2	41
52	Kildonan, - - - -	2132	1916	50	35	11	52	1	1	0	0	3	5	62
53	Lairg, - - - -	961	978	30	19	3	25	0	1	0	0	1	0	27
54	Loth, - - - -	610	583	20	8	3	12	0	0	0	0	3	0	15
55	Rogart, - - - -	1439	1341	28	22	4	26	0	0	0	0	2	0	28
56	Tongue, - - - -	2077	2051	32	37	8	35	4	0	0	0	1	3	43
	II. NORTH-WESTERN DIVISION.													
	5. ROSS AND CROMARTY.													
	Mainland.													
57	Alness, - - - -	1178	1053	27	19	7	15	0	0	0	0	1	0	16
58	Applecross—(1) Applecross, - -	1064	1129	20	18	2	19	3	0	0	0	1	0	23
	(2) Shieldaig, - -	1480	1341	26	28	5	19	15	0	0	0	2	2	38

No. of District.	REGISTRATION DISTRICTS.	POPULATION. 1861.	POPULATION. 1871.	BIRTHS, DEATHS, AND MARRIAGES, 1874. Births.	Deaths.	Marriages.	VACCINATIONS, 1873. Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Successful Vaccination.	On the ground of previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	ROSS AND CROMARTY—*continued.*														
59*a*	Avoch,	1788	1828	50	30	18	48	1	0	0	0	0	6	1	56
59*b*	Carnoch,*	c. 325	325	4	6	0									
60	Contin,*	c. 697	729	12	7	2	22	0	0	0	0	0	1	0	23
61	CROMARTY,	2300	2180	49	46	6	59	0	0	0	0	0	5	2	67
62	DINGWALL	2412	2443	40	42	13	40	0	0	0	0	0	7	3	50
63	Edderton	836	860	15	9	4	17	0	1	0	0	0	1	1	20
64	Fearn	2083	2135	50	24	5	60	1	0	0	0	0	4	0	65
65	Fodderty,*	c. 2060	1943	46	32	6	33	3	0	0	0	0	2	0	38
66	Gairloch—(1) Northern,	1927	1669	45	16	10	25	2	0	0	0	0	1	6	34
	(2) Southern,	3522	3379	64	44	11	52	1	0	0	0	0	6	2	61
67	Glenshiel,	485	463	7	6	1	9	0	0	0	0	0	1	0	10
68	Killearnan,	1494	1272	24	9	7	28	0	0	0	0	0	1	0	29
69	Kilmuir-Easter,	1295	1281	29	17	5	19	1	0	0	0	0	1	0	21
70	Kiltearn,	1634	1496	40	17	4	29	0	0	0	0	0	1	1	31
71*a*	Kincardine—(1) Kincardine,	1746	1273	18	17	1	28	0	0	0	0	0	1	0	29
	(2) Strathoykell,		412	9	8	0	6	0	0	0	0	0	0	0	6
71*b*	Kinlochluichart,	c. 704	704	15	6	0	15	0	0	0	0	0	0	0	15
72	Kintail,	890	753	14	15	3	13	0	0	0	0	0	0	1	14
73	Knockbain,	2485	2155	39	31	12	27	3	0	0	0	0	2	3	35
74	Lochalsh,	2413	2319	45	53	9	34	0	0	0	0	0	1	6	41
75	Lochbroom—(1) Lochbroom	3577	3167	71	54	12	52	4	0	0	2		8	7	73
	(2) Coigach,	1285	1239	35	25	2	15	25	1	0	0		1	0	42
76	Lochcarron,	1592	1629	25	31	8	17	14	0	0	0		2	1	34
77	Logie-Easter,	932	912	23	12	3	18	0	0	0	0		2	0	20
78	Nigg,	1253	1201	27	24	3	21	0	0	0	0		0	0	21
79	Rosolis,	1568	1527	37	31	7	30	1	0	0	0		1	0	32
80	ROSEMARKIE,	1545	1441	38	37	3	33	0	0	0	0		1	1	35
81	Rosskeen,	3766	3808	82	58	18	80	1	0	0	0		10	0	91
82	TAIN,	3294	3221	69	86	16	69	0	1	0	0		7	0	77
83	Tarbat,	2269	2182	54	54	7	35	3	0	0	0		2	0	40
84	Urquhart and Logie-Wester,	3147	2863	56	45	8	34	1	0	0	0		3	2	40
85	Urray,*	c. 2325	2278	62	32	14	40	0	1	0	0		3	0	44
	Insular.														
86*a*	Barvas,	4609	4950	171	92	29	139	32	0	0	0		8	1	180
86*b*	Carloway,	2204	2702	106	60	4	83	5	0	0	0		9	0	97
87	Lochs,	3568	4162	152	78	28	121	3	0	0	0		14	0	138
88	STORNOWAY	8668	9510	309	234	48	223	36	0	0	0		33	2	294
89	Uig,	2007	2159	63	26	16	39	4	0	0	0		5	12	60

	6. Inverness.													
	Mainland.													
90*a*	Abernethy and Kincardine,	1928	1752	36	21	5	45	0	1	0	1	2	1	50
90*b*	Alvie,	833	882	19	10	7	23	0	1	0	0	0	0	24
91	Ardersier,	1239	1284	75	40	15	53	0	0	0	0	7	0	60
92	Boleskine, etc.—(1) Boleskine,	813	681	15	11	1	16	1	1	0	0	2	0	20
	(2) Fort-Augustus or Abertarff,	930	897	13	14	2	17	0	0	0	0	0	0	17
93	Cromdale and Inverallan. (Now 128*b* *infra.*)													
94	Croy and Dalcross,	1873	1841	40	22	11	37	0	1	0	0	1	0	39
95	Daviot and Dunlichty,	1741	1598	31	27	5	22	3	3	0	0	1	2	31
96*a*	Dores,	1506	1401	27	14	2	18	3	0	0	0	3	1	25
96*b*	Duthill, etc.—(1) Duthill,	1609	1530	34	15	8	30	0	0	0	0	0	4	34
	(2) Rothiemurchus,	319	342	3	6	0	4	0	0	0	0	0	1	5
97	Glenelg—(1) Glenelg,	800	714	11	9	7	13	1	0	0	0	1	1	16
	(2) Knoydart,	574	499	5	9	1	10	1	0	0	0	2	0	13
	(3) North Morar,	469	440	19	5	0	14	0	0	0	0	0	5	19
98	INVERNESS,	16162	18552	558	365	121	427	36	1	0	0	50	13	527
99	Kilmonivaig—(1) Glengarry,	625	550	19	8	2	10	0	0	0	0	0	0	10
	(2) Lochaber,	1651	1417	32	17	6	27	2	0	0	0	1	0	30
100	Kilmorack,	2852	2728	67	60	11	43	0	0	0	0	0	1	44
101	Kiltarlity,	2889	2537	62	27	8	33	0	0	0	0	0	0	33
102	Kingussie and Insh,	2033	2101	52	25	11	48	6	0	0	0	3	2	59
103	Kirkhill,	1757	1582	36	22	7	27	0	0	0	0	2	1	30
104	Laggan,	986	950	20	11	6	19	0	2	0	0	0	0	21
105	Moy and Dalarossie,	1026	1005	18	13	5	14	0	0	0	0	0	1	15
106	Petty,	1671	1549	35	19	7	36	0	0	0	0	3	1	40
107	Urquhart, etc.—(1) Urquhart,	2294	2215	41	48	6	40	2	6	0	2	1	2	53
	(2) Glenmoriston,	617	565	11	10	0	5	0	1	0	0	0	0	6
	Insular.													
108	Barra,	1853	1997	60	49	12	47	11	0	0	0	15	2	75
109	Bracadale,	1335	1113	15	18	2	16	2	0	0	0	0	0	18
110	Duirinish,	4775	4422	113	85	23	102	0	0	0	0	15	11	128
111	Harris—(1) Harris,	3769	3668	125	66	21	35	91	1	0	0	11	0	138
	(2) Bernera,	336	381	17	5	2	18	0	0	0	0	0	0	18
	(3) St Kilda,	78	71											
112	Kilmuir—(1) Kilmuir,	1561	1362	37	41	5	28	0	0	0	1	2	4	35
	(2) Stenscholl,	1311	1228	44	15	6	35	2	0	0	0	2	0	39
113	North Uist,	3959	4107	132	63	20	90	4	0	0	0	12	20	126
114	Portree—(1) Portree,	2579	2328	61	47	13	48	1	0	0	0	5	11	65
	(2) Raasay,	580	600	19	7	4	7	0	0	0	0	2	11	20
115	Sleat,	2330	2233	57	25	10	44	0	0	0	0	1	7	52
116	Small Isles,	567	522	16	6	3	11	0	1	0	0	1	0	13
117	Snizort—(1) North,	961	803	20	20	0	16	2	0	0	0	2	1	21
	(2) South,	1652	1500	38	42	16	25	0	0	0	0	4	2	31
118	South Uist—(1) Benbecula,	1544	1651	45	26	3	38	1	1	0	0	5	0	45
	(2) Howmore,	1763	1818	55	41	13	38	4	0	0	0	4	13	59
	(3) Boisdale,	2051	2280	55	33	4	34	15	0	0	0	7	0	56
119	Strath,	2664	2562	70	40	17	45	1	0	0	0	5	13	64

* Carnoch was constituted in 1874, and is composed of parts of the Districts of Contin, Fodderty, and Urray. In 1871, the populations of these three Districts before alteration were:—Contin, 893; Fodderty, 2086; and Urray, 2296.

REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
								Insusceptible of Vaccine Disease.					
	1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.	In respect of the Children having Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
III. NORTH-EASTERN DIVISION.													
7. Nairn.													
Ardclach, – – – –	1330	1197	27	14	5	30	1	0	0	0	0	0	31
Auldearn, – – – –	1328	1279	23	19	4	38	0	0	0	0	3	0	41
Cawdor, – – – –	1203	1027	32	14	3	27	0	0	0	0	4	2	33
NAIRN, – – – –	4486	4869	143	105	26	127	1	1	0	0	11	3	143
8. Elgin (or Moray.)													
Abernethy and Kincardine. (Now 90*a supra.*)													
Alves, – – – –	1010	1018	44	9	4	37	0	0	0	0	4	1	42
Bellie, – – – –	1967	2013	49	34	8	46	0	0	0	0	3	5	54
Birnie, – – – –	411	375	14	5	0	14	0	0	0	0	1	0	15
Boharm, – – – –	1412	1337	25	13	7	37	0	0	0	0	5	0	42
Cromdale, etc.—(1) Cromdale, –	1308	1295	28	19	4	20	0	0	0	0	3	0	23
(2) Inverallan –	2635	2522	85	42	13	61	0	0	0	0	4	0	65
Dallas, – – – –	1102	1060	36	20	5	22	0	0	0	0	2	0	24
Drainie, – – –	3028	3293	119	48	29	116	1	0	0	0	10	0	127
Duffus, – – – –	3308	3716	100	94	14	104	0	0	0	0	4	0	108
Duthill, etc. (Now 96*b supra.*) –													
Dyke, – – – –	1247	1238	34	18	7	22	0	0	0	0	2	0	24
Edinkillie, – – –	1303	1286	36	16	10	31	0	0	0	0	1	0	32
ELGIN, – – – –	9866	9708	270	196	54	203	4	0	0	0	14	6	227
New Spynie, – – –	518	573	13	20	3	12	0	0	0	0	3	1	16
FORRES, – – –	4112	4562	120	102	21	125	0	0	0	0	7	1	133
Kinloss, – – – –	1315	1112	34	23	12	22	0	0	0	0	0	0	22
Knockando, – – –	1736	1909	57	29	8	38	3	0	0	0	6	1	48
Rafford, – – – –	1055	1101	33	12	3	34	0	0	0	0	1	0	35
Rothes, – – – –	2407	2148	67	29	14	46	4	0	0	0	5	0	55
St Andrew's-Lhanbryde, – –	1344	1286	40	27	6	28	0	0	0	0	1	1	30
Speymouth, – – –	689	634	17	10	7	19	1	0	0	0	1	0	21
Urquhart, – – –	2532	2368	63	37	15	64	1	1	0	0	2	0	68
9. Banff.													
Aberlour, – – – –	1520	1632	49	31	6	35	0	0	0	0	2	1	38
Alvah, – – – –	1467	1436	53	14	5	20	0	0	0	0	3	0	23

147	BANFF, – – – –	7740	8425	274	180	57	250	5	0	0	0	30	0	285
148	Botriphnie, – – –	867	785	15	10	3	14	0	0	0	0	1	0	15
149	Boyndie, – – – –	1711	1854	66	31	12	55	1	0	0	0	0	0	56
150	CULLEN, – – –	1821	2056	72	24	5	61	0	0	0	0	10	0	71
151	Deskford, – – – –	1031	972	28	11	14	21	0	0	0	0	1	0	22
152	Enzie, – – – –	2072	2251	73	31	19	70	1	0	0	0	6	0	77
153	FORDYCE—(1) FORDYCE, –	4145	c. 2050	60	20	13	73	0	0	0	0	4	0	77
	(2) Portsoy, – –		c. 2100	84	34	14	57	0	0	0	0	8	0	65
154	Forglen, – – – –	783	845	23	7	1	24	0	0	0	0	2	0	26
155a	Gamrie, – – – –	3019	3151	116	42	19	76	4	1	0	0	7	0	88
155b	Glenrinnes, – – –	439	466	11	9	3	7	0	0	0	0	1	0	8
156	Grange, – – – –	1909	1876	55	15	14	43	0	0	0	0	4	0	47
157	Inveravon—(1) Inveravon, – –	868	890	23	20	2	27	1	0	0	0	0	1	29
	(2) Glenlivat, – –	1771	1718	44	31	8	46	0	0	0	0	6	0	52
158	Inverkeithny, – – –	880	1000	20	11	4	29	0	0	0	0	2	0	31
159	KEITH, – – – –	5943	5891	191	81	26	159	1	1	0	0	12	10	183
160	Kirkmichael, etc.—(1) Kirkmichael, –	551	477	9	6	1	9	1	0	0	0	0	0	10
	(2) Tomintoul, –	960	799	19	13	2	16	0	0	0	0	0	0	16
161	Marnoch, – – – –	3289	3294	95	49	14	98	0	0	0	0	7	0	105
162	Mortlach, – – – –	2801	2737	85	48	25	73	2	0	0	0	7	0	82
163	Ordiquhill, – – –	764	761	20	5	5	17	1	0	0	0	1	0	19
164	RATHVEN, – – –	4922	6659	243	142	57	213	1	0	0	0	16	0	230
165	Rothiemay, – – –	1414	1370	41	24	11	38	0	0	0	0	5	0	43
166	St Fergus, – – –	1608	1633	46	22	8	36	0	0	0	0	2	0	38
167	SEAFIELD, – – –	1725	1755	54	27	11	43	2	0	0	0	4	3	52
	10. ABERDEEN.													
168	ABERDEEN—(1) St Nicholas, –	41962	47077	1804	1180	348	1500	2	1	0	0	180	8	1691
	(2) Old Machar, – –	31938	41104	1420	885	331	1276	5	0	0	0	117	4	1402
	(3) Do. (Landward), –	1298	1373	35	21	5	40	0	0	0	0	3	0	43
169	Aberdour, – – – –	1837	1945	57	35	9	65	0	0	0	0	5	0	70
170	Aboyne, – – – –	1160	1351	46	22	9	44	0	0	0	0	3	0	47
171	Alford, – – – –	1264	1396	48	18	7	33	0	0	0	0	2	0	35
172	Auchindoir, – – –	1593	1545	41	27	7	48	0	0	0	0	0	0	48
173	Auchterless, – – –	1782	1971	78	31	13	54	1	0	0	0	6	0	61
174	Belhelvie, – – –	1807	1833	52	23	6	45	0	0	0	0	3	0	48
175	Birse, – – – –	1284	1198	43	20	3	24	0	0	0	0	0	0	24
176	Bourtie, – – – –	547	499	14	6	2	12	0	0	0	0	2	0	14
177	Cabrach, – – – –	794	775	15	13	3	16	0	0	0	0	3	0	19
178	Cairney, – – – –	1490	1525	49	15	11	41	0	0	0	0	0	0	41
179	Chapel of Garioch, – – –	2023	1928	50	25	10	44	0	0	0	0	2	0	46
180	Clatt, – – – –	511	483	10	4	1	12	0	0	0	0	0	0	12
181	Cluny, – – – –	1254	1366	42	23	8	39	0	0	0	0	3	1	43
182	Coull, – – – –	792	824	22	17	5	19	0	0	0	0	0	0	19
183	Crathie and Braemar, – –	1574	1566	32	17	8	37	2	1	0	0	4	0	44
184	Crimond, – – – –	892	887	38	12	10	25	0	0	0	0	2	0	27
185	Cruden, – – – –	2743	3124	94	44	20	101	0	0	0	0	5	0	106
186	Culsamond, – – –	1165	896	25	16	3	18	1	0	0	0	2	1	22
187	Daviot, – – – –	614	597	15	4	2	13	0	0	0	0	1	0	14
188	Drumblade – – –	926	931	13	18	1	27	0	1	0	0	0	0	28

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
		1861.	1871.	Births.	Deaths.	Marriages.			Constitutional Insusceptibility.	On the ground of Small-pox. In respect of the Children having already had	On the ground of previous Successful Vaccination.			
	ABERDEEN—*continued.*													
189	Drumoak,	996	1032	24	13	4	21	0	0	0	0	0	0	21
190	Dyce,	585	945	40	15	7	29	0	0	0	0	10	1	40
191	Echt,	1287	1259	50	23	10	36	0	0	0	0	0	0	36
192	Ellon,	3239	3036	99	56	15	85	0	0	0	0	9	0	94
193	Fintray,	1003	1108	36	8	2	36	0	0	0	0	3	1	40
194	Forgue,	1397	1332	52	12	4	32	0	0	0	0	2	0	34
195	Foveran,	1891	1859	60	32	16	62	0	0	0	0	7	0	69
196	FRASERBURGH,	4511	5301	252	115	26	286	1	0	0	0	14	1	302
197	Fyvie,	3264	3306	83	42	17	106	0	0	0	0	4	0	110
198	Gartly,	1029	972	24	15	5	28	0	0	0	0	1	0	29
199	Glass,	1049	1061	29	11	1	26	1	0	0	0	5	0	32
200	Glenbucket,	552	570	17	6	3	17	0	0	0	0	1	0	18
201	Glenmuick, Tullich, and Glengairn,	1668	2160	58	41	10	62	0	0	0	0	2	4	68
202	HUNTLY,	4329	4374	145	98	21	120	3	0	0	0	5	1	129
203	Insch,	1565	1596	47	36	4	44	1	0	0	0	3	0	48
204	INVERURIE,	2668	2970	115	63	21	82	1	0	0	0	9	2	94
205	Keig,	811	886	25	17	3	19	1	0	0	0	2	0	22
206	Keith-hall,	933	874	16	9	5	20	1	0	0	0	2	0	23
207	Kemnay,	832	1300	39	13	5	61	0	0	0	0	3	1	65
208	Kildrummy,	590	660	19	14	2	16	0	0	0	0	2	0	18
209	Kincardine O'Neil,	2186	2000	48	25	14	55	0	0	0	0	1	0	56
210	King-Edward—(1) King-Edward,	1050	1058	27	13	7	32	0	0	0	0	0	0	32
	(2) New Byth,	1793	2053	75	33	13	87	0	0	0	0	7	0	94
211	KINNELLAR,	691	601	20	12	5	19	0	1	0	0	3	0	23
212	Kinnethmont,	1187	1062	29	21	5	30	0	0	0	0	1	0	31
213	KINTORE,	1895	2158	80	47	17	64	0	0	0	0	2	0	66
214	Leochel-Cushnie,	1173	1232	31	12	5	41	0	0	0	0	2	0	43
215	Leslie,	577	532	12	5	2	9	0	0	0	0	0	0	9
216	Logie-Buchan,	762	808	35	12	4	17	0	0	0	0	1	0	18
217	Logie-Coldstone,	932	900	25	20	6	24	0	0	0	0	1	0	25
218	Longside,	3008	3321	121	58	18	118	0	0	0	0	4	0	122
219	Lonmay,	2142	2245	55	42	12	70	0	0	0	0	7	0	77
220	Lumphanan,	1251	1239	33	12	7	25	0	0	0	1	2	0	28
221	Methlic,	2157	2084	57	23	17	74	0	0	0	0	1	0	75
222*a*	Midmar,	1091	1127	33	15	3	24	0	0	0	0	0	1	25
222*b*	Millbrex,	1357	1484	56	19	14	39	0	0	0	0	2	0	41
223	Monquhitter,	2303	2670	86	26	14	70	0	0	0	0	4	0	74
224	Monymusk,	988	996	30	6	6	24	0	0	0	0	0	1	25

[illegible]	New Deer,	3736	4147	131	67	27	114	6	0	0	0	11	0	131
226	Newhills,	3463	4210	158	68	37	146	0	0	0	0	11	0	157
227a	New Machar,	1556	1520	43	15	10	38	0	0	0	0	3	0	41
227b	New Pitsligo,	2609	3090	129	65	20	103	2	0	0	0	4	0	109
228	Old Deer,	4392	4434	153	79	24	129	1	0	0	0	9	0	139
229	Old Meldrum,	2843	2330	82	42	18	67	0	0	0	0	5	1	73
230	Oyne,	1127	1050	38	18	6	25	0	0	0	0	4	0	29
231	Peterculter,	1483	1668	58	22	13	40	0	0	0	0	0	0	40
232	PETERHEAD,	9796	11506	522	336	95	478	0	0	0	0	27	8	513
233	Pitsligo,	1890	2218	86	37	10	87	0	0	0	0	3	0	90
234	Premnay,	916	997	33	6	10	33	0	0	0	0	1	0	34
235	Rathen,	2554	2850	91	51	27	84	0	0	0	0	4	0	88
236	Rayne,	1514	1409	38	17	12	37	0	0	0	0	3	0	40
237a	Rhynie,	1061	1195	39	17	6	30	1	0	0	0	4	0	35
237b	Savoch,	2061	1961	72	33	9	60	0	0	0	0	3	1	64
238	Skene,	1831	1842	47	24	6	42	0	0	0	0	0	1	43
239	Slains,	1266	1355	35	17	6	41	0	0	0	0	4	0	45
240	Strathdon,	1735	1761	41	30	8	41	1	5	0	0	3	0	50
241	Strichen,	2409	2254	79	44	18	63	1	0	0	0	11	1	76
242	Tarland,	970	988	18	14	5	38	0	0	0	0	1	0	39
243	Tarves,	2377	2288	66	31	10	64	1	0	0	0	5	2	72
244	Tough,	874	760	17	11	4	26	1	0	0	0	1	0	28
245	Towie,	839	798	14	10	6	26	0	1	0	0	1	0	28
246	Tullynessle and Forbes,	957	970	34	18	14	26	0	0	0	0	0	0	26
247	TURRIFF,	3693	4348	148	66	24	130	0	0	0	0	16	6	152
248	Tyrie,	833	869	35	10	10	20	0	0	0	0	1	0	21
249a	Udny,	1623	1626	50	26	11	53	0	0	0	0	3	0	56
249b	Ythan Wells,	1517	1494	45	15	7	44	2	0	0	0	2	0	48
	11. KINCARDINE.													
250	Arbuthnott,	932	924	18	7	7	25	0	0	0	0	1	0	26
251	BANCHORY-DEVENICK—													
	(1) BANCHORY-DEVENICK.	1159	1263	41	29	11	35	0	0	0	0	0	0	35
	(2) Portlethen,	1687	1789	41	27	12	47	0	2	0	0	3	0	52
252	Banchory-Ternan,	2947	2875	85	47	11	72	0	0	0	0	6	0	78
253	BENHOLM	1574	1569	54	30	10	46	1	0	0	0	4	0	51
254	BERVIE,	1561	1843	73	26	17	67	0	0	0	0	3	0	70
255	DUNNOTTAR,	1828	2102	63	31	18	63	2	0	0	0	3	0	68
256	Durris,	1109	1021	38	6	10	33	0	0	0	0	0	0	33
257	Fettercairn,	1700	1539	52	21	12	39	0	0	0	0	4	0	43
258	FETTERESSO—(1) FETTERESSO,	3575	3585	94	100	19	83	0	0	0	0	16	1	100
	(2) Cookney,	1952	2080	72	30	17	72	0	0	0	0	1	0	73
259	Fordoun,	2297	2113	58	34	17	54	1	0	0	0	7	0	62
260	Garvock,	458	476	12	3	1	13	1	0	0	0	0	1	15
261	Glenbervie,	1219	1073	29	15	7	29	0	0	0	0	0	0	29
262	Kinneff and Catterline,	1054	1062	19	10	13	28	1	0	0	0	1	2	32
263	Laurencekirk,	2110	2174	66	57	9	64	1	0	0	0	3	0	68
264	Maryculter,	1055	1110	29	15	7	19	0	0	0	0	1	0	20
265	Marykirk,	2068	1771	53	27	14	48	0	0	0	0	5	0	53
266	Nigg,	2074	2348	115	41	23	93	2	1	0	0	11	0	107

No. of District.	REGISTRATION DISTRICTS.	POPULATION. 1861.	POPULATION. 1871.	BIRTHS, DEATHS, AND MARRIAGES, 1874. Births.	Deaths.	Marriages.	VACCINATIONS, 1873. Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.	In respect of the Successful Vaccination.	On the ground of previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	KINCARDINE—*continued.*														
267	St Cyrus,- - - -	1552	1585	34	19	13	47	0	0	0	0	0	3	0	50
268	Strachan,- - - -	870	795	14	8	4	23	0	0	0	0	0	0	0	23
	IV. EAST-MIDLAND DIVISION.														
	12. FORFAR.														
269	Aberlemno, - - -	1054	1007	28	10	7	32	0	0	0	0	0	1	0	33
270	Airlie, - - - -	845	778	20	10	3	22	0	0	0	0	0	0	0	22
271	Arbirlot, - - - -	960	919	19	8	8	25	0	0	0	0	0	1	0	26
272	ARBROATH, - - -	17831	20169	725	478	171	604	1	0	0	0	0	57	4	666
273	Auchterhouse, - - -	706	721	24	26	2	18	0	0	0	0	0	1	0	19
274	BARRY, - - - -	2465	3008	91	69	19	76	0	1	0	0	0	7	1	85
275	BRECHIN, - - -	8810	9514	291	160	59	256	3	0	0	0	0	31	1	291
276	Carmylie, - - -	1286	1309	35	16	12	46	0	0	0	0	0	1	0	47
277	Careston, - - -	225	209	10	3	1	7	0	0	0	0	0	0	0	7
278	Cortachy and Clova, - -	653	554	10	14	4	14	0	0	0	0	0	0	1	15
279	COUPAR-ANGUS, - - -	2642	2797	77	46	22	76	1	0	0	0	0	7	1	85
280	CRAIG, - - - -	2177	2402	89	51	14	72	0	0	0	0	0	8	0	80
281	Dun, - - - -	552	565	17	9	4	15	0	0	0	0	0	0	0	15
282	DUNDEE—(1) St Peter, - -	91664	22894	938	727	215	787	2	3	0	1	1	97	13	903
	(2) St Mary, - -		23582	1001	974	249	840	2	0	0	1	1	143	18	1004
	(3) St Clement, - -		25090	1065	845	305	811	2	3	0	2	2	137	14	969
	(4) St Andrew - -		38082	1659	1274	374	1420	6	2	0	33	33	182	13	1656
	(5) Lochee, - -		11076	438	350	109	354	0	11	0	0	0	49	9	423
283	Dunnichen, - - -	1932	1536	47	30	12	42	0	0	0	0	0	4	0	46
284	Eassie and Nevay, - - -	748	586	16	6	6	15	0	0	0	0	0	0	0	15
285	Edzell, - - - -	1025	976	21	13	8	19	0	0	0	0	0	0	0	19
286	Farnell, - - - -	703	580	14	9	5	18	0	0	0	0	0	2	0	20
287	Fearn, - - - -	439	348	6	2	1	13	0	0	0	0	0	0	0	13
288	FORFAR, - - -	10838	12585	441	265	104	422	0	0	0	0	0	51	1	474
289	Glammis,- - - -	1980	1813	46	27	10	41	0	0	0	0	0	1	3	45
290	Glenisla, - - - -	1008	925	18	11	5	15	0	0	0	0	0	1	0	16
291	Guthrie, - - - -	476	404	9	5	6	13	0	0	0	0	0	0	0	13
292	Inverarity, - - -	961	888	33	5	5	18	0	0	0	0	0	1	0	19
293	Inverkeillor, - - -	1792	1521	50	22	12	47	0	0	0	0	0	2	0	49
294	Kettins, - - -	962	855	29	8	6	22	0	0	0	0	0	2	0	24
295	Kingoldrum, - - -	473	409	6	3	2	8	0	0	0	0	0	0	0	8

296	Kinnell, – – – –	816	766	21	8	5	22	0	0	0	0	1	0	23
297	Kinnettles, – – –	447	405	12	5	2	9	0	0	0	0	1	0	10
298	Kirkden, – – – –	1862	1623	59	27	8	59	0	0	0	0	3	0	62
299	KIRRIEMUIR, – – –	7359	6420	169	127	45	164	0	0	0	0	17	0	181
300	Lethnott and Navar, – –	446	318	10	3	3	7	0	0	0	0	0	0	7
301	Liff, Benvie, and Invergowrie, –	1430	1357	37	36	6	44	0	1	0	0	0	0	45
302	Lintrathen, – – –	898	756	19	5	8	21	0	0	0	0	0	4	25
303	Lochlee, – – – –	495	424	8	8	0	3	0	0	0	0	0	0	3
304	Logie-Pert, – – –	1483	1251	37	15	8	21	0	0	0	0	1	0	22
305	Lunan, – – – –	259	248	8	4	1	7	0	0	0	0	1	0	8
306	Lundie, – – – –	442	400	8	7	4	12	1	0	0	0	1	0	14
307	Mains, etc.—(1) Mains, –	1392	1927	69	52	16	61	0	0	0	1	10	0	72
	(2) Strathmartine, –	789	822	30	22	8	32	1	1	0	0	1	0	35
308	Marytown, – – –	417	396	9	7	4	17	0	0	0	0	0	0	17
309	Menmuir,– – – –	796	761	21	6	1	26	0	0	0	0	1	0	27
310	MONIFIETH, – – –	5052	7252	294	130	45	239	2	0	0	0	15	0	256
311	Monikie, – – – –	1460	1397	41	18	8	32	0	0	0	0	4	0	36
312	MONTROSE, – – –	15668	15783	445	368	99	404	0	0	0	0	40	3	447
313	Murroes, – – – –	763	751	31	14	2	20	0	0	0	0	1	0	21
314	Newtyle, – – – –	1139	931	29	28	9	33	1	0	0	0	1	0	35
315	Oathlaw, – – – –	399	452	12	6	2	11	0	0	0	0	1	0	12
316	PANBRIDE, – – –	1299	1331	36	31	12	38	0	0	0	0	4	0	42
317	Rescobie, – – – –	747	748	16	9	1	21	0	1	0	0	1	0	23
318	Ruthven, – – – –	265	247	9	7	0	5	0	0	0	0	0	0	5
319	St Vigeans, – – –	2553	2513	94	29	20	62	0	0	0	0	3	0	65
320	Stracathro, – – –	546	503	21	7	2	10	0	0	0	0	0	0	10
321	Tannadice, – – –	1438	1286	38	19	12	33	0	0	0	0	1	0	34
322	Tealing, – – – –	883	879	32	13	8	19	1	0	0	0	1	0	21
	13. PERTH.													
323	Aberdalgie, – – –	295	342	12	4	3	6	0	0	0	0	1	0	7
324	Aberfeldy, – – –	2402	2286	58	44	10	45	0	0	0	0	2	1	48
325	Aberfoyle, – – –	565	432	7	8	1	11	0	0	0	0	0	0	11
326	Abernethy, – – –	1960	1744	45	23	14	50	0	0	0	0	1	0	51
327	Abernyte, – – –	310	253	6	6	0	4	1	0	0	0	1	0	6
328*a*	ALYTH, – – – –	3198	3151	95	66	12	80	0	0	0	0	12	6	98
328*b*	Ardoch, – – – –	1418	1316	36	29	8	35	0	0	0	0	1	0	36
329	AUCHTERARDER, – – –	4208	3795	99	96	26	98	3	2	0	0	9	1	113
330	Auchtergaven, – – –	2562	2141	50	53	14	49	0	0	0	0	5	0	54
331	Balquhidder, – – –	746	743	16	13	5	18	0	0	0	0	3	0	21
332	Bendochy, – – –	549	474	17	5	3	15	0	0	0	0	0	0	15
333	Blackford, – – –	2041	1836	50	38	10	40	0	0	0	0	4	0	44
334	Blair-Athol, – – –	1553	1718	38	32	5	51	0	0	0	0	3	1	55
335	BLAIRGOWRIE, – – –	4423	4832	125	99	26	127	1	0	0	0	15	0	143
336	Callander, – – –	1676	1870	46	38	4	45	0	0	0	0	6	1	52
337	Caputh, – – – –	1728	1571	31	19	10	28	0	0	0	0	2	0	30
338	Cargill, – – – –	1647	1411	40	23	10	42	0	0	0	0	2	0	44
339	Clunie, – – – –	699	603	21	8	6	14	0	0	0	0	2	0	16
340	Collace, – – – –	534	456	11	4	4	11	0	0	0	0	0	0	11
341	Comrie, – – – –	2226	1911	34	37	5	37	0	0	0	0	6	0	43

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
									Insusceptible of Vaccine Disease.					
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	PERTH—*continued.*													
342	CRIEFF,	4490	4598	121	111	24	105	0	0	0	1	12	2	120
343	CULROSS,	1423	1354	42	27	7	22	0	0	0	0	0	0	22
344	Dowally,	486	461	12	7	4	5	0	0	0	0	1	0	6
345	Dron,	376	343	14	5	2	6	0	0	0	0	0	0	6
346	Dull,	753	677	11	18	5	7	0	0	0	0	1	0	8
347	Dunbarney,	1035	913	21	14	6	16	0	0	0	0	3	1	20
348	Dunblane,	2528	2765	79	73	15	84	3	0	0	0	10	2	99
349	Dunkeld,	1086	881	20	19	2	17	0	0	0	0	3	1	21
350	Dunning,	2084	1832	43	34	9	44	0	0	0	0	5	0	49
351	Errol,	2759	2504	64	33	8	68	1	0	0	0	1	1	71
352	Findo-Gask,	399	369	11	6	2	9	0	0	0	0	1	0	10
353	Forgandenny,	739	632	9	7	2	17	0	1	0	0	1	0	19
354	Forteviot,	595	567	15	14	4	22	0	0	0	0	0	2	24
355*a*	Fortingall,	1244	1014	22	9	6	30	0	0	0	0	1	0	31
355*b*	Foss,	381	270	7	4	0	3	0	0	0	0	1	0	4
356	Fowlis-Easter,	317	291	12	5	2	9	0	0	0	0	2	1	12
357	Fowlis-Wester,	1276	1028	25	17	4	27	0	0	0	0	0	0	27
358	Glendevon,	138	105	2	3	0	3	0	0	0	0	0	0	3
359	Inchture,	659	659	24	8	8	27	0	0	0	0	1	0	28
360	Kenmore,	1515	1215	31	29	11	29	0	0	0	0	2	1	32
361	Killin,	1681	1977	34	33	5	31	1	0	0	0	1	0	33
362	Kilmadock,	3312	3170	72	68	18	61	3	0	0	0	8	5	77
363	Kilspindie,	665	679	29	14	6	18	0	0	0	0	2	0	20
364	Kincardine,	1778	1484	34	20	14	34	0	0	0	0	1	1	36
365	Kinclaven,	758	607	18	9	4	16	0	0	0	0	0	0	16
366	Kinfauns,	657	578	15	11	1	12	0	0	0	0	0	0	12
367	Kinloch-Rannoch,	1147	921	22	13	4	18	0	0	0	0	1	0	19
368	Kinnaird,	318	299	11	2	1	7	0	0	0	0	0	0	7
369	Kinnoull,	796	723	20	9	0	18	0	0	0	0	0	0	18
370	Kirkmichael—(1) Kirkmichael,	812	657	23	10	1	16	0	0	0	0	1	0	17
	(2) Glenshee,	334	241	2	5	1	5	0	0	0	0	0	0	5
371	LECROPT,	538	535	22	11	0	20	0	0	0	0	0	0	20
372	Lethendy, etc.—(1) Lethendy,	235	179	2	2	2	5	0	0	0	0	0	0	5
	(2) Kinloch,	295	251	5	1	2	4	0	0	0	0	0	0	4
373	Little Dunkeld,	2089	2352	47	50	12	52	0	0	0	0	5	1	58
374	LOGIE,	3483	4553	106	96	21	82	1	0	0	0	5	3	91
375	Logiealmond,	815	646	11	8	1	14	0	0	0	0	2	0	16

376	Logierait,	1902	1739	29	31	6	46	0	0	0	0	3	1	50
377	Longforgan,	1823	1753	60	17	7	62	0	0	0	0	5	1	68
378	Madderty,	536	523	9	7	4	10	0	0	0	0	0	0	10
379	Meigle,	1122	1003	28	9	8	21	0	0	0	0	2	0	23
380	Methven,	2290	2073	50	53	11	36	0	0	0	0	4	0	40
381	Moneydie,	252	244	3	3	0	4	0	0	0	0	0	0	4
382	Monzie,	461	413	9	5	2	6	0	0	0	0	0	0	6
383	Monzievaird,	782	744	19	12	2	21	0	0	0	0	0	1	22
384	Moulin,	1605	1561	40	22	10	30	0	0	0	0	0	0	30
385	MUCKHART,	615	612	10	4	3	13	0	0	0	0	3	1	17
386*a*	MUTHILL,	2001	1916	41	34	11	36	0	0	0	0	2	0	38
386*b*	Persie,	839	820	22	12	2	21	0	0	0	0	5	0	26
387	PERTH,	26094	26382	867	700	235	654	0	0	0	0	82	14	750
388	Port of Menteith,	1375	1243	17	20	7	24	1	0	0	0	2	0	27
389	RATTRAY,	2234	2586	84	71	18	71	0	0	0	0	4	0	75
390	Redgorton,	1596	1401	32	23	10	33	0	0	0	0	2	0	35
391	Rhynd,	297	327	9	3	0	6	0	0	0	0	0	0	6
392	St Madoes,	280	290	6	5	0	10	0	0	0	0	2	0	12
393	St Martins,	904	735	22	7	5	23	0	0	0	0	0	1	24
394*a*	Scone,	2153	2185	65	45	17	40	0	1	0	0	2	0	43
394*b*	Strathfillan,	411	342	6	6	1	6	1	0	0	0	1	0	8
394*c*	Tenandry,	595	530	17	6	1	8	0	0	0	0	0	0	8
395	Tibbermore,	1182	1128	33	21	6	22	0	0	0	0	3	0	25
396	Trinity-Gask,	488	415	11	4	2	14	0	0	0	0	2	1	17
397	Tulliallan,	2410	2184	72	50	14	56	0	0	0	0	5	1	62
398	Weem,	215	186	5	1	0	4	0	0	0	0	0	0	4
	14. FIFE.													
399	Abbotshall,	808	674	23	8	1	15	0	0	0	0	1	0	16
400	ABDIE,	1257	1057	32	24	6	30	0	0	0	0	2	0	32
401	Aberdour,	1874	1697	60	36	12	50	0	0	0	0	4	0	54
402	ANSTRUTHER-EASTER,	1155	1239	42	20	10	44	0	0	0	0	2	0	46
403	ANSTRUTHER-WESTER,	421	545	22	13	2	15	0	0	0	0	1	0	16
404	Arngask,	705	565	18	10	7	16	0	0	0	0	0	0	16
405	AUCHTERDERRAN,	3457	4017	222	99	24	198	1	0	0	0	17	0	216
406	AUCHTERMUCHTY,	3285	2958	60	54	11	83	0	0	0	0	6	1	90
407	Auchtertool,	609	529	22	9	4	24	0	0	0	0	1	0	25
408	BALLINGRY,	736	982	81	33	9	53	0	0	0	0	5	0	58
409	Balmerino,	815	717	16	11	3	24	0	0	0	0	3	1	28
410	Beath,	2390	3534	222	119	34	190	2	0	0	0	19	0	211
411	BURNTISLAND,	3670	3872	132	82	28	107	1	0	0	0	11	4	123
412	Cameron,	1362	1158	30	10	3	30	0	0	0	0	1	0	31
413	Carnbee,	1157	1088	23	8	1	30	0	0	0	0	2	0	32
414	Carnock,	2925	1764	57	31	13	53	0	0	0	0	3	1	57
415	Ceres,	2723	2381	57	40	10	52	2	0	0	0	2	1	57
416	Collessie,	1530	1703	67	29	10	51	0	0	0	0	0	0	51
417	CRAIL,	1931	1864	59	36	17	54	0	0	0	0	3	0	57
418	Creich,	377	387	15	3	5	9	0	0	0	0	0	0	9
419	Cults,	800	767	23	13	5	24	0	0	0	0	2	0	26
420	CUPAR,	6750	7102	190	132	50	166	0	1	0	0	16	0	183

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
		1861.	1871.	Births.	Deaths.	Marriages.			On the ground of Constitutional Insusceptibility.	On the ground of Children having already had Small-pox.	On the ground of previous Successful Vaccination.			
	FIFE—*continued.*													
421	Dairsie,	638	687	22	17	3	22	0	0	0	0	0	0	22
422	Dalgetty,	1569	1310	67	25	14	49	0	0	0	0	4	0	53
423	Dunbog,	414	395	11	10	6	14	1	0	0	0	0	0	15
424	DUNFERMLINE—(1) Burgh,	13506	14963	615	360	169	554	4	1	0	0	52	3	614
	(2) Landward,	7609	8293	313	162	49	262	5	0	0	0	29	6	302
425	Dunino,	370	325	7	0	3	6	0	0	0	0	0	0	6
426	DYSART,	8842	9682	386	224	80	318	2	0	0	0	21	1	342
427	ELIE,	826	775	12	16	6	20	0	0	0	0	1	0	21
428	FALKLAND,	2937	3069	77	63	19	75	0	0	0	0	7	0	82
429	FERRY-PORT-ON-CRAIG,	2013	2674	92	73	22	84	2	1	0	0	9	1	97
430	Flisk,	230	212	7	2	1	8	0	0	0	0	0	0	8
431	Forgan,	1326	2243	71	38	16	58	0	0	0	0	2	0	60
432	INVERKEITHING,	3196	3131	106	76	25	98	2	0	0	0	8	0	108
433	Kemback,	896	1056	21	14	14	23	0	0	0	0	1	0	24
434	Kennoway,	2012	1703	41	37	14	27	0	0	0	0	2	0	29
435	Kettle,	2474	2323	58	26	15	52	0	0	0	0	3	0	55
436	KILCONQUHAR,	2431	2018	50	32	12	57	0	0	0	0	2	0	59
437	Kilmany,	656	651	16	8	3	23	0	0	0	0	1	0	24
438	KILRENNY,	2534	2945	108	47	12	108	0	0	0	0	4	0	112
439	KINGHORN,	2349	2602	89	78	28	71	0	0	0	0	7	0	78
440	KINGLASSIE,	1266	1082	58	34	7	42	0	0	0	0	0	0	42
441	Kingsbarns,	937	922	20	8	21	32	0	0	0	0	0	0	32
442	KIRKCALDY,	11117	12835	481	265	114	394	6	2	0	0	41	6	449
443	Largo,	2626	2318	70	50	21	68	1	0	0	0	2	0	71
444	LESLIE,	4332	4294	130	77	27	113	0	0	0	0	12	1	126
445	Leuchars,	1903	1727	50	27	9	53	1	0	0	0	4	0	58
446	Logie,	410	402	10	7	3	15	0	0	0	0	2	0	17
447	Markinch,	5375	5413	179	127	44	176	1	0	0	0	8	1	186
448	Moniemail,	1054	918	25	13	3	23	0	0	0	0	1	0	24
449	Moonzie,	179	154	4	1	1	5	0	0	0	0	0	0	5
450	NEWBURGH,	2693	2529	79	29	15	72	0	0	0	0	4	0	76
451	Newburn,	374	362	11	6	2	7	0	0	0	0	0	0	7
452	PITTENWEEM,	1710	1803	66	37	10	50	0	0	0	0	6	0	56
453	ST ANDREWS and St Leonards,	7605	8592	198	120	41	201	0	0	0	1	13	1	216
454	St Monance (or Abercrombie),	1498	1761	71	37	13	57	1	0	0	0	4	0	62
455	Saline,	1610	1259	39	31	12	35	0	0	0	0	5	0	40
456	SCOONIE,	3257	3178	108	62	17	81	0	0	0	0	4	0	85

457	Strathmiglo,	2261	2267	56	41	15	64	0	0	0	0	4	0	68
458	Torryburn,	1229	1051	35	15	12	31	0	0	0	0	1	0	32
459	WEMYSS—(1) Wemyss,	6003	c. 2492	110	74	20	268	2	0	0	1	25	1	297
	(2) Buckhaven,		c. 3908	170	114	23								
	15. KINROSS.													
460	Cleish,	649	539	17	4	2	16	0	0	0	0	2	0	18
461	Fossoway and Tulliebole,	1584	1461	42	29	5	27	0	0	0	0	3	1	31
462	KINROSS,	2649	2477	64	48	16	58	0	0	0	0	7	0	65
463	Orwell,	2399	2248	54	38	22	34	0	0	0	0	1	0	35
464	Portmoak,	1450	1193	36	17	2	25	0	0	0	0	4	0	29
	16. CLACKMANNAN.													
465	ALLOA,	8867	9940	428	224	68	352	0	0	0	0	44	3	399
466	CLACKMANNAN,	4425	4653	207	88	34	163	1	0	0	0	14	1	179
467	DOLLAR,	1776	2524	57	38	10	57	0	0	0	0	8	1	66
468	TILLICOULTRY,	5054	5118	161	109	26	167	0	0	0	0	17	0	184
	V. WEST-MIDLAND DIVISION.													
	17. STIRLING.													
469	Airth,	1194	1396	75	45	11	46	0	0	0	0	8	1	55
470	ALVA,	3283	4296	191	91	20	181	1	0	0	0	22	2	206
471	Baldernock,	718	616	23	10	4	7	0	0	0	0	1	0	8
472	Balfron,	1517	1502	38	30	5	29	0	0	0	0	4	1	34
473	BOTHKENNAR,*	c. 1210	1726	80	38	16	104	0	0	0	0	14	2	120
474	Buchanan,	705	591	11	6	5	18	0	0	0	0	1	0	19
475	CAMPSIE,	6483	6739	232	162	44	207	0	0	0	0	19	5	231
476	DENNY,	4988	4993	217	86	58	195	1	0	0	0	11	3	210
477	Drymen,	1619	1405	43	19	6	33	0	0	0	0	4	0	37
478	DUNIPACE,	1731	1733	67	32	10	47	0	0	0	0	1	0	48
479	FALKIRK—(1) Burgh,	9030	9547	409	304	70	331	4	1	0	10	38	8	392
	(2) Landward,*	c. 6320	6726	302	173	66	340	0	0	0	2	22	5	369
480	Fintry,	685	499	13	9	1	16	0	0	0	0	0	0	16
481*a*	Gargunnock,	728	675	22	15	6	16	0	0	0	0	1	0	17
481*b*	Grangemouth,*	c. 2249	2569	119	58	8								
482	Killearn,	1171	1111	24	17	7	31	0	0	0	0	1	1	33
483	KILSYTH,	6112	6313	313	109	64	261	0	0	0	0	21	6	288
484	Kippen,	1722	1568	45	25	5	36	0	0	0	0	3	4	43
485	Larbert,	4999	5280	214	183	35	178	0	0	0	0	16	1	195
486	Muiravonside,	2660	2653	117	67	18	114	0	0	0	0	11	1	126
487	POLMONT,*	c. 4050	3848	163	77	29	167	1	0	0	0	11	1	180
488	ST NINIANS—(1) ST NINIANS	4693	5289	184	141	27	161	2	0	0	0	17	1	181
	(2) BANNOCKBURN,	3796	4358	180	92	39	162	1	0	0	0	8	2	173
489	Slammanan,	2916	4164	265	92	42	197	0	0	0	0	14	8	219
490	STIRLING,	12171	12513	450	359	137	368	8	1	0	0	34	9	420
491	Strathblane,	1388	1235	42	16	10	36	0	0	0	0	4	0	40
	18. DUMBARTON.													
492	Arrochar,	629	525	10	14	0	6	0	0	0	0	0	0	6
493	BONHILL,	9059	9593	318	241	104	295	0	1	0	0	28	3	327
494	CARDROSS,	4168	4405	153	114	35	146	2	0	0	0	13	4	165

* Grangemouth was constituted in 1874, and is composed of parts of the Districts of Bothkennar, Falkirk (Landward), and Polmont. In 1871, the populations of these three Districts before alteration were:—

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination or otherwise unaccounted for.	Total Births for 1873.
		1861.	1871.	Births.	Deaths.	Marriages.			Insusceptibility. Constitutional.	On the ground of Small-pox.	In respect of the Children having already had Successful Vaccination.	On the ground of previous Vaccination.		
	DUMBARTON—*continued.*													
495	Cumbernauld,	3513	3602	152	69	27	123	0	0	0	0	10	0	133
496	DUMBARTON,	8268	11423	566	460	80	469	0	2	7	0	49	6	533
497	Kilmaronock,	1085	978	18	17	7	19	0	0	0	0	2	0	21
498	KIRKINTILLOCH,	8179	8257	367	284	60	323	0	0	0	0	33	8	364
499	Luss,	831	730	9	14	1	13	0	0	0	0	0	1	14
500	NEW or EAST KILPATRICK	4910	6038	278	127	35	230	0	0	0	0	18	4	252
501	Old or West Kilpatrick,	5577	5346	263	151	47	185	2	0	0	0	22	27	236
502	Roseneath,	1626	1780	40	23	8	28	0	0	0	0	8	3	39
503	Row,	6334	8439	217	153	51	163	9	0	0	0	16	19	207
	19. ARGYLL.													
	Mainland.													
504	Ardchattan,	1381	1172	24	22	0	28	0	0	0	0	1	0	29
505	Ardnamurchan—(1) Aharacle,	1544	1414	40	22	7	41	0	0	0	0	3	0	44
	(2) Arisaig,	1343	1131	27	19	4	19	0	0	0	0	0	3	22
	(3) Sunart (or Strontian),	759	760	19	4	3	13	1	0	0	0	1	0	15
	(4) Western Ardnamurchan,	1054	954	34	13	1	15	7	0	0	0	0	0	22
506	Ballachulish and Corran of Ardgour,	919	849	17	15	2	15	0	0	0	0	0	0	15
507	CAMPBELTOWN,	8149	8580	302	172	47	231	1	0	0	0	22	19	273
508	Craignish,	618	481	13	4	1	11	0	0	0	0	0	0	11
509	Cumlodden,	c. 1340	c. 1133	29	21	2	32	1	0	0	0	2	1	36
510	DUNOON and KILMUN,	5461	6871	197	140	29	169	1	0	0	0	6	4	180
511	Glassary,	c. 1462	c. 1228	29	17	6	28	1	0	0	0	2	0	31
512	Glenorchy,	869	752	13	11	6	20	0	0	0	0	1	0	21
513	INVERARAY,	1650	1503	38	30	5	22	0	0	0	0	4	2	28
514	Inveraolain,	424	443	10	5	1	10	0	0	0	0	0	0	10
515	Kilbrandon and Kilchattan,	2053	2107	51	41	13	47	2	0	0	0	2	1	52
516	Kilcalmonell, etc.—(1) Kilcalmonell	742	684	13	8	3	20	0	0	0	0	0	0	20
	(2) Kilberry	583	485	5	7	1	12	0	0	0	0	0	1	13
517	Kilchrenan, etc.—(1) Kilchrenan,	587	396	9	3	1	9	0	0	0	0	0	0	9
	(2) Dalavich,	230	217	5	3	0	5	0	0	0	0	0	0	5
518	Kilfinan,	1891	2228	55	30	11	57	0	0	0	1	1	3	62
519	Killean and Kilchenzie,	1890	1614	37	20	7	37	0	0	0	0	4	1	42
520	Kilmalie,	3353	3217	90	68	10	52	5	0	0	0	8	1	66
521	Kilmartin,	949	869	21	27	1	31	0	0	0	0	3	0	34
522	Kilmodan,	433	358	6	5	1	7	0	0	0	0	0	0	7

523	KILMORE AND KILBRIDE, –	2962	3402	102	90	20	44	36	0	0	0	10	2	92
524	Kilninver, etc.—(1) Kilninver, –	314	253	7	3	1	2	0	0	0	0	2	1	5
	(2) Kilmelford, –	486	506	5	4	1	17	0	0	0	0	0	3	20
525	Lismore, etc.—(1) Lismore, – –	1023	908	18	15	4	13	1	1	0	0	4	0	19
	(2) Appin, – –	825	728	15	8	3	14	0	0	0	0	2	0	16
	(3) Glencoe and Ballachulish	1324	1529	34	23	2	18	9	0	0	0	5	2	34
	(4) Duror, – –	423	370	4	0	0	5	0	0	0	0	0	0	5
526	Lochgilphead, – – –	3312	3680	84	63	14	81	0	0	0	0	4	6	91
527	Lochgoilhead, etc.—(1) Lochgoilhead, –	418	436	12	7	3	7	0	0	0	0	0	0	7
	(2) Kilmorich, –	284	330	14	6	0	5	0	0	0	0	0	0	5
528	Morvern, – – –	1226	973	23	20	2	20	1	0	0	0	2	0	23
529	Muckairn, – – –	965	790	16	12	11	11	0	0	0	0	1	0	12
530	North Knapdale, – – –	1327	1059	24	19	3	15	0	0	0	0	1	0	16
531	Saddell, etc.—(1) Saddell, – –	739	645	16	7	3	23	0	0	0	0	0	1	24
	(2) Skipness, – –	533	500	4	8	2	9	0	0	0	0	1	0	10
532	Southend, – – –	1214	1044	22	15	4	33	0	0	0	0	1	0	34
533	South Knapdale, – – –	654	548	8	7	2	8	0	0	0	0	0	0	8
534	Stralachlan, etc.—(1) Stralachlan, –	309	340	10	4	1	9	0	0	0	0	0	0	9
	(2) Strachur, –	563	527	15	8	2	12	0	0	0	0	2	0	14
535	Tarbert, – – – –	1661	1866	60	31	6	52	0	0	0	0	9	2	63
	Insular.													
536	Bowmore (or Killarrow), – –	2701	2088	37	30	11	47	0	0	0	0	5	0	52
537	Gigha, – – – –	467	390	13	5	0	8	0	0	0	0	0	0	8
538	Iona (merged in 542).													
539	Jura, etc.—(1) Jura, – –	858	775	17	21	2	14	0	0	0	0	1	1	16
	(2) Colonsay, – –	598	456	12	7	2	9	0	0	0	0	0	0	9
540	Kilchoman, – – –	2377	1882	35	38	2	39	0	0	0	0	1	1	41
541	Kildalton, – – –	2187	1916	62	51	9	37	2	0	0	0	2	0	41
542	Kilfinichen and Kilvickeon, – –	2535	2461	43	31	1	1	34	0	0	0	4	5	44
543	Kilmeny, – – –	1268	924	25	7	1	17	0	0	0	0	2	11	30
544	Kilninian and Kilmore, – –	1641	1189	19	26	3	19	0	0	0	0	1	0	20
545	Kinlochspelvie, – – –	428	388	11	8	1	6	0	0	0	0	1	0	7
546	Oa, – – – –	769	367	5	7	1	5	1	0	0	0	1	0	7
547	Portnahaven, – – –	1059	979	24	13	3	22	0	0	0	0	2	0	24
548	Salen, – – – –	604	605	10	5	2	13	0	0	0	0	0	2	15
549	Tobermory, – – –	1566	1344	27	44	3	17	0	0	0	0	2	0	19
550	Torosay, – – – –	557	454	9	7	1	7	0	0	0	0	0	0	7
551	Tyree, etc.—(1) Tyree, – –	3217	2837	80	64	12	61	0	0	0	0	5	1	67
	(2) Coll, – –	781	723	17	9	4	12	5	0	0	0	0	0	17
	20. BUTE.													
552	Cumbrae, – – –	1236	1613	45	33	16	48	0	0	0	0	2	1	51
553	Kilbride—(1) Brodick, – –	902	928	15	16	3	12	0	0	0	0	0	0	12
	(2) Kilbride, – –	1351	1276	24	24	5	19	0	0	0	0	0	0	19
554	Kilmory, – – – –	2515	2278	30	50	6	45	0	0	0	0	2	2	49
555	Kingarth, – – –	905	901	24	20	8	15	0	0	0	0	0	1	16
556	Lochranza, – – –	824	777	15	11	8	9	1	0	0	0	0	0	10
557	North Bute, – – –	1351	1393	28	22	5	29	0	0	0	0	1	1	31
558	ROTHESAY, – – –	7227	7800	222	238	45	162	1	0	0	0	12	22	197

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
							Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease.			Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
		1861.	1871.	Births.	Deaths.	Marriages.			Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the children having already had Small-pox.	On the ground of previous Successful Vaccination.		
	VI. SOUTH-WESTERN DIVISION.													
	21. RENFREW.													
559	Abbey—(1) Part of PAISLEY –	15889	16348	609	440	146	569	0	0	1	0	66	9	645
	(2) LANDWARD, – –	5670	5679	248	137	27	213	0	1	0	0	13	1	228
	(3) JOHNSTONE, – –	8142	8590	351	221	77	290	2	0	0	0	21	16	329
560	CATHCART, – – –	3782	7231	346	147	83	287	0	0	0	0	17	2	306
561	Eaglesham, – – –	2328	1714	44	23	20	40	0	0	0	0	3	0	43
562	EASTWOOD, – – –	11314	13098	508	278	102	395	0	0	0	2	45	3	445
563	Erskine, – – – –	1457	1565	44	18	7	41	0	0	0	0	1	1	43
564	GREENOCK—(1) New, or Middle, –	9446	9592	393	260	26	269	0	6	1	7	52	20	355
	(2) East, – –	12135	17061	864	369	164	696	1	9	1	3	84	22	816
	(3) Old, or West, –	22313	33141	1549	1060	410	1265	1	9	8	8	157	58	1506
565	Houston and Killellan, – –	2490	2167	79	61	20	67	0	0	0	0	8	10	85
566	Inchinnan, – – –	619	584	23	8	2	11	1	0	0	0	2	0	14
567	Innerkip—(1) Innerkip, – –	1188	1393	33	19	5	37	0	0	0	0	2	0	39
	(2) GOUROCK, – –	2307	3109	93	81	11	67	0	0	0	0	4	5	76
568	KILBARCHAN, – – –	6348	6093	234	138	52	205	0	0	0	0	16	0	221
569	Kilmalcolm, – – –	1455	1716	51	36	12	48	1	0	0	0	7	2	58
570	Lochwinnoch, – – –	3821	3816	111	92	31	83	0	0	0	0	12	2	97
571	MEARNS, – – –	3547	3543	101	75	21	113	0	0	0	0	12	2	127
572	NEILSTON—(1) Neilston, – –	4577	4633	144	101	30	120	3	0	0	0	12	0	135
	(2) BARRHEAD, – –	6436	6503	223	157	40	199	0	0	0	0	18	3	220
573	PAISLEY, – – – –	31538	31909	1170	948	299	1084	1	1	0	0	106	38	1230
574	PORT-GLASGOW, – –	7294	9912	521	265	109	424	3	0	0	5	51	8	491
575	RENFREW, – – –	4650	5908	275	162	30	257	1	1	0	0	18	4	281
	22. AYR.													
576	ARDROSSAN—(1) OLD ARDROSSAN, –	3530	3336	132	77	48	125	0	0	0	0	4	1	130
	(2) NEW ARDROSSAN, –	3246	3929	160	89	33	145	0	2	1	0	7	3	158
577	AUCHINLECK, – – –	4213	6174	293	148	40	256	2	0	0	0	27	1	286
578	AYR, – – – –	19659	19172	693	522	172	594	3	0	0	0	58	5	660
579	Ballantrae, – – –	1483	1277	42	32	7	45	0	0	0	0	1	0	46
580	Barr, – – – –	910	672	13	12	6	16	1	0	0	0	0	0	17
581	BEITH, – – – –	5775	6233	229	124	47	232	0	0	0	0	6	3	241
582	Colmonell, – – –	2588	2293	76	36	20	58	0	0	0	0	4	1	63
583	Coylton, – – – –	1604	1440	59	22	13	52	2	0	0	0	1	0	55
584	Craigie, – – – –	730	618	19	12	6	13	0	0	0	0	1	0	14
585	Dailly, – – – –	2050	1932	72	45	14	68	0	0	0	0	3	0	71

586	Dalmellington,	4194	6165	392	129	55	320	1	0	0	0	32	1	354
587	DALRY,	11156	10885	472	272	93	378	2	0	0	0	33	5	418
588	Dalrymple,	1325	1412	61	32	14	49	0	0	0	0	1	0	50
589	Dreghorn,	3283	3241	175	83	35	145	0	0	0	0	7	1	153
590	DUNDONALD—(1) Dundonald,	2095	1507	61	35	11	38	0	0	0	0	4	0	42
	(2) TROON,	2599	2870	85	53	25	75	0	0	0	0	9	0	84
591	Dunlop,	1038	1160	40	26	8	39	1	0	0	0	0	0	40
592	Fenwick,	1532	1318	27	22	10	32	0	0	0	0	3	1	36
593	GALSTON,	5254	6331	314	164	52	289	1	0	0	0	25	0	315
594	GIRVAN,	7053	5685	195	113	51	191	0	0	1	0	14	6	212
595	IRVINE,	8607	8462	392	302	100	363	2	0	0	0	29	11	405
596	KILBIRNIE,	5265	4953	185	122	50	183	3	0	0	0	19	0	205
597	KILMARNOCK,	23556	24072	1011	759	230	885	0	1	2	0	109	12	1009
598	Kilmaurs,	3526	3449	146	80	29	139	1	0	0	0	9	0	149
599	KILWINNING,	7717	7375	357	172	68	294	1	0	0	0	28	2	325
600	Kirkmichael,	2823	2254	74	43	17	72	1	0	0	0	3	1	77
601	Kirkoswald,	2060	1846	64	26	11	42	0	0	0	0	1	0	43
602	LARGS,	3620	4087	121	91	30	103	2	0	0	0	6	0	111
603	LOUDOUN,	4840	5525	229	113	58	195	1	0	1	0	28	0	225
604	Mauchline,	2303	2435	81	72	24	65	0	0	0	0	10	0	75
605	MAYBOLE,	6713	5900	211	147	59	190	0	0	1	0	18	0	209
606	Monkton and Prestwick,	1937	1744	45	34	15	56	0	0	0	0	5	0	61
607	MUIRKIRK,	3270	3253	155	87	33	133	1	0	0	0	14	1	149
608	New Cumnock,	2891	3434	196	92	39	137	0	0	0	0	18	2	157
609	Ochiltree,	1676	1656	44	19	17	31	0	0	0	0	0	0	31
610	OLD CUMNOCK,	3721	4041	184	103	37	162	0	0	0	0	12	6	180
611	RICCARTON,	5629	5845	311	188	60	268	0	0	0	0	29	2	299
612	St Quivox and Newton-upon-Ayr,	1870	1363	46	27	16	48	0	0	0	0	6	1	55
613	SORN,	4042	4032	150	103	29	110	0	0	0	0	13	0	123
614	Stair,	743	734	29	13	6	26	0	0	0	0	1	0	27
615	STEVENSTON,	5452	5019	237	118	43	235	0	0	0	0	19	2	256
616	STEWARTON,	4449	4478	167	117	34	137	0	0	0	0	15	0	152
617	Straiton,	1544	1443	42	14	11	43	1	0	0	0	3	0	47
618	Symington,	855	792	19	12	6	18	0	0	0	0	1	1	20
619	Tarbolton,	2669	3219	146	65	26	155	1	0	0	0	11	1	168
620	West Kilbride,	1988	1847	48	33	14	42	0	0	0	0	5	1	48
	23. LANARK.													
621	AVONDALE,	6125	5460	186	104	50	155	0	0	0	0	21	0	176
622	Barony—(1) MARYHILL,	6734	10235	662	397	82	456	3	0	1	1	47	15	523
	(2) SPRINGBURN,	8911	13994	768	703	102	527	0	1	1	6	53	64	652
	(3) SHETTLESTONE,	6914	7517	331	227	50	248	0	2	0	0	18	2	270
623	Biggar,	1999	2013	71	142	14	56	0	0	0	0	4	0	60
624	Blantyre,	3092	3472	212	47	41	127	1	0	0	0	15	0	143
625	BOTHWELL—(1) BOTHWELL,	7059	9193	437	287	67	382	4	0	0	0	43	1	430
	(2) HOLYTOWN,	10844	10099	514	294	92	461	0	0	3	0	45	10	519
626*a*	Cadder—(1) Western,	3023	3261	143	68	26	125	0	0	1	0	13	1	140
	(2) Eastern,	2925	3203	126	94	17	127	0	0	0	0	11	4	142
626*b*	Calderhead,	4034	4271	236	107	34	202	0	0	0	0	15	0	217
627	CAMBUSLANG,	3647	3740	214	101	25	137	1	0	0	0	7	4	149

No. of District.	REGISTRATION DISTRICTS.	POPULATION. 1861.	POPULATION. 1871.	BIRTHS, DEATHS, AND MARRIAGES, 1874. Births.	Deaths.	Marriages.	VACCINATIONS, 1873. Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Vaccination.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination or otherwise unaccounted for.	Total Births for 1873.
	LANARK—*continued.*														
628	CAMBUSNETHAN, - - -	13118	18709	1062	566	195	914	1	2	0	0	0	87	14	1018
629	CARLUKE, - - -	6176	7066	323	160	77	307	0	0	0	0	0	28	2	337
630	Carmichael, - - -	836	708	16	13	2	20	0	0	0	0	0	0	0	20
631	Carmunnock, - - -	734	702	17	16	5	17	0	1	0	0	0	3	1	22
632	Carnwath, - - -	3584	5709	305	110	53	235	1	0	0	0	0	17	5	258
633	Carstairs, - - -	1345	1718	57	33	15	54	0	0	0	0	0	2	0	56
634	Covington and Thankerton, - -	532	454	12	13	5	13	0	0	0	0	0	2	0	15
635	Crawford—(1) Crawford, - -	694	727	19	3	4	26	0	0	0	0	0	1	1	28
	(2) Leadhills, - -	896	1102	44	19	11	38	0	0	0	0	0	3	0	41
636	Crawfordjohn, - -	980	853	19	15	7	25	0	0	0	0	0	2	0	27
637	Culter, - - -	665	593	12	8	1	15	0	0	0	0	0	1	0	16
638	DALSERF—(1) LARKHALL, - -	3629	5332	312	143	55	255	0	0	0	0	0	19	2	276
	(2) Dalserf, - -	1247	2009	142	52	13	86	0	1	0	0	0	8	10	105
639	DALZIEL, - - -	5438	9175	544	323	85	469	2	0	0	0	0	73	15	559
640	Dolphington, - - -	260	231	5	2	3	5	0	0	0	0	0	0	0	5
641	Douglas, - - - -	2490	2624	86	50	29	70	0	0	0	0	0	5	0	75
642	Duusyre, - - -	312	302	9	4	0	6	0	0	0	0	0	0	0	6
643	EAST KILBRIDE, - - -	4064	3861	136	82	26	106	0	0	0	0	0	10	2	118
644	GLASGOW—(1) Central, - -	49678	57279	2369	2345	533	2005	1	1	1	1	13	310	105	2486
	(2) High, - -	48119	58466	2473	2467	761	2101	7	0	0	0	6	295	96	2505
	(3) Bridgeton, -	45485	60628	3182	2498	685	2494	0	1	0	1	1	310	77	2883
	(4) Calton, - -	36625	38177	1422	1141	255	1193	0	0	0	1	1	137	60	1391
	(5) Clyde, - -	29975	26044	721	735	180	615	10	1	0	5	5	125	88	844
	(6) Blythswood, -	28697	33443	895	685	512	769	6	3	0	0	0	79	19	876
	(7) Milton, - -	33360	46393	2252	1423	488	1828	3	1	0	9	9	215	72	2128
	(8) Anderston, -	40945	52504	2045	1398	513	1771	4	2	0	0	0	162	43	1982
	(9) Tradeston, -	38600	49176	1952	1334	649	1609	3	0	1	1	1	182	28	1824
	(10) Hutchesontown, -	44019	55622	2734	1816	417	2304	2	1	0	0	0	259	56	2622
645	Glassford, - - -	1938	1430	50	37	13	37	0	0	0	0	0	2	0	39
646	GOVAN—(1) GOVAN CHURCH, -	11297	27116	2394	1428	394	1718	0	1	0	0	1	194	57	1971
	(2) PARK, - -	2428	5720	367	184	94	298	1	0	0	0	0	12	3	314
	(3) PARTICK, - -	14859	23918	1224	644	250	941	0	0	0	0	17	125	30	1113
647	HAMILTON, - - -	14047	16803	759	469	146	627	1	1	2	4	4	73	37	745
648	LANARK, - - -	7891	7841	230	203	59	187	0	0	0	0	0	13	9	209
649	Lesmahagow, - - -	9266	8709	420	155	73	383	1	0	0	0	0	27	1	412
650	Libberton, - - -	836	691	20	9	1	18	0	0	0	0	0	1	0	19
651	NEW MONKLAND—(1) AIRDRIE,	12922	13488	637	361	157	568	0	0	1	0	0	57	12	638
	(2) Landward,	7632	9264	596	288	83	464	2	0	0	0	0	41	8	515

652	OLD MONKLAND—(1) WESTERN,	6932	7873	407	194	62	331	0	0	0	0	25	4	360
	(2) COATBRIDGE,	15303	18410	969	582	155	806	0	1	1	0	84	12	904
	(3) EASTERN,	7308	7790	382	222	56	310	0	0	1	0	35	4	350
653	Pettinain,	407	366	12	8	1	5	0	0	0	0	1	0	6
654	RUTHERGLEN,	9335	10766	475	261	114	403	0	0	0	0	44	1	448
655	Shotts,	4792	5699	329	208	37	243	0	0	0	0	31	13	287
656	STONEHOUSE,	3267	3177	141	85	32	129	0	0	0	0	13	2	144
657	Symington,	528	442	8	8	3	24	1	0	0	0	1	1	27
658	Walston,	430	425	10	5	3	9	0	0	0	0	0	0	9
659	Wandell and Lamington,	380	332	9	2	3	8	0	0	0	0	0	0	8
660	Wiston and Roberton,	786	680	11	12	3	13	0	0	0	0	1	1	15
	VII. SOUTH-EASTERN DIVISION.													
	24. LINLITHGOW.													
661	Abercorn,	965	933	28	13	7	21	0	0	0	0	3	0	24
662	BATHGATE—(1) BATHGATE,	6572	6942	271	131	44	263	6	1	0	0	24	13	307
	(2.) ARMADALE,	3562	3187	183	65	33	142	0	0	0	0	18	8	168
663	BORROWSTOUNNESS,	5698	4986	232	110	32	198	0	0	0	0	23	0	221
664	CARRIDEN,	1821	1799	68	28	15	65	0	0	0	0	8	3	76
665	Dalmeny,	804	916	40	9	2	28	0	0	0	0	3	0	31
666	Ecclesmachen,	309	329	4	2	0	8	0	0	0	0	1	0	9
667	Kirkliston,	1907	2172	91	42	12	63	0	0	0	0	10	0	73
668	LINLITHGOW,	5784	5554	202	107	40	158	0	0	0	0	15	1	174
669	Livingstone,	1366	1727	72	27	15	45	1	0	0	0	1	1	48
670	QUEENSFERRY,	1391	1521	55	33	8	57	1	0	0	0	8	2	68
671	Torphichen,	1848	1630	60	24	14	50	1	0	0	0	5	0	56
672	Uphall,	1507	2772	106	30	14	110	0	0	0	0	17	8	135
673	WHITBURN,	5511	6911	291	123	63	288	1	2	0	0	29	6	326
	25. EDINBURGH.													
674	Borthwick,	1569	1494	60	28	6	41	0	0	0	0	2	1	44
675	Carrington,	681	712	28	12	3	17	0	0	0	0	2	0	19
676	Cockpen,	2113	2481	105	52	25	85	1	0	0	0	5	1	92
677	Colinton,	2656	3644	143	205	23	111	1	0	0	0	12	20	144
678	Corstorphine,	1579	1788	56	41	9	37	0	0	0	0	1	0	38
679	Cramond,	2695	3020	62	54	14	95	0	0	0	0	4	1	100
680	Cranston,	1035	1036	40	13	6	36	0	0	0	0	0	0	36
681	Crichton,	1304	1223	36	19	8	42	0	0	0	0	3	0	45
682	Currie,	2248	2360	82	39	17	68	0	0	0	0	7	0	75
683	DALKEITH,	7114	7667	274	173	64	218	2	0	0	0	23	2	245
684	DUDDINGSTON—													
	(1) PORTOBELLO,	4366	5481	183	131	55	168	2	0	0	0	24	4	198
	(2) Landward	857	970	36	22	7	32	0	0	0	0	2	1	35
685	EDINBURGH—(1) St George,	42068	55049	1909	1288	437	1737	9	3	0	0	159	21	1929
	(2) St Andrew,	38731	39781	1151	787	298	958	5	2	1	1	101	36	1104
	(3) Canongate,	30169	33183	1197	1142	293	1055	4	0	0	0	126	33	1218
	(4) St Giles,	29679	31960	1147	817	324	956	0	0	0	0	138	61	1155
	(5) Newington,	29797	41079	1434	976	467	1232	16	3	0	0	108	18	1377
686	Fala and Soutra,	382	364	10	6	1	9	0	0	0	0	1	0	10
687	Glencross,	1217	1153	35	14	12	29	0	0	0	0	1	1	31

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
									Insusceptible of Vaccine Disease.					
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	Constitutional Insusceptibility.	On the ground of Small-pox.	In respect of the Children having already had Successful Vaccination.	On the ground of previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	EDINBURGH—*continued.*													
688	Heriot,	407	414	13	6	0	16	0	0	0	0	2	0	18
689	INVERESK,	9518	10068	311	233	76	275	4	0	0	0	25	5	300
690	Kirknewton and East-Calder,	1549	2213	98	39	15	82	2	0	0	0	7	0	91
691	LASSWADE,	5688	7098	257	129	44	232	0	0	0	0	24	4	260
692	LEITH—(1) North Leith,	11562	16582	669	377	179	554	2	0	0	0	44	20	620
	(2) South Leith,	24467	29852	1312	877	289	1074	17	2	0	0	135	37	1,265
693	Liberton,	3510	3791	118	80	28	94	0	0	0	0	14	9	117
694	Mid-Calder,	1389	3634	51	18	17	53	0	0	0	0	1	0	54
695	Newbattle,	2138	2424	107	38	20	90	0	0	0	0	6	0	96
696	Newton,	1553	1181	45	27	6	35	1	0	0	0	4	0	40
697	PENICUIK,	3249	3765	112	72	32	89	1	0	0	0	5	0	95
698*a*	Ratho,	1659	1744	55	28	15	50	2	0	0	0	2	0	54
698*b*	Stobhill,	2364	2447	113	54	17	87	0	0	0	0	6	0	93
699	Stow,	1870	1957	62	21	10	58	0	0	0	0	5	0	63
700	Temple,	682	658	19	6	5	21	0	0	0	0	1	0	22
701	WEST-CALDER,	1927	7865	335	125	39	337	0	0	0	0	41	36	414
	26. HADDINGTON.													
702	Aberlady,	1619	1022	25	11	6	18	0	0	0	0	4	0	22
703	Athelstaneford,	902	844	17	14	6	23	0	0	0	0	0	0	23
704	Bolton,	332	364	9	4	3	7	0	0	0	0	1	0	8
705	Dirleton,	1540	1419	29	17	9	26	0	0	0	0	1	0	27
706	DUNBAR,	4944	4982	140	145	30	129	3	0	0	4	19	2	157
707	Garvald,	891	832	15	8	5	22	0	0	0	0	1	0	23
708	Gladsmuir,	1945	1863	48	27	8	55	4	0	0	0	1	0	60
709	HADDINGTON,	5548	5735	171	112	41	158	2	0	0	0	13	5	178
710	Humbie,	997	967	26	7	4	24	0	0	0	0	4	1	29
711	Innerwick,	937	892	25	16	4	22	0	0	0	1	1	0	24
712	Morham,	281	204	5	2	2	6	0	0	0	0	0	0	6
713	NORTH BERWICK,	2071	2373	68	49	11	74	1	0	0	0	6	1	82
714	Oldhamstocks,	615	592	11	12	2	8	0	0	0	0	1	0	9
715	Ormiston,	915	911	38	16	8	33	0	0	0	0	2	0	35
716	Pencaitland,	1187	1320	46	30	10	47	1	0	0	0	1	0	49
717	Prestonkirk,	1960	1931	59	36	15	44	1	1	0	0	2	3	50
718	Prestonpans,	2080	2069	69	58	11	79	0	0	0	0	7	0	86
719	Salton,	712	647	13	11	3	20	0	0	0	0	0	0	20
720	Spott,	555	560	14	7	2	18	0	0	0	0	0	1	19

721	Stenton,	692	612	17	7	2	9	0	0	0	0	0	0	9
722	TRANENT,	4647	4852	233	125	30	167	8	0	0	0	25	1	201
723	Whitekirk and Tynninghame,	1113	1073	29	11	3	15	0	0	0	0	1	1	17
724	Whittinghame,	710	657	14	7	0	12	0	1	0	0	1	0	14
725	Yester,	1033	1034	22	14	8	15	0	0	0	0	3	0	18
	27. BERWICK.													
726	Abbey St Bathans,	179	195	8	0	1	5	0	0	0	0	0	0	5
727	AYTON,	2014	1983	66	34	17	56	0	0	0	0	3	0	59
728	Bunkle and Preston,	756	764	17	11	1	22	0	0	0	0	1	0	23
729	Channelkirk,	671	705	23	8	2	19	0	0	0	0	1	0	20
730	Chirnside,	1502	1413	41	25	6	28	0	0	0	0	3	0	31
731	Cockburnspath,	1194	1133	38	14	3	33	0	0	0	0	1	0	34
732	Coldingham,	3241	3093	104	42	10	73	1	0	0	0	8	3	85
733	Coldstream,	2823	2619	65	51	17	66	0	0	0	0	11	1	78
734	Cranshaws,	134	142	1	3	0	2	0	0	0	0	0	0	2
735	DUNSE,	3595	3602	89	48	14	84	1	0	0	0	11	1	97
736	Earlston,	1825	1977	66	41	16	52	2	1	0	0	2	1	58
737	Eccles,	1861	1780	38	26	6	38	0	0	0	0	0	0	38
738	Edrom,	1592	1513	44	40	6	36	0	0	0	0	5	0	41
739	EYEMOUTH,	1804	2372	95	43	20	84	1	0	0	0	11	0	96
740	Fogo,	559	502	13	4	3	14	0	0	0	0	2	0	16
741	Foulden,	431	425	10	8	2	8	0	0	0	0	1	0	9
742	Gordon,	931	876	24	8	6	20	0	0	0	0	0	0	20
743	Greenlaw,	1370	1381	42	22	5	38	0	0	0	0	3	0	41
744	Hume,	420	460	15	9	1	10	0	0	0	0	1	0	11
745	Hutton,	1067	1077	20	20	6	22	0	0	0	0	0	0	22
746	Ladykirk,	564	518	16	6	2	13	0	0	0	0	0	0	13
747	Langton,	502	548	15	10	4	12	0	0	0	0	1	0	13
748	LAUDER,	2198	2120	71	35	8	55	1	0	0	0	8	5	69
749	Legerwood,	599	525	20	7	3	22	0	0	0	0	0	0	22
750	Longformacus,	448	452	15	5	5	10	0	0	0	1	0	0	11
751	Merton,	729	734	24	8	4	17	0	0	0	0	2	0	19
752	Mordington,	377	402	7	4	1	13	0	0	0	0	0	0	13
753	Nenthorn,	461	434	16	2	1	12	0	0	0	0	2	0	14
754	Polwarth,	251	249	3	5	0	6	0	0	0	0	0	0	6
755	Swinton,	964	996	23	19	3	24	0	0	0	0	3	0	27
756	Westruther,	786	784	19	4	7	15	0	0	0	0	1	1	17
757	Whitsome,	640	608	9	6	2	9	0	0	0	0	1	0	10
	28. PEEBLES.													
758	Broughton (merged in 763),													
759	Drumelzier,	209	221	9	5	0	7	0	0	0	0	1	0	8
760	Eddlestone,	753	700	16	4	5	17	1	0	0	0	1	0	19
761	Glenholm (merged in 763),													
762	Innerleithen,	1787	2776	99	45	17	73	1	3	0	0	6	1	84
763	Kilbucho, Broughton, and Glenholm,	723	729	23	5	6	25	0	0	0	0	2	0	27
764	Kirkurd,	362	294	7	2	1	9	0	0	0	0	0	0	9
765	Lyne, etc.—(1) Lyne,	81	104	3	0	1	4	0	0	0	0	0	0	4
	(2) Megget,	53	70	1	0	0	1	0	0	0	0	0	0	1

No. of District.	REGISTRATION DISTRICTS.	POPULATION. 1861.	POPULATION. 1871.	BIRTHS, DEATHS, AND MARRIAGES, 1874. Births.	Deaths.	Marriages.	VACCINATIONS, 1873. Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. Constitutional Insusceptibility.	On the ground of Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	PEEBLES—*continued.*														
766	Manor,	247	271	6	4	0	11	0	0	0	0	0	0	0	11
767	Newlands,	987	851	21	12	3	22	0	0	0	0	0	2	3	27
768	PEEBLES,	2850	3172	107	65	22	67	1	0	0	0	0	12	4	84
769	Skirling,	317	325	8	4	1	5	0	0	0	0	0	1	0	6
770	Stobo,	478	459	21	9	1	15	0	0	0	0	0	0	3	18
771	Traquair,	687	669	19	5	4	22	1	0	0	0	0	1	0	24
772	Tweedsmuir,	196	190	7	2	1	2	0	0	0	0	0	0	0	2
773	West Linton,	1534	1387	44	20	8	34	0	0	0	0	0	4	0	38
	29. SELKIRK.														
774*a*	Caddonfoot,	610	699	33	12	4	21	0	0	0	0	0	6	0	27
774*b*	Ettrick,	454	434	10	4	3	12	0	0	0	0	0	0	0	12
775	GALASHIELS,	3268	5921	280	127	57	235	0	0	0	0	0	26	2	263
776*a*	Kirkhope,	555	565	18	4	1	7	0	0	0	0	0	2	0	9
776*b*	LADHOPE,	4154	5317	241	100	38	221	4	0	0	0	0	23	4	252
777	Roberton,	640	593	12	4	2	19	1	0	0	0	0	1	0	21
778	SELKIRK,	4646	5555	231	124	37	176	3	0	0	0	0	25	4	208
779	Yarrow,	574	567	19	10	2	17	0	0	0	0	0	1	1	19
	VIII. SOUTHERN DIVISION.														
	30. ROXBURGH.														
780	Ancrum,	1511	1391	53	18	7	24	0	0	0	0	0	1	0	25
781	Ashkirk,	578	550	10	6	2	14	1	0	0	0	0	1	0	16
782	Bedrule,	222	292	7	2	3	11	0	0	0	0	0	0	0	11
783	Bowden,	864	842	18	16	6	24	0	0	0	0	0	1	0	25
784	Castleton,	3688	2202	81	37	8	74	0	0	0	0	0	12	0	86
785	Cavers,	1824	1443	43	22	9	53	0	0	0	0	0	10	0	63
786	Crailing,	673	657	16	7	4	24	0	0	0	0	0	1	0	25
787*a*	Eckford,	957	931	24	7	5	21	0	0	0	0	0	1	0	22
787*b*	Edgerston,	350	365	15	5	1	17	0	0	0	0	0	2	0	19
788	Ednam,	599	613	20	4	3	15	0	0	0	0	0	0	0	15
789	HAWICK,	8726	8733	333	168	76	282	1	0	0	0	0	41	3	327
790	Hobkirk,	771	718	17	7	1	20	0	0	0	0	0	2	0	22
791	Hownam,	289	238	11	5	3	6	0	0	0	0	0	0	0	6
792	JEDBURGH,	5011	4971	152	84	27	116	3	0	0	0	0	9	2	130
793	KELSO,	5192	5124	139	95	30	151	1	0	1	0	0	14	5	172

794	Kirktown,	421	320	7	3	1	11	0	0	0	0	0	0	11
795	Lilliesleaf,	772	788	31	5	3	21	0	0	0	0	1	0	22
796	Linton,	608	570	12	3	4	11	0	0	0	0	0	0	11
797	Makerston,	380	361	10	3	0	12	0	0	0	0	2	0	14
798	Maxton,	497	481	14	4	4	11	0	0	0	0	0	0	11
799	Melrose,	3500	4115	106	79	12	101	2	0	0	0	7	1	111
800	Minto,	430	431	6	5	3	11	0	0	0	0	0	0	11
801	Morebattle,	1031	986	32	14	1	24	0	0	0	0	3	0	27
802	Oxnam,	592	652	23	6	2	17	0	0	0	0	1	0	18
803	Roxburgh,	1178	1053	36	12	7	29	0	0	0	0	2	1	32
804	St Boswells,	922	973	40	16	1	25	0	0	0	0	0	0	25
805	Smailholm,	554	534	14	6	3	15	0	0	0	0	0	0	15
806	Southdean,	687	674	14	9	1	18	0	0	0	0	3	0	21
807	Sprouston,	1305	1294	31	9	11	24	0	0	0	0	1	1	26
808	Stitchel,	425	388	11	8	4	10	0	0	0	0	0	0	10
809	Teviothead,	438	515	15	8	2	16	0	0	0	0	2	0	18
810	WILTON,	3357	3936	162	73	21	151	1	0	0	0	26	3	181
811	Yetholm,	1207	1100	32	17	5	34	0	0	0	0	1	0	35
	31. Dumfries.													
812	ANNAN,	5113	4631	152	97	16	113	0	0	0	2	16	4	135
813*a*	Applegarth,	935	902	18	19	8	23	1	0	0	0	3	0	27
813*b*	BRYDEKIRK,	779	731	22	19	4	15	0	0	0	0	0	0	15
814	Canonbie,	3219	3055	111	74	18	67	26	0	0	0	6	2	101
815	Carlaverock,	1248	1151	29	14	7	31	0	0	0	0	2	0	33
816	Closeburn,	1651	1612	56	18	10	35	0	0	0	0	3	0	38
817	Cummertrees,	1184	1072	28	22	7	20	0	1	0	0	2	0	23
818	Dalton,	679	577	17	8	1	16	0	0	0	0	0	0	16
819	Dornock,	856	826	21	17	6	19	0	0	0	0	3	0	22
820	Dryfesdale,	2509	2825	85	54	18	89	0	0	0	0	7	0	96
821	DUMFRIES,	13523	14841	440	435	98	378	5	2	0	0	52	16	453
822	Dunscore,	1554	1504	40	26	12	32	1	0	0	0	3	0	36
823	Durrisdeer,	1320	1189	31	15	8	32	1	0	0	0	0	0	33
824	Eskdalemuir,	590	551	11	8	1	15	0	0	0	0	2	0	17
825	Ewes,	356	338	7	0	3	13	0	0	0	0	0	0	13
826	Glencairn,	1867	1749	42	27	15	44	0	2	0	0	2	0	48
827	Graitney (or Gretna),	1620	1395	35	21	10	30	1	0	0	0	1	1	33
828	Halfmorton,	713	611	18	8	6	10	2	1	0	0	5	0	18
829	Hoddam,	1568	1520	35	36	5	38	0	0	0	0	2	0	40
830	Holywood,	1115	1069	25	19	8	29	0	0	0	0	2	1	32
831	Hutton,	876	842	32	18	3	24	0	0	0	0	2	1	27
832	Johnstone,	1149	1089	28	7	9	32	0	0	0	0	2	0	34
833	Keir,	849	828	19	17	3	20	0	0	0	0	2	0	22
834	Kirkconnel,	996	952	29	19	6	34	0	0	0	0	4	0	38
835	Kirkmahoe,	1462	1332	41	13	9	32	1	0	0	0	5	0	38
836	Kirkmichael,	1026	903	30	12	4	30	0	0	0	0	5	0	35
837	Kirkpatrick-Fleming—													
	(1) Northern District,	493	393	9	11	2	11	0	0	0	0	0	0	11
	(2) Southern District,	1432	1136	31	34	8	24	2	0	0	0	9	2	37

No. of District.	REGISTRATION DISTRICTS.	POPULATION.		BIRTHS, DEATHS, AND MARRIAGES, 1874.			VACCINATIONS, 1873.							
									Insusceptible of Vaccine Disease.					
		1861.	1871.	Births.	Deaths.	Marriages.	Successfully Vaccinated.	Vaccination Postponed.	On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1873.
	DUMFRIES—*continued.*													
838	Kirkpatrick-Juxta,	1025	1091	31	18	5	22	0	0	0	0	4	0	26
839	LANGHOLM,	2979	3735	149	89	18	106	7	0	0	0	8	7	128
840	LOCHMABEN,	3087	3085	69	66	17	79	1	0	0	0	13	1	94
841	Middlebie,	2004	2000	62	38	11	46	0	0	0	0	6	1	53
842	Moffat,	2232	2543	74	50	23	58	2	0	0	0	2	0	62
843	Morton,	2253	2099	55	51	10	54	1	0	0	0	6	0	61
844	Mousewald,	633	647	15	9	0	14	1	0	0	0	1	0	16
845	Penpont,	1326	1323	28	28	8	38	1	0	0	0	1	0	40
846	Ruthwell,	1046	974	23	10	5	23	0	0	0	0	0	0	23
847	St Mungo,	686	658	17	8	8	14	0	0	0	0	4	0	18
848	SANQUHAR,	2758	2201	87	52	15	40	0	0	0	0	2	1	43
849	Tinwald,	1079	993	33	21	5	28	0	0	0	0	3	0	31
850	Torthorwald,	1254	1098	37	21	7	21	1	0	0	0	0	0	22
851	Tundergarth,	507	510	16	5	3	17	0	0	0	0	0	0	17
852	Tynron,	446	381	13	15	3	13	0	0	0	0	0	0	13
853*a*	Wamphray,	559	505	6	11	0	16	0	0	0	0	2	0	18
853*b*	Wanlockhead,	811	837	25	16	8	24	0	0	0	0	3	0	27
854	Westerkirk,	537	540	16	6	4	7	0	0	0	0	1	0	8
	32. KIRKCUDBRIGHT.													
855	Anwoth,	899	827	20	16	1	12	0	0	0	0	3	0	15
856	Balmaclellan,	890	861	19	16	2	22	1	0	0	0	3	0	26
857*a*	Balmaghie,	1225	1085	34	16	7	27	0	0	0	0	1	0	28
857*b*	Bargrennan,	471	428	5	6	2	12	0	0	0	0	0	0	12
858	Borgue,	1162	1087	35	19	8	39	0	0	0	0	3	1	43
859	Buittle,	1165	1026	35	17	8	26	0	0	0	0	2	0	28
860	Carsphairn,	553	545	13	7	2	17	1	0	0	0	1	0	19
861	Colvend,	1366	1318	48	18	6	30	0	0	0	0	0	0	30
862	Corsock-Bridge,	544	563	23	10	4	13	0	0	0	0	1	0	14
863	CROSSMICHAEL,	1536	1492	37	25	5	34	0	0	0	0	4	3	41
864	DALBEATTIE,	2054	3163	124	83	33	103	3	0	0	0	6	1	113
865	Dalry,	1149	1074	29	11	7	25	0	0	0	0	0	0	25
866	Girthon,	1702	1586	51	30	14	42	0	0	0	0	5	1	48
867	Irongray,	913	815	27	10	6	23	0	0	0	0	3	0	26
868	KELLS,	1170	1007	22	16	4	23	0	0	0	0	0	0	23
869	KELTON,	3436	3222	100	73	26	88	2	0	0	0	17	0	107
870	Kirkbean,	942	825	27	11	2	21	0	0	0	0	1	1	23

871	KIRKCUDBRIGHT,	3407	3346	90	79	19	82	0	0	0	0	10	1	93
872	Kirkgunzeon,	793	661	25	7	1	19	0	0	0	0	1	0	20
873	Kirkmabreck,	1851	1568	52	32	7	42	0	0	0	0	1	0	43
874	Kirkpatrick-Durham,	1323	1218	29	13	7	24	2	0	0	0	2	3	31
875	Lochrutton,	677	656	18	11	5	28	0	0	0	0	0	0	28
876	MINNIGAFF,	1518	1329	50	14	8	32	0	0	0	0	5	0	37
877	New Abbey,	1063	931	33	18	4	19	0	0	0	0	4	1	24
878	Parton,	572	526	18	5	3	12	0	0	0	0	0	0	12
879	Rerrick,	1738	1911	50	29	13	52	0	0	0	0	0	0	52
880	TERREGLES,	580	547	10	6	3	21	0	0	0	0	1	0	22
881	Tongland,	892	902	25	16	2	26	1	0	0	0	0	0	27
882	TROQUEER,	4743	5402	178	157	25	143	0	0	0	0	15	1	159
883	Twynholm,	815	717	15	7	2	22	1	0	0	0	1	0	24
884	Urr,	1531	1443	40	19	7	36	0	1	0	0	2	0	39
	33. WIGTOWN.													
885	Glasserton,	1472	1196	34	20	5	31	0	0	0	0	3	0	34
886	Inch,	2460	2189	60	34	16	57	0	0	0	0	1	0	58
887	Kirkcolm,	1860	1948	53	32	14	54	0	0	0	0	1	0	55
888	Kirkcowan,	1434	1352	44	32	5	32	0	0	0	0	3	1	36
889	Kirkinner,	1716	1548	35	31	5	50	0	0	0	0	2	0	52
890	Kirkmaiden,	2333	2507	93	39	19	78	0	0	0	0	4	0	82
891	Leswalt,	1417	1249	33	19	7	47	1	0	0	0	0	0	48
892	Mochrum,	2694	2450	81	52	12	69	0	1	0	0	8	2	80
893	New Luce,	731	661	29	15	3	24	0	0	0	0	0	0	24
894	Old Luce (or Glenluce),	2800	2449	79	49	9	74	0	0	0	0	4	2	80
895	PENNINGHAME,	3876	3712	110	64	34	92	0	0	0	0	16	0	108
896	Portpatrick,	2189	1492	47	29	3	35	1	0	0	0	3	0	39
897	Sorbie,	1814	1667	44	39	11	45	0	0	0	0	1	0	46
898	Stoneykirk,	3228	2993	92	44	20	70	0	0	0	0	8	0	78
899	STRANRAER,	6315	5977	185	165	41	150	1	0	0	0	8	2	161
900	WHITHORN,	2934	2906	81	59	15	79	0	0	0	0	8	0	87
901	WIGTOWN,	2637	2306	72	48	15	41	0	1	0	0	5	3	50

APPENDIX.

ANNUAL AVERAGE of VACCINATIONS in SCOTLAND during the Ten Years 1864–1873.

		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination. From Constitutional Insusceptibility	From having had Small-pox.	From previous Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births.
	SCOTLAND, - - -	101152·4	811·8	206·2	53·1	231·8	9769·9	2620·0	114935·2
	DIVISIONS.								
I.	NORTHERN, - - -	2752·5	138·0	18·2	2·0	12·9	186·6	132·7	3242·9
II.	NORTH-WESTERN, -	3576·4	231·8	43·5	1·2	16·6	372·8	171·4	4413·7
III.	NORTH-EASTERN, -	11800·0	55·7	31·1	1·5	6·1	885·5	62·3	12842·2
IV.	EAST-MIDLAND, - -	16215·0	73·5	43·7	12·7	48·5	1561·7	239·6	18194·7
V.	WEST-MIDLAND, - -	7205·1	80·1	19·3	2·1	6·2	614·1	176·6	8103·5
VI.	SOUTH-WESTERN, -	39829·3	106·9	79·2	24·2	122·5	4212·7	1337·0	45711·8
VII.	SOUTH-EASTERN, -	13993·6	72·5	37·0	7·6	10·7	1421·8	408·4	15951·6
VIII.	SOUTHERN, - - -	5780·5	53·3	24·2	1·8	8·3	514·7	92·0	6474·8
	COUNTIES.								
	I. NORTHERN.								
1	Shetland, - - - -	601·8	42·6	2·9	0·1	8·0	45·3	84·7	785·4
2	Orkney, - - - -	732·7	16·8	2·8	0·0	0·8	31·1	6·8	791·0
3	Caithness, - - - -	963·0	71·2	8·5	1·9	2·8	77·5	26·9	1151·8
4	Sutherland, - - -	455·0	7·4	4·0	0·0	1·3	32·7	14·3	514·7
	II. NORTH-WESTERN.								
5	Ross and Cromarty, - -	1778·2	124·9	24·9	0·1	7·9	169·2	58·4	2163·6
6	Inverness, - - - -	1798·2	106·9	18·6	1·1	8·7	203·6	113·0	2250·1
	III. NORTH-EASTERN.								
7	Nairn, - - - -	209·6	1·7	1·1	0·0	1·8	21·9	2·7	238·8
8	Elgin (or Moray), - -	1217·9	13·2	6·7	0·0	0·7	104·7	11·8	1355·0
9	Banff, - - - -	1737·7	12·8	7·3	0·0	0·0	114·3	6·3	1878·4
10	Aberdeen, - - - -	7576·1	22·5	13·8	1·1	3·3	584·2	37·8	8238·8
11	Kincardine, - - -	1058·7	5·5	2·2	0·4	0·3	60·4	3·7	1131·2
	IV. EAST-MIDLAND.								
12	Forfar, - - - -	7278·7	17·8	25·6	11·1	45·0	851·6	127·7	8357·5
13	Perth, - - - -	3294·6	22·2	7·9	0·6	1·5	251·0	49·2	3627·0
14	Fife, - - - - -	4770·4	31·3	8·9	0·7	1·7	381·0	54·5	5248·5
15	Kinross, - - - -	198·5	0·9	0·4	0·1	0·0	13·1	1·8	214·8
16	Clackmannan, - - -	672·8	1·3	0·9	0·2	0·3	65·0	6·4	746·9
	V. WEST-MIDLAND.								
17	Stirling, - - - -	3101·5	16·5	6·4	0·8	3·0	270·1	43·2	3441·5
18	Dumbarton, - - -	1895·7	10·0	2·9	1·1	2·5	179·4	52·3	2143·9
19	Argyll, - - - -	1849·3	47·9	7·6	0·2	0·4	135·7	66·6	2107·7
20	Bute, - - - -	358·6	5·7	2·4	0·0	0·3	28·9	14·5	410·4
	VI. SOUTH-WESTERN.								
21	Renfrew, - - - -	6349·2	24·0	20·9	6·6	25·1	705·8	214·7	7346·3
22	Ayr, - - - - -	6858·4	22·0	11·2	1·9	8·2	571·8	92·5	7566·0
23	Lanark, - - - -	26621·7	60·9	47·1	15·7	89·2	2935·1	1029·8	30799·5
	VII. SOUTH-EASTERN.								
24	Linlithgow, - - -	1565·9	9·1	6·0	0·7	0·0	156·8	46·0	1784·5
25	Edinburgh, - - -	9514·0	43·8	21·3	6·2	7·2	1009·0	321·7	10923·2
26	Haddington, - - -	1075·3	8·7	2·0	0·2	2·3	95·5	18·8	1202·8
27	Berwick, - - - -	1029·3	3·9	3·6	0·4	0·7	77·0	11·3	1126·2
28	Peebles, - - - -	348·1	3·3	3·2	0·0	0·4	28·1	7·0	390·1
29	Selkirk, - - - -	461·0	3·7	0·9	0·1	0·1	55·4	3·6	524·8
	VIII. SOUTHERN.								
30	Roxburgh, - - -	1522·8	8·7	4·3	1·0	0·4	143·9	13·5	1694·6
31	Dumfries, - - - -	2055·3	26·1	10·0	0·4	6·0	189·1	37·4	2324·3
32	Kirkcudbright, - - -	1157·0	13·2	4·7	0·3	1·5	98·7	22·9	1298·3
33	Wigtown, - - - -	1045·4	5·3	5·2	0·1	0·4	83·0	18·2	1157·6

APPENDIX.

VACCINATIONS, 1873.

EXTRACTS FROM THE REGISTRARS' NOTES RELATIVE TO THE WORKING OF THE VACCINATION ACT.

I. NORTHERN DIVISION.

1. Shetland.

3. (1.) Dunrossness.—Emigration to New Zealand and America has taken place to a considerable extent, consequently the number in col. 7 is rather large. The children of the emigrants were all vaccinated, however, prior to their embarkation, though no certificates were transmitted to the Registrar of the result. These, therefore, may all be considered as vaccinated though partially unaccounted for.

4. (2.) North Yell.—The Vaccinator for Yell and Fetlar left a few months ago, otherwise there would have been no defaulters.

12. (3.) Papa-Stour.—Most of the children have been successfully vaccinated, but the Vaccinator never visited the district again to give certificates.

2. Orkney.

14. Deerness.—The Act works well, and its provisions are punctually attended to.

19. Holm and Paplay.—There is great difficulty sometimes in complying with the terms of of the Statute. There being no medical practitioner residing in the parish, many poor people suffer great hardship and danger to health from exposure to bad weather in the winter season, some of them having to travel nine miles or more to Kirkwall. Were they to ask the doctor to visit them it would cost 21s. for each visit, which is far more than many of them can afford to pay.

3. Caithness.

39. Olrig.—The requirements of the Act are, on the whole, well attended to.

4. Sutherland.

51. Golspie.—Of the seven who died before vaccination, three were triplets. The two who left the district before vaccination were tinkers' children.

II. NORTH-WESTERN DIVISION.

5. Ross and Cromarty.

Mainland.

58. (2.) Shieldaig.—A number of the children are not in a fit state to be vaccinated owing to sickness, and some of them are miserable with scab on their heads, and broken skin, which prevented successful vaccination. In a short time, however, the Vaccinator will try them again.

63. Edderton.—A travelling hawker has left the district without getting his child vaccinated.

66. (1.) Northern District of Gairloch.—Some of those entered in col. 7 were vaccinated, but the parents have not taken up the certificates, owing partly to poverty, and partly to the cold weather which has prevailed for some time.

66. (2.) Southern District of Gairloch.—In the majority of cases the Act works well. The Vaccinator is very attentive and tries to give satisfaction to all parties concerned; but some of the parents cause unnecessary trouble and annoyance to the Registrar by neglecting vaccination till the twelve months (being the time allowed here) have expired; and not till after they receive one or two notices as defaulters, will they comply—the Registrar getting neither the charge of 1s., nor the postage for these notices, which, to say the least, is rather a hard case.

83. Tarbat.—Many of the cases postponed mean inability to pay fee.

Insular.

88. Stornoway.—The Registrar has to remark that an unusual amount of sickness, such as Hooping-cough, Scarlatina, and Croup prevailed since the middle of September last, and caused the vaccination of many of the children to be postponed. These diseases have proved fatal in many instances; but it is gratifying to observe that these complaints are now on the decrease.

89. Uig.—There being no Vaccinator is the reason for 10 of the children being entered under col. 7.

6. Inverness.

Mainland.

97. (1.) Glenelg.—Owing to the distance at which a number of families reside from the residence of the Vaccinator, a difficulty is experienced in procuring certificates after the children are vaccinated, as it is very inconvenient, and sometimes impossible for parents to bring their children to the doctor's house, and they cannot

afford to pay him for visiting and examining the children at their own homes.

97. (3.) North Morar.—The five cases "unaccounted for" refer to children who had not been vaccinated, and concerning whom no certificate had been received. These cases are soon to be reported to the Parochial Board. Notices have frequently to be sent to parents, and nothing paid for extra work. In such cases the remuneration (3d.) allowed the Registrar is quite inadequate.

Insular.

111. (1.) Harris.—The cause of vaccination being again so much in arrear, arises from the frequent changes, for some time past, of Vaccinators. There has not been one here since August last. A medical practitioner has, however, just been appointed for South Harris, who has also been appointed public Vaccinator for the whole parish. He has been ordered to proceed with the vaccination of the children forthwith.

114. (1.) Portree.—The severity of the weather during December prevented some of the parents from bringing out their children in order to be vaccinated.

118. (2.) Howmore.—The Registrar has good reason to believe that some of those marked in col. 7 have been vaccinated, although the certificates have not, as yet, been given in.

119. Strath.—Col. 7 exhibits an unusually large number of defaulters. The medical officer states, however, that six of the 13 had been vaccinated; but that the parents, instead of coming forward with their children on the day of inspection, sent a boy to acquaint him that the operations had all been successful. The certificates were not granted; and as the medical officer who performed the operation has left the district, his successor will be obliged to have these revaccinated. The parents maintain that the day was very boisterous, that they had to travel 12 miles, and cross two rivers, consequently could not think of coming out with their children without incurring a great risk.

III. NORTH-EASTERN DIVISION.

7. Nairn.

122. Cawdor.—The practice of ploughmen and agricultural labourers leaving the parish, and seemingly neglecting vaccination purposely, unless it can be enforced ere they depart, is on the increase. These classes also make complaints that, through no fault of theirs, they are often unable to comply with the requirements of the Vaccination Act.

123. Nairn.—I do not know whether this district is exceptional or not, but by carefully keeping a note of every notice sent out pursuant to section 17, I find that fully two-thirds of the parents or guardians neglect to comply with the requirements of the Act within the prescribed time. With 144 as the average annual number of Births, I have made 330 entries in my register of postponements, and sent out about 1000 notices during the 11 years of the currency of the Act. After deducting the number of those dying under six months, this amount of extra work is larger in proportion than I can find in any district with which I am acquainted, and the greater part of it would be unnecessary if something more stringent were applied to the defaulters, who, regardless of the statutory period, too easily, in many cases, get a postponement schedule to relieve them of the consequences of their negligence.

8. Elgin (or Moray).

136. New Spynie.—The child entered in col. 7 was lost sight of, but is now discovered, and at present date the Vaccinator of the parish in which the child is located has been requested to vaccinate forthwith.

9. Banff.

152. Enzie.—Considerable difficulty in getting the schedules returned within the prescribed time. The Vaccination Act does not afford nearly sufficient remuneration for the immense amount of trouble which the Registrar is put to in connection therewith.

157. (2.) Glenlivat.—Notices have frequently to be sent to parents on the expiry of the six months; but this is often caused by the carelessness of the medical man.

166. St. Fergus.—Act works well; but the remuneration received by the Registrar in connection with its operation is quite inadequate to the trouble involved. In consequence of the migratory habits of farm servants, there is sometimes considerable difficulty in recovering the schedule within the six months.

10. Aberdeen.

169. Aberdour.—Parents generally get their children vaccinated in time; but from the want of a resident doctor, there is often delay and annoyance in getting the certificate.

186. Culsamond.—Parents generally require to be reminded, but always take care to avoid the fines.

210. (2.) New Byth.—Vaccination in general well attended to, barring many Registrar's notices, and Vaccinators' back-dating certificates.

IV. EAST-MIDLAND DIVISION.

12. Forfar.

282. (3.) St. Clement (Dundee).—Single postponements are very much on the increase, owing to parents delaying application to a Vaccinator until the statutory period has expired, when some teething rash or kindred eruption causes postponement. The practice of retaining the certificate of successful vaccination until the Registrar writes for it is too prevalent; two months between the date of the certificate and its delivery is a frequent occurrence. The intention of the legislature would be better fulfilled were the period shortened from six to four months. In one case, which is still current, I have made 19 entries of postponement. I have had occasion to caution one medical man for signing a certificate in blank, for a druggist who assumes the functions of a Vaccinator. The practice of signing the certificates for unqualified practitioners is still carried on here, and there is reason to fear that in some cases these certificates are granted although the certifier has not seen the children. By the majority of the profession all such irregularities are strongly censured.

282. (4.) St. Andrew (Dundee).—A very great amount of labour and attention on the part of the Registrar is necessary to secure the carrying out of the requirements of the Act. Notices have to be sent in one case out of every three. Medical men are much to blame; for parents have repeatedly told the Registrar that, although they wanted vaccination for their children when three or four months' old, the doctor put them off by saying it would be time enough when they got the Registrar's notice.

The consequence is not merely the trouble caused to the Registrar, but, in a number of cases, the necessity of postponements, there having been 250 entries of these during last year—surely a larger number than necessary, were vaccination insisted on when a child is three or four months' old, and were the 10 days' grace abolished.

288. Forfar.—During 1873 (on Registrar's appointment) there were a large number of outstanding vaccinations; but by steadily issuing notices to parents, all the certificates were got in. Particular attention has been paid to issuing notices at the expiry of six months, and it is found highly beneficial in having entries completed.

319. St. Vigeans.—In a great many instances notices had to be sent to parents, but these invariably had the desired effect, so that every child born in the parish has been vaccinated, with the exception of three entered under col. 6.

13. Perth.

392. St. Madoes.—In one case successful vaccination was effected after four failures.

14. Fife.

429. Ferry-Port-on-Craig.—Much difficulty is experienced in getting the necessary certificates in cases of postponed vaccination.

V. WEST-MIDLAND DIVISION.

17. Stirling.

479. (2.) Falkirk.—The Registrar is still of opinion that 6d. should be allowed for each vaccination, notwithstanding the cry for economy on the part of public bodies.

490. Stirling.—A number of the children removed from the district are illegitimate. Six months seems too long for a migratory class of the population. The intervals between the reports to the Parochial Board (allowing a child to be nearly a year old in some cases) also gives an opportunity of removal before vaccination. The remuneration, depending on successful vaccination, is scarcely proportioned to the trouble involved in the working of the Act.

18. Dumbarton.

495. Cumbernauld.—At the end of 1873, an epidemic of Small-pox occurred in the Netherwood district, which resulted in two deaths. In the spring of 1874, Small-pox was prevalent in the village of Cumbernauld. There were about 80 cases, which resulted in three deaths. Again, in the autumn of 1874, several serious cases occurred in a miners' row, in the west of the parish, and furnished four deaths.

503. Row.—Since the Act came into operation, no deaths from Small-pox have occurred amongst children. The medical practitioners are very careful in using genuine vaccine matter, and urging the parents to have the operation performed in due time. The Registrars ought to be allowed a higher fee than 3d. for each entry. The discharge of the duty is attended with no small trouble, and a proper recompense ought to be made.

19. Argyll.

Mainland.

505. (2.) Arisaig.—Three defaulters have been duly reported to the Inspector of Poor, but the Registrar has not yet learned the result.

512. Glenorchy.—Parents and guardians recognised the value of vaccination before the passing of the present Act; all having then, when distance from a medical man did not interfere, got their children vaccinated. If at any time there is any defaulter, it is not owing to carelessness, or unwillingness, but to circumstances over which parents have comparatively little control.

523. Kilmore and Kilbride.—The Act is not working so well now as at first. The Registrar is of opinion that vaccination should be performed before the children are three months' old.

528. Morvern.—Since the death of the last appointed medical practitioner, vaccination is difficult to obtain; it is hoped, however, that the vacancy will be supplied soon, as thereby trouble and expense will be saved to all parties concerned, and especially to the Registrar, who is bound to issue regular notices to defaulters, from whom, generally speaking, he will not receive the 1s., or even the postage of the notice. Yet it may be stated, that parents are generally ready to obey the law, if within their power.

VI. SOUTH-WESTERN DIVISION.

22. Ayr.

578. Ayr.—Many parents are of opinion that they need not have their children vaccinated sooner than six months. The time at present allowed is too great; for if an epidemic of Small-pox occurred, this delay would be a source of great evil and much mortality among infants.

590. (2.) Troon.—The Registrar has frequently to write to parents to remind them of their duty as to the vaccination of their children; otherwise the Act works well. Not a single child has left the district without either having been vaccinated or the vaccination schedule having been returned.

597. Kilmarnock.—Vaccinations have been attended to much the same as during previous years; the unreported cases, 12, being only one more than in 1872.

23. Lanark.

654. Rutherglen.—The Register of Vaccinations is complete, with the exception of one case of removal before vaccination. The Registrar, however, had some difficulty in getting the schedules returned. He had to write often, and even call upon those who had neglected to return them at the proper time.

VII. SOUTH-EASTERN DIVISION.

25. Edinburgh.

676. Cockpen.—Although some parents require to be reminded of their duty, the Vaccination Act works well.

681. Crichton.—The return shows that the Vaccination Act works well in this parish.

690. Kirknewton and East Calder.—While the Act has hitherto been pretty successfully carried out, yet it has been so only with a considerable amount of care and attention on the part of the Registrar, dozens of public notices requiring to be sent every year, many of them being repeated. The Registrar believes this does not arise from antagonism to the Act, but from apathy on the part of the parents and also on that of the medical practitioners to have the vaccination performed within the prescribed time, as, when remonstrated with, the one blames the other. If some more stringent regulations were framed, and the time for vaccination shortened from six to three or four months, the re-

quirements of the Act would be more regularly complied with.

27. Berwick.

730. Chirnside.—The Vaccination Act continues to work successfully in this parish.

739. Eyemouth.—The Act does not work smoothly, owing to the numerous postponements. The requirements of the Act might be more advantageously carried out, were the period allowed for vaccination limited to four months instead of six. The fee is decidedly too small for the labour the Registrar has in carrying out the provisions of the Act.

28. Peebles.

762. Innerleithen.—In general, parents are very careless with postponed vaccination schedules, which causes the Registrar much trouble, for which he receives no remuneration. During this year two cases have been successfully vaccinated, that were postponed 11 and 22 times respectively.

29. Selkirk.

779. Yarrow.—Vaccination properly attended to both by parents and Vaccinators.

VIII. SOUTHERN DIVISION.

30. Roxburgh.

783. Bowden.—The Act works admirably.

791. Hownam.—There are a number of families in this parish residing 10 miles and upwards from a properly qualified Vaccinator. The parents complain both of the hardship to themselves, and the risk of dangerous illness to their children, by having to go such distances in winter to the Vaccinator.

792. Jedburgh.—Comparatively few certificates are delivered to the Registrar by the parent, the medical men relieving them of that duty. After vaccination is effected, they (the medical men) are very slow in filling up the certificates, which gives much trouble and annoyance to both Registrar and parents.

32. Kirkcudbright.

862. Corsock Bridge.—Parents are put to great trouble and expense in having to go with their children twice to the medical man, once for vaccination, then eight days after, that he may be satisfied as to the result before granting a certificate. The distance that has to be travelled is often four or five miles, and sometimes even 10 miles. Seeing the trouble that many a working man is put to in order to comply with the law, the Act appears too stringent.

871. Kirkcudbright.—Very many parents require notices sent them, before the Registrar can procure the necessary certificates of vaccination or of postponement. In all these cases the defaulters ought to be charged the "Shilling" mentioned in the notice. Even that small fine would work a reformation.

882. Troqueer.—Most of the people here are alive to the benefits of vaccination. Any difficulty is with the improvident, who do not object to the operation, but have a decided aversion to paying for it.

CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

No.	District.	Component Parts (Parishes).
13	Birsay	Part of Harray and Birsay.
14	Deerness	Part of St Andrews.
15	Eday and Pharay	Part of Stronsay and Eday.
22	North Ronaldshay	Part of Cross and Burness.
26	Sanday	Lady, and part of Cross and Burness.
59b	Carnoch	Parts of Contin, Fodderty, and Urray.
71b	Kinlochluichart	Parts of Contin, Fodderty, and Urray.
86b	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155b	Glenrinnes	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222b	Millbrex	Parts of Fyvie and Monquhitter.
227a	New Machar	New Machar, and part of Udny.
227b	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237b	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249b	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
328b	Ardoch	Parts of Blackford, Dunblane, and Muthill.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld and Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld and Dowally.
355a	Fortingall	Parts of Fortingall and Weem.
355b	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386a	Muthill	Muthill, and part of Ardoch.
386b	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394b	Strathfillan	Part of Killin.
394c	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
402	Anstruther Easter	Parts of Anstruther-Easter and Kilrenny.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
424	Dunfermline	Parts of Dunfermline and Inverkeithing.
432	Inverkeithing	Parts of Inverkeithing and Dunfermline.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
481b	Grangemouth	Parts of Bothkennar, Falkirk, and Polmont.
490	Stirling	Stirling, and small part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, etc.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
512	Glenorchy	Glenorchy, and part of Inishail.
515	Kilbrandon and Kilchattan	Kilbrandon and Kilchattan, and part of Jura.
517	Kilchrenan	(1) Parts of Kilchrenan, etc., and Inishail.
526	Lochgilphead	Parts of Glassary and South Knapdale.
529	Muckairn	Muckairn, and part of Inishail.
535	Tarbert	Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow and Kilmeny.
542	Kilfinichen and Kilvickeon	Parts of Kilfinichen and Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow and Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian and Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian and Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 and 3) Rest of Abbey.
573	Paisley	High, Middle, and Low Church Parishes.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, etc.	Parts of Newton-upon-Ayr, and St Quivox.
626b	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton and East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698b	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774a	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787b	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813b	Brydekirk	Parts of Annan, Cummertrees, and Hoddam.
853b	Wanlockhead	Part of Sanquhar.
857b	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

INDEX TO THE DISTRICTS.

The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 *to* 901.*

Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, 145
Abernethy . 326
Abernethy, and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Botriwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813
Buchanan, 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1
Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . 644
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale, 128
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbraes, 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . . 420
Currie, . . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 6
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland) . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, . 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 736

* The actual number of Districts is 1025—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberdeen), . 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glammis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, . 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencross, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, 99
Glenholm, . 761
Glenisla, . 290
Glenlivat . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna), . 827
Grange, . 156
Grangemouth, 481
Greenlaw, . 743
Greenock, . 564
Guthrie, . 291
Haddington, 709
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddam, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831
Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerkip, . 567
Innerleithen, 762
Innerwick, . 711
Insch (Aberd'n), 203
Inverallan, . 128
Inveraray, . 513
Inverarity, 292
Inveravon . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), . 559
Jura, . 539

Keig, . 205
Keir, . 833
Keith, . 159
Keith-hall, 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kildalton, . 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Killearnan, 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll), . 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 438
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), . 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 555
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy, . 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370
Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97
Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnott and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, . 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone, . 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 378
Mains, . 307
Makerston, 797

Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird, 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, 225
New Galloway, 868
Newhills, . 226
Newington, 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Menteith, . 388
Portlethen, 251
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718
Queensferry, 670
Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilsay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Mary, . 282
St Martins, 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peter, . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, 112
Stenton, . 721
Stevenston, 615
Stewarton, 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, 240
Strathfillan, 394
Strathmartin, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, 535
Tarbolton, 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple . 700
Tenandry . 394
Terregles . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853
Wandell and Lamington, 659
Wanlockhead, 853
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, 900
Whitsome, 757
Whittinghame, 724
Wick, . . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

SEVENTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1871.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1875.

SEVENTEENTH

DETAILED ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1871.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.
1875.

[C.—1299. *Price* 1*s.* 8*d.*]

REPORT.

TO THE

RIGHT HON^BLE. R. ASSHETON CROSS, M.P.,

Her Majesty's Principal Secretary of State for the Home Department.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,

EDINBURGH, *6th August* 1875.

SIR,

A GENERAL Abstract of the Births, Deaths, and Marriages, registered in Scotland during the year 1871, together with the usual short explanatory statement, was, on the 30th April 1872, submitted to the Secretary of State for the Home Department, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 and 18 Vict. cap. 80.

My Seventh Annual Report on Vaccination was at the same time transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 and 27 Vict. cap. 108.

I have now the honour to transmit to you the Detailed Annual Report, and relative Tables, illustrative of the Births, Deaths, and Marriages registered in Scotland during the year 1871.

The Death-rate of the year very slightly exceeded the average of the ten years immediately preceding. This circumstance was no doubt connected with the epidemic prevalence of Small-pox towards the close of the year.

The Marriage-rate was well maintained, as from the material prosperity of the country might have been anticipated. The number of Marriages exceeded those of 1870 by 165.

The actual number of Births was the largest that had been registered in Scotland, but the Birth-rate had been frequently exceeded during the decennium 1861–70.

In many of the statements of this Report, a New Distribution of the Registration Districts has been followed, and reference to Tables XXVIII. and XXIX. will at once show what important information it enables us to obtain as to the Causes of Death in communities whose population is aggregated with various degrees of density. The recent publication of the details of the Census 1871 enables us to present in the present Report estimates of the population, in the general accuracy of which all confidence may be placed. It is fortunate that I have been enabled to introduce the New Distribution of Registration Districts at a time when their constitution as regards population may be assumed to be well ascertained.

The working of the Vaccination Act continues to be satisfactory; but I feel it my duty here to repeat my opinion, frequently expressed in former Reports, that the period of six months, during which newly-born children may be permitted to remain unvaccinated without rendering their parents or guardians liable to penalty, should be abridged. The Deaths from Small-pox in 1871 amounted to 1442, and at the end of the year the epidemic did not show any signs of abatement. It is satisfactory to know that the Vaccination Act has been the means of preserving the lives of the young, and that the violence of the epidemic of 1871 was more particularly experienced by those of mature years, who during their infancy had never been subject to any statutory obligation as to Vaccination.

I have the honour to be,

SIR,

Your obedient Servant,

W. PITT DUNDAS,

Registrar-General.

CONTENTS.

	Page
Report of Registrar-General to the Secretary of State,	iii
Report by Dr Robertson to the Registrar-General,	ix
Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1871 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths,	ix
Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1871,	x
Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1871,	xii
Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1871,	xiii
Tables showing the Number and Proportion of Births, Deaths, and Marriages in Scotland in 1871, when it is divided into Five Groups of Districts, according to Density of Population,	xiv

Births.

Births in 1871, and their Proportion to the Population, with relative Tables,	xii
Tables showing particulars relative to the Births during each of the years 1855 to 1871 inclusive,	xiv
Number and Proportion of Twins and Triplets,	xiv

Marriages.

Number of Marriages in 1871, and their Proportion to the Population,	xv
Influence of Density of Population on the Marriages,	xv
Proportion of Legitimate Children to the Marriages in Scotland and England,	xvii
Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1871, and 1855–1871, with relative Tables,	xvi & xix
Number and Proportion of Persons marrying at different Ages, with relative Tables,	xviii
Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables,	xxi
Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark,	xx & xxi

Page

DEATHS.

Number of Deaths in Scotland in 1871, and their Proportion to the Population, . . xxii
Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1871, with relative Tables, ... xxii
Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1861–1871, ... xxiii
Series of Tables of the Deaths at different Ages in Scotland, its Five Great Groups of Districts, during the year 1871, ... xxiv
Mortality of Female lower than that of the Male at about every period of life, . . xxv
High Mortality in Towns at every period of life, as compared with that of the Rural Districts, xxvi
Causes of Death in 1871, with relative Tables, ... xxviii
Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxviii
Small-pox Deaths in Scotland for seventeen years, ... xxxvii
Particulars relative to Vaccination in Scotland, with relative Tables, . . . xxxvi
Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . xxxviii
The Nineteen most fatal Diseases in England and Scotland in 1871, ... xliv

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1871.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . xlv
Table showing the Meteorology of Scotland during each month of the year 1871, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xlvii
Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland, during each month of the year 1871, . . xlix
Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1871, ... l
Influence of Season, etc., on the Mortality at different Ages liii
Deaths in Scotland compared with the average price of Wheat and Potatoes during each of the years 1855 to 1871, showing that the high price of provisions has no apparent effect on the Death-rate in Scotland, ... liv

APPENDIX TABLE.

Vaccinations in the several Counties of Scotland during 1871, ... lv

ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1871, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1861 and 1871, the Excess of Births over Deaths, and the Number of Statute Acres in each County, ... 1
Tables of the Population in 1861 and 1871, and of the Births, Deaths, and Marriages during the year 1871, also of the Illegitimate Births, in every Registration District, . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1871; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, ... 24

Page

Table of the Civil Condition of the Parties who married in 1871; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25
Table of the Ages of all Males who married in Scotland and its Counties in 1871, . . 26
Table of the Ages of all Females who married in Scotland and its Counties in 1871, . 28

DEATHS.

Table of the Ages of all Persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1871, together with the Populations in 1861 and 1871, ... 30
Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1871, together with the Male Populations in 1861 and 1871, ... 32
Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1871, together with the Female Populations in 1861 and 1871, ... 34
Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland, ... 36
Do. Males, ... 38
Do. Females, ... 40
Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular Districts of Scotland, ... 42
Do. Males, ... 44
Do. Females, ... 46
Summary Table of the Causes of Death in both Sexes in each of the Counties of Scotland in 1871, ... 48–51
Do. Males, ... 52–55
Do. Females, ... 56–59
Summary Table of the Causes of Death in both Sexes in each of the Principal Towns of Scotland in 1871, ... 60
Do. Males, ... 62
Do. Females, ... 64
Summary Table of the Causes of Death in both Sexes in each of the Large Towns of Scotland in 1871, ... 66
Do. Males, ... 68
Do. Females, ... 70
Summary Table of the Causes of Death in both Sexes in each of the Small Town Districts of the Counties of Scotland, ... 72–75
Do. Males, ... 76–79
Do. Females, ... 80–83
Summary Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland, ... 84–87
Do. Males, ... 88–91
Do. Females, ... 92–95
Summary Table of the Causes of Death in both Sexes, and in Males and Females in the Insular-Rural Districts of Scotland, ... 96
Table of the Causes of Death in both Sexes in all Scotland at different Periods of Life, . 98–101
Do. Males, ... 102–105
Do. Females, ... 106–109
Table of the Causes of Death in both Sexes in the Principal Town Districts of Scotland at different Periods of Life, ... 110–113
Do. Males, ... 114–117
Do. Females, ... 118–121
Table of the Causes of Death in both Sexes in the Large Town Districts of Scotland at different Periods of Life, ... 122–125
Do. Males, ... 126–129
Do. Females, ... 130–133

Page

Table of the Causes of Death in both Sexes in the Small Town Districts of Scotland at different Periods of Life, ... 134–137
Do. Males, ... 138–141
Do. Females, ... 142–145
Table of the Causes of Death in both Sexes in the Mainland-Rural Districts of Scotland at different Periods of Life, ... 146–149
Do. Males, ... 150–153
Do. Females, ... 154–157
Table of the Causes of Death in both Sexes in the Insular-Rural Districts of Scotland at different Periods of Life, ... 158–161
Do. Males, ... 162–165
Do. Females, ... 166–169
Table of the Causes of Death in both Sexes in Glasgow at different Periods of Life, . 170–173
Do. Males, ... 174–177
Do. Females, ... 178–181
Table of the Causes of Death in both Sexes in the Suburban Districts of Barony and Govan at different Periods of Life, ... 182–185
Do. Males, ... 186–189
Do. Females, ... 190–193
Table of the Causes of Death in both Sexes in Edinburgh at different Periods of Life, . 194–197
Do. Males, ... 198–201
Do. Females, ... 202–205
Table of the Causes of Death in both Sexes in Dundee at different Periods of Life, . . 206–209
Do. Males, ... 210–213
Do. Females, ... 214–217
Table of the Causes of Death in both Sexes in Aberdeen at different Periods of Life, . 218–221
Do. Males, ... 222–225
Do. Females, ... 226–229
Table of the Causes of Death in both Sexes in Greenock at different Periods of Life, . 230–233
Table of the Causes of Death in both Sexes in Paisley at different Periods of Life, . . 234–237
Table of the Causes of Death in both Sexes in Leith at different Periods of Life, . . . 238–241
Table of the Causes of Death in both Sexes in Perth at different Periods of Life, . . 242–245
Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1871, in each of the Groups of Districts, Divisions, and Counties of Scotland, ... 246

Constitution of the Compound Districts, ... 247
List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, ... 248
Index to Districts, ... 249

REPORT TO THE REGISTRAR-GENERAL,

BY WILLIAM ROBERTSON, M.D., F.R.S.E.

SIR,

The year 1871, to which the present detailed Report refers, will long be memorable as that during which the war between France and Germany was brought to a conclusion. It can hardly be said that the disturbed state of these great foreign countries produced any direct or well-marked effect upon the well-being of the people of Scotland, unless, perhaps, the high price of grain and of butcher meat may have been partly due to this cause. The harvest was by no means an abundant one, either in Scotland or in the neighbouring countries; and it is to this circumstance that the high prices which provisions commanded in our markets towards the end of the year are most naturally referred. Trade was lively, and the manufacturing industries did not suffer any check. Coal, iron, cotton goods, etc., were in great demand; the employers of labour were very active, and the rate of wages was high. The year was consequently not one of hardship

---

TABLE I.—POPULATION estimated to the middle of each year; with the Number of BIRTHS, DEATHS, and MARRIAGES registered in Scotland during each of the Years 1855 to 1871, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

YEARS	Estimated Population.	BIRTHS.		Deaths.	Marriages.	Excess of Births over Deaths.	Percentage to Population.			Percent. of Illegit. to Total Births.
		Total.	Illegit.				Births.	Deaths.	Marriages.	
1855	2,978,065	93,349	7,357	62,004	19,680	31,345	3·1491	2·0820	0·6608	7·8
1856	2,995,771	101,821	8,695	58,529	20,740	43,292	3·3988	1·9537	0·6923	8·5
1857	3,012,310	103,415	8,869	61,906	21,369	41,509	3·4331	2·0551	0·7094	8·5
1858	3,027,665	104,018	9,354	63,539	19,655	40,479	3·4356	2·0986	0·6492	8·9
1859	3,041,812	106,543	9,715	61,714	21,201	44,829	3·5026	2·0288	0·6969	9·1
1860	3,054,738	105,629	9,736	68,170	21,225	37,359	3·5578	2·2316	0·6948	9·2
1861	3,069,404	107,009	9,929	62,341	20,896	44,668	3·4863	2·0310	0·6808	9·2
1862	3,097,009	107,069	10,376	67,195	20,597	39,874	3·4572	2·1697	0·6651	9·7
1863	3,126,879	109,341	10,948	71,481	22,234	37,860	3·4968	2·2860	0·7160	10·0
1864	3,156,021	112,333	11,197	74,416	22,725	37,917	3·5594	2·3579	0·7200	9·9
1865	3,185,437	113,070	11,262	70,891	23,611	42,179	3·5496	2·2255	0·7412	9·9
1866	3,215,129	113,667	11,673	71,348	23,688	42,319	3·5354	2·2191	0·7367	10·2
1867	3,245,098	114,044	11,148	69,067	22,618	44,976	3·5063	2·1284	0·6970	9·7
1868	3,275,350	115,514	11,354	69,416	21,855	46,098	3·5267	2·1193	0·6673	9·8
1869	3,305,885	113,354	11,066	75,875	22,144	37,479	3·4288	2·2951	0·6698	9·7
1870	3,336,707	115,390	11,108	74,165	23,854	41,225	3·4582	2·2227	0·7149	9·6
1871	3,367,922	116,128	11,077	74,712	24,019	41,416	3·4481	2·2183	0·7132	9·5

for the mass of our population, but on the whole was rather one of decided national prosperity. The material welfare of the country was, as usual, associated with a high Marriage-rate; and although an epidemic of Small-pox was felt with considerable severity in certain of our Principal Towns and in the adjoining districts, this did not materially affect the Death-rate of Scotland considered as a whole. The Death-rate is in fact very slightly higher than that of the ten years immediately preceding.

POPULATION.

The publication of the details of the Census 1871 gives, of course, the closest approximation which can be obtained to the actual numbers of our population as at 3d April, and to the average rates at which, during the ten previous years, the populations of the various parts of the country have been

TABLE II.—POPULATION of SCOTLAND in its FIVE new GROUPS of DISTRICTS, by the Censuses of 1861 and 1871, and estimated to the middle of 1871.

FIVE NEW GROUPS OF DISTRICTS.	CENSUS 1861.			CENSUS 1871.			Estimated to 30th June 1871.		
	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.
Principal Towns .	407,839	477,116	884,955	502,021	566,535	1,068,556	504,635	568,973	1,073,608
Large Towns	129,933	144,448	274,381	160,176	174,081	334,257	161,016	174,895	335,911
Small Towns	335,356	369,024	704,380	371,118	404,969	776,087	371,969	405,752	777,721
Mainland-Rural . .	513,554	548,239	1,061,793	508,787	540,327	1,049,114	508,668	540,129	1,048,797
Insular-Rural	63,166	73,619	136,785	61,041	70,963	132,004	60,988	70,897	131,885
SCOTLAND .	1,449,848	1,612,446	3,062,294	1,603,143	1,756,875	3,360,018	1,607,276	1,760,646	3,367,922

TABLE III.—BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS in SCOTLAND, 1855–1871.

YEARS.	PRINCIPAL TOWNS.			LARGE TOWNS.			SMALL TOWNS.			MAINLAND-RURAL.			INSULAR-RURAL.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	28113	22706	6937	8374	8954	1980	16042	10015	3371	37994	21656	6829	2826	1673	563
1856	31719	22254	7507	9221	5374	1975	17289	9542	3428	39649	19462	7106	3943	1897	724
1857	32674	23363	7476	9387	5860	2113	17848	10009	3442	39466	20706	7483	4040	1968	855
1858	32563	23445	6865	9282	6163	1824	17678	10076	3133	40307	21789	7044	4188	2066	789
1859	33027	22352	7554	9545	5775	1918	18533	10045	3643	41210	21090	7222	4228	2452	864
1860	32958	26066	7688	9223	6042	1983	18239	11070	3443	41043	22593	7408	4166	2399	703
1861	34351	23149	7753	9695	5831	1940	18453	10366	3365	40432	20820	7032	4078	2175	806
1862	34436	24960	7724	9618	6566	1837	18376	10933	3289	40621	22108	6998	4018	2628	749
1863	35888	27045	8544	9895	6780	2086	18707	11542	3521	40975	23509	7416	3876	2605	667
1864	37058	28845	8897	10263	7132	2234	19389	12294	3750	41704	23805	7178	3919	2341	666
1865	38109	28515	9347	10594	6896	2304	19283	11256	3775	40449	22080	7512	4635	2144	669
1866	38541	27466	9458	10453	6906	2279	19326	11809	3839	41485	22905	7430	3862	2262	682
1867	39012	26519	8870	10651	6776	2156	19178	11557	3607	41339	21986	7271	3864	2230	714
1868	39492	28037	8589	10733	6684	2101	19563	11392	3469	41840	21164	7090	3886	2139	606
1869	39517	31467	9156	10618	7486	2201	18895	11901	3398	40640	22616	6806	3684	2405	583
1870	40452	28508	9733	10999	7712	2369	18958	12097	3762	41378	23654	7383	3603	2194	607
1871	40442	31426	9819	12599	8071	2656	26507	16200	5081	32825	17180	5863	3755	1835	600

Principal Towns above 25,000 inhabitants. Large Towns above 10,000 and under 25,000 inhabitants. The Small Towns from 3000 to 10,000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10,000 of population.

increasing or diminishing. From these data, the Population Tables in the present Report have been constructed and corrected so as to serve for the middle of 1871. It is probable that these Tables are as accurate as they can be made until another enumeration of the population takes place. It is right, however, to point out here, that the same degree of accuracy cannot be expected in all future Reports of this nature. The ever-varying tides of emigration and immigration, the inevitable annual fluctuations in the numbers of Births, Deaths, and Marriages not only in the whole of Scotland, but in each of its Registration Districts, the disturbance of population-estimates, which is inseparable from each new grouping or dividing of districts, and which necessitates from time to time certain rather unsatisfactory processes of adjustment, very surely affect the character of our Population Tables, rendering them from year to year less and less reliable, till the arrival of a new census period enables the amount of the then-existing error to be detected. The uncertainty due to the above-specified causes being at present a minimum, the population in each district of the country is known with considerable accuracy; and it has accordingly been deemed expedient to introduce into this Report the New Distribution of Scotland into Five Groups of Registration Districts, which received your sanction on 2d December 1872. This scheme of distribution embraces:

1st. The Principal Towns; each containing at least 25,000 inhabitants.

2d. The Large Towns; each containing not less than 10,000, and not more than 25,000 inhabitants.

3d. The Small Towns; each with at least 2000, and not more than 10,000 inhabitants.

4th. The Mainland-Rural Districts; from which are, of course, excluded all towns with 2000 or more inhabitants.

5th. The Insular-Rural Districts; which include the whole population of the Islands on our coasts, but from which are, of course, excluded the inhabitants of the four small towns, Kirkwall, Lerwick, Stornoway, and Rothesay.

With this explanation, Table II. will be readily understood. It is

---

TABLE IV.—PERCENTAGE of BIRTHS, DEATHS, and MARRIAGES in the FIVE new GROUPS of DISTRICTS of SCOTLAND, to the Population during each of the years 1855–1871.

Years.	Principal Towns.			Large Towns.			Small Towns.			Mainland-Rural.			Insular-Rural.		
	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.	Births.	Deaths.	Marriages.
1855	3·397	2·747	0·838	3·525	2·506	0·833	3·324	2·075	0·698	2·955	1·684	0·531	2·192	1·298	0·437
1856	3·787	2·657	0·896	3·835	2·235	0·821	3·554	1·962	0·705	3·080	1·512	0·552	3·078	1·481	0·565
1857	3·855	2·757	0·882	3·858	2·409	0·868	3·641	2·042	0·702	3·062	1·606	0·580	3·173	1·546	0·672
1858	3·797	2·734	0·801	3·771	2·504	0·741	3·579	2 040	0·634	3·052	1·689	0 546	3·310	1·633	0·623
1859	3·807	2·577	0·871	3·833	2·319	0·770	3·724	2·018	0·732	3·190	1·632	0·559	3·362	1·950	0·688
1860	3·756	2·971	0·876	3·662	2·398	0·787	3·637	2·207	0·686	3·173	1·747	0·573	3·334	1·920	0·563
1861	3·863	2·603	0·872	3·797	2·284	0·760	3·663	2·058	0·668	3·121	1·607	0·543	3·282	2·115	0·603
1862	3·809	2·761	0·854	3·701	2·521	0·705	3·621	2·155	0·648	3·122	1·703	0·539	3·177	2·126	0·606
1863	3·887	2·929	0·925	3·724	2·552	0·767	3·631	2·240	0·683	3·150	1·807	0·569	3·153	2·119	0·543
1864	3·939	3·073	0·946	3·699	2·631	0·824	3·751	2·378	0·725	3·199	1·826	0·550	3·205	1·914	0·545
1865	3·975	2·906	0·975	3·831	2·493	0·833	3·718	2·170	0·728	3·096	1·690	0·562	3·810	1·762	0·550
1866	3·945	2·811	0·968	3·705	2·448	0·808	3·699	2·260	0·735	3·169	1·750	0·567	3·191	1·869	0·563
1867	3·958	2·691	0·900	3·701	2·354	0·749	3·645	2·196	0·685	3·151	1·675	0·554	3·210	1·852	0·593
1868	3·893	2·763	0·866	3·656	2·276	0·716	3·690	2·149	0·654	3·182	1·610	0·539	3·245	1·786	0·487
1869	3·822	3·044	0·886	3 545	2·499	0·735	3·539	2·229	0·636	3·085	1·717	0·517	3·092	2·019	0·478
1870	3·836	2·703	0·923	3·559	2 524	0·775	3·525	2·249	0·699	3·134	1·791	0·559	3·040	1·851	0·512
1871	3·767	2·927	0·915	3·751	2·403	0·791	3·408	2·083	0·653	3·130	1·638	0·559	2·847	1·391	0·455

obvious that it represents the whole country, divided according to the density of its population. It is to be hoped that this circumstance will tend to impart an instructive character to the numerous Tables drawn up in accordance with the new scheme of grouping.

On summing the populations of the Five Groups, we arrive at the estimated Population of Scotland at the middle of 1871. It consisted of 1,607,276 males, 1,760,646 females; or in all, 3,367,922 persons.

BIRTHS.

The number of Births registered in Scotland during the year 1871, was 116,128, being at the rate of 345 in every ten thousand persons, or of 3·45 per cent. Although this number of births is the largest that has ever been recorded in Scotland, the birth-rate percentage has been frequently exceeded, and was, for instance, a trifle higher in 1870.

When the 116,128 births are arranged in the New Groups of Districts to which they belong, it appears that, in the Principal Towns, the births were 40,442, or at the rate of 377 per ten thousand of the population; that in the Large Towns they were 12,599, or at the rate of 375 per ten thousand persons; that in the Small Towns they were 26,507, and occurred at the rate of 341 per ten thousand persons; that in the Mainland-Rural Districts the Births numbered 32,825, while the birth-rate was 313 per ten thousand; and, finally, that in the Insular-Rural Districts, which furnished 3755 Births, the birth-rate hardly amounted to 285 per 10,000 persons. (Tables I. to IV.)

A very slight examination of the percentages above stated suffices to show that the birth-rate is highest where it is natural to suppose that the population is most densely massed, and that the rate falls by sensible gradations in the Five Groups,—from the Principal Towns, where it is, of course, the highest, down to the sparsely-peopled Insular-Rural Districts, where it is greatly lower.

Of the registered births, 11,077, or 9·5 per cent. of the 116,128, were illegitimate. The rate of illegitimacy has not been so low since 1861, when it was 9·2 per cent. During the last ten years terminating with 1870, the

---

TABLE V.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in each of the EIGHT PRINCIPAL TOWNS of SCOTLAND during 1871, and their Proportion to the estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

Towns.	Estimated Population, 1871.	Births.		Illegitimate Births.		Deaths.		Marriages.	
		Births.	Per cent. to Pop.	Illegit. Births.	Per cent. to Total Births.	Deaths.	Per cent. to Pop.	Marriages.	Per cent. to Pop.
Glasgow .	480,270	18867	3·928	1749	9·3	15790	3·288	4624	0·963
Edinburgh .	201,747	6874	3·407	590	8·6	5447	2·700	1765	0·875
Dundee . .	121,477	4550	3·746	534	11·7	3336	2·746	1052	0·866
Aberdeen .	88,517	3112	3·516	398	12·8	1997	2·256	672	0·759
Greenock .	60,226	2548	4·231	148	5·8	1772	2·942	541	0·898
Paisley . .	48,275	1821	3·772	123	6·7	1453	3·010	502	1·040
Leith . .	46,707	1852	3·965	102	5·5	1081	2·314	438	0·938
Perth . .	26,389	818	3·100	80	9·8	550	2·084	225	0·853

illegitimate births constituted, on an average, 9·77 per cent. of all births which took place in Scotland.

Of the 116,128 births, 60,029 were boys and 56,099 girls; that is to say, for every 100 female births, there were very nearly 107 male births. This preponderance of male births was most conspicuous among the illegiti-

---

TABLE VI.—NUMBER of BIRTHS, DEATHS, and MARRIAGES in 1871, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

Divisions and Counties.		Population Estimated to middle of year 1871.	Total Births.		Illegit. Births.		Deaths.		Marriages.	
			No.	Per-cent. to Pop.	No.	Per-cent. to Births.	No.	Per-cent. to Pop.	No.	Per-cent. to Pop.
SCOTLAND		3,367,922	116128	3·4481	11077	9·5	74712	2·2183	24019	0·7132
1. PRINCIPAL TOWN DISTS.		1,073,608	40442	3·767	3724	9·2	31426	2·927	9819	0·915
2. LARGE TOWN DISTRICTS		335,911	12599	3·757	979	7·8	8071	2·403	2656	0·791
3. SMALL TOWN DISTRICTS		777,721	26507	3·408	2432	9·2	16200	2·083	5081	0·653
4. MAINLAND-RURAL DISTS.		1,048,797	32825	3·130	3729	11·4	17180	1·638	5863	0·559
5. INSULAR-RURAL DISTS.		131,885	3755	2·847	213	5·7	1835	1·391	600	0 455
	DIVISIONS.									
I.	NORTHERN	127,191	3108	2·444	250	8·4	1775	1·395	591	0·465
II.	NORTH-WESTERN	166,351	4369	2·626	300	6·9	2590	1·557	810	0·487
III.	NORTH-EASTERN	393,199	12868	3·273	1958	15·2	6606	1·680	2417	0·615
IV.	EAST-MIDLAND	559,676	18011	3·218	1805	10·0	11432	2·043	3796	0·678
V.	WEST-MIDLAND	251,088	7974	3·175	619	7·8	4894	1·949	1484	0·591
VI.	SOUTH-WESTERN	1,183,218	46814	3·956	3794	8·1	32439	2·742	10115	0·855
VII.	SOUTH-EASTERN	475,523	16810	3·535	1448	8·6	11385	2·394	3618	0·761
VIII.	SOUTHERN	203,772	6174	3·030	903	14·6	3591	1·762	1188	0·583
	COUNTIES.									
1	Shetland	31,608	771	2·439	36	4·7	386	1·221	154	0·487
2	Orkney	31,274	762	2·437	42	5·5	432	1·381	152	0·486
3	Caithness	41,011	1083	2·641	129	11·9	611	1·490	185	0·451
4	Sutherland	23,298	492	2·112	43	7·2	346	1·485	100	0·429
5	Ross and Cromarty	82,093	2195	2·674	107	4·9	1191	1·451	380	0·463
6	Inverness	84,258	2174	2·580	193	8·9	1399	1·660	430	0·510
7	Nairn	8,372	231	2·759	16	6·9	134	1·601	43	0·514
8	Elgin	44,549	1297	2·911	178	13·7	682	1·531	193	0·433
9	Banff	58,883	1838	3·124	318	17·3	908	1·543	354	0·602
10	Aberdeen	246,298	8412	3·415	1304	15·5	4334	1·760	1634	0·664
11	Kincardine	35,097	1090	3·106	142	13·0	548	1·561	193	0·550
12	Forfar	240,049	8263	3·442	954	11·5	5472	2·280	1817	0·757
13	Perth	128,550	3553	2·764	382	10·8	2313	1·799	754	0·586
14	Fife	160,924	5205	3·234	389	7·5	3070	1·908	1052	0·654
15	Kinross	7,918	217	2·741	18	8·3	114	1·440	49	0·619
16	Clackmannan	22,235	773	3·027	62	8·0	463	2·082	124	0·558
17	Stirling	93,345	3413	3·656	283	8·3	1845	1·976	688	0·737
18	Dumbarton	61,116	2057	3·366	139	6·7	1247	2·040	377	0·617
19	Argyll	79,661	2099	2·635	158	7·5	1409	1·769	324	0·407
20	Bute	16,966	405	2·387	39	9·6	393	2·316	95	0·559
21	Renfrew	195,305	7493	3·836	487	6·5	5098	2·610	1610	0·824
22	Ayr	200,908	7554	3·760	718	9·5	4140	2·061	1513	0·753
23	Lanark	787,005	31767	4·036	2589	8·1	23201	2·948	6992	0·888
24	Linlithgow	41,379	1770	4·277	158	8·9	922	2·228	288	0·696
25	Edinburgh	328,138	11602	3·536	947	8·2	8485	2·586	2723	0·830
26	Haddington	37,755	1160	3·072	99	8·5	689	1·825	203	0·538
27	Berwick	36,382	1113	3·059	121	10·9	591	1·624	190	0·522
28	Peebles	12,218	379	3·102	33	8·7	211	1·727	63	0·516
29	Selkirk	19,651	786	4·000	90	11·4	487	2·478	151	0·768
30	Roxburgh	48,241	1515	3·140	162	10·7	821	1·702	288	0·597
31	Dumfries	74,842	2315	3·093	371	16·0	1443	1·928	463	0·619
32	Kirkcudbright	42,087	1246	2·961	191	15·3	686	1·630	237	0·563
33	Wigtown	38,602	1098	2·844	179	16·3	641	1·660	200	0·518

mate. Thus, for every 100 legitimately-born female infants, there were 106·7 male births; while for 100 illegitimate female births, there were no less than 110·3 male illegitimate births—the largest proportion hitherto recorded in these Reports. (Table VII.)

TABLE VII.—BIRTHS in SCOTLAND, 1855–1871; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year, and the Proportion of Mothers who had Multiple Births.

Years.	Total Births.		Legitimate Births.		Illegit. Births.		Twin Births.	Triplet Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who had Multiple Births. One in every
	Males.	Fem.	Males.	Fem.	Males.	Fem.			Total Births.	Legit. Births.	Illeg. Births.	
1855	47804	45545	44044	41948	3760	3597	...	...	104·9	104·9	104·5	...
1856	52239	49582	47761	45365	4478	4217	1267	12	105·3	105·2	106·1	77
1857	53158	50257	48632	45924	4526	4383	1300	16	105·7	105·8	104·4	76
1858	53694	50324	48743	45921	4951	4403	1262	17	106·6	106·1	110·2	79
1859	54628	51915	49539	47289	5089	4626	1335	11	105·2	104·7	110·0	77
1860	54409	51220	49370	46523	5039	4697	1247	23	106·2	106·1	107·3	80
1861	54606	52403	49438	47642	5168	4761	1249	18	104·2	103·7	108·5	82
1862	55257	51812	49886	46807	5371	5005	1279	18	106·6	106·5	107·3	80
1863	56226	53115	50559	47834	5667	5281	1267	6	105·8	105·7	107·3	84
1864	57374	54959	51644	49492	5730	5467	1332	12	104·4	104·3	104·8	82
1865	58220	54850	52441	49367	5779	5483	1364	9	106·1	106·2	105·4	81
1866	58360	55307	52386	49608	5974	5699	1366	12	105·5	105·6	104·8	81
1867	58517	55527	52751	50145	5766	5382	1365	13	105·4	105·1	107·1	82
1868	59222	56292	53375	50785	5847	5507	1443	15	105·2	105·1	106·1	78
1869	58321	55033	52711	49577	5610	5456	1407	15	105·9	106·3	102·8	78
1870	58959	56431	53254	51028	5705	5403	1384	9	104·4	104·3	105·6	81
1871	60029	56099	54220	50831	5809	5268	1299	17	107·0	106·7	110·3	87

TABLE VIII.—BIRTHS, 1871. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the Number of Twin and Triplet Births.

Five Groups of Districts.	Total Births.			Legitimate Births.			Illegitimate Births.			Twin Births.	Triplet Births.
	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.	Males.	Fem.	Both Sexes.		
Principal Towns	20769	19673	40442	18897	17821	36718	1872	1852	3724	457	5
Large Towns . .	6495	6104	12599	5952	5668	11620	543	436	979	147	1
Small Towns . .	13837	12670	26507	12563	11512	24075	1274	1158	2432	255	3
Mainland-Rural .	17036	15789	32825	15017	14079	29096	2019	1710	3729	401	7
Insular-Rural .	1892	1863	3755	1791	1751	3542	101	112	213	39	1
SCOTLAND . . .	60029	56099	116128	54220	50831	105051	5809	5268	11077	1299	17

TABLE IX.—PROPORTION OF BIRTHS in 1871. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare.

Five Groups of Districts.	Percentage of Births to Population.	Percentage of Illegit. to Total Births.	Proportion of Males to every 100 Females in the			Proportion of Mothers who bare Twins. — One in every	Proportion of Mothers who bare Triplets. — One in every
			Total Births.	Legitimate Births.	Illegit. Births.		
Principal Towns	3·767	9·2	105·6	106·0	101·1	87	7995
Large Towns .	3·751	7·8	106·4	105·0	124·5	85	12450
Small Towns .	3·408	9·2	109·2	109·1	110·0	103	8749
Mainland-Rural	3·130	11·4	107·9	106·7	118·1	81	4630
Insular-Rural .	2·847	5·7	101·5	102·3	90·2	95	3714
SCOTLAND . . .	3·4481	9·5	107·0	106·7	110·3	88	6753

It is curious to remark that, during 1871, there seems to have been in England no unusual preponderance of male births; on the contrary, the Reports of the Registrar-General show that the relative numbers of female and male births were as 100 to 103·5, without any particular difference in this ratio whether among the legitimate or illegitimate.

The statistics of Holland during the same year accord very closely with those made during average years in England. They show, for all births, a ratio of females to males of very nearly 100 to 104; for legitimate births, a ratio of 100 females to 103·8; and for illegitimate births, a proportion of 100 females to 106·2 males.

On referring to the official statistics of the Austrian Empire for 1871, it is seen that among all live births the ratio of females to males was as 100 to 106·1; that among the legitimate births the females were to the males as 100 to 106·2; and that among the illegitimate the ratio was 100 females to 105·5.

These details obviously show that the condition of Scotland in 1871 was, as regards the sex of the children born, somewhat exceptional, and that the causes which tended to produce an unusual preponderance of male births, and notably of illegitimate male births, in Scotland during that year do not appear to have been at the same time in operation in England, Holland, or in the Austrian Empire. The subject is a curious one, and seems well fitted to engage the attention of physiological inquirers.

In 1871 twin births occurred 1299 times, triplet births, 17 times. Hence it is found, by help of Table VII., that about one mother in 88 bore twins, and that one out of 6753 mothers bore triplets. One mother had twins after having been married for five-and-twenty years.

MARRIAGES.

24,019 Marriages were registered in all Scotland during 1871, exceeding the numbers of the previous year by 165, and giving a proportion of 71 marriages in every ten thousand persons of the population.

The percentages exhibited in Table IV. very plainly illustrate the connection between density of population and the frequency of marriages.

TABLE X.—MARRIAGES, 1871. Number of Marriages contracted in Scotland and in its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

Religious Denominations.	Number of Marriages.						Proportion in every 100 Marriages.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
Regular Marriages.												
Established Church .	10985	3601	1166	2520	3437	261	45·73	36·67	43·90	49·60	58·62	43·50
Free Church . .	5404	2198	541	944	1492	229	22·50	22·39	20·37	18·58	25·45	38·17
United Presb. Church	3325	1423	394	852	608	48	13·85	14·49	14·83	16·76	10·37	8·00
Roman Catholic Ch.	2087	1252	290	379	129	37	8·69	12·75	10·92	7·46	2·20	6·16
Episcopal Church .	551	370	57	61	63	...	2·29	3·77	2·15	1·20	1·07	...
Other Denominations	1498	837	202	315	119	25	6·24	8·52	7·60	6·20	2·03	4·17
Denomin. not stated	64	44	4	2	14	...	0·26	0·45	0·15	0·04	0·24	...
Irregular Marriages .	105	94	2	8	1	...	0·44	0·96	0·08	0·16	0·02	...
Total Marriages .	24019	9819	2656	5081	5863	600	100·00	100·00	100·00	100·00	100·00	100·00

Thus, for every ten thousand persons in each of the Five New Groups of Districts, there were, in 1871, 91 marriages in the Principal Towns, 79 in the Large Towns, 65 in the Small Towns, 56 in the Mainland-Rural Districts, and only 45 in the Rural Population of the Islands. This descending series in the frequency of marriages has been repeatedly adverted to in these Reports. Its downward steps, as we pass from the large and densely peopled Towns to the widely scattered population of the Rural Districts, are even better marked than those of the birth-rate. Table

TABLE XI.—MARRIAGES, 1855–1871. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1871.

Years.	Total Marriages.		Regular Marriages according to Rites of the							Irregular Marriages.
	Number.	Percentage to Population.	Established Church of Scotland.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	19680	0·660	8879	4665	2952	1826	350	923	76	9
1856	20740	0·692	9863	4645	2875	1953	360	984	24	36
1857	21369	0·709	10194	4789	2926	1919	416	1017	101	7
1858	19655	0·649	9104	4650	2707	1697	379	1034	57	27
1859	21201	0·697	9769	4861	2936	1822	378	1175	243	17
1860	21225	0·695	9705	4870	2837	1857	414	1217	309	16
1861	20896	0·681	9332	4969	2925	1806	386	1290	163	25
1862	20597	0·666	9307	4930	2846	1778	371	990	348	27
1863	22234	0·711	9929	5242	3249	2119	487	1113	76	19
1864	22725	0·720	9907	5507	3198	2276	469	1231	115	22
1865	23611	0·743	10177	5636	3345	2399	476	1516	30	32
1866	23688	0·737	10392	5570	3385	2259	516	1483	41	42
1867	22618	0·697	10066	5347	3247	2039	488	1323	65	43
1868	23855	0·667	9736	5015	3244	1872	467	1403	58	60
1869	22144	0·669	9761	5095	3277	2043	450	1393	56	69
1870	23854	0·7149	10678	5465	3422	2121	538	1496	60	74
1871	24019	0·7102	10985	5404	3325	2087	551	1498	64	105

TABLE XII.—Proportion of MARRIAGES, 1855–1871. Percentage of Marriages contracted in Scotland, according to the Rites of the several Religious Denominations during each of the Years 1855–1871.

Years.	Percentage of Regular Marriages according to the Rites of the							Irregular Marriages.
	Established Church.	Free Church.	United Presbyterian Church.	Romish Church.	Episcopal Church.	Other Denominations.	Denomination not stated.	
1855	45·12	23·70	15·00	9·28	1·78	4·70	0·38	0·07
1856	47·55	22·40	13·87	9·42	1·73	4·74	0·12	0·14
1857	47·71	22·41	13·69	8·98	1·95	4·76	0·47	0·03
1858	46·32	23·66	13·77	8·63	1·93	5·26	0·30	0·13
1859	46·08	22·93	13·85	8·59	1·78	5·54	1·15	0·08
1860	45·73	22·95	13·36	8·75	1·95	5·73	1·45	0·08
1861	44·66	23·78	14·00	8·65	1·85	6·18	0·76	0·12
1862	45·19	23·94	13·81	8·64	1·80	4·80	1·69	0·13
1863	44·66	23·58	14·61	9·53	2·19	5·01	0·34	0·08
1864	43·60	24·24	14·06	10·02	2·07	5·41	0·51	0·09
1865	43·10	23·87	14·17	10·16	2·02	6·42	0·13	0·13
1866	43·87	23·52	14·29	9·54	2·18	6·26	0·17	0·17
1867	44·51	23·65	14·36	9·02	2·15	5·84	0·28	0·19
1868	44·55	22·95	14·85	8·57	2·13	6·42	0·26	0·27
1869	44·08	23·01	14·80	9·23	2·03	6·29	0·25	0·31
1870	44·76	22·91	14·35	8·89	2·26	6·26	0·26	0·31
1871	45·73	22·50	13·85	8·69	2·29	6·24	0·26	0·44

IV. embraces the record of sixteen previous years' experience; and how uniformly such experience has been of a nature similar to that of 1871, a very slight examination of the figures will show.

The number of marriages in Scotland during the year having been 24,019, and the number of legitimate children born having been 105,051, the births may be stated as in the proportion of 4·37 live legitimate children for each marriage—the same proportion that was observed in 1870. In England the marriages in 1871 numbered 190,112, and the live legitimate

TABLE XIII.—MARRIAGES, 1871. Ages of Men and Women at Marriage.

Ages.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.
Under 15	–	–	–	–	–	–	–	–	–	–	–	–
15—16	–	12	–	3	–	1	–	3	–	5	–	–
16—17	2	89	2	40	–	4	–	27	–	17	–	1
17—18	24	347	9	159	2	41	7	71	6	72	–	4
18—19	133	989	56	441	24	127	31	228	20	188	2	5
19—20	522	1719	240	771	62	197	111	368	107	360	2	23
20—21	1140	2165	475	883	147	229	267	496	241	524	10	33
21—25	8074	8624	3220	3388	964	983	1874	1934	1923	2118	93	201
25—30	7282	5729	2957	2268	747	605	1568	1131	1794	1517	216	208
30—35	3037	2233	1270	938	292	225	555	421	783	573	137	76
35—40	1497	1077	625	471	156	112	262	209	390	250	64	35
40—45	949	555	403	250	90	76	170	99	251	124	35	6
45—50	583	274	258	125	80	29	95	53	131	63	19	4
50—55	348	126	151	52	42	18	65	23	79	31	11	2
55—60	211	35	77	18	27	4	36	7	66	5	5	1
60—65	127	14	44	6	12	1	26	3	41	4	4	–
65—70	47	1	15	–	6	–	8	–	17	1	1	–
70—75	25	–	13	–	–	–	3	–	8	–	1	–
75—80	2	–	1	–	1	–	–	–	–	–	–	–
80—85	1	–	–	–	–	–	–	–	1	–	–	–
Not stated	15	30	3	6	4	4	3	8	5	11	–	1
Total	24019	24019	9819	9819	2656	2656	5081	5081	5863	5863	600	600

TABLE XIV.—MARRIAGES, 1871. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1871.

Ages.	Men.						Women.					
	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular Rural.	Scotland.	Principal Towns.	Large Towns.	Small Towns.	Mainland-Rural.	Insular-Rural.
15—20 years	2·84	3·13	3·31	2·93	2·27	0·67	13·14	14·40	13·93	13·72	10·95	5·50
20—25	38·37	37·63	41·83	42·14	36·91	17·17	44·92	43·50	45·63	47·83	45·06	39·00
25—30	30·32	30·11	28·13	30·86	30·60	36·00	23·85	23·10	22·78	22·26	25·88	34·67
30—35	12·65	12·93	11·00	10·92	13·35	22·83	9·30	9·55	8·47	8·29	9·77	12·67
35—40	6·24	6·37	5·87	5·16	6·65	10·67	4·48	4·80	4·22	4·11	4·27	5·83
40—45	3·92	4·10	3·39	3·34	4·28	5·83	2·31	2·55	2·86	1·95	2·12	1·00
45—50	2 43	2·63	3·01	1·87	2·23	3·17	1·14	1·27	1·09	1·04	1·07	0·67
50 and above	3·17	3·07	3·31	2·72	3·62	3·66	0·73	0·77	0·87	0·65	0·70	0·50
Not stated	0·06	0·03	0·15	0·06	0·09	...	0·13	0·06	0 15	0·15	0·18	0·16
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

births being 752,653, these were to each marriage in the proportion of 3·95 to one, or of 395 to every hundred marriages. The marriage-rate in England did not differ from the mean of the previous ten years. It seems plain, therefore, that during 1871 either a certain number of legitimate births in England escaped registration, or the married women in Scotland were during that year more prolific than those of England. In connection with this subject, it may be interesting to introduce here the experience of Sweden during 1871. The marriages in that country were 27,187, and the live legitimate births 113,291, or at the rate of 4·16 per marriage, or of 416 per hundred marriages. The vital statistics of Sweden are, it is believed, kept with great care, and the persistence of fertility among the Swedish married women has been pointed out by Dr. M. Duncan and Dr. Stark as probably exceeding that of the females of Scotland. It is for this reason that the above details from the experience of Sweden have been here contrasted with similar statistics from Great Britain.

TABLE XV.—MARRIAGES, 1855–1871. Number and Proportion of Men and Women in Scotland at each quinquennial period of age, who contracted Marriage during the Years 1855–1871.

AGES.	MEN.		WOMEN.	
	Number who married at each Age.	Percentage at each Age to Total Marriages.	Number who married at each Age.	Percentage at each Age to Total Marriages.
15—20 years	10725	2·89	46838	12·61
20—25	141755	38·17	169344	45·61
25—30	111024	29·90	89949	24·22
30—35	46474	12·52	32481	8·75
35—40	24544	6·61	16556	4·46
40—45	14756	3·97	8426	2·27
45—50	9298	2·50	4169	1·12
50 and above	12194	3·28	2540	0·68
Age not stated	560	0·16	1027	0·28
TOTAL	371330	100·00	371330	100·00

TABLE XVI.—MARRIAGES in SCOTLAND, 1855–1871. Numbers.

YEARS.	Number who Married under 21 years of Age.		Number who Married				Number who Signed				Number of Marriages between			
			Under 25 years.		Above 25 years.		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	7724	11118	11858	8390	17436	15174	2244	4506	15251	557	1863	619
1856	?	?	8433	12033	12307	8707	18485	15772	2455	4968	17035	536	1721	605
1857	1593	4568	8995	12513	12374	8856	18781	16064	2588	5305	17030	521	1648	601
1858	1448	4172	8096	11492	11511	8084	17328	14929	2327	4726	16196	492	1624	533
1859	1571	4565	8726	12425	12443	8704	18992	16494	2209	4707	17536	567	1864	603
1860	1561	4607	8666	12459	12525	8695	19036	16616	2189	4609	18157	508	1738	558
1861	1480	4403	8550	12235	12323	8601	18679	16439	2217	4457	17431	441	1768	517
1862	1569	4496	8663	12205	11912	8358	18535	16405	2062	4192	17392	464	1747	501
1863	1756	4897	8731	13304	12488	8896	19819	17319	2415	4915	19142	348	1856	584
1864	1695	4989	9662	13547	13033	9132	20120	17298	2605	5427	19383	497	1922	631
1865	1690	5010	9859	13864	13724	9696	20914	18364	2697	5247	20158	593	2055	642
1866	1706	4896	9923	13843	13752	9812	21032	18483	2656	5205	20080	601	2094	715
1867	1532	4611	9180	12991	13414	9595	20224	17931	2394	4687	19067	578	2075	689
1868	1459	4463	8668	12439	13169	9384	19712	17701	2143	4154	18669	484	1966	671
1869	1576	4622	8792	12699	13352	9445	19911	17723	2233	4421	18818	625	1949	651
1870	1744	5175	9657	13723	14176	10102	21403	19194	2451	4660	20262	653	2132	759
1871	1821	5321	9895	13945	14124	10074	21630	19315	2389	4704	20440	610	2099	778

In order to obtain much useful information regarding the difficult and important subject of female fertility, it seems very desirable that whenever a legitimate birth is registered, the age of the mother and the number of live children to which she has given birth during her married life should be recorded. This was done in Scotland during the single year 1855; but in consequence of an alteration in the birth schedules, which took place in 1856, it has become impossible to gather such information from the records of the years that have since elapsed. Every lawyer knows how important in reference to questions of successions is sometimes the inquiry: Can a female be reasonably presumed to have become the mother of a child after having completed her 50th or 51st year? Contracts with Life Assurance Companies, too, are sometimes based upon the probability of a female of given age bearing a living child within a certain time; but the means of calculating such probability when the female's age is say 49–55 do not exist. In relation to the theory of population, the applications of which are numerous and important, the value of the information collected from the experience of Scotland in 1855 is very great; but it is to be desired that a far more extensive collection of similar facts should be made, and that for this purpose the birth schedules should in some particulars embrace details which they have not included since 1855.

Of the 24,019 marriages, 10,985 were celebrated by clergymen of the Established Church of Scotland, 5404 by ministers of the Free Church, 3325 according to the rites of the United Presbyterian Church, 2087 according to those of the Roman Catholic Church, 551 according to those of the Episcopal Church, 1498 according to the varying practice of the Smaller Religious Denominations. In 64 cases the name of the Religious Denomination was not given, and in 105 cases the marriage was *irregular* —that is to say, no previous publication of banns took place. (Table X.)

These numbers afford a very rude approximation to the proportion of the people of Scotland belonging to the chief religious denominations. Thus we find that 45·73 per cent. of the marriages were celebrated accord-

---

TABLE XVII.—MARRIAGES in SCOTLAND, 1855–1871. Proportions.

Years.	Percentage who Married under 21 years.		Percentage who Married				Percentage who Signed				Proportion in every 100 Marriages between			
			Under 25 years		Above 25 years		By Writing.		By Mark.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.
	Men.	Women	Men.	Women	Men.	Women	Men.	Women	Men.	Women				
1855	?	?	39·44	57·99	60·56	42·01	88·60	77·10	11·40	22·90	83·48	3·04	10·20	3·38
1856	?	?	40·79	58·44	59·21	41·56	89·13	76·05	10·87	23·95	85·62	2·69	8·65	3·04
1857	7·47	21·43	42·19	58·84	57·81	41·16	87·89	75·34	12·11	24·66	86·01	2·63	8·32	3·04
1858	7·38	21·23	41·25	58·70	58·75	41·30	88·16	75·95	11·84	24·05	85·95	2·61	8·62	2·82
1859	7·42	21·60	41·22	58·80	58·78	41·20	89·58	77·80	10·42	22·10	85·25	2·76	9·06	2·93
1860	7·36	21·77	40·89	58·89	59·11	41·11	89·68	78·28	10·32	21·72	86·62	2·42	8·29	2·67
1861	7·09	21·13	40·96	58·72	59·04	41·28	89·39	78·67	10·61	21·33	86·48	2·19	8·77	2·56
1862	7·62	21·86	42·11	59·35	57·89	40·65	89·99	79·65	10·01	20·35	86·51	2·31	8·69	2·49
1863	7·91	22·05	43·79	59·93	56·21	40·07	89·14	77·89	10·86	22·11	87·29	1·59	8·46	2·66
1864	7·46	21·99	42·57	59·73	57·42	40·26	88·54	76·12	11·46	23·88	86·41	2·21	8·57	2·81
1865	7·16	21·26	41·38	58·84	58·62	41·16	88·58	77·78	11·42	22·22	85·97	2·53	8·77	2·73
1866	7·20	20·69	41·91	58·52	58·09	41·48	88·78	78·50	11·22	22·00	85·49	2·55	8·92	3·04
1867	6·77	20·41	40·63	57·47	59·37	42·53	89·41	79·27	10·59	20·73	85·09	2·58	9·26	3·07
1868	6·68	20·45	39·69	57·00	60·31	43·00	90·19	80·99	9·81	19·01	85·64	2·22	9·05	3·09
1869	7·08	20·87	39·70	57·34	60·30	42·66	89·92	80·04	10·08	19·96	85·38	2·83	8·84	2·95
1870	7·32	21·72	40·52	57·60	59·48	42·40	89·73	80·46	10·27	19·54	85·11	2·74	8·96	3·19
1871	7·58	22·15	41 20	58·06	58·80	41·94	90·05	80·42	9·95	19·58	85·10	2·54	8·74	3·24

ing to the rites of the Established Church; 22·50 per cent. according to those of the Free Church; 13·85 per cent. according to those of the United

TABLE XVIII.—MARRIAGES, 1871. Percentage of Men and Women who signed by Writing or by Mark, of Persons under 21 years of age, and of Marriages between Persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

1871.		Signed by Writing.		Signed by Mark.		Persons under 21 Years.		Percentage of Marriages between			
		Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Percent. of Men.	Percent. of Women.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters	Widowers and Widows.
SCOTLAND		90·05	80·42	9·95	19·58	7·58	22·15	85·43	2·55	8·77	3·25
GROUPS.											
PRINCIPAL TOWNS		89·36	76·72	10·64	23·28	7·96	23·39	82·73	3·22	9·47	4·56
LARGE TOWNS		88·89	77·97	11·11	22·03	8·85	22·55	83·77	3·31	9·11	3·69
SMALL TOWNS		88·27	80·20	11·73	19·80	8·19	23·48	87·19	1·99	7·93	2·68
MAINLAND-RURAL		95·29	90·07	4·71	9·93	6·38	19·89	87·82	1·65	8·17	1·52
INSULAR-RURAL		70·50	59·17	29·50	40·83	2·33	11·00	85·50	1·33	7·50	1·17
DIVISIONS.											
I.	NORTHERN	94·25	86·64	5·75	13·36	4·06	11·84	87·99	1·69	7·11	1·35
II.	NORTH-WESTERN	70·74	56·30	29·26	43·70	1·98	11·60	87·78	1·11	7·90	0·74
III.	NORTH-EASTERN	96·81	85·35	3·19	14·65	6·41	21·43	88·13	2·19	7·61	1·94
IV.	EAST-MIDLAND	95·02	86·70	4·98	13·30	8·19	19·15	85·88	1·82	9·35	2·71
V.	WEST-MIDLAND	88·48	80·52	11·52	19·48	6·20	20·63	85·85	1·89	8·02	3·17
VI.	SOUTH-WESTERN	85·80	71·71	14·20	28·29	9·10	25·42	83·25	3·13	8·93	4·49
VII.	SOUTH-EASTERN	94·83	90·57	5·17	9·43	6·08	21·67	85·63	2·85	8·76	2·71
VIII.	SOUTHERN	95·12	92·68	4·88	7·32	6·48	21·13	86·36	1·77	9·68	1·26
COUNTIES.											
1	Shetland	90·91	74·03	9·09	25·97	3·25	5·19	80·52	2·60	9·09	1·30
2	Orkney	98·68	96·71	1·32	3·29	3·29	14·47	89·47	1·97	7·24	1·32
3	Caithness	94·05	90·27	5·95	9·73	5·95	16·76	92·43	0·00	5·95	1·62
4	Sutherland	93·00	84·00	7·00	16·00	3·00	9·00	89·00	3·00	6·00	1·00
5	Ross & Cromarty	68·68	52·89	31·32	47·11	2·11	11·32	91·58	0·79	5·53	0·53
6	Inverness	72·56	59·30	27·44	40·70	1·86	11·86	84·42	1·40	10·00	0·93
7	Nairn	95·35	88·37	4·65	11·63	4·65	6·98	86·05	2·33	9·30	2·33
8	Elgin	96·37	88·60	3·63	11·40	5·70	18·65	88·08	2·59	8·81	0·52
9	Banff	94·92	86·72	5·08	13·28	5·93	23·45	89·83	1·13	7·34	1·41
10	Aberdeen	97·25	93·94	2·75	6·06	6·79	22·28	87·82	2·51	7·28	2·33
11	Kincardine	97·41	93·26	2·59	6·74	5·18	16·58	88·08	1·04	9·33	1·55
12	Forfar	93·07	78·98	6·93	21·02	10·07	21·74	84·92	1·87	10·45	2·75
13	Perth	97·08	92·57	2·92	7·43	3·85	15·52	85·28	2·39	9·15	2·92
14	Fife	97·34	94·68	2·66	5·32	7·98	18·44	87·83	1·04	7·98	2·57
15	Kinross	97·96	97·96	2·04	2·04	8·16	8·16	87·76	0·00	4·09	6·12
16	Clackmannan	90·32	87·10	9·68	12·90	8·87	21·77	86·29	4·84	8·07	0·81
17	Stirling	89·83	81·10	10·17	18·90	7·99	24·56	87·21	1·60	7·41	3·34
18	Dumbarton	82·23	74·54	17·77	25·46	5·04	19·36	87·27	1·86	6·63	3·45
19	Argyll	91·36	85·80	8·64	14·20	4·63	17·28	81·17	2·78	10·49	2·47
20	Bute	93·68	82·11	6·32	17·89	3·16	8·42	86·32	1·05	9·47	3·16
21	Renfrew	86·46	74·60	13·54	25·40	7·95	23·91	82·61	2·67	9·19	5·09
22	Ayr	85·72	75·48	14·28	24·52	11·57	27·96	85·46	1·45	9·52	3·11
23	Lanark	85·67	70·24	14·33	29·76	8·91	25·21	82·92	3·60	8·74	4·65
24	Linlithgow	85·07	76·74	14·93	23·26	10·76	33·68	87·50	2·43	6·60	2·78
25	Edinburgh	95·63	91·59	4·37	8·41	5·80	21·37	84·58	3·19	9·29	2·94
26	Haddington	90·64	83·74	9·36	16·26	4·93	12·61	86·21	2·46	9·36	1·97
27	Berwick	98·42	96·84	1·58	3·16	4·21	17·89	92·63	1·05	5·26	1·05
28	Peebles	98·41	96·83	1·59	3·17	7·94	25·40	87·30	0·00	7·94	4·76
29	Selkirk	98·68	97·35	1·32	2·65	5·30	19·87	90·73	1·32	7·28	0·66
30	Roxburgh	95·83	93·06	4·17	6·94	4·86	17·71	88·54	0·69	10·07	0·35
31	Dumfries	96·98	93·74	3·02	6·26	6·05	21·17	86·18	2·31	8·86	1·73
32	Kirkcudbright	95·36	96·20	4·64	3·80	5·06	18·99	83·97	0·84	10·97	1·69
33	Wigtown	89·10	85·10	10·50	14·50	11·50	28·50	86·50	2·00	9·50	1·00
	EDINBURGH	96·26	93·88	3·74	6·12	5·78	21·08	83·12	3·23	10·20	3·46
	GLASGOW	85·42	68·45	14·58	31·55	8·52	29·79	81·92	3·42	9·39	5·26

Presbyterian Church; 8·69 per cent. according to those of the Roman Catholic Church; 2·29 per cent. according to those of the Episcopal Church; 6·24 per cent. according to the practice of other Smaller Religious Denominations; 0·26 per cent. according to the customs of denominations unspecified; and 0·44 per cent. in an irregular manner, or without proclamation of banns. On reference to the second part of Table X., the relative strength of the various Religious Denominations is illustrated by the proportion of marriages celebrated in each Group of Districts by the ministers of each denomination; and it is at once seen how remarkably these proportions vary in the different groups as regards the Established Church and the two most numerous classes of Dissenters. It would, however, serve no useful purpose to call attention to the details of these proportions, for it is obvious that in very many cases the choice of the celebrant of a marriage does not unequivocally indicate the religious profession of either or both of the contracting parties.

Of 24,019 men married in Scotland during 1871, the ages of 24,014 were ascertained. Among these were 1821 men under 21 years of age, showing a proportion of 7·58 per cent. of minors. Of the women married during 1871, the ages were ascertained in 23,989 cases, and of these 5321, or 22·18 per cent. were minors, or had not attained the age of 21 years. (Tables XIII. to XVIII.)

In 23,927 of the 24,019 marriages the conjugal condition of the parties previous to their marriage was recorded. 20,440, or 85·43 per cent., of the marriages among persons of known conjugal condition took place between bachelors and spinsters; 610, or 2·55 per cent., took place between bachelors and widows; 2099, or 8·77 per cent., were between widowers and spinsters; and 778, or 3·25 per cent., between widowers and widows.

Table XVIII. exhibits in a rude way the state of elementary education among those who marry in Scotland. It shows the numbers of men and women who signed the Marriage Register in ordinary writing or by a mark. It must not, however, be inferred that all who merely appended a mark were unable to write. Many persons, as is well known, have considerable delicacy in exposing their indifferent penmanship and spelling to the criticism of strangers, and this is more especially the case with females. In a rough way, however, the relative frequency of signatures and marks in a Marriage Register may be used as a measure of the educational proficiency of those residing within the District where it is kept. Of the 24,019 men who married in 1871, 21,630, or 90·05, wrote their names in the Marriage Register, while 2389 were content to append their mark. Of the 24,019 women who married during the year, 19,315, or 80·42 per cent., signed the Register in writing, while 4704, or 19·58 per cent., merely contributed their marks. In the last two lines of Table XVIII., the educational test above mentioned is exhibited, as applied to Edinburgh and to Glasgow. In Edinburgh, 96·26 per cent. of men who married signed the Register in ordinary writing, and consequently only 3·74 per cent., unable, or ashamed, or, for some cause unexplained, unwilling to do so, merely appended their mark. In Glasgow, 85·42 men per cent. were able to sign the Register, and 14·58 per cent. used a mark only. Of the women who married in Edinburgh, 93·88 per cent. wrote their signatures, and only 6·12 per cent. made use of a mark; but in Glasgow, only 68·45 per cent. of the women marrying signed the Register, and 31·55 per cent. were unable or unwilling to write their names for themselves.

DEATHS.

74,712 Deaths were registered in Scotland during 1871, and thus appear to have occurred in the proportion of nearly 222 in every ten thousand persons, or of 2·22 per cent. The mean death-rate in Scotland during the ten years terminating with 1870, was 220·65 in every ten thousand persons, or less than 2·21 per cent. The mortality observed in 1871 was therefore very slightly in excess of the average of recent experience.

In England, during 1871, the death-rate was 226 deaths to every ten thousand persons, or 2·26 per cent.; the average mortality during the ten years, 1861–70, having been 224 deaths out of every ten thousand persons, or 2·24 per cent. As in Scotland, so in England likewise, the death-rate

TABLE XIX.—DEATHS of MALES and FEMALES in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1871.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	30626	31378	11189	11517	2972	2982	4963	5052	10681	10975	821	852
1856	29418	29111	11155	11099	2703	2671	4785	4757	9855	9607	920	977
1857	30937	30969	11692	11671	2917	2943	4911	5098	10421	10285	996	972
1858	31652	31887	11770	11675	3034	3129	5046	5030	10792	10997	1010	1056
1859	30588	31126	11075	11277	2946	2829	4975	5070	10418	10672	1174	1278
1860	33610	34560	12814	13252	2972	3070	5480	5590	11169	11424	1175	1224
1861	30890	31451	11464	11685	2869	2962	5150	5216	10346	10474	1061	1114
1862	33179	34016	12270	12690	3286	3280	5368	5565	10967	11141	1288	1340
1863	35631	35850	13624	13421	3358	3422	5862	5680	11510	11999	1277	1328
1864	37010	37406	14504	14341	3544	3588	6132	6162	11722	12082	1108	1233
1865	35190	35701	14263	14252	3352	3544	5598	5658	10906	11174	1071	1073
1866	35355	35993	13742	13724	3378	3528	5777	6032	11334	11571	1124	1138
1867	34363	34705	13219	13300	3322	3454	5786	5771	10964	11022	1072	1158
1868	34662	34754	14154	13883	3359	3325	5640	5752	10522	10642	987	1152
1869	37868	38007	15744	15723	3647	3839	6022	5879	11274	11342	1181	1224
1870	36866	37299	14234	14274	3858	3854	5929	6168	11760	11894	1085	1109
1871	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929

TABLE XX.—Percentage of MALE and FEMALE DEATHS to the Population in SCOTLAND, and its Five Groups of Districts, during each of the Years 1855–1871.

Years.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
1855	2·162	2·003	2·929	2·584	2·644	2·382	2·163	1·995				
1856	2·065	1·850	2·887	2·460	2·378	2·107	2·070	1·863				
1857	2·161	1·958	2·991	2·556	2·539	2·292	2·109	1·981				
1858	2·202	2·005	2·976	2·527	2·612	2·407	2·152	1·939				
1859	2·120	1·940	2·769	2·412	2·509	2·179	2·107	1·938				
1860	2·321	2·150	3·168	2·801	2·336	2·304	2·304	2·125				
1861	2·125	1·946	2·796	2·438	2·386	2·193	2·157	1·924		See	Note	
1862	2·260	2·087	2·931	2·603	2·675	2·384	2·231	2·085				
1863	2·402	2·181	3·188	2·706	2·676	2·441	2·363	2·114		on	p. 28.	
1864	2·470	2·256	3·324	2·842	2·764	2·512	2·510	2·277				
1865	2·325	2·135	3·202	2·777	2·559	2·435	2·274	2·076				
1866	2·313	2·134	3·021	2·628	2·524	2·379	2·329	2·198				
1867	2·226	2·040	2·853	2·504	2·430	2·286	2·315	2·088				
1868	2·222	2·025	2·985	2·569	2·405	2·159	2·240	2·067				
1869	2·404	2·196	3·252	2·860	2·556	2·448	2·374	2·098				
1870	2·317	2·137	2·880	2·552	2·647	2·412	2·319	2·185				
1871	2·291	2·152	3·069	2·802	2·486	2·326	2·127	2·042	1·676	1·602	1·486	1·310

of 1871 was somewhat above the average of that of the last decennium. In the Principal Towns of Scotland the deaths numbered 31,426; in the Large Towns, 8071; in the Small Towns, 16,200; in the Mainland-Rural Districts, 17,180; and in the Insular-Rural Districts, 1835. The proportion of deaths to every thousand of the estimated population was accordingly 29·27 per thousand in the group of Principal Towns; 24·03 in the Large Towns; 20·83 in the Small Towns; 16·38 in the Mainland-Rural Districts; and only 13·91 in the Insular-Rural Districts.

It seems impossible to resist the inference that the descending scale of mortality which these proportions indicate, is connected with the degree of density with which the population is aggregated in the different groups of Districts. It can be no mere chance which makes the death-rate of our Principal Towns about double of that which prevails among the rural population of our Islands. We have here to do with large numbers, and may feel considerable confidence in the teachings of our statistics, when we find them year after year repeating to us the same lesson. The mode of grouping which we now adopt does not, however, afford an infallible indication of the pernicious effects of the too close proximity of human dwellings, or of the overcrowding of their inmates. It must not be inferred that a town with half a million of inhabitants must necessarily have its population more closely aggregated than another town of only 20,000 inhabitants. Neither is it sufficient to consider the number of acres covered by each town, and to divide the population by the acres, in order to arrive at a correct idea as to the conditions of aggregation to which the inhabitants of each are subjected. It is quite certain that in most of our towns, and most notably in our Principal Towns, the conditions of the dwellings of the upper and of the humbler classes differ widely. While the former are sparsely scattered over a wide area, and are replete with all the comforts which wealth can secure, the latter are apt to be densely packed together in dangerous proximity, are often erected in damp, unhealthy situations,

TABLE XXI.—TOWN DEATHS, 1861–1871. Annual Number of Deaths in the Eight Principal Towns of Scotland.

Towns.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	1871.
Glasgow . . .	10936	11565	13329	13674	13914	12829	12578	13832	15648	13955	15790
Edinburgh . . .	4168	4760	4593	4678	4858	4813	4765	4781	5406	4715	5447
Dundee . . .	2499	2599	2714	3105	3000	3130	2952	2917	3564	3185	3336
Aberdeen . . .	1780	1923	1750	2139	1981	2324	1824	2029	1787	1927	1997
Greenock . . .	1113	1370	1876	1929	1675	1488	1433	1658	1750	1674	1772
Paisley	1207	1253	1218	1521	1410	1345	1335	1221	1449	1352	1453
Leith	766	872	913	928	948	924	1064	973	1169	1059	1081
Perth	665	618	652	871	729	613	569	626	694	641	550

TABLE XXII.—Proportion of TOWN DEATHS, 1861–1871. Annual Percentage of Deaths to the Population in each of the Principal Towns of Scotland.

Towns.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	1868.	1869.	1870.	Mean Annual Mortality.	1871.
Glasgow .	2·75	2·[illegible]5	3·22	3·25	3·25	2·93	2·82	3·04	3·37	2·96	3·044	3·288
Edinburgh	2·43	2·73	2·59	2·60	2·65	2·58	2·52	2·48	2·77	2·38	2·573	2·699
Dundee .	2·71	2·74	2·78	3·09	2·91	2·95	2·71	2·60	3·09	2·69	2·827	2·746
Aberdeen	2·39	2·54	2·27	2·73	2·48	2·86	2·20	2·41	2·09	2·21	2·418	2·256
Greenock	2·52	3·00	3·99	3·97	3·34	2·88	2·69	3·01	3·09	2·87	3·136	2·942
Paisley .	2·54	2·63	2·55	3·19	2·95	2·81	2·78	2·54	3·01	2·80	2·780	3·010
Leith .	2·11	2·34	2·39	2·37	2·36	2·24	2·51	2·24	2·63	2·32	2·351	2·316
Perth . .	2·54	[illegible]·36	2·49	2·94	2·77	2·33	2·16	2·38	2·62	2·43	2·502	2·084

where drainage is little studied, where sanitary arrangements are scarcely dreamed of, where noxious manufacturing processes are continually going on, and where the inhabitants crowd into the cheapest quarters, and have their health and habits rapidly influenced by the comfortless aspect of their habitations, and by the foul atmosphere in which they live. A person well acquainted with our Principal Towns could easily point out, in each, quarters exclusively appropriated to the dwellings of the humbler classes, and could show how fallacious is the attempt to define the degree of crowding in a town population, as the quotient obtained by dividing the

TABLE XXIII.—AGES of MALES and FEMALES who died in SCOTLAND, and in each of its GROUPS of DISTRICTS, during the year 1871.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	8352	6782	3779	3212	985	767	1881	1467	1554	1228	153	108
— 2	3160	3067	1740	1688	382	386	608	590	404	371	26	32
— 3	1549	1551	838	838	184	167	295	317	212	214	20	15
— 4	1022	1011	536	502	96	114	227	213	152	167	11	15
— 5	712	729	348	372	75	72	155	162	124	115	10	8
0– 5 Years	14795	13140	7241	6612	1722	1506	3166	2749	2446	2095	220	178
5–10	1924	1855	888	872	175	193	469	443	366	324	26	23
10–15	1022	1130	395	418	101	150	275	306	233	233	18	23
15–20	1312	1339	511	521	155	164	299	301	309	328	38	25
20–30	2662	2916	1125	1204	266	312	546	665	639	671	86	64
30–40	2292	2553	1113	1184	257	297	418	520	454	497	50	55
40–50	2330	2430	1080	1148	276	271	449	486	478	477	47	48
50–60	2568	2642	1090	1154	301	269	546	556	581	599	50	64
60–70	3031	3365	1056	1246	331	348	654	757	898	904	92	110
70–80	3080	3742	706	1057	274	342	708	892	1245	1290	147	161
80–90	1535	2323	238	460	127	182	335	518	727	1030	108	133
90–100	223	416	25	70	14	30	43	89	122	185	19	42
100 and above	15	14	1	1	1	1	2	2	8	9	3	1
Not stated	38	20	9	1	3	3	3	3	21	11	2	2
ALL AGES	36827	37885	15478	15948	4003	4068	7913	8287	8527	8653	906	929

TABLE XXIV.—PERCENTAGE of DEATHS to the POPULATION at each AGE, 1871.

AGE.	SCOTLAND.		PRINCIPAL TOWNS.		LARGE TOWNS.		SMALL TOWNS.		MAINLAND-RURAL.		INSULAR-RURAL.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	16·315	13·559	21·958	19·077	18·321	14·464	15·310	12·319	10·506	8·496	10·054	7·039
— 2	7·113	7·104	12·185	12·114	8·240	8·564	5·804	5 725	2·969	2·831	1·831	2·445
— 3	3·352	3·456	5·887	5·886	3·894	3·554	2·595	2·935	1·478	1·567	1·300	1·002
— 4	2·251	2·278	3·849	3·652	2·079	2·541	2·056	1·951	1·074	1·222	0·670	0·956
— 5	1·611	1·701	2·622	2·869	1·694	1·643	1·445	1·560	0·884	0·848	0·582	0·514
0– 5 Years	6·393	5·832	9·930	9·219	7·240	6·442	5·664	5·061	3·448	3·060	2·806	2·385
5–10	0·938	0·925	1·489	1·465	0·845	0·954	0·937	0·910	0·548	0·500	0·329	0·311
10–15	0·537	0·619	0·727	0·776	0·532	0·820	0·593	0·689	0·371	0·397	0·230	0·312
15–20	0·782	0·794	0·983	0·911	0·925	0·952	0·762	0·787	0·577	0·663	0·610	0·382
20–30	1·043	0·994	1·167	1·103	0·998	1·043	1·009	1·041	0·907	0·836	1·163	0·620
30–40	1·237	1·133	1·681	1·491	1·355	1·301	1·022	1·034	0·862	0·779	0·768	0·612
40–50	1·578	1·380	2·285	1·964	1·836	1·573	1·324	1·219	1·038	0·896	0 875	0·649
50–60	2·363	2·007	3·527	2·869	2·864	2·193	2·196	1·851	1·546	1·401	1·042	1·018
60–70	4·186	3·583	6·035	4·798	5·212	4·160	3·943	3·494	3·188	2·734	2·431	2·285
70–80	8·880	7·673	11·352	9·412	10·214	8·385	8·711	7·854	8·213	6·775	5·966	5·261
80–90	18·837	17·663	22·905	20·000	24·047	10·516	19·664	18·422	17·623	17·399	14·144	11·740
90–100	38·540	33·754	33·177	36·099	45·762	32·987	35·031	40·620	42·829	30·857	26·401	37·838
100 and above	93·326	25·000	19·826	9·048	100·000	50·000	28·572	25·000	80·000	40·909	100·000	25·000
Not stated	–	–	–	–	–	–	–	–	–	–	–	–
TOTAL	2·2913	2·1518	3·0686	2·8018	2·4861	2·3260	2·1272	2·0424	1·6764	1·6020	1·4856	1·3103

numbers living in a town by the number of acres of which its registration area consists. It may seem rather paradoxical to maintain that the superficial area and the population of a town do not furnish all the elements necessary for estimating the degree of aggregation of its inhabitants. But, if any reader who feels incredulous will for a moment consider that in a theatre, or at a public meeting, a fatal crush may take place in a lobby or gallery, while the body of the house or hall is not nearly full, he will understand the force of our argument.

Having guarded ourselves against possible misapprehension when we may have occasion to refer to the term "density" of population, we proceed to mention a few particulars connected with the mortality in the Eight Principal Towns of Scotland in 1871. For every thousand persons living in these Towns there died 29·27. (Table XXVIII.) But in the several Towns the mortality is seen to descend by sensible gradations from Glasgow, where it was 32·88 per thousand, to Perth, where it amounted to only 20·84. (Table XXII.) In Paisley, the death-rate was 30·10; in Greenock, 29·42; in Dundee, 27·46; in Edinburgh, 26·99; in Leith, 23·16; and in Aberdeen, 22·56 per thousand.

As for the influence of sex upon the mortality, Tables XIX. to XXV. will be found to contain ample illustration. The deaths in all Scotland included 74,712 persons, of whom 36,827 were males and 37,885 females. When these figures are contrasted with the estimated population—numbers of which are given in Table II.—it appears that for every thousand males there occurred 22·91; for every thousand females, 21·52; and for every thousand persons, 22·18 deaths. It is, of course, well known that the number of male births considerably exceeds that of female births, and successive census enumeration has always shown that there are living far more females than males. Hence it is only to be expected that our Tables should record the deaths of more males than females. The difference of mortality between the sexes is in fact very strongly marked at almost every age of life, and in every division of the country. In the first two years of life (but especially in the first), the preponderance of male mortality

TABLE XXV.—PERCENTAGE of DEATHS at each AGE to the TOTAL DEATHS, 1871.

Age.	Scotland.		Principal Towns.		Large Towns.		Small Towns.		Mainland-Rural.		Insular-Rural.	
	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.	Males.	Fem.
Under 1 Year	22·68	17·90	24·41	20·14	24·61	18·85	23·77	17·72	18·22	14·19	16·88	11·63
— 2	8·58	8·09	11·24	10·58	9·54	9·49	7·69	7·12	4·74	4·29	2·87	3·45
— 3	4·21	4·09	5·41	5·25	4·60	4·10	3·73	3·82	2·49	2·47	2·21	1·61
— 4	2·77	2·67	3·46	3·15	2·40	2·81	2·87	2·57	1·78	1·93	1·22	1·61
— 5	1·93	1·93	2·25	2·34	1·87	1·77	1·95	1·95	1·45	1·33	1·10	0·86
0– 5	40·17	34·68	46·77	41·46	43·02	37·02	40·01	33·18	28·68	24·21	24·28	19·16
5–10	5·22	4·90	5·74	5·47	4·37	4·75	5·93	5·34	4·29	3·74	2·87	2·48
10–15	2 77	2·98	2·55	2·62	2·50	3·69	3·47	3·69	2·73	2·70	1·99	2·48
15–20	3 56	3·54	3·30	3·26	3·88	4·03	3·78	3·64	3·63	3·79	4·19	2·69
20–30	7·23	7·69	7·27	7·55	6·65	7·67	6·90	8·03	7·50	7·76	9 49	6·89
30–40	6·22	6·74	7·19	7·43	6·42	7·30	5·28	6·28	5·33	5 74	5·52	5·92
40–50	6·33	6·41	6·98	7·19	6 90	6·66	5·67	5·86	5·61	5·51	5·19	5·17
50–60	6·97	6·97	7·05	7·24	7·52	6·61	6·90	6·71	6·81	6·92	5·52	6·88
60–70	8·23	8·89	6·83	7·82	8·27	8·56	8·27	9·13	10·53	10·45	10·16	11·84
70–80	8·36	9·88	4·57	6·63	6·84	8·41	8·95	10·76	14·60	14·91	16·23	17·33
80–90	4·17	6·13	1·54	2·89	3·18	4·47	4·23	6·25	8·53	11·90	11·92	14·32
90–100	0·60	1·10	0·16	0·44	0·35	0·74	0·54	1·07	1·43	2·14	2·09	4·52
100 and above	0·04	0·04	0·00	0·00	0·02	0 02	0·03	0·02	0·09	0·11	0·33	0·11
Not stated	0·13	0·05	0·05	0·00	0·08	0·07	0·04	0·04	0 24	0·12	0·22	0·21
Total	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00	100·00

is very decided. During the third, fourth, and fifth years of life, the female mortality is very slightly in excess, but between the ages of 5 and 10, it again becomes less than that of the males. From the ages of 10 up to 20, however, male life appears to be less hazardous than female life; but after the age of 20 and up to the close of life, the rate of female mortality is decidedly lower than the rate for males.

The figures in Tables XXIII., XXIV., and XXV. are terribly significant, when we seek, by their means, to illustrate the subject of infant mortality. They very clearly inform us that in proportion as the mass of human beings distributed over a given area is large, the infant mortality becomes considerable. It is generally admitted that overcrowding is in our great cities the most fruitful source of danger to infants and children; and we cannot doubt, although our Tables do not enable us to demonstrate, that irregularities of aggregation, or in other words "pernicious overcrowding," are most apt to occur where a large population is distributed over a limited area. However that may be, such facts as the following cannot be controverted, and are well worthy of the attention of physiologists and sanitary reformers.

In our Principal Towns, males under one year of age died at the rate of nearly 22 per cent.; in the Large Towns, the rate was fully 18 per cent.; in the Small Towns, 15 per cent.; in the Mainland-Rural Districts, 10½ per cent.; and in the Insular-Rural Districts, only 10 per cent. Of males living at all ages from birth up to 5 years, the mortality was nearly 10 per cent. in the Principal Towns; 7¼ per cent. in the Large Towns; 5⅔ per cent. in the Small Towns; less than 3½ per cent. in the Mainland-Rural Districts; and less than 3 per cent. in the Insular-Rural population. Similar facts might be stated regarding the mortality of female infants and children, the inevitable conclusion in both cases being the same—viz. that the infant mortality in our Towns far exceeds that in our Country Districts, and that for children during the first five years of life the mortality in the Principal Towns was, in 1871, to that in the Rural Districts nearly as 3 to 1.

TABLE XXVI.—DEATHS at different Ages in each of the Eight Principal Towns of Scotland during the Year 1871.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	3608	1039	843	426	418	281	284	92
— 2	2086	506	239	163	195	117	85	37
— 3	969	235	140	95	112	60	51	14
— 4	604	173	82	54	57	32	32	4
— 5	387	129	68	27	53	27	21	8
0– 5 Years	7654	2082	1372	765	835	517	473	155
5–10	860	311	201	90	111	86	81	20
10–15	383	136	111	59	39	36	33	16
15–20	527	174	130	58	43	44	30	26
20–30	1168	419	268	143	111	111	64	45
30–40	1083	458	249	149	135	93	86	44
40–50	1127	408	235	122	130	109	65	32
50–60	1088	412	263	138	118	119	64	42
60–70	992	452	256	188	127	151	80	56
70–80	658	401	179	180	80	110	80	75
80–90	215	171	58	91	30	69	25	39
90–100	32	23	14	14	5	7	–	–
100 and above	2	–	–	–	–	–	–	–
Not stated	1	–	–	–	8	1	–	–
ALL AGES	15790	5447	3336	1997	1772	1458	1081	550

The death-rate at all periods of life, or at least up to the 90th year of life, at which our Tables cease to convey any very accurate information, is obviously higher in our Principal Towns than in the Rural Districts; and the gradation of the rate, as we pass in succession from the Principal to the Large and then to the Small Towns, is for the most part tolerably well marked. But the mortality in the various Districts may be instructively regarded from another point of view. We may desire to ascertain the proportion between the number of deaths at a given age, or between two limits of age, and the total number of deaths occurring at all ages in a certain district. The required information may be obtained at a glance on referring to Table XXV. Thus we can at once see that during 1871, out of every hundred deaths of persons of each sex, and of all ages, in the Principal Towns, 46·77 per cent. occurred among the males aged under 5 years, and 41·46 per cent. among the females of the same age. The proportions in the Large Towns were 43·02 males and 37·02 females. In all Scotland they amounted to 40·17 males and 34·68 females. In the Small Towns the deaths at ages below 5 years constituted 40·01 per cent. of the total deaths of males, and 33·18 per cent. of the total deaths of females. In the Mainland-Rural Districts, the proportion of males dying under 5 years of age was 28·68 per cent.; that of females was 24·21 per cent. Finally, in the Insular-Rural Districts, out of one hundred males dying, 24·28 had not attained the age of 5; and out of one hundred females dying, 19·16 were under 5 years of age.

We may likewise use this Table to illustrate the relative frequency of longevity in the various Districts. It is generally admitted that in this country instances of longevity are more frequent among women than among men. The example which we proceed to adduce is consequently borrowed from the columns of Table XXV., appropriated to the deaths of females. We find, then, that out of every hundred females dying in the Principal Towns, not more than 10 have attained the age of 70. In the Large Towns, the proportion is 13·6 per cent.; in all Scotland, it is about 17·1 per cent.; in the Small Towns, 18·1 per cent.; in the Mainland-Rural Districts, 29· per cent.; and in the Insular-Rural Districts, 36·2 per cent.

Such has been the mortality observed in Scotland and its different

---

TABLE XXVII.—PERCENTAGE of DEATHS to the POPULATION at each AGE in each of the PRINCIPAL TOWNS of SCOTLAND, in 1871.

AGE.	Glasgow.	Edinburgh	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Under 1 Year	22·55	17·97	22·91	15·13	20·03	19·46	17·97	13·86
— 2	16·28	10·48	7·77	6·72	10·98	9·52	6·27	5·81
— 3	7·58	4·74	4·16	4·10	6·48	4·76	3·59	2·21
— 4	4·92	3·66	2·51	2·22	3·29	2·54	2·37	0·62
— 5	3·33	2·81	2·16	1·21	3·22	2·23	1·73	1·36
0- 5 Years	11·68	8·37	8·29	6·26	9·31	8·07	6·84	4·90
5–10	1·62	1·50	1·43	0·87	1·57	1·52	1·46	0·69
10–15	0·79	0·71	0·87	0·65	0·66	0·66	0·68	0·59
15–20	1·08	0·83	1·00	0·66	0·78	0·83	0·71	1·03
20–30	1·20	1·06	1·22	0·97	0·96	1·40	0·75	1·07
30–40	1·64	1·65	1·54	1·37	1·53	1·58	1·30	1·28
40–50	2·38	2·03	1·90	1·45	2·31	2·35	1·44	1·11
50–60	3·59	2·86	3·36	2·12	3·26	3·49	2·15	2·00
60–70	5·83	4·84	5·41	4·03	5·97	6·39	4·62	3·75
70–80	10·86	9·68	10·15	8·33	9·96	10·44	11·59	9·72
80–90	20·09	21·59	19·14	17·40	19·48	33·66	20·16	23·35
90–100	35·95	37·70	50·00	34·15	45·46	36·84	–	–
100 and above	25·00	–	–	–	–	–	–	–

Groups of Districts during 1872. The details which our Tables embrace, the more prominent of which we have alluded to in the last few paragraphs of this Report, confirm the views with regard to the relative advantages of town and country life, which have for a long series of years been illustrated by the Statistics of Scotland.

NOTE.—In reference to Table XX., the last four columns of which are left blank, except for the year 1871, it seems right to explain that the alterations upon the constitution of the Mainland and Insular-Rural Districts have been such that we do not feel justified in attempting to adjust the numbers of males and females in these Districts between 1855 and 1870.

CAUSES OF DEATH.

During 1871, there were registered in Scotland 74,712 Deaths, but the actual causes of death were recorded in only 72,723 cases. There were consequently 1989 cases, or 2⅔ per cent. of the total deaths, in which a trustworthy certificate of the cause of death was not obtained. It would, however, be wrong to infer that 72,723 medical certificates of death were presented to the Registrars. On the contrary, the information as to the actual cause of death is frequently furnished by an ordinary or non-medical informant, and this is of course especially likely to be the case in remote Highland and Insular Districts, where the presence of a medical man is only occasionally to be calculated on. It is in consequence of this circumstance that such vague terms as Debility, Old Age, and Dropsy figure so largely in our Tables. They are generally accepted by the Registrars as sufficient causes of death in the absence of more precise information. But when there is any reason to doubt, or any difficulty in comprehending the terms of the information tendered as to the causes of deaths, the Registrars, and those into whose hands the Registers pass for statistical analysis, disregard such imperfect data, and treat such deaths as occasioned by unspecified or unascertained causes.

The class of diseases termed Zymotics, which includes all the diseases commonly known as Epidemics and Contagious Disorders, was the cause of 15,617 deaths in Scotland during 1871. Reference to Table XXIX. will show that the number of deaths caused by zymotics amounted to 21·47 per cent. of the deaths from All Causes; and from Table XXVIII. it may be seen that, out of one hundred thousand persons living, 476 were cut off in 1871 by zymotics—that of one hundred thousand males, 485, and out of one hundred thousand females, 468 died from these causes. Tables XXXII. and XXXIII. are drawn up with the view of showing the relative frequency of deaths from zymotic diseases and from all other causes at various periods of life, and likewise the proportion of the deaths at each age due to each of the zymotic diseases. Most of the zymotic diseases, such as Measles, Hooping-cough, and Scarlatina are almost exclusively confined to children. In the case of Small-pox, the effective operation of the Vaccination Act has caused a great reduction of the proportion of deaths during the first five years of life; but if we except this disease, Dysentery, and some of the forms of Fever which prevail in Scotland, it becomes very plain that the zymotic class of diseases is the scourge of early life. Of every hundred deaths occurring between the ages of 5 and 10 years in 1871, 49·3 were due to zymotic diseases; between the ages of 10 and 15, the proportion was 31·9 per hundred deaths; during the

first 5 years of life it was almost the same, being 31·4 per hundred; but in one hundred deaths occurring between the ages of 15 and 60, only 14·3 were from zymotic causes; and at ages above 60, the proportion was only 5·7 per cent. On the whole, an examination of Table XXXIII. will be found to warrant the statement that, of the whole deaths occurring at ages below 15, one-third were from zymotic diseases; while of the deaths occurring at ages of 15 years and upwards, only 10½ per cent. were due to these complaints.

On letting the eye run down the sixth column of Table XXXII., the number of deaths which each epidemic disease occasioned during the year will be passed in review. But the Table likewise shows the age at which deaths from each disease were most frequent. Thus, 93½ per cent. of the deaths from Hooping-cough, nearly 92 per cent. of the deaths from Measles, 88·4 per cent. of the deaths from Croup, 64·8 per cent. of those from Diphtheria, and 59·6 per cent. of those from Scarlatina occurred in children under 5 years of age. In fact, it was at this early age that fully 56 per cent. of all fatal cases of zymotic diseases took place.

As for the few zymotic diseases which are most frequent during adult age, it may be enough to remark that of one hundred deaths from Typhus, 68·9 occurred between the 15th and 60th years of life; and that out of 100 deaths from Fevers of all descriptions, 54·2 deaths of adults were registered. At ages from 60 to the end of life, 19·2 per cent. of the deaths from Diarrhœa, 45·2 per cent. of those from Dysentery, 22·1 per cent. of those attributed to Cholera, and 11·2 per cent. of all fatal Fever cases were observed.

In the Principal Town Districts, for every hundred thousand persons living, 719 fell victims to the class of zymotic diseases; in the Large Town Districts, the proportion was only 489 deaths to one hundred thousand persons; in the Small Towns, it was 444 per hundred thousand; in the Mainland-Rural Districts it was far lower, being only 276 per hundred thousand; and in the Insular-Rural it was lowest of all, amounting to only 214 in every hundred thousand persons. These figures are taken from Table XXVIII., where the statistical inquirer will find much similar information regarding the intensity of the various causes of death during the year 1871. But an important complement to Table XXVIII. is furnished in Table XXIX., by means of which the proportion of the total deaths in each district, due to any of the commonly tabulated causes, can be readily ascertained. Thus, it is at once seen that of the total deaths in Scotland, 21·47 per cent. were due to zymotic causes; and that the proportion in the various groups of districts was:—24·57 per cent. in the Principal Towns; 20·37 per cent. in the Large Towns; 21·31 per cent. in the Small Towns; 16·86 per cent. in the Mainland-Rural; and only 15·43 per cent. in the Insular-Rural Districts. These numbers, and especially those derived from Table XXVIII., of course merely illustrate what is generally admitted with regard to most of our epidemic and contagious disorders, namely, that their prevalence and diffusion are chiefly influenced by the degree of aggregation of a population, and by the amount of inter-communication that exists among its members. The only apparent anomaly connected with the fatality of the zymotic class of diseases during 1871, seems to have been the large proportion of deaths from these diseases that occurred in the Small Towns. But the anomaly was *only* apparent; for the ratio of deaths from zymotics to living persons was far lower in the Small Towns than in the Large Towns; and the comparatively high proportion of zymotic deaths to total deaths in the Small Towns is chiefly due to the circumstance that a single epidemic disorder, Scarlatina, had raged in some of the Small Towns of Mid-Lothian, West Lothian, and

Lanarkshire, with unusual fury; and that Small-pox had numbered more than 100 victims in the Small Towns of the counties of Edinburgh, Lanark, and Renfrew.

TABLE XXVIII.—DEATHS, 1871. Proportion of Deaths from different Diseases to every

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 100,000 Persons Living.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2218	2291	2152	2927	3067	2803	2402	2486	2326
1. Zymotic Class . . .	476	485	468	719	749	692	489	489	483
2. Uncertain Seat . .	73	58	87	81	67	94	74	52	93
3. Tubercular Class .	397	398	395	544	556	533	487	478	496
4. Nervous System . .	181	200	163	226	252	202	200	233	177
5. Organs of Circulation	107	110	104	124	145	119	116	120	112
6. Respiratory Organs	380	411	352	595	645	551	425	459	393
7. Organs of Digestion	150	155	146	177	179	177	154	165	150
8. Urinary Organs . .	36	49	24	48	50	30	27	36	18
9. Generative Organs .	18	–	36	22	–	41	19	–	36
10. Locomotive Organs .	14	16	13	15	19	13	14	15	13
11. Skin, etc.	4	4	3	4	4	3	4	3	5
12. Malformation . . .	7	9	5	7	9	5	8	9	6
13. Premature Debility .	111	121	92	143	169	121	134	167	104
14. Atrophy	16	14	18	22	18	25	18	18	19
15. Age	170	135	203	109	77	138	155	128	179
16. Sudden Deaths . .	5	5	4	8	9	7	4	6	2
17. Violent Deaths . .	70	111	36	90	137	49	65	106	28
Small-pox	44	48	41	83	96	72	43	45	41
Measles	63	65	60	132	143	123	52	49	56
Scarlatina	79	86	73	86	96	78	65	64	66
Diphtheria	27	26	28	33	29	36	26	27	25
Hooping-cough . .	46	43	49	83	78	87	57	54	59
Croup	29	32	28	37	38	35	39	48	31
DIARRHŒA . .	50	53	48	72	75	70	62	65	60
Dysentery	6	6	7	5	6	5	9	9	10
Cholera	3	3	3	3	3	3	3	4	2
Influenza	3	3	3	2	1	2	2	2	2
ALL FEVERS, viz.	92	93	90	138	144	132	86	85	86
Typhus . .	34	37	32	58	66	51	35	36	35
Enteric . .	38	37	38	39	38	40	36	37	35
Relapsing . .	13	13	12	31	31	30	10	8	12
Continued . .	3	3	4	4	4	5	3	3	2
Infantile . .	4	4	4	6	5	6	1	1	2
Metria	7	–	13	6	–	12	8	–	16
Erysipelas	10	9	11	14	14	14	14	12	15
Dropsy	18	16	19	17	18	17	25	22	27
Cancer	44	29	57	47	29	63	37	18	55
Scrofula	24	28	22	35	41	30	22	27	17
Tabes Mesenterica .	29	30	27	47	52	42	42	48	37
PHTHISIS . . .	278	263	291	365	346	381	331	298	362
Hydrocephalus . .	65	75	56	97	116	80	92	104	80
Apoplexy	43	46	41	51	55	48	47	51	42
Paralysis	53	54	52	59	60	58	62	67	57
Epilepsy	6	6	7	7	7	7	9	6	11
Convulsions . . .	28	34	23	46	56	38	28	36	21
BRONCHITIS . .	264	270	259	430	439	422	296	307	286
Pneumonia . . .	81	99	64	123	154	97	91	109	75
Teething	27	27	26	45	45	44	19	16	23
Enteritis	26	28	25	30	32	28	29	30	28
All Liver Diseases .	32	34	31	35	35	35	37	43	33
CHILDBIRTH . .	13	–	24	16	–	30	13	–	25
Burns and Scalds .	8	8	8	9	9	9	6	8	5
Drowning	15	26	5	13	23	3	13	23	4
Fracture & Contusion	29	52	10	39	68	13	30	53	7

It is well known that when a single epidemic assumes formidable proportions in a district, other epidemics seem to be held in check, or at all events cease for a time to cut off their ordinary number of victims. In

Hundred Thousand Persons of the Population in 1871, allowing for Causes not specified.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS to every 100,000 Persons living.								
	SMALL TOWN DISTRICTS.			MAINLAND-RURAL DISTRICTS.			INSULAR-RURAL DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
TOTAL DEATHS . .	2088	2127	2042	1638	1676	1602	1391	1485	1310
1. Zymotic Class . . .	444	444	444	276	277	275	214	250	188
2. Uncertain Seat . .	73	53	92	68	56	79	63	63	64
3. Tubercular Class .	391	389	392	244	242	249	183	227	146
4. Nervous System . .	171	184	160	147	162	132	84	97	74
5. Organs of Circulation	106	104	107	95	100	91	43	51	37
6. Respiratory Organs	319	353	287	216	232	201	148	160	138
7. Organs of Digestion	149	151	147	127	137	118	112	124	102
8. Urinary Organs . .	34	47	22	37	54	21	26	39	15
9. Generative Organs .	16	–	32	17	–	33	19	–	35
10. Locomotive Organs .	12	12	12	14	15	13	23	20	25
11. Skin, etc.	4	5	3	4	4	4	–	–	–
12. Malformation . . .	9	12	6	6	8	4	–	–	–
13. Premature Debility .	113	132	96	74	86	63	42	41	42
14. Atrophy	15	12	18	11	10	13	5	6	5
15. Age	152	114	187	235	195	273	384	337	423
16. Sudden Deaths . .	4	4	4	2	3	2	2	4	–
17. Violent Deaths . .	69	108	33	61	94	30	42	67	20
Small-pox	28	27	28	19	19	19	10	16	5
Measles	37	36	37	17	18	17	23	20	25
Scarlatina	110	124	98	60	62	58	17	26	10
Diphtheria	25	26	24	24	23	25	14	18	15
Hooping-cough . .	29	26	32	18	19	17	33	30	37
Croup	30	30	30	19	21	18	23	30	17
DIARRHŒA . .	51	55	46	28	30	27	19	26	13
Dysentery	6	6	6	7	7	8	4	8	2
Cholera	4	5	4	2	2	1	–	–	–
Influenza	4	4	4	4	3	4	8	10	7
ALL FEVERS, viz.	90	86	94	52	54	50	47	53	42
Typhus . . .	28	30	27	15	15	14	31	31	30
Enteric . . .	51	46	55	30	31	29	12	16	8
Relapsing . .	4	5	3	2	3	2	3	4	2
Continued . .	3	2	3	3	2	4	1	–	2
Infantile . .	4	4	5	2	3	2	1	2	–
Metria	8	–	15	7	–	13	4	–	7
Erysipelas	9	6	11	7	8	7	3	6	–
Dropsy	17	14	20	15	14	17	28	26	30
Cancer	46	29	62	42	32	52	31	31	30
Scrofula	25	25	26	16	19	14	9	6	11
Tabes Mesenterica .	28	32	24	12	12	12	3	2	3
PHTHISIS . . .	272	255	287	189	184	194	162	205	126
Hydrocephalus . .	66	78	55	28	28	29	9	14	5
Apoplexy	43	41	44	38	41	35	10	10	10
Paralysis	51	51	51	49	49	49	35	39	32
Epilepsy	5	4	6	7	7	7	8	10	7
Convulsions . . .	23	27	20	15	19	12	7	14	1
BRONCHITIS . .	219	233	206	137	137	138	75	71	79
Pneumonia	67	83	53	50	62	39	26	35	18
Teething	28	30	25	12	13	10	6	2	10
Enteritis	29	31	27	21	24	19	13	14	11
All Liver Diseases .	33	34	31	28	29	26	30	35	25
CHILDBIRTH . .	11	–	22	10	–	20	14	–	27
Burns and Scalds .	9	9	8	6	7	5	9	2	15
Drowning	13	23	5	20	32	9	15	33	–
Fracture & Contusion	29	52	8	23	38	8	14	24	5

illustration of this fact, we proceed with the aid of Tables XXX. and XXXI. briefly to review the condition of the Eight Principal Towns as regards the ravages committed in each during 1871, by diseases belonging

TABLE XXIX.—Proportion of Deaths from different

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	SCOTLAND.			PRINCIPAL TOWN DISTRICTS.			LARGE TOWN DISTRICTS.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2147	2119	2175	2457	2443	2471	2037	1966	2107
2. Uncertain Seat	331	255	406	278	219	336	307	210	402
3. Tubercular Class	1789	1739	1837	1858	1813	1901	2031	1925	2134
4. Nervous System	816	874	759	771	823	723	850	939	762
5. Organs of Circulation	481	480	483	422	419	426	482	481	482
6. Respiratory Organs	1714	1795	1636	2032	2100	1966	1769	1848	1692
7. Organs of Digestion	677	675	679	604	577	631	655	663	647
8. Urinary Organs	160	212	110	135	164	106	112	146	80
9. Generative Organs	84	–	165	75	–	148	78	–	157
10. Locomotive Organs	64	68	60	53	61	45	58	61	55
11. Skin, etc.	17	17	16	13	13	12	16	13	20
12. Malformation	32	40	23	24	29	19	32	38	30
13. Premature Debility	496	565	432	490	551	431	559	673	450
14. Atrophy	73	59	86	75	59	91	77	72	82
15. Age	771	591	944	374	252	492	645	514	772
16. Sudden Deaths	22	24	19	28	30	26	18	26	10
17. Violent Deaths	325	485	170	308	446	175	272	425	122
Small-pox	198	209	187	285	313	257	181	184	177
Measles	283	285	281	452	465	439	219	197	242
Scarlatina	356	374	337	295	312	278	271	258	282
Diphtheria	121	112	130	113	95	129	107	107	107
Hooping-cough	207	188	225	282	253	311	236	215	257
Croup	133	138	129	127	127	126	163	192	135
DIARRHŒA	228	233	224	247	245	249	259	264	257
Dysentery	29	28	31	19	19	19	39	36	45
Cholera	13	14	12	10	10	11	14	18	10
Influenza	14	14	15	6	4	8	9	10	8
ALL FEVERS, viz.	413	407	419	471	469	473	357	343	370
Typhus	155	163	148	198	214	182	149	146	150
Enteric	170	161	178	134	124	144	151	151	150
Relapsing	56	56	57	104	102	107	40	30	52
Continued	15	12	18	15	12	18	11	13	9
Infantile	17	15	19	19	16	22	6	3	9
Metria	31	–	61	19	–	44	35	–	70
Erysipelas	46	42	50	47	45	50	57	49	65
Dropsy	80	71	89	58	57	59	103	92	120
Cancer	197	125	266	161	95	225	157	72	240
Scrofula	111	121	102	119	134	106	92	110	75
Tabes Mesenterica	133	143	123	159	170	149	176	194	157
PHTHISIS	1252	1149	1350	1246	1129	1360	1381	1200	1557
Hydrocephalus	293	326	261	337	379	287	382	420	345
Apoplexy	195	200	192	175	181	170	195	207	182
Paralysis	240	237	244	202	196	207	258	271	245
Epilepsy	29	26	32	23	23	23	37	26	48
Convulsions	127	148	107	158	182	131	117	143	92
BRONCHITIS	1191	1178	1204	1469	1432	1505	1233	1234	1232
Pneumonia	365	435	296	423	502	347	379	438	322
Teething	120	119	121	153	148	158	81	64	97
Enteritis	119	124	114	102	104	101	123	123	122
All Liver Diseases	145	147	142	119	114	125	155	174	137
CHILDBIRTH	58	–	114	55	–	108	57	–	112
Burns and Scalds	35	34	35	29	25	32	26	33	20
Drowning	68	113	24	43	75	11	55	95	17
Fracture & Contusion	134	226	45	133	221	47	121	212	35

to the zymotic class. We shall arrange the towns in the order in which the total zymotic mortality manifested itself.

(1.) Dundee lost from zymotic diseases 857 out of every hundred thou-

---

Diseases to the Total Deaths from Specified Causes in 1871.

DISEASES AND CLASSES OF DISEASE.	Proportion of DEATHS in every 10,000 Specified Causes of Death.								
	Small Town Districts.			Mainland-Rural Districts.			Insular-Rural Districts.		
	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.	Both Sexes.	Males.	Females.
1. Zymotic Class	2131	2086	2173	1686	1651	1720	1543	1681	1397
2. Uncertain Seat	352	248	449	413	334	491	456	424	487
3. Tubercular Class	1878	1833	1919	1501	1443	1557	1317	1526	1116
4. Nervous System	823	866	782	895	967	825	606	650	564
5. Organs of Circulation	507	490	524	585	599	571	313	346	282
6. Respiratory Organs	1532	1662	1408	1322	1387	1257	1063	1074	1052
7. Organs of Digestion	718	714	721	775	816	736	808	836	783
8. Urinary Organs	164	221	110	225	322	130	189	266	115
9. Generative Organs	79	–	155	103	–	204	137	–	269
10. Locomotive Organs	57	56	58	85	92	80	162	133	192
11. Skin, etc.	18	22	15	24	22	25	–	–	–
12. Malformations	43	56	31	38	51	25	–	–	–
13. Premature Debility	543	620	470	452	513	391	300	278	320
14. Atrophy	73	56	89	69	58	80	39	40	38
15. Age	730	537	916	1437	1166	1703	2754	2268	3231
16. Sudden Deaths	20	21	19	14	16	12	13	26	–
17. Violent Deaths	332	512	161	376	563	193	300	452	154
Small-pox	132	126	138	118	113	122	72	106	38
Measles	176	172	180	106	108	104	162	133	192
Scarlatina	530	582	480	366	370	363	124	173	77
Diphtheria	118	121	116	147	140	154	98	79	115
Hooping-cough	139	122	156	110	112	108	241	199	282
Croup	144	139	149	119	127	111	162	199	128
DIARRHŒA	244	260	228	172	179	166	137	173	102
Dysentery	29	27	31	45	41	49	32	52	13
Cholera	21	23	20	11	14	8	–	–	–
Influenza	20	21	20	22	21	24	59	66	51
ALL FEVERS, viz.	433	405	458	319	325	313	339	358	320
Typhus	136	139	134	90	91	88	222	212	230
Enteric	244	217	269	183	187	178	84	106	64
Relapsing	18	22	14	14	16	12	19	26	13
Continued	13	9	17	18	13	23	7	–	13
Infantile	21	18	25	14	17	12	7	13	–
Metria	37	–	72	40	–	80	26	–	51
Erysipelas	43	31	54	44	46	42	19	40	–
Dropsy	84	68	100	94	81	107	202	173	230
Cancer	222	138	303	258	188	327	222	212	230
Scrofula	122	116	128	99	113	86	65	40	90
Tabes Mesenterica	134	152	116	72	69	75	19	14	26
PHTHISIS	1305	1198	1407	1156	1095	1214	1167	1379	960
Hydrocephalus	317	367	269	174	165	183	65	92	38
Apoplexy	207	196	218	233	244	222	72	66	77
Paralysis	244	239	249	300	291	309	254	266	243
Epilepsy	23	17	28	40	39	41	59	66	51
Convulsions	244	127	98	94	111	77	52	92	13
BRONCHITIS	1051	1094	1010	839	818	860	541	477	602
Pneumonia	322	390	258	305	371	241	189	239	141
Teething	133	140	125	71	79	63	46	13	77
Enteritis	141	148	134	131	143	119	91	92	90
All Liver Diseases	157	161	154	169	176	162	216	239	192
CHILDBIRTH	54	–	106	63	–	125	105	–	205
Burns and Scalds	42	43	41	40	44	35	65	13	115
Drowning	65	108	24	12	19	5	111	225	–
Fracture & Contusion	141	247	40	139	227	53	98	159	38

sand inhabitants, and the percentage of zymotic to total deaths was 31·22. Small-pox was the cause of 11·34 per cent. of all registered deaths; and next in order of fatality were the Fevers, accounting for 5·54 per cent. of the total deaths; Hooping-cough, with 5·1 per cent. of deaths; and Diarrhœa, with 5·01 per cent. The influence of the other epidemics was comparatively slight; thus, the deaths from Scarlatina constituted only 0·69 per cent. of the total mortality.

(2.) Glasgow had a zymotic mortality of 749 out of every hundred thousand inhabitants. The percentage of total deaths which was due to zymotic causes was 22·77. In order of fatality we arrange Measles, producing 5·97 per cent. of all registered deaths; Fevers, with 4·84 per cent. of total deaths; Hooping-cough, with 3·3 per cent.; Diarrhœa, with 2·13 per cent.; and Scarlatina, with 2·04.

(3.) Edinburgh lost from zymotics, 743 out of every hundred thousand inhabitants. Out of every hundred deaths, 27·53 were due to diseases of this class. Scarlatina caused 6·1 per cent. of the deaths from All Causes; Measles caused 4·64 per cent.; Fevers, 3·96 per cent.; Small-pox, 3·19 per cent.; and Diphtheria, 2·98 per cent.

(4.) Greenock lost out of each hundred thousand of population 736

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the year 1871, allowing for causes not specified.

Diseases and Classes of Disease.	Proportion of Deaths to every 100,000 Persons living.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Total Deaths	3288	2700	2746	2256	2942	3010	2314	2084
Zymotic Class	749	743	857	517	736	604	660	311
Tubercular Class	668	480	423	417	538	589	329	457
Brain, etc.,	221	244	209	224	211	268	215	238
Heart, etc.,	112	165	112	132	111	115	107	127
Respiratory Organs	784	468	473	322	529	492	387	299
Organs of Digestion	209	130	121	162	198	266	142	115
Premature Debility	155	108	183	119	168	130	152	100
Old Age	96	97	126	119	91	228	88	211
Violent Deaths	99	87	77	47	156	74	73	69
Small-pox	39	86	311	34	51	6	176	31
Measles	196	125	11	110	80	89	41	15
Scarlatina	67	165	19	59	181	62	114	15
Diphtheria	24	80	11	12	27	15	47	15
Hooping-cough	109	24	140	82	72	19	11	69
Croup	39	37	21	31	41	36	60	42
Diarrhœa	70	49	137	52	53	77	99	46
Dysentery	4	4	12	7	10	–	9	–
Cholera	2	2	2	1	8	4	9	–
Fevers, viz.	160	106	152	58	159	244	66	69
Typhus	60	52	60	11	92	157	19	31
Enteric	38	39	57	41	38	23	32	23
Relapsing	51	6	26	3	19	40	11	4
Continued	6	3	3	1	5	–	4	7
Infantile	5	6	6	2	5	23	–	4
Dropsy	16	8	26	9	25	45	21	11
Cancer	42	76	41	47	25	51	26	34
Phthisis	449	281	295	280	368	400	185	322
Apoplexy	50	57	55	41	32	72	52	58
Paralysis	46	72	50	66	62	123	60	100
Bronchitis	573	296	362	255	399	360	279	219
Pneumonia	163	120	79	48	104	96	92	65
Teething	58	11	35	43	75	74	24	15

persons by zymotic disease; and the ratio of zymotic to total deaths was as 25·03 to one hundred. Scarlatina caused 6·17 per cent. of the whole mortality; Fevers, 5·4 per cent.; Measles, 2·73 per cent.; Hooping-cough, 2·44 per cent.; and Small-pox, 1·75 per cent.

(5.) Leith, out of every hundred thousand persons living, is computed to have lost by zymotic diseases 660. These diseases effected 29·43 per cent. of the total mortality; to which Small-pox contributed 7·43 per cent.; Scarlatina, 4·92 per cent.; Diarrhœa, 4·27; Fevers, 2·88; Croup, 2·60; and Diphtheria, 2·04 per cent.

(6.) Paisley lost, for every hundred thousand of population, 604 by zymotic diseases. Epidemics thus caused 20·08 per cent. of the whole mortality; whereof Fevers produced 8·13 per cent.; Measles, 2·97 per cent.; Diarrhœa, 2·54 per cent.; and Scarlatina, 2·05 per cent.

(7.) Aberdeen lost by epidemic diseases 517 out of every hundred thousand inhabitants. The zymotic mortality was 22·9 per cent. of the total mortality. Of the total deaths, 4·88 per cent. were from Measles, 3·62 per cent. from Hooping-cough, 2·61 per cent. from Fevers of all kinds, and 2·61 likewise from Scarlatina, 2·31 from Diarrhœa, and 1·51 from Small-pox.

(8.) Perth, which, owing to various circumstances, is more than any other of our principal towns assimilated in nature to a Mainland-Rural District, showed as usual a comparatively low zymotic mortality; the

---

TABLE XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the year 1871.

Diseases and Classes of Disease.	Proportion of Deaths in every 10,000 Specified Causes of Death.							
	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
Zymotic Class	2277	2753	3122	2290	2503	2008	2943	1492
Tubercular Class	2031	1592	1541	1847	1822	1959	1430	2191
Brain, etc.	671	905	790	991	722	891	929	1142
Heart, etc.	339	610	407	584	378	382	465	608
Respiratory Organs	2386	1734	1719	1429	1798	1633	1764	1436
Organs of Digestion	636	481	440	720	675	884	612	552
Premature Debility	470	402	636	523	570	431	658	478
Old Age	293	362	458	523	309	757	381	994
Violent Deaths	301	324	280	206	530	247	315	331
Small-pox	118	319	1134	151	175	21	743	147
Measles	597	464	39	488	273	297	176	74
Scarlatina	204	610	69	261	617	205	492	74
Diphtheria	74	298	39	55	93	49	204	74
Hooping-cough	330	88	510	362	244	64	46	331
Croup	121	136	78	136	140	120	260	184
Diarrhœa	213	180	501	231	180	254	427	221
Dysentery	13	15	45	30	35	–	37	–
Cholera	8	9	9	5	29	14	37	–
Fevers, viz.	484	396	554	261	540	813	288	330
Typhus	182	193	217	50	314	523	83	147
Enteric	115	146	208	181	128	78	140	110
Relapsing	154	24	96	15	64	134	47	18
Continued	18	11	12	5	17	–	18	37
Infantile	15	22	21	10	17	78	–	18
Dropsy	48	31	96	40	87	148	93	55
Cancer	127	280	151	207	87	170	111	166
Phthisis	1367	1041	1077	1238	1251	1329	798	1547
Apoplexy	152	210	202	181	111	240	223	276
Paralysis	140	265	181	292	209	410	251	479
Bronchitis	1744	1096	1318	1132	1356	1195	207	1050
Pneumonia	495	444	286	211	355	318	399	313
Teething	178	42	130	191	256	247	102	74

deaths from epidemic disease being computed as 311 per hundred thousand inhabitants. Out of every hundred deaths, zymotic diseases caused 14·19; and, of these, 3·31 were from Hooping-cough, 3·3 from Fevers, 2·21 from Diarrhœa, 1·84 from Croup, and 1·47 from Small-pox.

Of all the causes of death included in the zymotic class, none has a more important claim upon our attention than Small-pox. This disease, which had raged in Paris before the late Franco-German war, committed considerable havoc in the camps about Metz and Paris during the sieges of these places, and afterwards found its way to the great towns of England, especially to London and Liverpool, in the course of 1871 made its appearance in an epidemic form in Scotland. Before the end of the year it had caused no less than 886 deaths in our Principal Towns, and, as has now been ascertained, 1442 deaths in all Scotland. At the end of the year, the epidemic continued to rage with unabated force. Although it is generally admitted that the working of the Scottish Vaccination Act is very satisfactory, it may not unnaturally excite some surprise that such an epidemic should now be possible in a country where the people are presumed to have, with rare exceptions, received the protection which successful vaccination confers. But the Vaccination Act deals only with children, and provides no facilities for the vaccination of grown persons. It is probable, too, that hundreds of unvaccinated persons are annually introduced into Scotland every year from foreign countries. Finally, it is positively ascertained that even of the children born in Scotland about 2½ per cent. escape the provisions of the Vaccination Act, and hence constitute a fruitful source of danger to the community when exposed to the contagion of Small-pox during such an epidemic as that of 1871. We feel it our duty here to reiterate the opinion often expressed in the course of these Reports that the period during which a child may be allowed to remain

TABLE XXXII.—NUMBER and PROPORTION of DEATHS at different Ages from the Zymotic and Ordinary Diseases in SCOTLAND in 1871.

Diseases.	Number of Deaths at each Age.						Percentage at each Age.					
	0—5 yrs.	5—10	10—15	15—60	Above 60	Total.	0—5	5—10	10—15	15—60	Above 60	Total.
Small-pox . . .	307	198	181	727	29	1442	21·3	13·7	12·6	50·4	2·0	100
Measles	1889	138	13	16	–	2057	91·9	6·7	0·6	0·8	–	100
Scarlatina . . .	1540	733	171	141	1	2586	59·6	28·4	6·6	5·4	–	100
Diphtheria . . .	570	197	43	53	17	880	64·8	22·3	4·9	6·0	2·0	100
Hooping-cough .	1407	92	2	3	–	1504	93·5	6·2	0·1	0·2	–	100
Croup	858	107	5	–	–	970	88·4	11·0	0·6	–	–	100
Diarrhœa . . .	1163	22	7	151	318	1662	70·0	1·3	0·4	9·1	19·2	100
Dysentery . . .	55	1	1	61	97	215	25·5	0·5	0·5	28·3	45·2	100
Cholera	55	4	1	14	21	95	57·9	4·2	1·0	14·8	22·1	100
All Fevers, viz. .	500	323	219	1628	336	3006	16·6	10·7	7·3	54·2	11·2	100
Typhus . . .	90	83	47	778	131	1129	8·0	7·3	4·2	68·9	11·6	100
Enteric . . .	211	172	136	599	116	1234	17·1	13·9	11·0	48·5	9·5	100
Relapsing. . .	72	29	31	208	71	411	17·6	7·0	7·5	50·6	17·3	100
Simple Contd. .	25	17	5	43	18	108	23·1	15·7	4·6	39·9	16·7	100
Infantile . . .	102	22	–	–	–	124	82·2	17·8	–	–	–	100
Syphilis	193	–	–	31	3	227	85·0	–	–	13·6	1·4	100
Erysipelas . . .	132	5	6	89	104	336	39·3	1·5	1·8	26·5	30·9	100
All Zymotics . .	8763	1863	687	3288	1016	15617	56·1	11·9	4·4	21·0	6·6	100
All other Diseases, exclud'g Zymotics	19172	1916	1465	19756	16786	59095	32·4	3·3	2·5	33·4	28·4	100
Total Deaths . .	27935	3779	2152	23044	17802	74712	37·4	5·1	2·9	30·8	23·8	100

unvaccinated should be reduced from six months to four. It is very certain that considerable good would be effected by such a curtailment of the period during which vaccination does not become obligatory; for not only would many children be vaccinated, who, under existing arrangements, are carried off to other parts of the country by their parents and guardians, and are consequently lost sight of by the Registrars, but a large number of postponements at present granted for sufficient reasons would become unnecessary. In short, vaccination should be enforced before the approach of the period of teething is likely to interfere with its successful performance. From Table XXXII., it may be seen that 52·4 per cent. of the Small-pox deaths in 1871 took place at ages over 15 years. Still, it is melancholy to reflect that the lives of 307 children, none of whom had reached the age of 5 years, were lost, no doubt in consequence of neglected or postponed vaccination. Table XXXIV. shows the number of registered deaths from Small-pox which have taken place in Scotland during each year from 1855 to 1871 inclusively. Tables XXXV. and XXXVI. present an epitome of the working of the Vaccination Act in Scotland since 1864. In relation to the year 1871, it seems merely necessary to remark that of 105,904 children, including all those who lived for six months after birth and all who were vaccinated under the age of six months, 96·241 per cent. were successfully vaccinated; 0·794 per cent. had their vaccination postponed; 0·527 per cent. were pronounced insusceptible of vaccination, of whom

Table XXXIII.—Percentage of Deaths from the ZYMOTIC and ORDINARY Diseases at each Age.

AGE.	Number of Deaths.			Percentage of Deaths at each Age from	
	Total Deaths.	Zymotic Deaths.	All other Diseases.	Zymotics.	All other Diseases.
0— 5	27,935	8,763	19,172	31·4	68·6
5—10	3,779	1,863	1,916	49·3	50·7
10—15	2,152	687	1,465	31·9	68·1
15—60	23,044	3,288	19,756	14·3	85·7
Above 60	17,802	1,016	16,786	5·7	94·3
0—15	33,866	11,313	22,553	33·4	66·6
15 and upwards	40,846	4,304	36,542	10·5	89·5

Table XXXIV.—SMALL-POX DEATHS in SCOTLAND.

Year.	Small-pox Deaths.	Year.	Small-pox Deaths.
1855	1,309	1864	1,741
1856	1,306	1865	383
1857	845	1866	200
1858	332	1867	100
1859	682	1868	15
1860	1,495	1869	64
1861	766	1870	114
1862	426	1871	1,442
1863	1,648		

0·228 per cent. seemed to have constitutional insusceptibility, and 0·134 per cent. had had Small-pox, while 0·164 per cent. had already been successfully vaccinated though in an irregular way; 2·438 per cent. were removed from the Registration District in which they resided while unvaccinated, were thereby abstracted from the notice of the Registrars, and are presumed not to have been vaccinated.

The Small-pox epidemic of 1871 was felt with most severity in some of the Principal Towns, and chiefly in Dundee, Leith, and Edinburgh.

Fevers during 1871 caused 3006 deaths in Scotland, being in the proportion of 92 to every hundred thousand of the population, and of 4·13 per cent. of the whole mortality. Of the different forms of Fever, Typhus and Enteric Fever occurred with about equal frequency. Typhus was, however, by far the more frequent form in some of the Principal Towns, especially in Paisley, Greenock, and Glasgow. In Edinburgh, Dundee, and Perth, it

---

TABLE XXXV.—VACCINATIONS in SCOTLAND, 1864–1871, and proportion to the Births each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Died before Vaccination.	Removed from District before Vaccination, or otherwise not accounted for.	TOTAL BIRTHS.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.			
1864	Numbers .	95047	662	667	154	440	9180	2701	108851
1865	Numbers .	99648	719	474	34	207	9366	2622	113070
1866	Numbers .	100408	579	332	30	227	9433	2658	113667
1867	Numbers .	101139	670	233	16	151	9355	2480	114044
1868	Numbers .	102140	914	277	7	230	9440	2506	115514
1869	Numbers .	99265	966	177	17	174	10069	2773	113441
1870	Numbers .	101875	843	215	28	229	9724	2532	115446
1871	Numbers .	101923	841	241	142	175	10280	2582	115184
1864	Percentage	87·313	0·608	0·613	0·142	0·404	8·438	2·481	100·000
1865	Percentage	88·130	0·636	0·419	0·030	0·183	8·283	2·319	100·000
1866	Percentage	88·335	0·510	0·292	0·026	0·200	8·299	2·338	100·000
1867	Percentage	88·684	0·587	0·204	0·014	0·132	8·203	2·176	100·000
1868	Percentage	88·423	0·791	0·240	0·005	0·199	8·172	2·170	100·000
1869	Percentage	87·504	0·852	0·156	0·015	0·153	8·876	2·444	100·000
1870	Percentage	88·246	0·730	0·186	0·024	0·198	8·423	2·193	100·000
1871	Percentage	87·726	0·724	0·208	0·122	0·150	8·848	2·222	100·000

TABLE XXXVI.—VACCINATIONS in SCOTLAND, 1864–1871, deducting from the Births those who died before they could be Vaccinated, and giving the proportion of the Vaccinated to the surviving Births of each Year.

Years.		Successfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccination.			Removed from District before Vaccination, or otherwise not accounted for.	TOTAL LIVING.
				From Constitutional Insusceptibility.	From having had Small-pox.	From previous Vaccination.		
1864	Numbers .	95047	662	667	154	440	2701	99671
1865	Numbers .	99648	719	474	34	207	2622	103704
1866	Numbers .	100408	579	332	30	227	2658	104234
1867	Numbers .	101139	670	233	16	151	2480	104689
1868	Numbers .	102140	914	277	7	230	2506	106074
1869	Numbers .	99265	966	177	17	174	2773	103372
1870	Numbers .	101875	843	215	28	229	2532	105722
1871	Numbers .	101923	841	241	142	175	2582	105904
1864	Percentage	95·361	0·664	0·669	0·155	0·441	2·710	100·000
1865	Percentage	96·089	0·694	0·457	0·033	0·199	2·528	100·000
1866	Percentage	96·329	0·556	0·318	0·029	0·217	2·551	100·000
1867	Percentage	96·609	0·640	0·222	0·015	0·144	2·370	100·000
1868	Percentage	96·292	0·861	0·261	0·007	0·216	2·363	100·000
1869	Percentage	96·027	0·935	0·171	0·016	0·168	2·683	100·000
1870	Percentage	96·362	0·797	0·203	0·026	0·217	2·395	100·000
1871	Percentage	96·241	0·794	0·228	0·134	0·165	2·438	100·000

can hardly be said to have been more destructive than Enteric Fever; but in the Insular Rural Districts the proportion of deaths from Typhus was to those from Enteric Fever as 31 to 12 in every hundred thousand of the population. In Aberdeen and in Leith the deaths from Enteric Fever very decidedly preponderated, and this preponderance was likewise observed in the Small Town and Mainland-Rural Districts. In the Large Towns there was no unusual prevalence of either of these forms of Fever. Relapsing Fever must have been unusually prevalent in Glasgow and in Paisley, for in the former city it proved fatal to 51, and in the latter to 40, persons out of every hundred thousand inhabitants. When it is considered that in this curious form of Fever the mortality is comparatively small (not exceeding 3 per cent. in some of the epidemics of which trustworthy accounts have been written), it is obvious that a very large number of cases of Relapsing Fever must have been during 1871 observed in Glasgow and in Paisley. It must be confessed that medical science has not yet succeeded in determining the causes which lead to the spread of Relapsing Fever. There seems, however, rather strong ground for believing that it is like Typhus Fever, a contagious disorder, and propagated in the same way as that more familiar disease. On the other hand, the spread of Enteric Typhus is, according to modern observations, clearly shown to be connected with faulty arrangements in dwelling-houses, more particularly as regards a proper drainage system; and it is at least doubtful whether it is ever diffused by contagion or through the medium of any morbific emanation from the bodies of the sick in localities where the drainage is good, the water supply free from organic contamination, and where due cleanliness is attended to in the chambers of the fever patients.

In Table XXXVIII. there will be found an account of the number

TABLE XXXVII.—DEATHS from FEVER in 1871.

Fevers.	Mainland-Rural Districts.		Town Districts.	
	Deaths from each Fever.	Percentage to Total Fever Deaths.	Deaths from each Fever.	Percentage of Total Fever Deaths.
Typhus . . .	181	31·4	948	39·0
Enteric . . .	313	54·3	921	37·9
Relapsing . . .	26	4·5	385	15·8
Simple Continued . .	31	5·4	77	3·2
Infantile . . .	25	4·4	99	4·1
ALL FEVERS . . .	576	100·0	2430	100·0

TABLE XXXVIII.—Monthly Deaths from FEVER in the Eight Principal TOWNS of SCOTLAND during the Seven Years 1865–1871; specifying those from Typhus and Enteric Fever.

Months.	Total Fever Deaths.	Typhus.	Enteric.	Months.	Total Fever Deaths.	Typhus.	Enteric.
January .	1209	849	247	July . .	869	600	197
February .	1096	762	231	August .	739	480	193
March .	1198	847	247	September .	713	453	203
April .	1031	743	206	October .	866	511	268
May .	1019	703	235	November .	1041	649	261
June .	923	655	208	December .	1065	645	283

of deaths from Fevers of all kinds, and from the two most frequent Fevers, Typhus and Typhoid, during each month of the seven years 1865–71. The Table merely includes the data furnished from our Eight Principal Towns. It would appear that the mortality from Fever is at a minimum in September, then rises pretty rapidly, attaining a maximum in January, falls again during February, but in March is very nearly as great as in January. After March it steadily declines till September, when it attains its lowest limit.

The mortality due to Scarlatina in 1871 was in the proportion of 79 deaths out of every hundred thousand of population, or constituted 3·56 per cent. of the deaths from specified causes. The disease was more destructive in the Small Towns than in the Principal Towns. The Groups of Large Towns and of Rural Districts, both Mainland and Insular, do not appear to have lost many of their inhabitants from this cause. Of the Principal Towns, Greenock, Edinburgh, and Leith suffered most severely from Scarlatina. On the whole, the deaths from Scarlatina throughout Scotland were far less numerous than during 1870.

Measles caused 2057 deaths, removing 63 out of every hundred thousand persons living, and constituting 2·83 per cent. of the whole deaths in 1871. As usual, the disease was far more fatal in the Principal Towns than elsewhere. Its ravages were most severely felt in Glasgow, Edinburgh, and Aberdeen.

Diarrhœa numbered 1662 victims, being 27 out of every hundred thousand persons living, or 2·28 per cent. of the whole recorded mortality. The deaths from this cause were most numerous in the Principal Towns, and more especially in Dundee and Leith.

The deaths from Hooping-cough were only 1504; that is to say, 46 to every hundred thousand persons living, or 2·07 per cent. of the total deaths. This disease, as has been repeatedly pointed out in our Reports, appears to be more fatal to females than to males. During 1871, for every hundred males

TABLE. XXXIX.—The Nineteen most fatal Diseases in Scotland and England in 1871, arranged in the order of their fatality.

SCOTLAND.		ENGLAND.	
DISEASES.	Proportion of Deaths to 100,000 living.	DISEASES.	Proportion of Deaths to 100,000 living.
Phthisis	278	Phthisis	236
Bronchitis	264	Bronchitis	211
Old Age	170	Atrophy, Debility, Premature Birth	178
Atrophy, Debility, Premature Birth	127	Old Age	124
Heart, etc., Diseases of	107	Heart, etc., Diseases of	116
All Fevers	92	Convulsions	112
Pneumonia	81	Diarrhœa	107
Scarlatina	79	Small-pox	102
Hydrocephalus	65	Pneumonia	101
Measles	63	Scarlatina	82
Paralysis	53	All Fevers	70
Diarrhœa	50	Paralysis	52
Hooping-cough	46	Apoplexy	51
Small-pox	44	Hooping-cough	46
Cancer	44	Cancer	43
Apoplexy	43	Measles	41
All Liver Diseases	32	All Liver Diseases	39
Croup	29	Fractures and Contusions	30
Fractures and Contusions	29	Tabes Mesenterica	30

who died of Hooping-cough, nearly 124 females succumbed to the disease. Deaths from this cause were more frequent in the Principal Towns than elsewhere; and Dundee and Glasgow seem to have been most severely visited by this epidemic.

The prevalence of the remaining zymotic diseases in Scotland during 1871 seems to have hardly been such as to claim special mention here. It is sufficient to say that out of every hundred thousand persons, 29 died of Croup, 27 of Diphtheria, 6 of Dysentery, 3 of Cholera, 3 of Influenza, 7 of Metria, and 10 of Erysipelas. The relative frequency of each of these causes of death may be conveniently studied by means of Tables XXIX. and XXXI.

To Diseases of Uncertain Seat, 2411 deaths were ascribed. The mortality was consequently in the proportion of 73 to every hundred thousand living persons, or constituted 3·31 per cent. of the recorded deaths from All Causes. A glance at the Tables XXVIII. and XXIX. suffices to show how much more frequent this class of diseases is among females than among males. The explanation is, however, at once furnished by referring to the principal diseases which belong to the class. The most frequent of these is Cancer; and of all deaths from diseases of uncertain seat, Cancer causes fully 60 per cent. But females suffer from Cancer about twice as frequently as males, and this susceptibility to one special disease fully accounts for the high proportion in which diseases of uncertain seat appear to prevail among women. Out of every hundred thousand males there died of Cancer only 29, while out of one hundred thousand females the rate was 57. Of every hundred deaths of males, 1·25 were due to Cancer; while among females, 2·66 per cent. of the deaths were referred to this cause.

No less than 580 deaths were referred to Dropsy, while at the same time no information was furnished as to the cause or even the seat of the dropsical symptoms. Under this head, then, we have grouped a large number of deaths, which it would have been far more satisfactory to refer to disease of the Heart, of the Kidneys, of the Liver, of the Lungs, of the Peritonæum, or of the Ovaries. The deaths from Hæmorrhage of unspecified seat were 81; from Abscess, 120; from Ulcers, 43; from Fistula, 13; from Mortification, 124; and from Gout, 15. Of the deaths from Gout, 13 occurred in persons whose age exceeded 60 years, the other two in persons aged between 45 and 50.

Tubercular Diseases caused 13,011 deaths, whereof 6224 occurred among males, and 6787 among females. The proportion of deaths was consequently 397 for every hundred thousand living, and 17·39 per cent. of deaths from all causes. For every hundred thousand persons in each of the several Groups of Districts, there died of Tubercular Diseases 544 in the Principal Towns, 487 in the Large Towns, 391 in the Small Towns, 244 in the Mainland-Rural, and only 183 in the Insular-Rural Districts. These figures make the comparative salubrity of the Rural Districts very obvious. The deaths from this class of diseases varied considerably in the Principal Towns; the proportion to one hundred thousand living being in Glasgow, 668; in Paisley, 589; in Greenock, 538; in Perth, 457; in Edinburgh, 430; in Dundee, 423; in Aberdeen, 417; and in Leith, 329.

Pulmonary Consumption is of course the most important of the Tubercular Diseases. In 1871 it cut off 9102 of the population of Scotland, being 27·8 out of every hundred thousand persons. Thus 12·52 per cent. of deaths from all causes were due to this one disease. From Table XXVIII. it may be seen that it was a more frequent cause of death to females than to males; 291 per hundred thousand of the former having perished

for every 263 of the latter. Table XXIX. shows that 13·5 per cent. of female deaths, but only 11·49 per cent. of male deaths, were caused by consumption.

The death-rate from Phthisis was, in the Principal Towns, 365 for every hundred thousand living, but in the Insular-Rural Districts only 162. In the other districts the fatality of Phthisis was clearly connected with the density of the population.

Of the other Tubercular Disorders the most destructive was Hydrocephalus, which proved fatal to 2132 persons, and was as usual far more frequently met with in boys than in girls. The deaths from Tabes Mesenterica numbered 967, those from Scrofula, 810.

From Diseases of the Nervous System there were registered 5932 deaths. The mortality from these causes amounted to 8·16 per cent. of all deaths registered, or to 1·81 out of every hundred thousand of the population. Diseases of the Brain seem to be more fatal to males than to females at all stages of life. Out of every hundred thousand males living in 1871, there died of these cerebral diseases 200, but out of a like number of females the deaths were only 163.

To Diseases of the Circulatory System, 3503 deaths were attributed. This indicates a mortality of 107 to every hundred thousand living, and constitutes 4·81 per cent. of the whole deaths which occurred during the year. Diseases of the Nervous System and those of the Circulatory System appear to be far more fatal in the Towns than in the Rural Districts. It is, however, worth consideration whether this comparative exemption enjoyed by the Rural Districts is not explicable on the supposition that many of the deaths, which in those districts are by ordinary informants attributed to old age, might not have been more properly referred to Disorders of the Brain, Heart, and great Bloodvessels.

Diseases of the Respiratory System were the cause of 12,467 registered deaths. The mortality was 380 out of every hundred thousand of the population; 411 out of every hundred thousand males, and 352 out of a like number of females. The deaths were as usual far more numerous in the Towns than in the country districts. Out of one hundred thousand living in each Group of Districts, there died from Diseases of the Respiratory Organs 595 in the Principal Towns, 425 in the Large Towns, 319 in the Small Towns, 216 in the Mainland-Rural, and only 148 in the Insular-Rural Districts.

Of the Principal Towns, Glasgow suffered most severely from Diseases of the Organs of Respiration. For every hundred thousand persons in each town, the deaths were 784 in Glasgow, 529 in Greenock, 492 in Paisley, 473 in Dundee, 468 in Edinburgh, 387 in Leith, 322 in Aberdeen, and 299 in Perth. The form of Chest Inflammation which proved most destructive was Bronchitis, with 8663 deaths, or 264 deaths to every hundred thousand of the population. In the Principal Towns, the death-rate from this single cause was 430 per hundred thousand, while in the Insular-Rural Districts the rate was only 75 per hundred thousand. Nearly 12 per cent. of the whole registered deaths in Scotland during 1871 were due to Bronchitis.

From Pneumonia the registered deaths numbered 2655, from Asthma, 431; from Unspecified Lung Disorders, 323; from Pleurisy, 250; and from Laryngitis, 145.

From Diseases of the Organs of Digestion there were 4925 registered deaths, being 150 deaths out of every hundred thousand persons, or 6·77 per cent. of the whole mortality of the country. Our Tables do not show that there was any very marked proneness to these diseases on the part of either sex. The deaths from diseases of this class were most numerous in the Principal Towns and least numerous in the Insular-Rural Districts; but the differ-

ences of the mortality in the Groups of Districts were not so considerable as to require special mention here. It may, however, be noted that Table XXX. shows that the Diseases of the Digestive System were scarcely more fatal in Perth and in Dundee than they were in the Insular-Rural Districts.

The deaths from the special diseases of this class were 872 from Teething, 867 from Enteritis, 728 from Diseases of the Liver, 693 from Diseases of the Stomach, 372 from Peritonitis, 275 from Ileus, 238 from Ulcerations in some part of the Alimentary Canal, 213 from Gastritis, 202 from Jaundice, and 123 from Hepatitis, which would have been better arranged under the head of Disease of the Liver, 112 from Hernia, 69 from Ascites, 62 from Quinsey, 47 from Intussusception, 27 from Stricture of the Bowels, 23 from Disease of the Spleen, and 2 from Disease of the Pancreas.

Diseases of the Urinary Organs proved fatal to 1166 persons, being in the proportion of 36 deaths to every hundred thousand living, or 1·6 per cent. of the whole deaths registered. Males suffered from these diseases far more than females, for out of one hundred thousand males there occurred 49 deaths, while out of one hundred thousand females the deaths were only 24. Of the various diseases included in this class, Nephria was the most destructive, having caused 320 deaths. The deaths from unspecified Diseases of the Urinary Organs were 318; from Cystitis, 190; from Diabetes, 115; from Nephritis, 86; from Ischuria, 57; from Stone, 55; from Stricture of the Urethra, 15; and from Disease of the Suprarenal Capsules, or 'Addison's Disease,' 10.

From Diseases of the Generative Organs, there died 611 females during the course of 1871. Out of these deaths, 420 were registered as caused by Childbirth, and there were in addition 225 deaths from Metria; hence we may assume that at least 645 deaths, referable to puerperal causes, took place. It has been elsewhere shown that 114,716 mothers gave birth to 116,127 living children during the year 1871. The mortality due to the act of childbearing might accordingly be expressed by saying that one mother out of every 178 died in childbed. It must, however, be understood that the number of mothers is in our Tables necessarily considerably understated. Still-births are not registered in Scotland, and such births are perhaps more numerous than is generally supposed. The statistics of foreign countries (such as Holland), where a registration of still-births is enforced, prove that for every hundred live births, about 5 still-births take place. It is impossible to doubt then, that in Scotland during 1871, not less than 5736 still-births took place; and, consequently, that the total number of females who bore children in Scotland during the year was at least 120,300. This estimate would reduce the number of deaths from childbearing to about 1 in 187. But here another statistical difficulty interposes itself. It is quite notorious that the still-births are, as a class, far more dangerous to the lives of mothers than ordinary live-births. But in our Tables we have not the means of exhibiting the numbers of the mothers who die after having had still-births, either at the expiry of the natural period of utero-gestation, or during the last two months of pregnancy when the fœtus is presumed to be viable. No information reaches us, either as to the occurrence of a still-birth, or as to the true cause of death in the case of a mother who has had a still-birth. The number of mothers is, we must admit, greatly under-estimated; and the true mortality from childbearing, we have grounds for fearing, is still more grossly under-estimated. Should the Legislature ever make the registration of still-births compulsory, there seems hope that some most important and

controverted questions connected with the mortality of women in childbed, or rather *in consequence of the act of parturition*, will receive a satisfactory solution.

From Ovarian Dropsy, or Ovarian Tumours, there were 94 deaths, 68 from Diseases of the Uterus, and 29 from various disorders peculiar to females, which are grouped under the head of Paramenia.

Diseases of the Organs of Locomotion caused 466 deaths, of which 211 were attributed to Rheumatism, 140 to Diseases of the Joints, and 115 to Bone Diseases.

There were 121 deaths from Diseases of the Skin. Of these, 69 were not referred to any special disease, 28 were cases of Carbuncle, and 24 of Phlegmon.

From Malformations, there were 231 deaths; from Infantile Debility, 3609; from Atrophy, 530; from Old Age, 5605; and from Sudden Causes, not otherwise defined, 157.

There were 2361 Violent Deaths. Of these, 974 were attributed to Fractures and Contusions, 495 to Drowning, 252 to Burns, 167 to Suffocation, 130 to the direct effects of Intemperance, 68 to Want of Milk, 53 to Hanging, 41 to Poison, 33 to Cuts, 22 to Cold, 16 to Gunshot Wounds, 9 to Privation, and 2 to Poisoned Wounds.

Of the Violent Deaths, 116 (88 Males and 28 Females) were registered as Suicidal. The means employed for self-destruction were, in 52 cases, Hanging, in 9 cases Drowning, in 32 Throat-cutting, in 8 Gunshot, in 7 Poison, in 5 Precipitation, in 2 exposure to advancing railway trains, in 1, a maniac, to Voluntary Starvation. The Poisons used were, in 2 cases, Arsenic; in 1, Opium; in 1, Oxalic Acid; in 1, Prussic Acid; and in 1, Chloral Hydrate. As for the frequency of Suicide, we find that only 1 person out of 29,034 died by his own hand. This is the lowest proportion of suicides recorded in Scotland since 1864.

Table XXXIX. has been drawn up in the usual form to exhibit for Scotland and England respectively the mortality caused by each of the nineteen diseases which proved most fatal in each country. These diseases, as might have been anticipated, are not the same in Scotland and in England. Perhaps the most remarkable points which are brought out by a close examination of the present Table and of similar returns which have been made on former occasions are:—Firstly, the great comparative frequency of Convulsions, Infantile Debility, Diarrhœa, and Pneumonia in England; secondly, the greater frequency in Scotland of such causes of death as Bronchitis, Phthisis, Old Age, Hydrocephalus, and Croup.

Of the interesting facts mentioned by the Registrars in their returns relative to 1871, we may notice the following:—A coachman died at Banchory-Devenick of Farcy or Glanders communicated to him by a horse. A child, which died in the Anderston District of Glasgow, at the age of 17 months, had a Hydrocephalic head measuring 48 inches in circumference.

Twenty-nine deaths at ages not under 100 were registered. Of these, 15 were males, whose precise ages were stated as follows:—5 were aged 100, 6 were 101, 3 were 102, and 1 was 103 years old. One man of 100 died of Bronchitis, and 1 of 102 of Paralysis. The cause of death in the remaining 13 instances was registered as Old Age. Of 14 females who died at ages not under 100, the recorded ages at death were as follows:—6 had attained the age of 100, and of these, 1 had died of Apoplexy, the other 5 of Old Age. At 102 there died 2, 2 at 103, 3 at 105, and 1 at 108. In explanation of these strange statements as to longevity, it is only fair to remark that the age attributed to a person at death, especially in

the remote Highland and Island Districts of Scotland, is not much to be depended upon, and that in registering the death of a centenarian the Registrar must perforce content himself with evidence which would assuredly not satisfy a court of law.

Weather and its Influence on the Mortality.

There are various circumstances which in Scotland give special facilities for tracing the connection between certain meteorological phenomena and the prevalence of disease. Among these circumstances may be enumerated the comparatively small area of the country, and the consequent general similarity of the atmospheric conditions at most of the meteorological stations where regular observations are made; the nature and extent of these observations, which have furnished trustworthy means for comparing the monthly averages of any year with the corresponding averages of ten years' observations; and the nature of the climate of Scotland, which seldom or never exhibits those extraordinary deviations from what may be termed the temperate standard, which in warmer latitudes appear to generate telluric miasmata, manifested by extensive epidemics of Ague, Yellow Fever, and Dysentery.

It may, in fact, be said that the effects of unusual heat are in this country seldom to be traced in serious detriment of the public health. It is only in the deaths from Diarrhœa and other Bowel-complaints, which are apt to become numerous during a warm summer and autumn, that the direct effects of heat become apparent in relation to the mortality of the country. The influence of cold is, however, very easily made out by means of the records of the deaths which take place in Scotland—a very moderate reduction of the mean temperature of any month, but especially of any winter month, being almost invariably associated with a corresponding increase in the death-rate. Not only do diseases of the Nervous, Circulatory, and Respiratory Systems increase in fatality under the influence of excessive cold, by the production of congestive or inflammatory disorders, and by the exhaustion of the vital energies of those who are the subjects of chronic diseases; but it has likewise been observed that various of the most familiar epidemic complaints acquire unusual frequency, or become unusually virulent, during a cold season.

On examining Table XL., which exhibits the monthly mean tempera-

Table XL.—Monthly Mortality and Mean Temperature in Scotland during the Year 1871, compared with the mean of the Ten Years 1855–1864.

Months.	Year 1871.				1855–1864.	
	Mean Temperature.	Actual Deaths.	Deaths when Months equalized to 31 Days.	Proportion to 12,000 per annum, or 1000 per Month.	Monthly Proportion of Deaths.	Mean Temperature.
January	33°·8	6958	6958	1098	1134	37°·2
February	41°·0	6272	6944	1095	1193	37°·4
March	42°·6	6526	6526	1029	1145	39°·8
April	42°·5	6028	6229	982	1083	44°·1
May	50°·3	6642	6642	1047	1010	49°·5
June	53°·4	6045	6246	985	956	55°·6
July	57°·7	5694	5694	898	895	57°·6
August	58°·9	5774	5774	910	856	57°·3
September	52°·2	5367	5546	874	843	52°·8
October	47°·2	5833	5833	920	858	47°·2
November	38°·6	6198	6405	1010	954	40°·2
December	38°·0	7307	7307	1152	1073	38°·6
Year	46°·3	74,644	76,104	12,000	12,000	46°·7

tures of 1871, along with the corresponding monthly averages of the ten years, 1855–64, and likewise gives a comparative view of the proportionate mortality experienced during the equalized months of 1871 and those of the decennial period, some interesting observations may be made. For example, it is at once seen that the cold months of 1871 were January, November, and December; that in the first of these, which was by far the coldest month of the whole year, the average temperature was no less than 3°·4 below the decennial mean, while the proportionate mortality was decidedly below the average; that in the months of November and December, on the other hand, the proportionate mortality was above average, and the mean monthly temperature below average. At first sight it appears difficult to reconcile these facts with the doctrine which seeks to connect low temperature with high mortality; and, indeed, unless other circumstances besides mere temperature be taken into account, it would be in vain to attempt an explanation of such seeming anomalies. But it must be remembered that, along with cold, rainfall, moisture, and wind are powerful agents in affecting the human frame; and that an amount of cold, which in dry, clear, frosty weather may not be found insalubrious, would certainly, if accompanied with thick, misty weather and prevalence of easterly and northerly gales, give rise to high mortality. The explanation of the apparently anomalous statements above alluded to is that, in January the weather, although cold, was remarkably clear, calm, and dry, while the prevailing winds were westerly and southerly; hence the low mortality. In November and December, on the other hand, there was nothing anomalous in the relations of temperature and mortality; and it may in addition be remarked that during these months the epidemic of Small-pox had already attained considerable proportions, and no doubt tended somewhat to disturb the usual mortality returns. It is, however, with the mortality of November and December 1870 that the mortality of January 1871 should in fairness be compared.

The only month of 1871 in which it would be reasonable to expect to find an increase of mortality, due to excess of mean temperature, is August, when the temperature exceeded the decennial average by 1°·6. Accordingly, the Tables show that in August the proportionate mortality did considerably exceed the average; and as might have been anticipated, the deaths from Diarrhœa were, in some of the largest of our towns, especially numerous.

The usual fluctuations of mean temperature throughout Scotland during a year may be briefly stated as follows:—The temperature is in January at a minimum of 37°·2, from which it rises with increasing rapidity to the maximum of 57°·6, which it attains in July. After August it falls, at first rapidly, and afterwards more gradually, till it again arrives at a minimum in January. The mortality is most considerable in February, and then steadily declines till September, when it is at its minimum. It then steadily rises again as the cold season comes on, till it attains its maximum in February. Neither in temperature nor in mortality did 1871 conform to the decennial mean. Thus, there was a rapid fluctuation between the temperature of January and that of February, the former being as much below as the latter was above the means attributed to these months in the last column of Table XL. Again, the warmest weather was in August, not in July; not because July was a cold month, but because the heat of August was excessive and unusual. As regards the mortality, it was at its maximum in December, the equalized months next in order of fatality being January, February, May, and March. The

minimum mortality was as usual experienced in September; but reference to the Table will show how considerable have been the fluctuations throughout the year.

We proceed to give a brief sketch of the meteorological characteristics of each month of 1871, combined with some notice of the presumed connection between the state of the weather and the general mortality.

The year 1870 had closed with a very cold December; the mean temperature having been no less than 5°·7 below the ten years' average. Yet it was by no means an unhealthy December, for the prevalence of clear, frosty weather, and the absence of violent currents of moist air from the north and east, more than compensated for the unfavourable influence of low mean temperature. The actual deaths in Scotland during the month were 6661, or 215 per diem.

January 1871 was likewise a very cold month. It was, in fact, characterized by a continuance of the clear, dry, frosty weather which had marked December 1870. There was but a small rainfall, a very moderate daily range of temperature, and an unusual absence of strong winds from the east and north. Although, as from the long continuance of low temperature might have been expected, Respiratory Diseases were exceedingly fatal during January; and although Fevers, Hooping-cough, and Scarlatina carried off many victims in some of the great towns, the month may be said to have been a healthy one. The mean temperature was only 33°·8. The actual deaths from all causes amounted to 6958, or about 224 daily, considerably within the ten years' average, and far below

TABLE XLI.—Meteorology of Scotland for the Year 1871, deduced from observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General for 1871; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1871, as stated in the Quarterly Reports.

1871.	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	YEAR.
Highest Temp. in shade	56°·2	58°·8	68°·9	66°·7	80°·0	78°·3	79°·2	86°·0	78°·0	68°·0	59°·0	59°·0	80°·0
Lowest Temp. in do.	7°·0	16°·0	7°·3	20°·0	18°·0	30°·0	34°·7	35°·0	24°·0	22°·3	12°·3	11°·0	7°·0
Mean Day Temp. . .	38°·2	45°·1	49°·1	49°·0	59°·1	61°·2	64°·6	66°·8	58°·8	53°·2	43°·5	43°·1	52°·6
Mean Night Temp. . .	29°·4	37°·0	36°·2	35°·9	41°·5	45°·9	50°·7	51°·0	45°·6	41°·3	33°·7	33°·0	40°·1
Daily Range	8°·9	8°·2	12°·9	13°·1	17°·5	15°·3	13°·9	15°·8	13°·2	11°·9	9°·8	10°·1	12°·5
Mean Temperature .	33°·8	41°·0	42°·6	42°·5	50°·3	53°·4	57°·7	58°·9	52°·2	47°·2	38°·6	38°·0	46°·3
Highest Temperature in sun	90°·0	99°·0	120°·0	130°·3	138°·0	141°·0	148°·0	134°·7	128°·2	115°·0	99°·0	88°·0	148°·0
Lowest on grass at night	3°·0	12°·0	8°·4	11°·4	12°·4	22°·0	26°·0	27°·0	11°·0	10°·0	5°·0	9°·0	3°·0
Wet-bulb Temperature	32°·4	39°·3	39°·8	40°·0	47°·0	50°·3	54°·6	56°.0	49°·4	45°·4	36°·6	36°·6	43°·9
Dew-point Temperature	30°·4	37°·6	37°·3	37°·6	43°·6	47°·3	52°·2	53°·7	47°·3	43°·6	34°·6	34°·8	41°·7
Humidity of Air . .	88	89	84	85	79	81	83	84	86	89	88	89	85
Elastic force of Vapour (inches)	·168	·226	·223	·226	·281	·326	·391	·413	·327	·284	·201	·202	·272
Number of Rainy Days	13	16	13	16	9	11	20	11	12	17	14	17	169
Amount of Rain (inch.)	2·74	4·40	2·50	4·08	1·12	2·07	4·16	2·92	2·57	3·46	3·41	3·76	37·19
Amount of Cloud . .	6·6	7·7	6·0	7·2	5·4	6·5	6·6	5·7	6·4	6·6	6·4	6·3	6·4
Hours of Sunshine . .	67	64	131	121	250	217	208	227	153	104	78	75	1695
Mean Barometer (in.)	29·706	29·811	29·878	29·781	30·063	29·968	29·692	29·908	29·930	29·822	29·991	29·906	29·871
Easterly Winds (number of days)	8	7	5	15	9	15	4	4	13	7	10	4	101
Westerly Winds (do.)	12	16	17	8	13	6	18	18	8	14	10	19	159
Births	10004	8836	10062	9892	10814	9877	9876	9591	9222	9713	9004	9236	116127
Deaths	6958	6272	6526	6028	6642	6045	5694	5774	5367	5833	6198	7307	74644
Marriages	2758	1402	1255	1421	1180	3345	2512	1536	1376	1598	2293	3290	23966
Daily Births	323	316	325	330	349	329	319	309	307	313	300	298	318
Daily Deaths . . .	224	224	211	201	214	201	184	186	179	188	207	236	205

the deaths of the corresponding month of 1870, but decidedly higher than the mortality of the month of December 1870.

In February and in March the mean temperature was exceptionally high—41° in the former, and 42°·6 in the latter month. There was a predominance of westerly winds, which in both months occasionally blew with extreme violence. The rainfall of February considerably exceeded the average; but in March it was on the whole slightly deficient, though on the west coast decidedly more abundant than on the east. Under the influence of this mild weather, the health of the country was fairly maintained. The deaths in February, usually the most fatal month in the year, were indeed heavy, being at the rate of 248 daily; but in March, the rate did not quite reach 211 per diem.

April was far from a genial month. The mean temperature was only 42°·5, or 1°·6 below the ten years' average for April. There was an unusual prevalence of dull, cloudy weather and of easterly winds, accompanied over the whole country, but chiefly on the east coast, with very heavy rainfall. It is somewhat singular to find that, in spite of these unfavourable atmospheric influences, the deaths were very decidedly within the average of former years, amounting to 6229 in the equalized month, or to 201 per diem.

May was in some respects a rather peculiar month. The mean temperature, 50°·3, exceeded the average by about 0°·8; but it was noted that this temperature varied greatly with locality, and was 4° lower on the east than on the west coast. The rainfall was small; the prevailing winds northerly and westerly. During the months the deaths were more numerous than is usual in May, having numbered 6642, or 214 daily.

June was a cold month, with a mean temperature of 53°·4, which was 2°·2 below the average. The prevailing winds were easterly; the rainfall not quite up to the average. There was more cloud and rather less sunshine than in May. The actual deaths during June were 6045, or 201 per diem, numbers slightly in excess of the average deduced from ten years' observations. No doubt the prevalence of east winds, and the generally low temperature during this month, exercised a deleterious influence, by favouring the diffusion or increasing the malignancy of certain epidemics, such as Measles, which even in May had been a rather frequent cause of death.

July did not materially differ from the average as regards mean temperature; but meteorologists remarked that both on east and west coasts the day temperature was much lower, and the night temperature higher, than usual. There was a decided prevalence of westerly and southerly winds, and, as usual in such circumstances, much cloud and considerable rainfall. As regards mortality, it is merely necessary to note that the deaths were 5694, and occurred at the rate of 184 daily.

The hot season of 1871 was in August, when the mean temperature was 58°·9, being 1°·6 above the average of ten previous Augusts, and 1°·3 above the average temperature of the hottest months of the decennium 1855–1864. There was a considerable preponderance of southerly and westerly winds, with moderate rainfall. As regards the mortality, it is to be remarked that the excessive heat gave rise to the usual Bowel-complaints, associated in this country with any prolonged continuance of high temperature, and that the epidemic of Measles at the same time showed signs of abatement. The actual deaths were 5774, or at the rate of 186 daily.

September and October had mean temperatures of 52°·2 and 47°·2 respectively, the former number being 0°·6 below the average of ten Sep-

tembers, while the latter number exactly agrees with the average of ten Octobers. In September the north and north-east winds prevailed unusually, and the rainfall was under average. In October all the meteorological conditions may be said to have conformed to the mean of the ten Octobers, 1855–64. The mortality in both months was heavy. That of September included 5367 deaths, or was at the rate of 179 daily; that of October with 5833 deaths, was at the rate of 188 per diem. In September there were still many deaths from Diarrhœa, probably connected with the extreme heat of the preceding month; but it was to Diseases of the Respiratory Organs that the increased mortality was mainly due, and it does not appear that, up to the end of October, there was any such fluctuation of mean temperature as would suffice to account for the extraordinary prevalence of Pulmonary complaints.

The weather in November and December was severe; the mean temperatures of these months having been 38°·6 and 68° respectively, or 1°·6 and 0°·6 below the ten years' average. In November there were early frosts, a full rainfall, and an unusual amount of northerly and easterly winds. In December the westerly and southerly atmospheric currents were more frequent; but the number of rainy days, and the amount of rainfall, were even greater than in November. The deaths in both months were very numerous, chiefly from the extreme prevalence of Diseases of the Respiratory System, directly connected with the inclemency of the season, but also very plainly from the extension of the epidemics of Scarlatina, and especially of Small-pox, which had since September been rapidly increasing in fatality.

It is by means of Table XLII. that the influence of the weather upon the chief causes of mortality in the Eight Principal Towns of Scotland can be most conveniently traced. It must not, however, be understood that this Table furnishes an infallible index to the effects of that influence, for the diseases generated by the extremes of temperature do not, for the most

---

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and Classes of Disease in the Eight Principal Towns of Scotland, during each Month of the Year 1871.

1871.	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Mean Temperature	34°·2	41°·7	43°·5	42°·9	50°·8	54°·0	58°·4	59°·6	53°·0	47°·8	39°·3	38°·9
Highest Temperature	49°·8	54°·7	65°·0	59°·8	76°·0	70°·7	73°·2	80°·0	71°·7	64°·7	55°·0	56°·0
Lowest Temperature	18°·0	24°·0	21°·5	27°·0	26°·0	37°·0	44°·0	41°·0	33°·6	27°·1	22°·5	16°·0
Rainfall in inches	2·45	4·62	2·20	4·88	0·95	2·24	3·23	2·86	2·13	3·53	3·26	2·71
Easterly Winds (days)	8	8	6	16	10	17	4	5	15	9	10	2
Westerly Winds (days)	15	17	20	8	15	8	21	22	9	17	12	21
Total Deaths	2950	2577	2763	2510	2800	2567	2438	2450	2154	2476	2611	3105
Daily Deaths	95	92	89	84	90	86	79	79	72	80	87	100
Zymotic Diseases	571	499	571	474	661	666	624	660	624	654	721	997
Small-pox	20	33	36	29	29	33	24	30	47	88	157	354
Measles	74	45	68	122	249	275	254	124	65	40	50	69
Scarlatina	87	56	65	36	49	33	42	68	107	134	136	123
Diphtheria	23	27	31	16	22	41	30	29	27	30	39	24
Hooping-Cough	91	88	94	63	77	62	43	44	62	69	91	127
Croup	36	39	42	25	29	31	15	29	32	44	43	54
All Fevers	160	138	160	111	132	103	102	83	80	121	129	145
Diarrhœa	31	31	36	23	31	51	87	188	147	85	33	31
Dysentery	2	3	5	5	–	1	5	12	13	5	4	5
Cholera	–	–	–	1	–	5	5	13	5	1	–	–
Consumption	327	296	380	356	412	360	334	285	259	267	278	261
Diseases Respiratory Organs	760	691	628	574	547	443	340	291	326	468	543	687
Heart, etc., Diseases	133	104	108	115	108	104	85	122	68	120	107	113
Brain, etc., Diseases	226	191	205	179	245	190	196	205	158	201	207	225
Debility and Premat. Birth	142	124	146	124	108	119	124	152	125	121	107	118
Age	115	99	102	106	96	89	103	73	72	84	103	126

part, proceed very rapidly to a fatal termination; and hence much of the mortality really engendered by the inclemency of a particular month is actually visible in the returns pertaining to the succeeding month, which may chance to be of a more genial character. It will be seen that Diseases of the Respiratory System, which, more than any others, are notoriously most fatal in cold weather, produced only 291 deaths in our Principal Towns in August, the warmest month of 1871, and steadily increased in fatality up to December, when the deaths numbered 687, the mean temperature having, during the successive months, steadily declined. In January, again, the deaths from Respiratory Diseases were 760, the maximum of deaths from these causes thus coinciding with the minimum of mean monthly temperature.

From January to August Pulmonary Complaints uniformly decreased

---

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain, in the Eight Principal Towns of Scotland during each Week of the Year 1871.

No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches	No. of Week.	Week ending	Deaths.	Temperature.			Rain, in inches
			Mean.	Highest.	Lowest.					Mean.	Highest.	Lowest.	
			°	°	°					°	°	°	
1	January 7	723	35·6	49·8	21·0	1·262	27	July 8	570	59·0	73·0	47·0	0·633
2	14	631	36·3	48·7	21·0	0·418	28	15	505	59·9	75·0	47·0	0·332
3	21	612	35·6	45·6	20·0	0·586	29	22	584	59·2	72·7	46·0	0·740
4	28	683	29·8	39·0	18·0	0·044	30	29	567	56·3	73·0	43·0	1·260
5	February 4	683	32·8	41·0	24·0	0·755	31	August 5	534	58·4	72·1	44·0	0·681
6	11	653	40·5	51·5	31·6	2·260	32	12	525	64·9	80·0	49·0	0·031
7	18	643	43·2	54·7	25·0	0·925	33	19	580	59·7	79·0	43·2	0·622
8	25	611	46·5	61·7	32·0	0·537	34	26	587	55·5	68·0	42·0	1·672
9	March 4	671	43·8	62·5	30·8	0·387	35	September 2	510	59·4	76·0	45·0	0·081
10	11	596	44·0	57·0	32·0	1·075	36	9	483	57·8	69·0	40·0	0·443
11	18	631	39·7	56·0	21·5	0·893	37	16	476	55·9	68·0	41·0	0·142
12	25	637	47·3	63·5	32·5	0·050	38	23	529	50·2	60·0	39·0	0·991
13	April 1	617	42·4	65·0	26·5	0·022	39	30	533	46·0	57·0	33·0	0·579
14	8	552	41·8	60·0	27·6	0·192	40	October 7	561	46·5	56·0	31·0	1·324
15	15	627	44·4	60·0	27·0	1·177	41	14	593	44·5	59·7	27·1	0·169
16	22	615	41·2	58·6	22·0	1·856	42	21	554	51·1	64·7	36·0	0·787
17	29	616	43·8	64·0	30·6	1·587	43	28	549	49·2	59·0	34·0	0·782
18	May 6	611	47·1	67·0	34·0	0·501	44	November 4	529	45·9	53·0	36·0	0·754
19	13	628	49·7	73·4	33·0	0·041	45	11	572	39·9	50·0	30·0	0·463
20	20	602	47·0	69·0	26·0	0·139	46	18	600	37·4	55·0	22·0	0·439
21	27	615	56·0	75·6	41·4	0·337	47	25	649	38·1	51·0	25·0	1·685
22	June 3	604	54·6	76·0	38·0	0·092	48	December 2	652	37·8	47·0	27·0	0·345
23	10	579	53·9	70·0	37·0	0·103	49	9	714	33·7	43·0	24·0	0·120
24	17	613	54·5	69·8	40·0	1·195	50	16	776	39·5	49·0	25·0	0·814
25	24	594	53·7	73·0	39·0	0·378	51	23	712	39·1	56·0	16·0	1·186
26	July 1	580	55·3	70·0	39·0	0·543	52	30	731	41·6	54·0	26·0	1·045

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during 1871, and Proportion at each Age in every Hundred Deaths per Month.

Months.	Actual Number of Deaths in 1871.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	1224	256	924	546	2950	41·49	8·68	31·32	18·51	100·00
February	1183	283	716	395	2577	45·91	10·98	27·78	15·33	100·00
March	1253	309	794	407	2763	45·35	11·18	28·74	14·73	100·00
April	1096	258	741	415	2510	43·67	10·28	29·52	16·53	100·00
May	1234	335	802	429	2800	44·07	11·97	28·64	15·32	100·00
June	1194	286	730	357	2567	46·51	11·14	28·44	13·91	100·00
July	1135	318	636	349	2438	46·55	13·04	26·09	14·32	100·00
August	1156	258	694	342	2450	47·18	10·53	28·33	13·96	100·00
September	1047	238	567	302	2154	48·61	11·05	26·32	14·02	100·00
October	1079	297	707	393	2476	43·58	11·99	28·56	15·87	100·00
November	1064	344	803	400	2611	40·75	13·18	30·75	15·32	100·00
December	1224	386	975	520	3105	39·42	12·43	31·40	16·75	100·00
Year	13,889	3,568	9,089	4,855	31,401	44·23	11·36	28·95	15·46	100·00

in fatality as the mean monthly temperature rose to its maximum. It cannot, however, be said that the more familiar epidemic diseases obeyed the same law as the Respiratory Diseases. Thus, Measles was most fatal in May, June, and July, in which months respectively it caused 249, 275, and 254 deaths; but of this disease it may be said that, during 1871, its prevalence was never simultaneously manifested in the majority of the great towns. Scarlatina was most fatal in November, October, December, September, and January; the deaths in these months, taken in the above order, having been 136, 134, 123, 107, and 87. But of Scarlatina, too, it may be remarked, that its presence was never simultaneously felt throughout the different divisions of the country, and that the returns consequently relate to isolated epidemics only. Fevers conformed pretty closely to the law connecting low temperature with high mortality, the monthly deaths having been 160 in January and in March, 145 in December, and only 83 and 80 in August and September. Small-pox exercised a disturbing influence on the returns relative to zymotic diseases, having in October, November, and December proved fatal, in the Principal Towns alone, to 88,

---

TABLE XLV.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1871.

MONTHS.	Relative Number of Deaths, 1871.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	1224	256	924	546	2950	1106
February	1309	313	793	437	2852	1069
March	1253	309	794	407	2763	1036
April	1133	267	766	429	2595	973
May	1234	335	802	429	2800	1050
June	1234	296	754	369	2653	995
July	1135	318	636	349	2438	914
August	1156	258	694	342	2450	919
September	1082	246	586	312	2226	835
October	1079	297	707	393	2476	928
November	1099	355	830	413	2697	1011
December	1224	386	975	520	3105	1164
YEAR	14,162	3,636	9,261	4,946	32,005	12,000

TABLE XLVI.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Ten Years 1856–1865, and the Proportion at each Age in every Hundred Deaths per Month.

MONTHS.	Absolute Number of Deaths—Ten Years, 1856–1865.					Proportion at each Age in every Hundred Deaths per Month.				
	Under 5 years.	5–20.	20–60.	60 and above.	Total Deaths.	Under 5 years.	5–20.	20–60.	60 and above.	Total.
January	11066	2305	7003	4337	24711	44·78	9·33	28·34	17·55	100·00
February	10190	2145	6235	3802	22372	45·54	9·59	27·87	17·00	100·00
March	10359	2271	6809	3865	23304	44·45	9·75	29·22	16·58	100·00
April	9609	2131	6095	3625	21460	44·77	9·94	28·40	16·89	100·00
May	9058	2214	5899	3180	20351	44·51	10·88	28·98	15·63	100·00
June	9395	2086	5559	3111	19151	43·84	10·89	29·03	16·24	100·00
July	9052	2121	5287	2886	19346	46·79	10·96	27·33	14·92	100·00
August	8889	1929	4988	2698	18504	48·05	10·42	26·95	14·58	100·00
September	8370	1870	4572	2454	17266	48·48	10·83	26·48	14·21	100·00
October	9078	2120	4936	2679	18813	48·25	11·26	26·24	14·25	100·00
November	10121	2148	5690	3549	21508	47·05	9·99	26·45	16·51	100·00
December	10590	2258	6344	3893	23085	45·87	9·78	27·49	16·86	100·00
TEN YEARS	114,777	25,598	69,417	40,079	249,871	45·93	10·25	27·78	16·04	100·00

157, and 354 persons; while in each of the nine earlier months of the year the deaths from this disease did not exceed 30 on an average.

Consumption usually carries off most victims during an inclement spring, the cold and changeable weather apparently precipitating the fatal event. The month of 1871 which proved most trying for those affected with Pulmonary Consumption was May, which, on the east coast of Scotland, was very insalubrious. The deaths from Phthisis were 412 in May, 380 in March, 360 in June, and 356 in April; and, strange to say, only 261 in the cold month of December. This last circumstance may possibly be explicable by reference to the absence of high easterly and northerly winds during December; still it is remarkable that in the unusually warm month of August, the warmest month of the whole year, the deaths from Consumption should have been 285, or considerably more numerous than they were in December.

The effects of hot weather in increasing the mortality are only appreciable by reference to the diseases tabulated as Diarrhœa, Dysentery, and Cholera. These diseases are, perhaps, not very correctly, and certainly not very conveniently, grouped among the zymotics. The greatest mortality from these bowel-complaints was experienced in August and September, when the deaths from these causes were 213 and 165, thus confirming the truth of the general law by which it is sought to connect the prevalence of Bowel-complaints with long-continued high temperature. In the first six, and two last, months of the year, the average deaths from Bowel-complaints amounted to only 37 per month.

Debility at Birth and Premature Birth were more frequent causes of death during the sultry weather of August than at any other time. The deaths from these causes were 152 in August, and only 107 in November. From these numbers it may be inferred that the influence of cold weather was not in 1871 observed to increase the frequency of deaths from Infantile Debility.

In Table XLIII. an Abstract of our Weekly Reports is presented, comprising the deaths, temperatures, and rainfall in the Eight Principal Towns of Scotland during each week of the year 1871. The interest and value which in ordinary circumstances might be attached to such an abstract, are in the present instance impaired by the unusual prevalence of Small-pox during the later months of the year. This disease, which in its

---

TABLE XLVII.—Months equalized to 31 days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age during every Month of the Ten Years 1856–1865.

MONTHS.	Relative Number of Deaths—Ten Years 1856–1865.					Monthly Deaths, proportioned to 1000 per Month, or 12,000 per Annum.
	Under 5 years.	5–20.	20–60.	60 and above.	Total.	
January	11066	2305	7033	4337	24711	1164
February	11165	2348	6833	4165	24511	1155
March	10359	2271	6809	3865	23304	1098
April	9929	2202	6298	3746	22175	1045
May	9058	2214	5899	3180	20351	959
June	8675	2155	5744	3215	19789	933
July	9052	2121	5287	2886	19346	912
August	8889	1929	4988	2698	18504	872
September	8649	1932	4724	2536	17841	841
October	9078	2120	4936	2679	18813	886
November	10458	2220	5879	3668	22225	1047
December	10590	2258	6344	3893	23085	1088
TEN YEARS	116,968	26,075	70,744	40,868	254,655	12,000

propagation seems independent of the ordinary changes of temperature, tends greatly to confound the inferences which have been usually justified by the examination of similar Tables in former Annual Reports. Beyond the bare mention of the fact that the second and third weeks of September appear to have been the healthiest of the whole year, we do not feel justified in calling special attention to any of the details presented in this Table.

In Table XLIV. and XLV. the influence of season upon mortality at various periods of life may be conveniently studied. As regards children during the first five years of life, it is obvious that February has been the most unfavourable month, after which, in order of fatality, rank March, May, June, January, and December. It does not appear that August and September, in which the hot weather favoured the production of Bowel-complaints, were in 1871 marked by large infant mortality.

As for persons between 5 and 20 years of age, the unfavourable months in order of fatality were December, November, and May. No doubt the disturbing influence of Small-pox is manifested in the number of deaths which occurred in November and December, and the frequency of Consumption at this early period of life is no doubt connected with the large mortality in May. It is rather remarkable that persons between 5 and 20 should have died in unusually small numbers during January.

Persons between 50 and 60 died in greatest proportion in December. The months which, in order of fatality, followed, were January, November, and May, September being decidedly the most healthy month.

As for persons who died at ages exceeding 60 years, it appears that they were carried off in largest numbers in January, the mortality becoming less and less severe in December, February, April, and May. The deaths of aged persons were least frequent in September, and generally in the warm season of the year.

Tables XLVI. and XLVII. are in their nature precisely similar to Tables XLIV. and XLV.; and as they exhibit the results of observations made during the ten years 1856–65, they constitute a sort of standard, any

---

TABLE XLVIII.—Deaths in Scotland compared with the Average Price of Wheat and Potatoes during the Seventeen Years 1855-1871.

YEAR.	Average Price of WHEAT per quarter.		DEATHS IN SCOTLAND.	Average Price of POTATOES per ton.	
	s.	*d.*		*s.*	*d.*
1855	74	8	62,004	100	6
1856	69	2	52,529	85	6
1857	56	5	61,906	120	8
1858	44	3	63,539	120	0
1859	43	10	61,714	94	0
1860	53	3	68,170	132	6
1861	55	4	62,341	124	0
1862	55	5	67,195	137	0
1863	44	8	71,481	100	0
1864	40	2	74,416	75	0
1865	41	9	70,891	85	5
1866	49	11	71,348	89	6
1867	64	5	69,068	138	0
1868	63	9	69,416	137	6
1869	48	2	75,875	99	6
1870	46	10	74,165	104	6
1871	56	10	74,712	77	3

considerable deviations from which in any particular year will be regarded by statisticians as anomalous, and as meriting special study.

Our last Table is XLVIII., and exhibits for each year, commencing with 1855, the actual number of deaths registered in Scotland, and the average prices of wheat and potatoes in the London markets. It is tolerably clear that no connection between these prices and the number of deaths is suggested by this Table.

I have the honour to be,

SIR,

Your most obedient Servant,

WILLIAM ROBERTSON.

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, 12*th July* 1875.

VACCINATIONS IN SCOTLAND—1871.

		Sucessfully Vaccinated.	Vaccination Postponed.	Insusceptible of Vaccine Disease. On the ground of Constitutional Insusceptibility.	In respect of the Children having already had Small-pox.	On the ground of previous Successful Vaccination.	Died before Vaccination.	Removed from District before Vaccination, or otherwise unaccounted for.	Total Births for 1871.
	SCOTLAND,	101923	841	241	142	175	10280	2582	116184
	DIVISIONS.								
1	NORTHERN,	2626	137	10	0	7	164	173	3117
2	NORTH-WESTERN,	3412	264	22	4	9	346	314	4371
3	NORTH-EASTERN,	11827	62	39	5	3	874	69	12879
4	EAST-MIDLAND,	15907	48	50	72	59	1636	246	18018
5	WEST-MIDLAND,	7125	101	9	0	3	590	152	7980
6	SOUTH-WESTERN,	40904	119	56	27	84	4551	1071	46812
7	SOUTH-EASTERN,	14428	67	34	31	3	1577	466	16606
8	SOUTHERN,	5694	43	21	3	7	542	91	6401
	I. NORTHERN.								
1	Shetland,	591	37	2	0	0	42	106	778
2	Orkney,	697	15	4	0	7	35	4	762
3	Caithness,	894	76	2	0	0	64	48	1084
4	Sutherland,	444	9	2	0	0	23	15	493
	II. NORTH-WESTERN.								
5	Ross and Cromarty,	1804	149	13	0	2	149	82	2199
6	Inverness,	1608	115	9	4	7	197	232	2172
	III. NORTH-EASTERN.								
7	Nairn,	212	2	1	0	0	14	2	231
8	Elgin or Moray,	1153	15	12	0	1	98	14	1293
9	Banff,	1700	16	7	0	0	117	2	1842
10	Aberdeen,	7742	24	14	3	2	591	45	8421
11	Kincardine,	1020	5	5	2	0	54	6	1092
	IV. EAST-MIDLAND.								
12	Forfar,	7005	14	42	69	56	928	157	8271
13	Perth,	3299	14	3	0	3	202	36	3557
14	Fife,	4694	20	4	2	0	427	51	5198
15	Kinross,	205	0	1	1	0	10	0	217
16	Clackmannan,	764	0	0	0	0	69	2	775
	V. WEST-MIDLAND.								
17	Stirling,	3084	19	3	0	1	277	35	3419
18	Dumbarton,	1829	17	2	0	1	159	49	2057
19	Argyll,	1860	61	3	0	1	123	50	2098
20	Bute,	352	4	1	0	0	31	18	406
	VI. SOUTH-WESTERN.								
21	Renfrew,	6476	20	21	2	20	750	202	7491
22	Ayr,	6853	24	4	3	6	600	69	7559
23	Lanark	27575	75	31	22	58	3201	800	31762
	VII. SOUTH-EASTERN.								
24	Linlithgow,	1549	6	2	0	0	164	48	1769
25	Edinburgh,	9957	43	27	30	2	1163	385	11607
26	Haddington,	1052	10	2	1	1	89	12	1167
27	Berwick,	1022	5	2	0	0	72	13	1114
28	Peebles,	340	1	1	0	0	31	5	378
29	Selkirk,	508	2	0	0	0	58	3	571
	VIII. SOUTHERN.								
30	Roxburgh,	1546	10	2	3	0	167	9	1737
31	Dumfries,	2061	15	7	0	7	188	41	2319
32	Kirkcudbright,	1113	11	4	0	0	99	19	1246
33	Wigtown,	974	7	8	0	0	88	22	1099

ABSTRACTS FOR 1871.

BIRTHS, DEATHS, and MARRIAGES registered in SCOTLAND during the YEAR 1871.

1871.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.	Excess of Births over Deaths.	Number of Statute Acres. *
	1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Males.	Fem.	Total.			
SCOTLAND, - -	3,062,294	3,360,018	60029	56099	116128	5809	5268	11077	36827	37885	74712	24019	41416	19,639,377
GROUPS OF DISTRICTS.														
1 PRINCIPAL TOWNS .	884,955	1,068,556	20769	19673	40442	1872	1852	3724	15478	15948	31426	9819	9016	
2 LARGE TOWNS . .	274,381	334,257	6495	6104	12599	543	436	979	4003	4068	8071	2656	4528	
3 SMALL TOWNS . .	704,380	776,087	13837	12670	26507	1274	1158	2432	7913	8287	16200	5081	10307	
4 MAINLAND-RURAL .	1,061,793	1,049,114	17036	15789	32825	2019	1710	3729	8527	8653	17180	5863	15645	
5 INSULAR-RURAL .	136,785	132,004	1892	1863	3755	101	112	213	906	929	1835	600	1920	
DIVISIONS.														
1 NORTHERN, . . .	130,422	127,191	1537	1571	3108	126	124	250	851	924	1775	591	1333	2,887,221
2 NORTH-WESTERN, .	167,242	166,351	2288	2081	4369	167	133	300	1249	1341	2590	810	1779	4,739,876
3 NORTH-EASTERN, .	366,870	393,199	6769	6099	12868	1047	911	1958	3149	3457	6606	2417	6262	2,364,425
4 EAST-MIDLAND, .	523,822	559,676	9278	8733	18011	949	856	1805	5472	5960	11432	3796	6579	2,644,646
5 WEST-MIDLAND, .	242,487	251,088	4176	3798	7974	320	299	619	2409	2485	4894	1484	3080	2,698,379
6 SOUTH-WESTERN, .	1,008,273	1,183,218	24117	22697	46814	1973	1821	3794	16321	16118	32439	10115	14375	1,466,557
7 SOUTH-EASTERN, .	413,116	475,525	8676	8134	16810	752	696	1448	5650	5735	11385	3618	5425	1,186,736
8 SOUTHERN, . . .	210,062	203,772	3188	2986	6174	475	428	903	1726	1865	3591	1188	2583	2,072,688
COUNTIES.														
I. NORTHERN.														
1 Shetland, . . .	31,670	31,608	382	389	771	19	17	36	171	215	386	154	385	598,726
2 Orkney, . . .	32,395	31,274	363	399	762	17	25	42	204	228	432	152	330	
3 Caithness,* . . .	42,200	41,011	536	547	1083	63	66	129	301	310	611	185	472	448,866
4 Sutherland,* . . .	24,157	23,298	256	236	492	27	16	43	175	171	346	100	146	1,339,629
II. NORTH-WESTERN.														
5 Ross and Cromarty, .	82,427	82,093	1129	1066	2195	62	45	107	594	597	1191	380	1004	2,016,375
6 Inverness, . . .	84,815	84,258	1159	1015	2174	105	88	193	655	744	1399	430	775	2,723,501
III. NORTH-EASTERN.														
7 Nairn,*	8,347	8,372	120	111	231	8	8	16	62	72	134	43	97	127,906
8 Elgin (or Moray),* .	44,305	44,549	684	613	1297	100	78	178	321	361	682	193	615	312,346
9 Banff,*	56,020	58,883	959	879	1838	177	141	318	455	453	908	354	930	413,791
10 Aberdeen,* . . .	223,417	246,298	4420	3992	8412	683	621	1304	2026	2308	4334	1634	4078	1,262,098
11 Kincardine,* . . .	34,781	35,097	586	504	1090	79	63	142	285	263	548	193	542	248,284
IV. EAST-MIDLAND.														
12 Forfar,*	206,750	240,049	4287	3976	8263	495	459	954	2568	2904	5472	1817	2791	569,840
13 Perth,*	133,198	128,550	1828	1725	3553	199	183	382	1130	1183	2313	754	1240	1,644,690
14 Fife,*	155,021	160,924	2647	2558	5205	212	177	389	1477	1593	3070	1052	2135	328,427
15 Kinross,*	8,731	7,918	107	110	217	7	11	18	60	54	114	49	103	49,812
16 Clackmannan,* . . .	20,122	22,235	409	364	773	36	26	62	237	226	463	124	310	31,876
V. WEST-MIDLAND.														
17 Stirling,*	88,138	93,345	1777	1636	3413	154	129	283	918	927	1845	688	1568	298,579
18 Dumbarton,* . . .	54,179	61,116	1076	981	2057	71	68	139	614	633	1247	377	810	172,677
19 Argyll, ...	83,859	79,661	1107	992	2099	71	87	158	674	735	1409	324	690	2,083,126
20 Bute,*	16,311	16,966	216	189	405	24	15	39	203	190	393	95	12	143,997
VI. SOUTH-WESTERN.														
21 Renfrew,*	168,746	195,305	3887	3606	7493	237	250	487	2539	2559	5098	1610	2395	162,428
22 Ayr,*	199,083	200,908	3937	3617	7554	395	323	718	2099	2041	4140	1513	3414	735,262
23 Lanark,*	640,444	787,005	16293	15474	31767	1341	1248	2589	11683	11518	23201	6992	8566	568,868
VII. SOUTH-EASTERN.														
24 Linlithgow,* . . .	39,045	41,379	921	849	1770	89	69	158	465	457	922	288	848	81,114
25 Edinburgh,* . . .	273,792	328,138	5955	5647	11602	479	468	947	4204	4281	8485	2723	3117	234,926
26 Haddington,* . . .	37,626	37,755	624	536	1160	54	45	99	340	349	689	203	471	179,142
27 Berwick,* . . .	36,488	36,382	590	523	1113	69	52	121	292	299	591	190	522	297,161
28 Peebles,* . . .	11,264	12,218	207	172	379	21	12	33	106	105	211	63	168	227,869
29 Selkirk,* . . .	14,901	19,651	379	407	786	40	50	90	243	244	487	151	299	166,524
VIII. SOUTHERN.														
30 Roxburgh,* . . .	49,568	48,241	778	737	1515	87	75	162	398	423	821	288	694	428,494
31 Dumfries,* . . .	75,904	74,842	1234	1081	2315	201	170	371	685	758	1443	463	872	705,946
32 Kirkcudbright,* . .	42,680	42,037	625	621	1246	100	91	191	319	367	686	237	560	610,343
33 Wigtown,* . . .	41,910	38,602	581	547	1098	87	92	179	324	317	641	200	457	327,906

* In all the Counties marked thus *, the number of Acres is given from actual survey by the Ordnance Staff; and these measurements were procured from the Ordnance Survey Office, through the kindness of Col. Sir Henry James. The measurements of the other Counties, with the exception of Shetland and Orkney, were taken from Major Dawson's estimate for the Census of 1851. In that estimate he included as land all the channels between the islands in Shetland and Orkney. These channels are excluded in the estimate given in the above Table.

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	I. NORTHERN.												
	1. Shetland.												
1	Bressay, etc.—(1) Bressay	915	902	11	16	27	1	–	1	5	5	10	–
	(2) Burra and Quarff,	890	952	10	10	20	–	–	–	6	9	15	2
2	Delting,	1975	1862	19	27	46	–	1	1	5	13	18	8
3	Dunrossness, etc.—												
	(1) Dunrossness,	2113	1970	21	23	44	–	–	–	9	10	19	12
	(2) Sandwick and Cunningsburgh,	2337	2326	30	23	53	1	–	1	8	15	23	16
	(3) Fair Isle,	380	226	1	4	5	–	–	–	–	–	–	–
4	Fetlar, etc.—												
	(1) Fetlar,	548	517	4	5	9	–	–	–	3	6	9	–
	(2) North Yell,	932	893	12	11	23	2	–	2	4	4	8	1
5	Lerwick,	3631	4180	47	53	100	5	8	13	36	39	75	41
6	Mid and South Yell,	1784	1843	22	20	42	2	1	3	9	14	23	4
7	Nesting, etc.—												
	(1) Nesting,	855	868	16	19	35	–	1	1	1	3	4	4
	(2) Lunnasting,	880	822	7	15	22	2	1	3	4	5	9	–
	(3) Whalsay and Skerries	848	989	13	21	34	–	–	–	11	5	16	6
8	Northmavine,	2585	2602	33	23	56	–	3	3	9	17	26	16
9	Sandsting and Aithsting,	2670	2806	32	24	56	–	–	–	13	20	33	16
10	Tingwall, etc.—												
	(1) Tingwall,	1554	1442	17	16	33	1	–	1	8	8	16	6
	(2) Whiteness & Weisdale	1143	1049	15	16	31	1	–	1	6	11	17	5
11	Unst,	3060	2780	42	32	74	3	1	4	17	18	35	16
12	Walls, etc.—(1) Walls,	1365	1325	16	14	30	1	1	2	11	7	18	5
	(2) Sandness,	606	646	8	10	18	–	–	–	3	3	6	–
	(3) Papa-Stour,	366	351	3	7	10	–	–	–	1	2	3	–
	(4) Foula,	233	257	3	–	3	–	–	–	2	1	3	–
	Total,	31670	31608	382	389	771	19	17	36	171	215	386	15
	2. Orkney.												
13	Birsay,	1774	1597	19	20	39	1	2	3	13	8	21	
14	Deerness,	813	863	5	13	18	–	1	1	3	5	8	
15	Eday and Pharay,	979	905	10	9	19	–	–	–	2	6	8	
16	Evie and Rendall,	1408	1340	10	17	27	1	2	3	15	8	23	
17	Firth and Stennes,	1493	1434	16	18	34	1	3	4	6	8	14	
18	Harray,	819	727	7	9	16	1	1	2	5	6	11	
19	Holm and Paplay,	834	935	12	13	25	–	1	1	8	6	14	
20	Hoy and Græmsay,	556	581	6	8	14	–	–	–	6	3	9	
21	KIRKWALL & St Ola	4422	4261	51	54	105	1	5	6	36	44	80	2
22	North Ronaldshay,	532	539	9	9	18	1	1	2	2	2	4	
23	Orphir,	1133	1040	14	8	22	–	–	–	4	9	13	
24	Rousay and Egilsay,	1152	1101	15	19	34	–	–	–	4	5	9	
25	St Andrews,	868	870	7	8	15	2	–	2	3	5	8	
26	Sanday,	2145	2053	24	37	61	1	–	1	9	14	23	
27	Sandwick,	1225	1153	12	6	18	–	–	–	6	6	12	
28	Shapinshay,	973	949	11	9	20	–	1	1	7	7	14	
29	South Ronaldshay and Burray,	3282	3228	43	44	87	3	3	6	25	23	48	2
30	Stromness,	2540	2403	22	30	52	2	4	6	11	25	36	1
31	Stronsay,	1228	1305	19	20	39	1	–	1	5	4	9	
32	Walls, etc.—(1) Walls,	1254	1107	15	16	31	–	1	1	12	12	24	
	(2) Flotta,	420	423	2	4	6	–	–	–	–	1	1	
33	Westray, etc.—(1) Westray	2153	2090	30	23	53	2	–	2	20	18	38	1
	(2) Papa-Westray,	392	370	4	5	9	–	–	–	2	3	5	
	Total,	32395	31274	363	399	762	17	25	42	204	228	432	15

N.B.—Royal and Parliamentary Burghs are printed in capitals; thus: EDINBURGH. Towns with Populations of 2000 upwards in small capitals; thus: TAURSO.

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births. Fem.	Total Births. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	3. Caithness.												
34	Bower,	1746	1700	14	11	25	1	–	1	10	9	19	8
35	Canisbay,	2730	2729	43	42	85	2	2	4	25	15	40	15
36	Dunnet,	1861	1661	20	26	46	3	2	5	10	8	18	10
37	Halkirk,	2864	2664	38	37	75	4	4	8	23	26	49	17
38	Latheron,	8571	7400	83	97	180	20	17	37	46	42	88	30
39	Olrig,	2059	2028	20	27	47	2	1	3	15	9	24	5
40	Reay,	2476	2331	21	25	46	2	3	5	9	15	24	6
41	Thurso	5561	5754	86	90	176	7	12	19	37	43	80	30
42	Watten,	1491	1453	16	17	33	2	2	4	13	7	20	6
43	WICK,	12841	13291	195	175	370	20	23	43	113	136	249	58
	Total,	42200	41011	536	547	1083	63	66	129	301	310	611	185
	4. Sutherland.												
44	Assynt—(1) Kirkton,	553	487	6	3	9	–	–	–	5	5	10	3
	(2) Stoer,	2625	2519	33	25	58	2	1	3	24	14	38	10
45	Clyne,	1886	1733	16	19	35	2	1	3	16	14	30	9
46	Criech—(1) Bonar,	1982	1854	15	14	29	3	2	5	13	11	24	4
	(2) Rosehall,	539	670	10	13	23	2	1	3	2	4	6	6
47	DORNOCH,	2885	2764	25	27	52	1	4	5	24	17	41	8
48	Durness,	1109	1049	9	10	19	2	1	3	10	7	17	–
49	Eddrachillis—(1) Scourie,	727	648	5	3	8	–	–	–	4	4	8	2
	(2) Kinlochbervie,	914	882	18	11	29	4	–	4	8	8	16	4
50	Farr—(1) Kirkton,	1251	1190	16	9	25	–	–	–	5	6	11	5
	(2) Strathy,	852	829	10	5	15	1	1	2	4	14	18	3
51	Golspie,	1615	1804	26	21	47	3	–	3	6	9	15	8
52	Kildonan,	2132	1916	18	27	45	2	2	4	22	12	34	14
53	Lairg,	961	978	8	10	18	3	2	5	5	9	14	12
54	Loth,	610	583	10	7	17	1	–	1	2	4	6	1
55	Rogart,	1439	1341	17	9	26	1	1	2	8	11	19	2
56	Tongue,	2077	2051	14	23	37	–	–	–	17	22	39	9
	Total,	24157	23298	256	236	492	27	16	43	175	171	346	100
	II. NORTH-WESTERN.												
	5. Ross and Cromarty. *Mainland.*												
57	Alness,	1178	1053	10	14	24	2	–	2	8	12	20	4
58	Applecross—												
	(1) Applecross,	1064	1129	10	25	35	1	1	2	11	10	21	4
	(2) Shieldaig,	1480	1341	15	15	30	2	2	4	12	10	22	5
59	Avoch,	1788	1828	39	30	69	5	–	5	14	25	39	11
60	Contin,	1509	1550	14	16	30	–	1	1	15	6	21	11
61	CROMARTY,	2300	2180	34	30	64	3	–	3	20	20	40	9
62	DINGWALL,	2412	2443	36	32	68	3	1	4	21	19	40	12
63	Edderton,	836	860	5	11	16	1	1	2	5	4	9	6
64	Fearn,	2083	2135	25	35	60	2	1	3	20	9	29	8
65	Fodderty,	2247	2121	21	26	47	–	1	1	18	11	29	8
66	Gairloch—												
	(1) Northern District,	1927	1669	15	14	29	1	–	1	12	11	23	11
	(2) Southern District,	3522	3379	36	26	62	5	2	7	15	26	41	3
67	Glenshiel,	485	463	3	3	6	–	–	–	2	4	6	3
68	Killearnan,	1494	1272	10	13	23	–	1	1	9	15	24	4
69	Kilmuir-Easter,	1295	1281	13	17	30	–	–	–	15	7	22	11
70	Kiltearn,	1634	1496	23	17	40	–	1	1	5	9	14	5
71	Kincardine—												
	(1) Kincardine,	1346	1299	18	12	30	2	–	2	9	10	19	4
	(2) Strathoykel,	400	386	5	3	8	–	1	1	4	5	9	–
72	Kintail,	890	753	11	4	15	–	1	1	10	5	15	1
73	Knockbain,	2485	2155	23	20	43	2	1	3	19	14	33	8

No. of District.	Registration Districts.	Population.		Total Briths, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
74	Lochalsh,	2413	2319	22	24	46	3	1	4	14	21	35	10
75	Lochbroom—												
	(1) Lochbroom,	3577	3167	38	38	76	1	1	2	25	23	48	12
	(2) Coigach,	1285	1239	12	13	25	–	1	1	6	6	12	–
76	Lochcarron,	1592	1629	18	22	40	3	2	5	5	12	17	2
77	Logie-Easter,	932	912	17	12	29	2	2	4	5	5	10	2
78	Nigg,	1253	1201	22	8	30	2	–	2	14	9	23	4
79	Resolis,	1568	1527	18	8	26	–	1	1	13	8	21	7
80	ROSEMARKIE,	1545	1441	15	16	31	3	–	3	14	21	35	8
81	Rosskeen,	3766	3808	53	59	112	3	–	3	28	26	54	19
82	TAIN	3294	3221	52	37	89	3	2	5	29	31	60	12
83	Tarbat,	2269	2182	20	26	46	2	–	2	16	20	36	5
84	Urquhart & Logie Wester,	3147	2863	26	29	55	1	3	4	14	19	33	11
85	Urray,	2355	2308	32	20	52	2	1	3	12	18	30	17
	Insular.												
a86	Barvas,	4609	4950	85	95	180	1	3	4	26	36	62	43
b86	Carloway,	2204	2702	58	45	103	1	–	1	21	13	34	13
87	Lochs,	3568	4162	69	81	150	3	3	6	25	21	46	19
88	Stornoway,	8668	9510	170	136	306	3	9	12	64	62	126	53
89	Uig,	2007	2159	36	34	70	–	1	1	19	14	33	14
	Total,	82427	82093	1129	1066	2195	62	45	107	594	597	1191	380
	6. Inverness.												
	Mainland.												
a90	Abernethy & Kincardine,	1928	1752	17	20	37	3	2	5	11	22	33	6
b90	Alvie,	833	882	5	11	16	–	1	1	4	5	9	3
91	Ardersier,	1239	1284	25	28	53	1	–	1	9	10	19	11
92	Boleskine etc.—												
	(1) Boleskine,	813	681	9	9	18	–	2	2	4	5	9	1
	(2) Fort-Augustus	930	897	12	7	19	1	1	2	5	9	14	3
93	Cromdale & Inverallan, (Now 128*b* *infra.*)												
94	Croy and Dalcross,	1873	1841	20	20	40	6	5	11	11	9	20	8
95	Daviot and Dunlichty,	1741	1598	13	14	27	1	–	1	11	11	22	2
a96	Dores,	1506	1401	12	12	24	–	1	1	9	11	20	5
b96	Duthil, etc.—(1) Duthil,	1609	1530	16	6	22	3	1	4	4	15	19	5
	(2) Rothiemurchus,	319	342	4	4	8	–	1	1	3	1	4	1
97	Glenelg—(1) Glenelg,	800	714	5	8	13	–	2	2	4	6	10	–
	(2) Knoydart,	574	499	10	4	14	1	1	2	3	3	6	1
	(3) North Morar,	469	440	7	8	15	–	–	–	5	4	9	6
98	INVERNESS,	16162	18552	298	225	523	29	19	48	212	220	432	120
99	Kilmonivaig—												
	(1) Glengarry,	625	550	11	3	14	–	–	–	6	6	12	–
	(2) Lochaber,	1651	1417	17	16	33	2	1	3	7	12	19	9
100	Kilmorack,	2852	2728	32	33	65	2	4	6	17	23	40	16
101	Kiltarlity,	2839	2537	31	16	47	3	1	4	13	23	36	9
102	Kingussie and Insh,	2033	2101	23	25	48	5	2	7	15	21	36	10
103	Kirkhill,	1757	1582	16	18	34	3	–	3	10	16	26	10
104	Laggan,	986	950	13	16	29	2	2	4	3	6	9	4
105	Moy and Dalarossie,	1026	1005	8	10	18	–	1	1	2	11	13	3
106	Petty,	1671	1549	20	18	38	–	3	3	14	13	27	4
107	Urquhart, etc.—												
	(1) Urquhart,	2294	2215	23	32	55	4	2	6	13	12	25	9
	(2) Glenmoriston,	617	565	5	3	8	1	1	2	2	4	6	1
	Insular.												
108	Barra,	1853	1997	33	31	64	2	–	2	14	17	31	14
109	Bracadale,	1335	1113	10	14	24	–	4	4	13	15	28	4
110	Duirinish,	4775	4422	62	59	121	4	3	7	40	22	62	11
111	Harris—(1) Harris,	3769	3668	65	52	117	3	3	6	19	18	37	26
	(2) Bernera,	336	381	7	8	15	–	1	1	6	2	8	2
	(3) St Kilda,	78	71	2	3	5	–	–	–	2	2	4	–

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births. Fem.	Total Births. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
112	Kilmuir—(1) Kilmuir,	1561	1362	19	15	34	2	2	4	13	14	27	8
	(2) Stenscholl,	1311	1228	21	18	39	2	–	2	10	7	17	7
113	North Uist,	3959	4107	56	41	97	4	6	10	21	26	47	29
114	Portree—(1) Portree,	2579	2328	33	36	69	2	2	4	17	26	43	14
	(2) Raasay,	580	600	13	10	23	–	–	–	8	1	9	1
115	Sleat,	2330	2233	32	22	54	5	2	7	17	18	35	15
116	Small Isles,	567	522	8	6	14	–	–	–	3	8	11	4
117	Snizort—(1) North,	961	803	12	10	22	3	1	4	4	7	11	3
	(2) South,	1652	1500	17	19	36	2	4	6	12	19	31	10
118	South Uist—												
	(1) Benbecula,	1544	1651	21	25	46	2	4	6	6	12	18	9
	(2) Howmore,	1763	1818	24	26	50	2	1	3	16	10	26	16
	(3) Boisdale,	2051	2280	29	29	58	3	1	4	15	19	34	5
119	Strath,	2664	2562	43	25	68	2	1	3	22	23	45	5
	—— Total,	84815	84258	1159	1015	2174	105	88	193	655	744	1399	430
	III. NORTH-EASTERN.												
	7. Nairn.												
120	Ardclach,	1330	1197	17	11	28	1	–	1	8	8	16	1
121	Auldearn,	1328	1279	14	22	36	–	2	2	8	11	19	9
122	Cawdor,	1203	1027	10	15	25	–	–	–	5	6	11	9
123	NAIRN,	4486	4869	79	63	142	7	6	13	41	47	88	24
	Total,	8347	8372	120	111	231	8	8	16	62	72	134	43
	8. Elgin (or Moray).												
124	Abernethy, etc.—(Now 90*a supra.*)												
125	Alves,	1010	1018	17	18	35	1	1	2	5	10	15	4
126	Bellie,	1967	2013	32	20	52	5	2	7	19	17	36	7
127	Birnie,	411	375	6	4	10	–	–	–	3	3	6	1
128	Boharm,	1412	1337	18	25	43	2	7	9	10	7	17	11
128	Cromdale—												
	(1) Cromdale & Advie.	1308	1295	22	17	39	2	1	3	9	6	15	5
	(2) Inverallan	2635	2522	34	33	67	10	5	15	18	24	42	8
129	Dallas,	1102	1060	14	11	25	2	3	5	3	10	13	4
130	Drainy,	3028	3293	83	58	141	7	3	10	19	28	47	12
131	Duffus,	3308	3716	63	44	107	6	3	9	27	27	54	21
132	Duthil, etc.—(Now 96*b sup.*)												
133	Dyke,	1247	1238	15	20	35	–	3	3	8	4	12	3
134	Edinkillie,	1303	1286	15	17	32	2	1	3	7	10	17	4
135	ELGIN (incl. Burgh),	9866	9703	137	133	270	20	20	40	84	89	173	37
136	New Spynie,	518	573	8	2	10	5	–	5	9	6	15	1
137	FORRES (incl. Burgh),	4112	4562	80	47	127	14	8	22	39	48	87	26
138	Kinloss,	1315	1112	13	16	29	3	2	5	7	21	28	7
139	Knockando,	1736	1909	17	31	48	2	4	6	9	8	17	10
140	Rafford,	1055	1101	17	14	31	1	–	1	8	6	14	1
141	Rothes,	2407	2148	34	36	70	5	7	12	16	11	27	8
142	St Andrews-Lhanbryde,	1344	1286	21	13	34	5	–	5	5	10	15	9
143	Speymouth,	689	634	9	13	22	3	1	4	1	6	7	3
144	Urquhart,	2532	2368	29	41	70	5	7	12	15	10	25	11
	Total,	44305	44549	684	613	1297	100	78	178	321	361	682	193
	9. Banff.												
145	Aberlour,	1520	1632	29	25	54	8	3	11	21	12	33	9
146	Alvah,	1467	1436	12	11	23	1	3	4	9	8	17	8
147	BANFF (incl. Burgh),	7740	8425	130	132	262	25	25	50	67	81	148	58
148	Botriphnie,	867	785	8	12	20	–	1	1	1	7	8	4
149	Boyndie,	1711	1854	37	21	58	3	2	5	13	15	28	18
150	CULLEN (pt. of Burgh),	1821	2056	36	35	71	3	3	6	15	15	30	12
151	Deskford,	1031	972	14	10	24	1	2	3	7	6	13	6
152	Enzie,	2072	2251	27	44	71	5	4	9	16	19	35	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
153	Fordyce,	4145	4150	81	64	145	18	10	28	24	21	45	33
154	Forglen,	783	845	20	11	31	4	1	5	9	10	19	1
a155	Gamrie,	3019	3151	52	63	115	10	10	20	31	21	52	20
b155	Glenrinnes,	439	466	8	4	12	2	–	2	8	3	11	1
156	Grange,	1909	1876	28	22	50	5	6	11	15	14	29	13
157	Inveravon—(1) Inveravon,	868	890	19	10	29	1	2	3	6	7	13	4
	(2) Glenlivat,	1771	1718	21	20	41	10	1	11	10	7	17	8
158	Inverkeithny,	880	1000	15	16	31	3	3	6	6	3	9	3
159	Keith,	5943	5891	101	76	177	24	17	41	42	54	96	22
160	Kirkmichael, etc.—												
	(1) Kirkmichael,	551	477	2	3	5	–	1	1	1	4	5	3
	(2) Tomintoul,	960	799	10	13	23	4	4	8	7	2	9	3
161	Marnoch,	3289	3294	67	45	112	17	9	26	29	36	65	17
162	Mortlach,	2801	2737	43	48	91	13	6	19	15	21	36	9
163	Ordiquhill,	764	761	7	11	18	1	2	3	6	3	9	9
164	Rathven,	4922	6659	110	112	222	10	15	25	57	57	114	44
165	Rothiemay,	1414	1370	24	24	48	3	7	10	12	3	15	10
166	St Fergus,	1608	1633	22	25	47	5	2	7	7	6	13	10
167	SEAFIELD,	1725	1755	36	22	58	1	2	3	21	18	39	16
	Total,	56020	58883	959	879	1838	177	141	318	455	453	908	354
	10. Aberdeen.												
168	ABERDEEN—												
	(1) St Nicholas (Burgh),	41962	47077	919	845	1764	136	120	256	563	636	1199	346
	(2) Old Machar (Burgh),	31938	41104	726	622	1348	79	63	142	348	450	798	326
	(3) Do. (Landward),	1298	1373	15	18	33	2	2	4	8	9	17	9
169	Aberdour,	1837	1945	33	40	73	6	5	11	16	13	29	16
170	Aboyne,	1160	1351	24	16	40	2	1	3	1	7	8	9
171	Alford,	1264	1396	19	24	43	7	3	10	13	7	20	2
172	Auchindoir,	1593	1545	24	24	48	5	10	15	11	16	27	7
173	Auchterless,	1782	1971	35	34	69	7	5	12	9	16	25	9
174	Belhelvie,	1807	1833	38	30	68	5	1	6	13	8	21	6
175	Birse,	1284	1198	13	11	24	1	1	2	8	15	23	6
176	Bourtie,	547	499	7	8	15	2	1	3	1	5	6	2
177	Cabrach,	794	775	15	10	25	5	1	6	4	3	7	3
178	Cairney,	1490	1525	26	23	49	3	4	7	18	13	31	9
179	Chapel of Garioch,	2023	1928	29	24	53	3	2	5	12	8	20	12
180	Clatt,	511	483	5	4	9	–	–	–	7	4	11	2
181	Cluny,	1254	1366	13	22	35	–	5	5	8	8	16	5
182	Coull,	792	824	17	12	29	5	4	9	9	4	13	3
183	Crathie and Braemar,	1574	1566	22	18	40	3	4	7	8	8	16	9
184	Crimond,	892	887	19	11	30	1	1	2	9	6	15	8
185	Cruden,	2743	3124	49	47	96	5	10	15	25	15	40	27
186	Culsamond,	1165	896	15	13	28	4	4	8	5	9	14	4
187	Daviot,	614	597	6	5	11	1	–	1	4	2	6	1
188	Drumblade,	926	931	15	16	31	4	5	9	3	3	6	8
189	Drumoak,	996	1032	13	12	25	1	–	1	13	13	26	4
190	Dyce,	585	945	17	21	38	1	1	2	6	11	17	7
191	Echt,	1287	1259	21	20	41	5	4	9	8	14	22	–
192	Ellon,	3239	3036	59	41	100	11	10	21	14	16	30	15
193	Fintray,	1003	1108	21	14	35	4	3	7	7	16	23	8
194	Forgue,	1397	1332	31	24	55	2	6	8	8	13	21	3
195	Foveran,	1891	1859	39	37	76	5	7	12	6	13	19	15
196	Fraserburgh	4511	5301	132	95	227	15	7	22	48	41	89	44
197	Fyvie,	3264	3306	56	57	113	15	5	20	19	22	41	25
198	Gartly,	1029	972	11	14	25	1	2	3	8	9	17	3
199	Glass,	1049	1061	14	13	27	4	2	6	4	3	7	8
200	Glenbucket,	552	570	9	7	16	–	1	1	6	1	7	-1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
201	Glenmuick, Tullich, and Glengairn,	1668	2160	35	27	62	2	1	3	10	10	20	10
202	Huntly	4329	4374	76	76	152	20	18	38	35	43	78	32
203	Insch,	1565	1596	27	25	52	4	5	9	8	18	26	9
204	INVERURIE,	2668	2970	50	57	107	5	13	18	17	31	48	24
205	Keig,	811	886	12	13	25	–	2	2	5	4	9	2
206	Keithhall,	933	874	16	11	27	1	2	3	3	5	8	5
207	Kemnay,	832	1300	27	25	52	2	3	5	14	12	26	6
208	Kildrummy,	590	660	9	11	20	–	–	–	6	4	10	2
209	Kincardine O'Neil,	2186	2000	30	28	58	2	10	12	15	19	34	11
210	King-Edward,	2843	3111	58	42	100	10	13	23	22	21	43	24
211	KINNELLAR,	691	601	5	13	18	1	4	5	4	3	7	2
212	Kinnethmont,	1187	1062	22	6	28	4	–	4	7	6	13	5
213	KINTORE,	1895	2158	32	36	68	6	7	13	11	16	27	11
214	Leochel-Cushnie,	1173	1232	22	24	46	5	2	7	5	11	16	7
215	Leslie,	577	532	10	8	18	3	3	6	1	2	3	5
216	Logie-Buchan,	762	808	12	13	25	2	2	4	3	6	9	2
217	Logie-Coldstone,	932	900	13	7	20	4	2	6	7	6	13	4
218	Longside,	3008	3321	79	55	134	22	11	33	16	15	31	13
219	Lonmay,	2142	2245	38	29	67	6	6	12	19	8	27	18
220	Lumphanan,	1251	1239	22	19	41	4	1	5	11	8	19	7
221	Methlic,	2157	2084	36	40	76	5	6	11	20	15	35	11
a222	Midmar,	1091	1127	15	12	27	4	–	4	4	6	10	5
b222	Millbrex,	1357	1484	25	17	42	10	5	15	11	13	24	7
223	Monquhitter,	2303	2670	50	56	106	8	18	26	13	21	34	15
224	Monymusk,	988	996	10	10	20	3	2	5	4	3	7	8
225	New Deer,	3736	4147	73	61	134	15	7	22	29	33	62	22
226	Newhills,	3463	4210	82	65	147	9	9	18	33	27	60	24
a227	New Machar,	1556	1520	36	21	57	5	5	10	11	7	18	8
b227	New Pitsligo,	2609	3090	60	66	126	16	18	34	21	27	48	20
228	Old Deer,	4392	4434	83	59	142	12	9	21	32	40	72	40
229	Old Meldrum,	2343	2330	39	28	67	11	9	20	17	21	38	14
230	Oyne,	1127	1050	18	11	29	3	3	6	4	8	12	7
231	Peterculter,	1483	1668	40	27	67	2	4	6	11	8	19	7
232	PETERHEAD	9796	11506	221	220	441	26	18	44	132	147	279	107
233	Pitsligo,	1890	2218	42	55	97	8	10	18	16	35	51	14
234	Premnay,	916	997	15	24	39	4	2	6	5	7	12	6
235	Rathen,	2554	2850	39	52	91	5	11	16	27	17	44	25
236	Rayne,	1514	1409	22	22	44	3	3	6	9	9	18	5
a237	Rhynie,	1061	1195	28	19	47	5	4	9	6	8	14	4
b237	Savoch,	2061	1961	31	36	67	8	5	13	6	13	19	9
238	Skene,	1831	1842	32	23	55	6	1	7	14	13	27	11
239	Slains,	1266	1355	28	21	49	8	3	11	8	7	15	9
240	Strathdon,	1735	1761	24	26	50	5	5	10	14	18	32	8
241	Strichen,	2409	2254	37	55	92	8	16	24	12	25	37	14
242	Tarland,	970	983	16	15	31	4	4	8	9	5	14	7
243	Tarves,	2377	2288	37	36	73	5	3	8	8	10	18	15
244	Tough,	874	760	7	13	20	–	3	3	5	7	12	2
245	Towie,	839	798	8	12	20	4	1	5	9	5	14	3
246	Tullynessle and Forbes,	957	970	15	10	25	3	1	4	13	4	17	3
247	Turriff,	3693	4348	73	67	140	12	20	32	30	37	67	19
248	Tyrie,	833	869	16	11	27	3	2	5	7	2	9	5
a249	Udny,	1623	1626	31	23	54	2	3	5	6	13	19	9
b249	Ythan Wells,	1517	1494	29	22	51	8	6	14	11	12	23	10
	Total,	223417	246298	4420	3992	8412	683	621	1304	2026	2308	4334	1634

No. of District.	Registration Districts.	Population. 1861.	Population. 1871.	Total Births, including the Illegitimate. Males.	Total Births, including the Illegitimate. Fem.	Total Births, including the Illegitimate. Total.	Illegitimate Births. Mal.	Illegitimate Births. Fem	Illegitimate Births. Totl	Deaths. Mal.	Deaths. Fem	Deaths. Total.	Marriages.
	11. Kincardine.												
250	Arbuthnot,	932	924	20	14	34	[illegible]	–	2	2	4	6	3
251	Banchory-Devenick—												
	(1) Banchory-Devenick,	1159	1263	14	21	35	2	3	5	9	10	19	7
	(2) Portlethen,	1687	1789	34	24	58	7	7	14	9	5	14	7
252	Banchory-Ternan,	2947	2875	50	31	81	6	5	11	26	22	48	7
253	BENHOLM,	1574	1569	29	19	48	2	2	4	20	22	42	12
254	BERVIE,	1561	1843	40	32	72	3	5	8	20	19	39	17
255	Dunnottar,	1828	2102	38	36	74	7	7	14	19	17	36	19
256	Durris,	1109	1021	18	12	30	1	1	2	5	8	13	3
257	Fettercairn,	1700	1539	22	20	42	–	2	2	9	15	24	6
258	Fetteresso—												
	(1) Fetteresso,	3575	3585	63	42	105	9	9	18	42	38	80	12
	(2) Cookney,	1952	2080	34	35	69	2	–	2	16	12	28	17
259	Fordoun,	2297	2113	30	27	57	5	–	5	13	18	31	11
260	Garvock,	458	476	5	10	15	–	1	1	1	4	5	1
261	Glenbervie,	1219	1073	21	13	34	8	1	9	8	7	15	8
262	Kinneff and Catterline,	1054	1062	16	13	29	2	3	5	9	5	14	8
263	Laurencekirk,	2110	2174	32	35	67	6	3	9	19	21	40	12
264	Maryculter,	1055	1110	14	15	29	6	1	7	5	5	10	5
265	Marykirk,	2068	1771	27	31	58	5	2	7	15	11	26	9
266	Nigg,	2074	2348	39	41	80	2	4	6	18	8	26	18
267	St Cyrus,	1552	1585	24	23	47	2	4	6	12	8	20	9
268	Strachan,	870	795	16	10	26	2	3	5	8	4	12	2
	Total,	34781	35097	586	504	1090	79	63	142	285	263	548	193
	IV. EAST-MIDLAND.												
	12. Forfar.												
269	Aberlemno,	1054	1007	18	16	34	1	2	3	4	2	6	9
270	Airlie,	845	778	13	7	20	2	1	3	3	5	8	5
271	Arbirlot,	960	919	13	7	20	1	–	1	6	5	11	6
272	ARBROATH,	17831	20169	363	311	674	31	34	65	199	211	410	135
273	Auchterhouse,	706	721	11	9	20	2	1	3	4	6	10	9
274	Barry,	2465	3008	46	40	86	–	3	3	29	37	66	26
275	BRECHIN,	8810	9514	159	146	305	54	52	56	111	151	262	44
276	Carmylie,	1286	1309	18	29	47	4	1	5	8	4	12	8
277	Careston,	225	209	7	2	9	–	–	–	2	–	2	3
278	Cortachy and Clova,	653	554	10	4	14	2	–	2	1	1	2	3
279	Coupar-Angus,	2642	2797	44	40	84	12	4	16	24	25	49	18
280	CRAIG,	2177	2402	44	44	88	4	2	6	11	14	25	28
281	Dun,	552	565	11	4	15	1	1	2	1	5	6	3
282	DUNDEE—												
	(1) St Peter,	91664	22894	429	389	818	36	34	70	251	334	585	202
	(2) St Mary,		23582	448	444	892	78	75	153	386	411	797	195
	(3) St Clement,		25090	510	465	975	71	68	139	309	352	661	250
	(4) St Andrew,		38082	772	701	1473	66	63	129	490	506	996	306
	(5) Lochee,		11076	201	191	392	18	25	43	144	153	297	99
283	Dunnichen,	1932	1536	23	26	49	4	4	8	5	10	15	9
284	Eassie and Nevay,	748	586	7	7	14	1	2	3	4	7	11	8
285	Edzell,	1025	976	15	12	27	4	2	6	7	8	15	8
286	Farnell,	703	580	7	8	15	1	1	2	4	8	12	4
287	Fearn,	439	348	5	4	9	–	1	1	1	3	4	–
288	FORFAR,	10838	12585	235	208	443	32	33	65	113	129	242	111
289	Glammis,	1980	1813	17	27	44	1	3	4	8	14	22	7
290	Glenisla,	1008	925	11	12	23	3	–	3	9	8	17	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
291	Guthrie,	476	404	3	8	11	–	1	1	5	2	7	3
292	Inverarity,	961	888	13	23	36	–	–	–	4	4	8	5
293	Inverkeillor,	1792	1521	19	31	50	1	5	6	11	13	24	4
294	Kettins,	962	855	19	12	31	2	1	3	5	4	9	5
295	Kingoldrum,	473	409	4	3	7	2	2	4	1	5	6	2
296	Kinnell,	816	766	10	10	20	2	1	3	3	4	7	2
297	Kinnettles,	447	405	5	9	14	–	1	1	–	–	–	3
298	Kirkden,	1862	1623	32	28	60	4	2	6	11	10	21	4
299	Kirriemuir,	7359	6420	85	81	166	13	12	25	50	70	120	46
300	Lethnott and Navar,	446	318	5	2	7	1	1	2	3	1	4	–
301	Liff, Benvie, and Invergowrie,	1430	1357	22	21	43	6	1	7	18	11	29	6
302	Lintrathen,	898	756	11	3	14	–	–	–	6	4	10	1
303	Lochlee,	495	424	4	1	5	–	–	–	3	5	8	2
304	Logie-Pert,	1483	1251	19	19	38	2	4	6	13	11	24	6
305	Lunan,	259	248	5	4	9	–	–	–	1	1	2	2
306	Lundie,	442	400	5	7	12	1	–	1	–	6	6	–
307	Mains, etc.—(1) Mains,	1392	1927	41	36	77	2	2	4	15	20	35	12
	(2) Strathmartine,	789	822	12	14	26	1	1	2	6	3	9	6
308	Marytown,	417	396	9	5	14	–	3	3	4	2	6	4
309	Menmuir,	796	761	19	12	31	–	1	1	2	7	9	4
310	Monifieth,	5052	7252	119	117	236	7	7	14	51	72	123	44
311	Monikie,	1460	1397	15	22	37	1	–	1	16	10	26	8
312	MONTROSE,	15668	15783	218	205	423	25	24	49	157	165	322	96
313	Murroes,	763	751	10	18	28	–	–	–	4	4	8	2
314	Newtyle,	1139	931	19	16	35	2	3	5	9	8	17	5
315	Oathlaw,	399	452	6	11	17	1	–	1	1	4	5	–
316	Panbride,	1299	1331	22	26	48	1	2	3	4	14	18	8
317	Rescobie,	747	748	16	6	22	3	1	4	5	3	8	2
318	Ruthven,	265	247	3	2	5	–	–	–	1	1	2	–
319	St Vigeans,	2553	2513	39	31	70	2	1	3	15	18	33	16
320	Stracathro,	546	503	7	9	16	–	–	–	2	–	2	2
321	Tannadice,	1438	1286	17	19	36	4	–	4	5	8	13	10
322	Tealing,	883	879	17	12	29	3	1	4	3	5	8	8
	Total,	206750	240049	4287	3976	8263	495	459	954	2568	2904	5472	1817
	13. Perth.												
323	Aberdalgie,	295	342	3	6	9	–	–	–	3	–	3	4
324	Aberfeldy,	2402	2286	33	23	56	4	4	8	12	24	36	14
325	Aberfoyle,	565	432	3	7	10	–	–	–	5	10	15	3
326	Abernethy,	1960	1744	31	24	55	4	1	5	6	21	27	10
327	Abernyte,	310	253	8	1	9	1	–	1	8	3	11	2
328	Alyth,	3198	3151	53	40	93	5	10	15	46	41	87	16
328b	Ardoch,	1418	1316	23	18	41	3	2	5	7	3	10	10
329	Auchterarder,	4208	3795	55	47	102	9	11	20	45	36	81	23
330	Auchtergaven,	2562	2141	26	26	52	3	3	6	19	16	35	14
331	Balquhidder,	746	743	10	10	20	2	–	2	5	6	11	3
332	Bendochy,	549	474	11	4	15	1	–	1	2	1	3	2
333	Blackford,	2041	1836	33	21	54	2	4	6	23	11	34	8
334	Blair-Athol,	1553	1718	17	26	43	1	2	3	12	7	19	9
335	Blairgowrie,	4423	4832	82	77	159	15	10	25	43	51	94	36
336	Callander,	1676	1870	25	24	49	2	2	4	16	19	35	8
337	Caputh,	1728	1571	23	21	44	3	–	3	12	18	30	9
338	Cargill,	1647	1411	23	19	42	4	2	6	7	10	17	5
339	Clunie,	699	603	8	3	11	–	1	1	2	9	11	4
340	Collace,	534	456	6	5	11	–	2	2	2	1	3	–
341	Comrie,	2226	1911	25	19	44	1	3	4	18	25	43	5
342	Crieff,	4490	4598	68	69	137	10	8	18	45	45	90	30

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
343	CULROSS,	1423	1354	15	11	26	1	2	3	12	11	23	6
344	Dowally,	486	461	4	5	9	–	–	–	3	2	5	1
345	Dron,	376	343	7	6	13	1	–	1	4	1	5	–
346	Dull,	753	677	4	3	7	1	–	1	4	3	7	5
347	Dunbarney,	1035	913	15	9	24	2	1	3	2	8	10	3
348	Dunblane,	2528	2765	42	53	95	6	4	10	22	22	44	10
349	Dunkeld,	1086	881	15	10	25	–	–	–	11	12	23	7
350	Dunning,	2084	1832	19	27	46	2	6	8	7	12	19	6
351	Errol,	2759	2504	47	40	87	4	4	8	23	24	47	18
352	Findo-Gask,	399	369	6	4	10	2	–	2	1	4	5	–
353	Forgandenny,	739	632	11	9	20	1	1	2	6	4	10	–
354	Forteviot,	595	567	5	12	17	1	2	3	3	3	6	4
a355	Fortingall,	1244	1014	13	11	24	2	3	5	7	9	16	4
b355	Foss,	381	270	5	3	8	1	–	1	5	3	8	–
356	Fowlis-Easter,	317	291	8	6	14	–	1	1	1	2	3	–
357	Fowlis-Wester,	1276	1028	15	13	28	1	1	2	5	7	12	5
358	Glendevon,	138	105	–	1	1	–	–	–	1	2	3	–
359	Inchture,	659	659	12	12	24	–	–	–	5	4	9	4
360	Kenmore,	1515	1215	18	13	31	3	2	5	6	12	18	8
361	Killin,	1681	1977	23	15	38	2	1	3	18	15	33	10
362	Kilmadock,	3312	3170	31	40	71	3	–	3	20	31	51	21
363	Kilspindie,	665	679	10	5	15	1	–	1	3	6	9	5
364	Kincardine,	1778	1484	20	18	38	3	1	4	15	10	25	10
365	Kinclaven,	758	607	14	10	24	2	1	3	8	6	14	3
366	Kinfauns,	657	578	4	9	13	–	2	2	4	7	11	6
367	Kinloch-Rannoch,	1147	921	11	17	28	–	3	3	7	12	19	6
368	Kinnaird,	318	299	6	5	11	–	–	–	5	1	6	1
369	Kinnoull,	796	723	13	12	25	2	–	2	5	1	6	2
370	Kirkmichael—												
	(1) Kirkmichael,	812	657	8	9	17	–	–	–	4	10	14	–
	(2) Glenshee,	334	241	5	1	6	–	1	1	7	–	7	1
371	Lecropt,	538	535	10	8	18	–	1	1	3	2	5	6
372	Lethendy, etc.—												
	(1) Lethendy,	235	179	2	–	2	2	–	2	1	1	2	2
	(2) Kinloch,	295	251	4	3	7	–	–	–	2	2	4	2
373	Little Dunkeld,	2089	2352	29	37	66	3	3	6	22	21	43	11
374	LOGIE,	3483	4553	51	32	83	5	6	11	40	34	74	19
375	Logiealmond,	815	646	4	7	11	1	1	2	5	3	8	2
376	Logierait,	1902	1739	20	28	48	3	–	3	17	19	36	7
377	Longforgan,	1823	1753	31	27	58	4	3	7	16	15	31	12
378	Madderty,	536	523	7	7	14	1	1	2	1	9	10	5
379	Meigle,	1122	1003	17	11	28	1	1	2	7	5	12	3
380	Methven,	2290	2073	24	28	52	4	3	7	15	26	41	16
381	Moneydie,	252	244	6	2	8	3	–	3	1	2	3	1
382	Monzie,	461	413	4	2	6	–	–	–	2	2	4	–
383	Monzievaird and Strowan,	782	744	9	8	17	1	–	1	5	6	11	5
384	Moulin,	1605	1561	19	12	31	1	–	1	20	8	28	5
385	Muckhart,	615	612	9	14	23	–	–	–	8	5	13	1
a386	Muthill,	2001	1916	28	23	51	4	6	10	17	14	31	8
b386	Persie,	839	820	7	14	21	–	–	–	4	7	11	1
387	PERTH,	26094	26382	394	424	818	40	40	80	265	285	550	225
388	Port of Menteith,	1375	1243	12	16	28	1	2	3	5	12	17	3
389	Rattray,	2234	2586	35	34	69	3	6	9	25	26	51	14
390	Redgorton,	1596	1401	16	13	29	1	2	3	9	10	19	5
391	Rhynd,	297	327	7	5	12	–	–	–	2	1	3	–
392	St Madoes,	280	290	2	2	4	–	–	–	3	1	4	–
393	St Martins,	904	735	9	7	16	2	1	3	5	3	8	4
a394	Scone,	2153	2185	34	29	63	3	2	5	25	20	45	15
b394	Strathfillan,	411	342	1	5	6	–	–	–	5	2	7	1
c394	Tenandry,	595	530	11	2	13	2	–	2	3	4	7	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
395	Tibbermore,	1182	1128	12	12	24	1	2	3	15	3	18	4
396	Trinity-Gask,	488	415	4	6	10	–	–	–	1	7	8	–
397	Tulliallan,	2410	2184	34	28	62	1	2	3	19	26	45	13
398	Weem,	215	186	4	–	4	1	–	1	–	1	1	–
	Total,	133198	128550	1828	1725	3553	199	183	382	1130	1183	2313	754
	14. Fife.												
399	Abbotshall,	808	674	9	9	18	1	2	3	2	3	5	2
400	Abdie,	1257	1057	14	29	43	4	3	7	10	11	21	2
401	Aberdour,	1874	1697	28	31	59	3	–	3	12	20	32	13
402	ANSTRUTHER-EASTER,	1155	1239	15	27	42	1	1	2	12	17	29	10
403	ANSTRUTHER-WESTER,	421	545	5	6	11	–	–	–	2	6	8	2
404	Arngask,	705	565	9	4	13	2	–	2	3	3	6	4
405	Auchterderran,	3457	4017	79	105	184	11	6	17	31	34	65	17
406	AUCHTERMUCHTY,	3285	2958	50	42	92	5	3	8	28	33	61	15
407	Auchtertool,	609	529	8	8	16	–	1	1	2	5	7	5
408	Ballingry,	736	982	16	20	36	–	–	–	9	7	16	5
409	Balmerino,	815	717	11	11	22	1	–	1	4	8	12	3
410	Beath,	2390	3534	83	61	144	3	3	6	28	23	51	28
411	BURNTISLAND,	3670	3872	60	50	110	1	2	3	35	32	67	20
412	Cameron,	1362	1158	17	15	32	1	–	1	11	3	14	6
413	Carnbee,	1157	1088	17	22	39	2	1	3	6	11	17	6
414	Carnock,	2925	1764	30	30	60	3	5	8	16	19	35	13
415	Ceres,	2723	2381	31	34	65	2	2	4	18	17	35	11
416	Collessie,	1530	1703	27	27	54	2	3	5	23	12	35	12
417	CRAIL,	1948	1864	29	23	52	2	2	4	22	22	44	8
418	Creich,	377	387	5	7	12	–	1	1	2	1	3	1
419	Cults,	800	767	14	6	20	5	–	5	5	6	11	4
420	CUPAR,	6750	7102	107	105	212	10	12	22	88	98	186	43
421	Dairsie,	638	687	8	12	20	2	2	4	8	7	15	5
422	Dalgetty,	1569	1310	22	24	46	1	–	1	6	9	15	5
423	Dunbog,	414	395	8	4	12	1	–	1	2	2	4	4
424	DUNFERMLINE—												
	(1) Burgh,	13506	14963	281	261	542	14	11	25	126	162	288	176
	(2) Landward,	7609	8293	163	144	307	7	4	11	91	86	177	40
425	Dunino,	370	325	3	3	6	–	–	–	2	3	5	2
426	DYSART,	8842	9682	175	157	332	9	10	19	94	103	197	71
427	Elie,	826	775	12	8	20	–	–	–	6	9	15	–
428	FALKLAND,	2937	3069	41	47	88	4	5	9	37	48	85	24
429	Ferry-Port-on-Craig,	2013	2674	42	49	91	4	2	6	19	23	42	24
430	Flisk,	230	212	3	1	4	–	–	–	2	–	2	–
431	Forgan,	1326	2243	32	27	59	–	–	–	20	13	33	5
432	INVERKEITHING,	3196	3131	50	47	97	7	4	11	23	35	58	22
433	Kemback,	896	1056	15	13	28	2	2	4	9	11	20	9
434	Kennoway,	2012	1703	12	22	34	2	2	4	16	25	41	9
435	Kettle,	2474	2323	29	35	64	3	1	4	15	21	36	9
436	KILCONQUHAR,	2431	2018	21	34	55	2	–	2	13	17	30	16
437	Kilmany,	656	651	10	12	22	–	1	1	3	6	9	2
438	KILRENNY,	2534	2945	64	48	112	7	1	8	30	25	55	23
439	KINGHORN,	2349	2602	31	49	80	7	9	16	29	25	54	26
440	Kinglassie,	1266	1082	19	13	32	1	1	2	14	8	22	6
441	Kingsbarns,	937	922	15	11	26	1	–	1	2	6	8	4
442	KIRKCALDY,	11117	12835	232	195	427	19	9	28	125	112	237	97
443	Largo,	2626	2318	29	33	62	3	4	7	22	21	43	10
444	Leslie,	4332	4294	74	58	132	11	11	22	41	46	87	22
445	Leuchars,	1903	1727	30	25	55	2	4	6	13	12	25	13

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
446	Logie,	410	402	6	7	13	1	–	1	4	2	6	1
447	Markinch,	5375	5413	82	84	166	11	7	18	73	56	129	36
448	Monimail,	1054	918	11	9	20	1	–	1	2	9	11	7
449	Moonzie,	179	154	–	2	2	–	–	–	1	3	4	–
450	NEWBURGH,	2693	2529	47	51	98	2	5	7	32	34	66	12
451	Newburn,	374	362	8	5	13	–	1	1	2	2	4	1
452	PITTENWEEM,	1710	1803	26	30	56	6	4	10	11	19	30	11
453	ST ANDREWS and St Leonards,	7605	8592	118	111	229	10	8	18	78	77	155	37
454	St Monance (or Abercromby),	1498	1761	29	35	64	2	3	5	20	17	37	11
455	Saline,	1610	1259	24	21	45	1	3	4	7	5	12	11
456	Scoonie,	3257	3178	45	40	85	4	2	6	35	33	68	19
457	Strathmiglo,	2261	2267	44	30	74	4	6	10	16	23	39	15
458	Torryburn,	1229	1051	12	13	25	–	3	3	3	8	11	7
459	Wemyss,	6003	6400	110	116	226	2	5	7	56	79	135	30
	Total,	155021	160924	2647	2558	5205	212	177	389	1477	1593	3070	1052
	15. Kinross.												
460	Cleish,	649	539	9	6	15	1	–	1	2	4	6	3
461	Fossoway and Tulliebole,	1584	1461	19	21	40	–	1	1	11	8	19	8
462	Kinross,	2649	2477	30	41	71	4	2	6	20	19	39	21
463	Orwell,	2399	2248	28	29	57	2	5	7	19	15	34	13
464	Portmoak,	1450	1193	21	13	34	–	3	3	8	8	16	4
	Total,	8731	7918	107	110	217	7	11	18	60	54	114	49
	16. Clackmannan.												
465	Alloa,	8867	9940	197	157	354	18	14	32	113	101	214	62
466	Clackmannan,	4425	4653	96	94	190	5	7	12	49	42	91	30
467	Dollar,	1776	2524	29	30	59	3	1	4	11	17	28	12
468	Tillicoultry,	5054	5118	87	83	170	10	4	14	64	66	130	20
	Total,	20122	22235	409	364	773	36	26	62	237	226	463	124
	V. WEST-MIDLAND.												
	17. Stirling.												
469	Airth,	1194	1396	20	17	37	1	1	2	18	8	26	10
470	Alva,	3283	4296	97	79	176	7	8	15	45	39	84	29
471	Baldernock,	718	616	5	11	16	–	1	1	2	3	5	4
472	Balfron,	1517	1502	24	14	38	4	1	5	20	15	35	4
473	Bothkennar,	1722	2455	43	52	95	2	3	5	21	20	41	8
474	Buchanan,	705	591	9	6	15	1	–	1	5	1	6	7
475	Campsie,	6483	6739	125	107	232	6	7	13	67	76	143	51
476	Denny,	4988	4993	97	90	187	7	5	12	50	51	101	41
477	Drymen,	1619	1405	26	12	38	2	1	3	18	5	23	1
478	Dunipace,	1731	1733	29	36	65	1	2	3	18	20	38	7
479	FALKIRK—(1) Burgh,	9030	9547	189	182	371	17	11	28	110	117	227	61
	(2) Landward,	7996	8504	151	134	285	11	13	24	75	88	163	93
480	Fintry,	685	499	6	4	10	–	–	–	12	4	16	2
481	Gargunnock,	728	675	6	8	14	–	1	1	4	2	6	2
482	Killearn,	1171	1111	21	18	39	2	2	4	14	4	18	3
483	Kilsyth,	6112	6313	152	120	272	15	13	28	64	64	128	61
484	Kippen,	1722	1568	19	27	46	3	5	8	14	18	32	6

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
485	Larbert,	4999	5280	108	102	210	12	13	25	60	62	122	31
486	Muiravonside,	2660	2653	48	40	88	4	1	5	21	19	40	18
487	Polmont,	4111	3910	77	75	152	10	12	22	42	30	72	17
488	St Ninians,	6648	7570	140	132	272	16	10	26	56	65	121	40
489	Slamannan,	2916	4164	110	98	208	12	5	17	26	29	55	42
490	STIRLING,	14012	14590	245	245	490	21	12	33	143	177	320	138
491	Strathblane,	1388	1235	30	27	57	–	2	2	13	10	23	12
	Total,	88138	93345	1777	1636	3413	154	129	283	918	927	1845	688
	18. Dumbarton.												
492	Arrochar,	629	525	3	5	8	–	1	1	6	7	13	2
493	Bonhill,	9059	9593	173	147	320	12	10	22	78	83	161	88
494	Cardross,	4168	4405	72	63	135	7	5	12	55	46	101	27
495	Cumbernauld,	3513	3602	65	75	140	7	8	15	36	33	69	24
496	DUMBARTON,	8268	11423	237	252	489	12	11	23	128	128	256	57
497	Kilmaronock,	1085	978	12	9	21	1	–	1	7	9	16	4
498	Kirkintilloch,	8179	8257	166	138	304	15	11	26	77	75	152	46
499	Luss,	831	730	8	4	12	1	1	2	10	6	16	3
500	New or East Kilpatrick,	4910	6038	117	108	225	8	7	15	65	80	145	38
501	Old or West Kilpatrick	5577	5346	86	80	166	4	8	12	73	87	160	33
502	Roseneath,	1626	1780	26	18	44	1	1	2	19	14	33	7
503	Row,	6334	8439	111	82	193	3	5	8	60	65	125	48
	Total,	54179	61116	1076	981	2057	71	68	139	614	633	1247	377
	19. Argyll.												
	Mainland.												
504	Ardchattan,	1381	1172	15	14	29	–	–	–	7	4	11	4
505	Ardnamurchan—												
	(1) Aharacle,	1544	1414	30	22	52	4	1	5	19	20	39	4
	(2) Arisaig,	1343	1131	14	12	26	–	1	1	7	6	13	5
	(3) Sunart (or Strontian)	759	760	7	6	13	–	1	1	6	6	12	4
	(4) Western District,	1054	954	7	8	15	–	1	1	11	9	20	2
506	Ballachulish and Corran of Ardgour,	919	849	13	4	17	1	–	1	14	10	24	2
507	CAMPBELTOWN.	8149	8580	160	128	288	11	13	24	72	82	154	58
508	Craignish,	618	481	8	5	13	–	2	2	3	5	8	1
509	Cumlodden,	1033	826	11	15	26	–	–	–	5	7	12	2
510	Dunoon and Kilmun,	5461	6871	93	69	162	6	6	12	53	72	125	38
511	Glassary,	1769	1535	22	15	37	–	–	–	10	13	23	7
512	Glenorchy and Inishail,	1307	1054	16	9	25	1	1	2	9	11	20	5
513	INVERARAY,	1650	1503	19	16	35	1	1	2	13	25	38	11
514	Inverchaolain,	424	443	4	4	8	–	–	–	2	3	5	1
515	Kilbrandon & Kilchattan,	2053	2107	31	32	63	–	3	3	12	14	26	5
516	Kilcalmonell, etc.—												
	(1) Kilcalmonell,	742	684	8	10	18	–	–	–	10	5	15	4
	(2) Kilberry,	583	485	9	5	14	–	1	1	1	7	8	–
517	Kilchrenan, etc.—												
	(1) Kilchrenan,	385	267	3	2	5	1	–	1	5	2	7	1
	(2) Dalavich,	230	217	8	2	10	–	–	–	3	5	8	1
518	Kilfinan,	1891	2228	29	44	73	1	2	3	14	15	29	11
519	Killean and Kilchenzie,	1890	1614	16	28	44	–	1	1	9	18	27	7
520	Kilmalie,	3353	3217	41	31	72	7	4	11	27	33	60	8
521	Kilmartin,	949	869	14	8	22	-	2	2	12	7	19	7
522	Kilmodan,	433	358	3	5	8	–	–	–	2	3	5	–

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
523	KILMORE AND KILBRIDE,	2962	3402	46	32	78	4	4	8	32	44	76	16
524	Kilninver, etc.—												
	(1) Kilninver,	314	253	2	4	6	–	1	1	2	1	3	–
	(2) Kilmelford,	486	506	12	12	24	1	1	2	3	5	8	1
525	Lismore, etc.—												
	(1) Lismore,	1023	908	13	10	23	–	2	2	10	10	20	1
	(2) Appin,	825	728	5	9	14	–	–	–	12	5	17	6
	(3) Glencoe & Ballachulish,	1324	1529	21	20	41	–	2	2	9	8	17	2
	(4) Duror,	423	370	8	3	11	3	–	3	4	1	5	1
526	Lochgilphead,	3312	3680	67	54	121	4	3	7	35	50	85	21
527	Lochgoilhead, etc.—												
	(1) Lochgoilhead,	418	436	8	6	14	–	1	1	5	5	10	2
	(2) Kilmorich,	284	330	4	6	10	–	–	–	4	5	9	1
528	Morvern,	1226	973	13	11	24	3	–	3	14	12	26	2
529	Muckairn,	729	620	5	3	8	2	–	2	4	3	7	1
530	North Knapdale,	1327	1059	11	7	18	–	–	–	10	11	21	6
531	Saddell, etc.—												
	(1) Saddell,	739	645	10	11	21	1	3	4	4	3	7	5
	(2) Skipness,	533	500	5	7	12	–	–	–	1	1	2	1
532	Southend,	1214	1044	12	17	29	1	1	2	6	5	11	8
533	South Knapdale,	654	548	6	4	10	–	–	–	10	6	16	–
534	Stralachlan, etc.—												
	(1) Stralachlan,	309	340	6	5	11	–	–	–	5	6	11	–
	(2) Strachur,	563	527	6	7	13	2	–	2	3	5	8	2
535	Tarbert,	1661	1866	37	29	66	1	1	2	17	28	45	5
	Insular.												
536	Bowmore (or Kilarrow),	2701	2088	19	22	41	3	4	7	23	19	42	8
537	Gigha,	467	390	5	5	10	1	–	1	1	2	3	–
538	Iona (merged in 542),												
539	Jura, etc.—(1) Jura,	858	775	12	5	17	–	–	–	7	2	9	–
	(2) Colonsay,	598	456	10	5	15	1	2	3	5	2	7	2
540	Kilchoman,	2377	1882	20	25	45	3	5	8	13	7	20	10
541	Kildalton,	2187	1916	35	24	59	2	4	6	17	17	34	5
542	Kilfinichen & Kilvickeon,	2535	2461	37	34	71	1	5	6	16	10	26	4
543	Kilmeny,	1268	924	7	8	15	–	1	1	8	6	14	4
544	Kilninian and Kilmore,	1641	1189	8	13	21	–	–	–	14	8	22	3
545	Kinlochspelvie,	428	388	5	5	10	–	–	–	1	3	4	–
546	Oa,	769	367	4	6	10	–	–	–	3	4	7	–
547	Portnahaven,	1059	979	7	13	20	2	2	4	8	6	14	3
548	Salen,	604	605	4	5	9	–	–	–	4	5	9	1
549	Tobermory,	1566	1344	13	15	28	1	3	4	13	15	28	3
550	Torosay,	557	454	5	4	9	–	–	–	3	4	7	–
551	Tyree, etc.—(1) Tyree,	3217	2837	25	43	68	1	2	3	21	19	40	9
	(2) Coll,	781	723	13	9	22	1	–	1	1	10	11	3
	Total,	83859	79661	1107	992	2099	71	87	158	674	735	1409	324
	20. Bute.												
552	Cumbrae,	1236	1613	19	14	33	1	–	1	26	13	39	8
553	Kilbride—												
	(1) Brodick,	902	928	9	12	21	1	1	2	9	10	19	2
	(2) Kilbride,	1351	1276	7	14	21	–	–	–	10	14	24	5
554	Kilmory,	2515	2278	21	20	41	4	1	5	30	17	47	5
555	Kingarth,	905	901	15	10	25	–	1	1	5	8	13	2
556	Lochranza,	824	777	5	10	15	–	–	–	6	8	14	3

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
557	North Bute,	1351	1393	15	21	36	3	1	4	10	10	20	10
558	ROTHESAY,	7227	7800	125	88	213	15	11	26	107	110	217	60
	Total,	16311	16966	216	189	405	24	15	39	203	190	393	95
	VI. SOUTH-WESTERN.												
	21. Renfrew.												
559	ABBEY—												
	(1) Part of PAISLEY,	15889	16348	288	302	590	23	27	50	206	250	456	171
	(2) Landward,	5670	5679	113	102	215	6	9	15	50	57	107	34
	(3) Johnstone,	8142	8590	165	163	328	8	14	22	89	106	195	70
560	Cathcart,	3782	7231	148	137	285	6	4	10	71	68	139	47
561	Eaglesham,	2328	1714	27	26	53	–	1	1	9	22	31	16
562	Eastwood,	11314	13098	264	216	480	19	16	35	164	164	328	84
563	Erskine,	1457	1565	28	25	53	2	–	2	16	6	22	4
564	GREENOCK—												
	(1) New, or Middle,	9446	9592	208	186	394	22	29	51	139	145	284	53
	(2) East,	12135	17061	381	364	745	11	16	27	218	190	408	143
	(3) Old, or West,	22313	33141	741	668	1409	35	35	70	564	516	1080	345
565	Houstoun and Killellan,	2490	2167	40	27	67	8	3	11	26	22	48	10
566	Inchinnan,	619	584	7	8	15	–	1	1	8	4	12	4
567	Innerkip—												
	(1) Innerkip,	1188	1393	24	14	38	3	–	3	9	7	16	5
	(2) Gourock,	2307	3109	41	33	74	2	1	3	26	45	71	14
568	Kilbarchan,	6348	6093	106	84	190	6	5	11	59	62	121	25
569	Kilmalcolm,	1455	1716	16	21	37	1	1	2	14	14	28	5
570	Lochwinnoch,	3821	3816	56	52	108	10	9	19	35	40	75	40
571	Mearns,	3547	3543	53	56	109	3	6	9	27	48	75	23
572	Neilston—												
	(1) Neilston,	4577	4633	64	84	148	10	10	20	41	44	85	35
	(2) Barrhead,	6436	6503	122	108	230	10	16	26	72	69	141	32
573	PAISLEY—												
	(1) High,	14900	15483	313	322	635	13	19	32	189	228	417	134
	(2) Middle and Low,	16638	16426	337	259	596	25	16	41	295	285	580	197
574	PORT-GLASGOW,	7294	9912	234	220	454	13	8	21	141	99	240	80
575	RENFREW,	4650	5908	111	129	240	1	4	5	71	68	139	39
	Total,	168746	195305	3887	3606	7493	237	250	487	2539	2559	5098	1610
	22. Ayr.												
576	Ardrossan—												
	(1) Old Ardrossan,	3530	3336	72	56	128	5	5	10	35	29	64	34
	(2) New Ardrossan,	3246	3929	75	85	160	3	3	6	35	46	81	25
577	Auchinleck,	4213	6174	157	140	297	7	8	15	66	59	125	39
578	AYR,	19659	19172	314	298	612	39	30	69	203	216	419	152
579	Ballantrae,	1483	1277	19	21	40	2	3	5	14	8	22	7
580	Barr,	910	672	12	10	22	–	–	–	3	4	7	3
581	Beith,	5775	6233	109	122	231	6	9	15	68	67	135	28
582	Colmonell,	2588	2293	29	29	58	7	8	15	14	12	26	15
583	Coylton,	1604	1440	23	21	44	3	5	8	11	15	26	9
584	Craigie,	730	618	7	12	19	–	2	2	5	3	8	3
585	Dailly,	2050	1932	39	21	60	6	3	9	16	11	27	13
586	Dalmellington,	4194	6165	174	140	314	10	11	21	48	52	100	38
587	Dalry,	11156	10885	214	203	417	11	11	22	98	96	194	61
588	Dalrymple,	1325	1412	29	26	55	2	1	3	13	7	20	10

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
589	Dreghorn,	3283	3241	66	62	128	6	5	11	26	16	42	25
590	Dundonald—												
	(1) Dundonald,	2095	1507	25	25	50	3	3	6	6	20	26	15
	(2) Troon,	2599	2870	38	48	86	2	–	2	22	27	49	25
591	Dunlop,	1038	1160	12	20	32	1	1	2	7	8	15	7
592	Fenwick,	1532	1318	21	19	40	1	2	3	13	9	22	12
593	Galston,	5254	6331	174	142	316	13	15	28	87	69	156	41
594	Girvan,	7053	5685	101	105	206	29	16	45	54	64	118	39
595	IRVINE,	8607	8462	180	153	333	20	19	39	123	141	264	58
596	Kilbirnie,	5265	4953	100	90	190	13	9	22	41	36	77	46
597	KILMARNOCK,	23556	24072	474	480	954	45	38	83	292	285	577	210
598	Kilmaurs,	3526	3449	69	62	131	3	4	7	39	38	77	27
599	Kilwinning,	7717	7375	157	135	292	19	9	28	59	75	134	59
600	Kirkmichael,	2823	2254	46	38	84	9	5	14	17	22	39	27
601	Kirkoswald,	2060	1846	31	24	55	5	3	8	12	14	26	17
602	Largs,	3620	4087	43	50	93	2	2	4	44	43	87	25
603	Loudoun,	4840	5525	104	94	198	6	7	13	66	51	117	60
604	Mauchline,	2303	2435	35	39	74	2	3	5	34	31	65	21
605	Maybole,	6713	5900	108	80	188	19	14	33	69	56	125	40
606	Monkton and Prestwick,	1937	1744	41	26	67	8	1	9	21	17	38	12
607	Muirkirk,	3270	3253	74	59	133	9	4	13	30	25	55	19
608	New Cumnock,	2891	3434	79	72	151	11	11	22	42	19	61	26
609	Ochiltree,	1676	1656	17	21	38	4	4	8	13	8	21	12
610	Old Cumnock,	3721	4041	74	69	143	5	11	16	34	29	63	28
611	RICCARTON,	5629	5845	155	130	285	14	4	18	68	58	126	45
612	St Quivox and Newton-upon-Ayr,	1870	1363	20	28	48	2	5	7	23	14	37	6
613	Sorn,	4042	4032	91	51	142	14	5	19	43	50	93	44
614	Stair,	743	734	9	8	17	–	1	1	2	2	4	4
615	Stevenston,	5452	5019	113	107	220	8	7	15	69	53	122	29
616	Stewarton,	4449	4478	82	69	151	13	4	17	33	60	93	40
617	Straiton,	1544	1443	23	30	53	–	2	2	10	11	21	19
618	Symington,	855	792	11	20	31	3	–	3	4	5	9	5
619	Tarbolton,	2669	3219	61	53	114	3	7	10	49	43	92	26
620	West Kilbride,	1988	1847	30	24	54	2	3	5	18	17	35	7
	Total,	199083	200908	3937	3617	7554	395	323	718	2099	2041	4140	1513
	23. Lanark.												
621	Avondale,	6125	5460	98	94	192	12	6	18	49	61	110	43
622	BARONY—												
	(1) MARYHILL,	6734	10235	248	208	456	18	6	24	170	175	345	74
	(2) SPRINGBURN,	8911	13994	279	302	581	22	24	46	354	329	683	71
	(3) Shettlestone,	6914	7517	121	129	250	6	9	15	85	91	176	64
623	Biggar,	1999	2013	32	32	64	–	3	3	19	17	36	14
624	Blantyre,	3092	3472	60	50	110	5	5	10	34	41	75	18
625	Bothwell—												
	(1) Bothwell,	7059	9193	186	175	361	8	8	16	109	84	193	74
	(2) Holytown,	10844	10099	215	204	419	11	9	20	93	106	199	69
a626	Cadder—												
	(1) Western,	3023	3261	67	69	136	4	5	9	36	37	73	12
	(2) Eastern,	2925	3203	70	46	116	6	2	8	23	22	45	17
b626	Calderhead,	4034	4271	91	114	205	9	9	18	40	34	74	38
627	Cambuslang,	3647	3740	71	61	132	3	2	5	47	34	81	22
628	Cambusnethan,	13118	18709	446	413	859	29	29	58	196	175	371	153
629	Carluke,	6176	7066	153	140	293	18	13	31	65	72	137	61
630	Carmichael,	836	708	16	10	26	3	3	6	7	6	13	5
631	Carmunnock	734	702	17	12	29	1	–	1	6	5	11	4

	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
32	Carnwath,	3584	5709	146	128	274	13	15	28	53	51	104	54
33	Carstairs,	1345	1718	21	32	53	2	1	3	10	8	18	12
34	Covington and Thankerton,	532	454	4	6	10	–	–	–	2	3	5	2
35	Crawford—												
	(1) Crawford,	694	727	14	11	25	–	1	1	5	3	8	2
	(2) Leadhills,	896	1102	29	18	47	4	1	5	10	8	18	11
36	Crawfordjohn,	980	853	13	7	20	3	1	4	5	2	7	9
37	Culter,	665	593	6	7	13	1	–	1	7	3	10	2
38	Dalserf—												
	(1) Larkhall,	3629	5332	118	117	235	9	3	12	70	53	123	40
	(2) Dalserf,	1247	2009	49	54	103	4	1	5	20	14	34	13
39	Dalziel,	5438	9175	246	260	506	14	10	24	133	139	272	40
40	Dolphinton,	260	231	3	2	5	–	–	–	1	1	2	1
41	Douglas,	2490	2624	56	38	94	10	4	14	27	22	49	23
42	Dunsyre,	312	302	4	3	7	–	–	–	3	2	5	1
43	East Kilbride,	4064	3861	68	53	121	3	4	7	32	38	70	20
44	GLASGOW—												
	(1) Central District,	49678	57279	1263	1181	2444	240	204	444	1272	1266	2538	577
	(2) High,	48119	58466	1204	1176	2380	109	113	222	1347	1128	2475	678
	(3) Bridgeton,	45485	60628	1352	1252	2604	102	111	213	965	1013	1978	450
	(4) Calton,	36625	38177	721	729	1450	60	69	129	631	680	1311	317
	(5) Clyde,	29975	26044	460	439	899	67	79	146	452	450	902	190
	(6) Blythswood,	28697	33443	452	453	905	29	38	67	328	393	721	550
	(7) Milton,	33360	46393	1065	983	2048	66	65	131	653	688	1341	415
	(8) Anderston,	40945	52504	983	982	1965	70	58	128	728	764	1492	451
	(9) Tradeston,	38600	49176	923	857	1780	59	57	116	695	702	1397	610
	(10) Hutchesontown,	44019	55622	1207	1185	2392	72	81	153	816	819	1635	386
45	Glassford,	1938	1430	29	20	49	1	3	4	12	17	29	16
46	Govan—												
	(1) Govan Church,	11297	27116	728	660	1388	47	24	71	373	365	738	255
	(2) Park,	2428	5720	113	96	209	7	1	8	52	65	117	75
	(2) Partick,	14859	23918	471	453	924	17	14	31	279	275	554	210
47	HAMILTON,	14047	16803	348	325	673	31	22	53	225	220	445	115
48	LANARK,	7891	7841	117	109	226	15	18	33	106	106	212	48
49	Lesmahagow,	9266	8709	193	149	342	21	16	37	69	65	134	80
50	Libberton,	836	691	12	9	21	4	2	6	5	4	9	4
51	NEW MONKLAND—												
	(1) AIRDRIE,	12922	13488	302	277	579	31	24	55	178	177	355	133
	(2) Landward,	7632	9264	201	174	375	12	14	26	125	101	226	61
52	Old Monkland—												
	(1) Western,	6932	7873	170	159	329	8	6	14	89	73	162	39
	(2) Coatbridge,	15303	18410	377	425	802	16	20	36	230	212	442	148
	(3) Eastern,	7308	7790	173	174	347	8	11	19	84	79	163	35
53	Pettinain,	407	366	9	3	12	2	–	2	3	1	4	4
54	RUTHERGLEN,	9335	10766	248	205	453	13	9	22	155	130	285	102
55	Shotts,	4792	5699	118	116	234	6	4	10	58	48	106	31
56	Stonehouse,	3267	3177	71	65	136	3	6	9	26	29	55	33
57	Symington,	528	442	9	5	14	1	–	1	6	–	6	3
58	Walston,	480	425	7	4	11	3	1	4	1	3	4	3
59	Wandell and Lamington,	380	332	7	5	12	1	1	2	2	1	3	1
60	Wiston and Roberton,	786	680	13	9	22	2	3	5	7	8	15	3
	Total,	640444	787005	16293	15474	31767	1341	1248	2589	11683	11518	23201	6992

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
	VII. SOUTH-EASTERN.												
	24. Linlithgow.												
661	Abercorn,	965	933	11	14	25	1	1	2	11	11	22	5
662	Bathgate—												
	(1) Bathgate	6572	6942	155	138	293	19	12	31	67	69	136	80
	(2) Armadale,	3562	3187	80	84	164	3	6	9	33	32	65	22
663	Borrowstounness,	5698	4986	126	108	234	14	6	20	55	42	97	32
664	Carriden,	1821	1799	51	25	76	6	5	11	20	20	40	12
665	Dalmeny,	804	916	16	12	28	1	–	1	7	9	16	6
666	Ecclesmachen,	309	329	7	2	9	–	–	–	6	1	7	–
667	Kirkliston,	1907	2172	41	39	80	4	3	7	24	22	46	14
668	LINLITHGOW,	5784	5554	91	93	184	13	12	25	86	81	167	36
669	Livingstone,	1366	1727	42	26	68	3	1	4	18	26	44	18
670	QUEENSFERRY,	1391	1521	33	33	66	4	2	6	12	21	33	2
671	Torphichen,	1848	1630	22	42	64	5	5	10	8	20	28	10
672	Uphall,	1507	2772	70	66	136	5	2	7	37	29	66	10
673	Whitburn,	5511	6911	176	167	343	11	14	25	81	74	155	47
	Total,	39045	41379	921	849	1770	89	69	158	465	457	922	288
	25. Edinburgh.												
674	Borthwick,	1569	1494	19	23	42	1	3	4	10	19	29	6
675	Carrington,	681	712	17	11	28	2	4	6	3	9	12	4
676	Cockpen,	2113	2481	47	39	86	5	1	6	34	38	72	15
677	Colinton,	2656	3644	75	60	135	23	18	41	127	102	229	16
678	Corstorphine,	1579	1788	28	24	52	3	–	3	11	17	28	11
679	Cramond,	2695	3020	35	46	81	–	4	4	27	24	51	18
680	Cranston,	1035	1036	8	16	24	–	1	1	11	13	24	15
681	Crichton,	1304	1223	29	22	51	1	3	4	16	17	33	4
682	Currie,	2248	2360	43	39	82	1	1	2	26	27	53	15
683	Dalkeith,	7114	7667	136	120	256	14	4	18	121	130	251	60
684	DUDDINGSTON—												
	(1) PORTOBELLO,	4366	5481	87	77	164	5	9	14	67	93	160	40
	(2) Landward,	857	970	18	18	36	2	–	2	11	5	16	
685	EDINBURGH—												
	(1) St George,	42068	55049	916	882	1798	73	60	133	636	721	1357	35
	(2) St Andrew,	38731	39781	552	564	1116	30	48	78	399	434	833	36
	(3) Canongate	30169	33183	668	613	1281	56	48	104	780	670	1450	29
	(4) St Giles,	29679	31960	640	605	1245	98	98	196	438	409	847	28
	(5) Newington,	29797	41079	732	702	1434	38	41	79	429	531	960	45
686	Fala and Soutra,	382	364	6	5	11	–	1	1	4	6	10	
687	Glencross,	1217	1153	21	20	41	1	1	2	6	14	20	
688	Heriot,	407	414	10	6	16	1	1	2	3	7	10	
689	INVERESK,	9518	10068	167	161	328	13	13	26	139	128	267	6
690	Kirknewton and East-Calder,	1549	2213	43	47	90	5	5	10	27	20	47	1
691	Lasswade,	5688	7098	155	106	261	14	9	23	71	68	139	4
692	LEITH—												
	(1) North Leith,	11562	16582	306	329	635	11	17	28	184	165	349	14
	(2) South Leith,	24467	29852	658	559	1217	39	35	74	358	374	732	29
693	Liberton,	3510	3791	59	68	127	6	10	16	37	42	79	3
694	Mid-Calder,	1389	1634	24	36	60	2	1	3	23	18	41	
695	Newbattle,	2138	2424	52	44	96	4	2	6	19	23	42	
696	Newton,	1553	1181	15	26	41	1	3	4	12	8	20	
697	Penicuik,	3249	3765	52	60	112	3	2	5	29	32	61	
a698	Ratho,	1659	1744	33	30	63	2	3	5	8	10	18	
b698	Stobhill,	2364	2447	54	51	105	4	9	13	32	27	59	

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl.	Mal.	Fem	Total.	
699	Stow,	1870	1957	38	27	65	7	2	9	13	12	25	7
700	Temple,	682	658	[illegible]	12	18	2	2	4	4	5	9	5
701	West-Calder,	1927	7865	206	199	405	12	9	21	89	63	152	47
	Total,	273792	328138	5955	5647	11602	479	468	947	4204	4281	8485	2723
	26. Haddington.												
702	Aberlady,	1019	1022	14	9	23	2	2	4	12	6	18	3
703	Athelstaneford,	902	844	18	6	24	1	1	2	6	9	15	7
704	Bolton,	332	364	5	1	6	–	–	–	5	3	8	1
705	Dirleton,	1540	1419	12	17	29	2	–	2	13	12	25	6
706	DUNBAR,	4944	4982	81	69	150	7	6	13	28	41	69	22
707	Garvald,	891	832	16	12	28	2	1	3	10	9	19	4
708	Gladsmuir,	1945	1863	41	27	68	5	1	6	27	17	44	9
709	HADDINGTON,	5548	5735	83	74	157	5	6	11	53	76	129	38
710	Humbie,	997	967	15	12	27	2	1	3	11	10	21	6
711	Innerwick,	937	892	14	11	25	–	–	–	6	10	16	5
712	Morham,	281	204	2	4	6	–	–	–	1	1	2	2
713	NORTH BERWICK,	2071	2373	39	35	74	8	3	11	19	14	33	13
714	Oldhamstocks,	615	592	9	6	15	3	1	4	8	3	11	4
715	Ormiston,	915	911	16	16	32	–	1	1	13	7	20	5
716	Pencaitland,	1187	1320	20	29	49	1	5	6	18	13	31	7
717	Prestonkirk,	1960	1931	29	15	44	3	2	5	17	21	38	10
718	Prestonpans,	2080	2069	43	34	77	2	3	5	15	23	38	16
719	Salton,	712	647	8	6	14	1	1	2	4	6	10	3
720	Spott,	555	560	6	12	18	–	1	1	5	1	6	4
721	Stenton,	692	612	8	7	15	1	1	2	3	3	6	3
722	Tranent,	4647	4852	101	96	197	5	6	11	45	46	91	23
723	Whitekirk and Tynninghame,	1113	1073	18	12	30	1	1	2	12	7	19	4
724	Whittinghame,	710	657	10	14	24	1	–	1	2	2	4	4
725	Yester,	1033	1034	16	12	28	2	2	4	7	9	16	4
	Total,	37626	37755	624	536	1160	54	45	99	340	349	689	203
	27. Berwick.												
726	Abbey St Bathans,	179	195	4	3	7	1	2	3	–	1	1	1
727	Ayton,	2014	1983	32	27	59	2	3	5	20	21	41	12
728	Bunkle and Preston,	756	764	11	8	19	–	–	–	3	3	6	3
729	Channelkirk,	671	705	11	5	16	2	1	3	5	4	9	3
730	Chirnside,	1502	1413	18	23	41	3	1	4	9	13	22	9
731	Cockburnspath,	1194	1133	22	18	40	2	2	4	5	5	10	5
732	Coldingham,	3241	3093	49	42	91	6	2	8	18	26	44	15
733	Coldstream,	2823	2619	39	37	76	6	4	10	26	20	46	9
734	Cranshaws,	134	142	1	2	3	–	–	–	–	1	1	1
735	Dunse,	3595	3602	60	47	107	7	7	14	24	30	54	19
736	Earlston,	1825	1977	23	33	56	4	2	6	15	17	32	17
737	Eccles,	1861	1780	24	21	45	2	1	3	18	19	37	7
738	Edrom,	1592	1513	17	19	36	6	3	9	15	4	19	7
739	Eyemouth,	1804	2372	52	51	103	1	2	3	25	25	50	10
740	Fogo,	559	502	3	9	12	1	2	3	9	3	12	3
741	Foulden,	431	425	16	3	19	6	1	7	5	2	7	5
742	Gordon,	931	876	8	14	22	1	2	3	2	9	11	6
743	Greenlaw,	1370	1381	22	25	47	4	1	5	12	11	23	5
744	Hume,	420	460	8	9	17	–	–	–	2	4	6	3
745	Hutton,	1067	1077	17	9	26	1	1	2	7	14	21	5
746	Ladykirk,	564	518	7	8	15	1	–	1	2	4	6	6
747	Langton,	502	548	9	8	17	–	–	–	3	2	5	1

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
748	LAUDER,	2198	2120	43	27	70	2	6	8	39	24	63	6
749	Legerwood,	599	525	15	9	24	1	2	3	–	1	1	6
750	Longformacus,	448	452	7	5	12	–	1	1	1	3	4	2
751	Merton,	729	734	17	13	30	–	1	1	5	7	12	2
752	Mordington,	377	402	5	5	10	2	–	2	4	6	10	5
753	Nenthorn,	461	434	9	2	11	2	1	3	3	–	3	3
754	Polwarth,	251	249	4	3	7	1	–	1	1	1	2	3
755	Swinton,	964	996	15	16	31	5	1	6	7	8	15	4
756	Westruther,	786	784	13	17	30	–	3	3	2	5	7	4
757	Whitsome,	640	608	9	5	14	–	–	–	5	6	11	3
	Total,	36488	36382	590	523	1113	69	52	121	292	299	591	190
	28. Peebles.												
758	Broughton (merged in 763).												
759	Drumelzier,	209	221	7	4	11	–	–	–	2	1	3	–
760	Eddlestone,	753	700	15	11	26	2	1	3	2	6	8	4
761	Glenholm (merged in 763).												
762	Innerleithen,	1787	2776	46	35	81	4	3	7	25	29	54	17
763	Kilbucho, Broughton, and Glenholm,	723	729	13	14	27	3	–	3	6	4	10	1
764	Kirkurd,	362	294	4	1	5	–	–	–	1	–	1	1
765	Lyne, etc.—												
	(1) Lyne,	81	104	2	1	3	–	–	–	–	–	–	1
	(2) Megget,	53	70	3	–	3	1	–	1	–	–	–	1
766	Manor,	247	271	4	6	10	–	1	1	1	–	1	1
767	Newlands,	987	851	13	12	25	–	1	1	10	6	16	3
768	PEEBLES,	2850	3172	49	41	90	8	3	11	38	34	72	30
769	Skirling,	317	325	6	4	10	–	–	–	4	3	7	2
770	Stobo,	478	459	7	9	16	1	–	1	6	3	9	1
771	Traquair,	687	669	13	13	26	–	1	1	3	5	8	6
772	Tweedsmuir,	196	190	2	1	3	–	–	–	–	–	–	1
773	West Linton,	1534	1387	23	20	43	2	2	4	8	14	22	4
	Total,	11264	12218	207	172	379	21	12	33	106	105	211	63
	29. Selkirk.												
a774	Caddonfoot,	610	699	10	8	18	–	–	–	4	2	6	4
b774	Ettrick,	454	434	7	9	16	–	1	1	–	–	–	1
775	GALASHIELS,	3268	5921	129	140	269	12	14	26	72	65	137	48
a776	Kirkhope,	555	565	10	12	22	–	3	3	7	5	12	6
b776	LADHOPE,	4154	5317	107	109	216	18	16	34	67	81	148	51
777	Roberton,	640	593	8	10	18	–	1	1	4	3	7	1
778	SELKIRK,	4646	5555	94	108	202	8	15	23	86	85	171	37
779	Yarrow,	574	567	14	11	25	2	–	2	3	3	6	3
	Total,	14901	19651	379	407	786	40	50	90	243	244	487	151
	VIII. SOUTHERN.												
	30. Roxburgh.												
780	Ancrum,	1511	1391	20	19	39	1	3	4	8	7	15	21
781	Ashkirk,	578	550	12	6	18	2	–	2	5	3	8	4

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
782	Bedrule,	222	292	2	5	7	–	–	–	–	1	1	2
783	Bowden,	864	842	16	9	25	2	–	2	7	3	10	2
784	Castleton,	3688	2202	40	36	76	7	3	10	14	17	31	13
785	Cavers,	1824	1443	21	19	40	3	1	4	11	14	25	4
786	Crailing,	673	657	13	10	23	2	2	4	6	3	9	2
a787	Eckford,	957	931	17	14	31	2	2	4	4	5	9	5
b787	Edgerston,	359	365	11	7	18	1	–	1	5	2	7	1
788	Ednam,	599	613	12	5	17	1	1	2	4	1	5	5
789	HAWICK,	8726	8733	158	124	282	22	11	33	87	86	173	64
790	Hobkirk,	771	718	11	11	22	1	3	4	10	7	17	3
791	Hownam,	289	238	3	6	9	–	1	1	2	2	4	1
792	JEDBURGH,	5011	4971	86	68	154	12	2	14	48	50	98	28
793	Kelso,	5192	5124	78	61	139	6	3	9	52	57	109	30
794	Kirktown,	421	320	5	5	10	–	1	1	3	1	4	1
795	Lilliesleaf,	772	788	14	16	30	3	1	4	4	10	14	–
796	Linton,	608	570	6	11	17	–	3	3	1	5	6	–
797	Makerston,	380	361	4	5	9	–	2	2	2	1	3	1
798	Maxton,	497	481	8	6	14	1	2	3	2	8	10	4
799	Melrose,	3500	4115	49	57	106	3	4	7	36	31	67	26
800	Minto,	430	431	4	4	8	1	–	1	2	4	6	1
801	Morebattle,	1031	986	15	14	29	1	5	6	5	5	10	8
802	Oxnam,	592	652	6	11	17	1	1	2	4	2	6	2
803	Roxburgh,	1178	1053	16	12	28	2	3	5	10	9	19	10
804	St Boswells,	922	973	15	18	33	2	1	3	5	4	9	5
805	Smailholm,	554	534	9	13	22	–	–	–	7	7	14	3
806	Southdean,	687	674	5	9	14	1	–	1	7	5	12	4
807	Sprouston,	1305	1294	13	18	31	1	4	5	3	10	13	5
808	Stitchel,	425	388	4	8	12	–	–	–	4	5	9	3
809	Teviothead,	438	515	8	15	23	–	3	3	1	3	4	2
810	WILTON,	3357	3936	81	93	174	7	11	18	32	47	79	23
811	Yetholm,	1207	1100	16	22	38	2	2	4	7	8	15	5
	Total,	49568	48241	778	737	1515	87	75	162	398	423	821	288
	31. Dumfries.												
812	ANNAN,	5113	4631	69	74	143	8	16	24	45	59	104	26
813	Applegarth,	935	902	24	14	38	4	2	6	9	11	20	2
813	BRYDEKIRK,	779	731	12	9	21	5	3	8	2	2	4	3
814	Canonbie,	3219	3055	56	40	96	10	1	11	21	36	57	7
815	Carlaverock,	1248	1151	20	21	41	4	2	6	14	8	22	6
816	Closeburn,	1651	1612	25	21	46	1	4	5	15	15	30	14
817	Cummertrees,	1184	1072	17	12	29	3	4	7	6	5	11	10
818	Dalton,	679	577	7	6	13	–	1	1	3	4	7	3
819	Dornock,	856	826	20	12	32	5	2	7	10	7	17	2
820	Dryfesdale,	2509	2825	40	38	78	4	3	7	29	23	52	25
821	DUMFRIES,	13523	14841	266	252	518	40	41	81	205	184	389	108
822	Dunscore,	1554	1504	18	12	30	1	2	3	8	9	17	15
823	Durrisdeer,	1320	1189	18	18	36	3	2	5	15	8	23	11
824	Eskdalemuir,	590	551	4	5	9	–	–	–	1	3	4	2
825	Ewes,	356	338	6	2	8	1	–	1	4	2	6	2
826	Glencairn,	1867	1749	32	17	49	11	–	11	23	13	36	15
827	Graitney (or Gretna),	1620	1395	29	17	46	4	3	7	15	16	31	12
828	Halfmorton,	713	611	7	9	16	1	3	4	2	6	8	6
829	Hoddom,	1568	1520	22	23	45	6	7	13	4	13	17	7
830	Holywood,	1115	1069	20	12	32	2	1	3	7	5	12	8
831	Hutton,	876	842	10	12	22	2	1	3	2	9	11	3
832	Johnstone,	1149	1089	19	17	36	2	2	4	7	4	11	4
833	Keir,	849	828	15	7	22	3	–	3	6	11	17	6
834	Kirkconnel,	996	952	16	15	31	5	1	6	5	9	14	5

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
835	Kirkmahoe,	1462	1332	14	24	38	2	3	5	13	10	23	8
836	Kirkmichael,	1026	903	14	18	32	3	1	4	6	4	10	11
837	Kirkpatrick-Fleming—												
	(1) Northern Dist.,	493	393	9	4	13	–	–	–	2	1	3	–
	(2) Southern Dist.,	1432	1136	23	12	35	11	5	16	14	10	24	4
838	Kirkpatrick-Juxta,	1025	1091	13	17	30	–	1	1	5	12	17	4
839	Langholm,	2979	3735	59	56	115	5	7	12	25	33	58	15
840	LOCHMABEN,	3087	3085	58	47	105	7	9	16	27	26	53	17
841	Middlebie,	2004	2000	33	30	63	9	4	13	18	32	50	11
842	Moffat,	2232	2543	27	27	54	3	4	7	19	28	47	10
843	Morton,	2253	2099	43	30	73	5	5	10	15	26	41	10
844	Mousewald,	633	647	10	12	22	3	4	7	6	8	14	6
845	Penpont,	1326	1323	16	23	39	2	4	6	12	15	27	5
846	Ruthwell,	1046	972	14	11	25	1	5	6	8	12	20	9
847	St Mungo,	686	658	6	14	20	1	2	3	4	6	10	2
848	SANQUHAR,	2758	2201	36	29	65	9	3	12	18	22	40	18
849	Tinwald,	1079	993	22	15	37	3	6	9	5	10	15	4
850	Torthorwald,	1254	1098	24	9	33	4	3	7	11	11	22	8
851	Tundergarth,	507	510	8	9	17	4	1	5	5	7	12	–
852	Tynron,	446	381	7	8	15	1	–	1	–	4	4	2
*a*853	Wamphray,	559	505	5	7	12	1	–	1	4	9	13	5
*b*853	Wanlockhead,	811	837	18	10	28	2	2	4	8	6	14	7
854	Westerkirk,	537	540	3	4	7	–	–	–	2	4	6	5
	Total,	75904	74842	1234	1081	2315	201	170	371	685	758	1443	463
	32. Kirkcudbright.												
855	Anwoth,	899	827	8	8	16	3	2	5	5	4	9	4
856	Balmaclellan,	890	861	14	11	25	1	4	5	2	5	7	4
*a*857	Balmaghie,	1225	1085	16	19	35	2	2	4	3	8	11	4
*b*857	Bargrennan,	471	428	5	6	11	–	–	–	–	6	6	1
858	Borgue,	1162	1087	24	14	38	2	1	3	8	4	12	7
859	Buittle,	1165	1026	18	23	41	5	2	7	7	6	13	11
860	Carsphairn,	553	545	7	12	19	2	2	4	5	3	8	4
861	Colvend,	1366	1318	13	21	34	2	3	5	10	16	26	8
862	Corsock-Bridge,	544	563	9	5	14	1	–	1	4	7	11	5
863	Crossmichael,	1536	1492	17	18	35	4	2	6	17	13	30	11
864	Dalbeattie,	2054	3163	58	53	111	3	11	14	34	39	73	21
865	Dalry,	1149	1074	14	17	31	9	5	14	9	7	16	11
866	Girthon,	1702	1586	24	18	42	6	4	10	16	18	34	6
867	Irongray,	913	815	13	12	25	5	–	5	8	5	13	5
868	KELLS,	1170	1007	12	16	28	1	4	5	13	11	24	6
869	Kelton,	3436	3222	46	59	105	6	7	13	25	33	58	16
870	Kirkbean,	942	825	10	15	25	2	2	4	5	9	14	3
871	KIRKCUDBRIGHT,	3407	3346	49	42	91	5	9	14	18	42	60	12
872	Kirkgunzeon,	793	661	17	9	26	2	1	3	6	3	9	2
873	Kirkmabreck,	1851	1568	20	21	41	2	2	4	11	12	23	6
874	Kirkpatrick-Durham,	1323	1218	15	23	38	3	6	9	7	6	13	11
875	Lochrutton,	677	656	10	9	19	3	2	5	5	4	9	4
876	Minnigaff,	1518	1329	16	24	40	1	2	3	13	10	23	10
877	New Abbey,	1063	931	11	13	24	3	2	5	9	8	17	5
878	Parton,	572	526	7	6	13	1	3	4	3	2	5	4
879	Rerrick,	1738	1911	17	19	36	5	2	7	15	19	34	9
880	TERREGLES,	580	547	2	7	9	–	1	1	5	2	7	4
881	Tongland,	892	908	17	11	28	4	1	5	6	12	18	5
882	TROQUEER,	4743	5402	106	80	186	12	8	20	35	37	72	24

No. of District.	Registration Districts.	Population.		Total Births, including the Illegitimate.			Illegitimate Births.			Deaths.			Marriages.
		1861.	1871.	Males.	Fem.	Total.	Mal.	Fem	Totl	Mal.	Fem	Total.	
883	Twynholm,	815	717	7	6	13	–	1	1	9	6	15	5
884	Urr,	1531	1443	23	24	47	5	–	5	6	10	16	9
	Total,	42680	42087	625	621	1246	100	91	191	319	367	686	237
	33. Wigtown.												
885	Glasserton,	1472	1196	18	17	35	1	4	5	4	6	10	9
886	Inch,	2460	2189	15	27	42	2	1	3	19	13	32	11
887	Kirkcolm,	1860	1948	29	23	52	7	7	14	14	9	23	10
888	Kirkcowan,	1434	1352	22	19	41	2	4	6	13	14	27	11
889	Kirkinner,	1716	1548	17	14	31	1	2	3	7	8	15	5
890	Kirkmaiden,	2333	2507	39	38	77	8	3	11	21	13	34	16
891	Leswalt,	1417	1249	22	15	37	3	1	4	14	4	18	7
892	Mochrum,	2694	2450	43	39	82	7	7	14	21	16	37	13
893	New Luce,	731	661	14	12	26	5	3	8	4	3	7	6
894	Old Luce (or Glenluce),	2800	2449	38	39	77	7	7	14	20	18	38	14
895	Penninghame,	3876	3712	53	63	116	7	13	20	34	55	89	23
896	Portpatrick,	2189	1492	20	16	36	4	4	8	14	14	28	3
897	Sorbie,	1814	1667	18	29	47	1	3	4	8	15	23	11
898	Stoneykirk,	3228	2993	42	37	79	6	8	14	19	20	39	14
899	STRANRAER,	6315	5977	90	84	174	17	11	28	57	63	120	29
900	WHITHORN,	2934	2906	43	46	89	5	8	13	28	25	53	15
901	WIGTOWN,	2637	2306	28	29	57	4	6	10	27	21	48	3
	Total,	41910	38602	551	547	1098	87	92	179	324	317	641	200

MARRIAGES registered in SCOTLAND in 1871 according to the Rites of the several Religious Denominations, with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

DISTRICTS, DIVISIONS, AND COUNTIES.	Total Marriages.	Regular Marriages, according to the Rites of							Irregular Marriages.	Condition of Parties.					Signed the Register by Marks.	
		Established Church.	Free Church.	United Presbyterian Church.	Episcopalians.	Roman Catholic Church.	Other Denominations.	Not stated.		Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Not stated.	Men.	Women.
SCOTLAND	24019	10985	5404	3325	551	2087	1498	64	105	20440	610	2099	778	92	2389	4704
GROUPS OF DISTRICTS.																
PRINCIPAL TOWNS	9819	3601	2198	1423	370	1252	837	44	94	8123	316	930	448	2	1045	2286
LARGE TOWNS	2656	1166	541	394	57	290	202	4	2	2225	88	242	98	3	295	585
SMALL TOWNS	5081	2520	944	852	61	379	315	2	8	4430	101	403	136	11	595	1006
MAINLAND-RURAL	5863	3437	1492	608	63	129	119	14	1	5149	97	479	89	49	276	582
INSULAR-RURAL	600	261	229	48	–	37	25	–	–	513	8	45	7	27	177	245
DIVISIONS.																
I. NORTHERN	591	226	246	67	2	1	41	5	3	520	10	42	8	11	34	79
II. NORTH-WESTERN	810	216	501	17	1	71	4	–	–	711	9	64	6	20	237	354
III. NORTH-EASTERN	2417	1434	607	133	84	42	113	–	4	2130	53	184	47	3	71	186
IV. EAST-MIDLAND	3796	1862	775	657	109	187	186	5	15	3260	69	355	103	9	189	507
V. WEST-MIDLAND	1484	781	283	214	21	109	73	2	1	1274	28	119	47	16	17[illegible]	289
VI. SOUTH-EASTERN	10115	4168	1904	1431	204	1415	899	50	44	8421	317	903	454	20	1436	2861
VII. SOUTH-WESTERN	3618	1594	868	646	120	224	127	2	37	3098	103	317	98	2	187	341
VIII. SOUTHERN	1188	704	220	160	10	38	55	–	1	1026	21	115	15	11	58	87
COUNTIES.																
1 Shetland	154	107	19	9	–	–	19	–	–	124	4	14	2	10	14	40
2 Orkney	152	54	41	45	–	–	9	–	3	136	3	11	2	–	2	5
3 Caithness	185	52	100	13	1	1	13	5	–	171	–	11	3	–	11	18
4 Sutherland	100	13	86	–	1	–	–	–	–	89	3	6	1	1	7	18
5 Ross & Cromarty	380	70	304	4	–	–	2	–	–	348	3	21	2	6	119	179
6 Inverness	430	146	197	13	1	71	2	–	–	363	6	43	4	14	118	175
7 Nairn	43	12	23	7	–	–	1	–	–	37	1	4	1	–	2	5
8 Elgin	193	91	71	22	6	3	–	–	–	170	5	17	1	–	7	22
9 Banff	354	208	86	33	4	14	9	–	–	318	4	26	5	1	18	47
10 Aberdeen	1634	974	398	69	62	25	102	–	4	1435	41	119	37	2	45	99
11 Kincardine	193	149	29	2	12	–	1	–	–	170	2	18	3	–	5	18
12 Forfar	1817	770	359	315	86	162	112	–	13	1543	34	190	50	–	126	382
13 Perth	754	385	202	99	15	21	27	5	–	643	18	69	22	2	22	56
14 Fife	1052	622	178	199	6	4	41	–	2	924	11	84	27	6	28	53
15 Kinross	49	25	6	18	–	–	–	–	–	43	–	2	3	1	1	1
16 Clackmannan	124	60	30	26	2	–	6	–	–	107	6	10	1	–	12	16
17 Stirling	688	360	118	114	3	37	53	2	1	600	11	51	23	3	70	130
18 Dumbarton	377	171	60	69	12	57	8	–	–	329	7	25	13	3	67	94
19 Argyll	324	200	75	24	4	12	9	–	–	263	9	34	8	10	28	46
20 Bute	95	50	30	7	2	3	3	–	–	82	1	9	3	–	6	13
21 Renfrew	1610	704	292	202	37	252	118	–	5	1330	43	148	82	7	218	409
22 Ayr	1513	847	287	165	21	94	97	2	–	1293	22	144	47	7	216	371
23 Lanark	6992	2617	1325	1064	146	1069	684	48	39	5798	252	611	325	6	1002	2081
24 Linlithgow	288	144	41	48	2	38	15	–	–	252	7	19	8	2	43	67
25 Edinburgh	2723	1128	718	468	113	163	95	2	36	2303	87	253	80	–	119	229
26 Haddington	203	118	45	28	2	10	–	–	–	175	5	19	4	–	19	33
27 Berwick	190	100	27	56	–	1	5	–	1	176	2	10	2	–	3	[illegible]
28 Peebles	63	41	10	10	–	1	1	–	–	55	–	5	3	–	1	5
29 Selkirk	151	63	27	36	3	11	11	–	–	137	2	11	1	–	2	[illegible]
30 Roxburgh	288	148	56	62	3	3	16	–	–	255	2	29	1	1	12	26
31 Dumfries	463	269	73	76	5	20	20	–	–	399	13	41	8	2	14	28
32 Kirkcudbright	237	167	37	13	2	6	12	–	–	199	2	26	4	6	11	[illegible]
33 Wigtown	200	120	54	9	–	9	7	–	1	173	4	19	2	2	21	29

CONDITION and AGE of PERSONS married in SCOTLAND in 1871.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1871.

CONDITION.	TOTAL.	AGES.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
BACHELORS with SPINSTERS.	20440	–	–	2	23	132	519	1129	7935	6779	2365	884	392	151	68	28	16	5	2	–	–	–	10
	20440	–	11	89	344	978	1677	2096	8251	4938	1405	441	132	39	16	2	1	–	–	–	–	–	20
BACHELORS with WIDOWS.	610	–	–	–	1	1	3	6	82	168	150	90	52	35	12	8	1	1	–	–	–	–	–
	610	–	–	–	–	–	2	2	31	143	211	121	61	22	15	–	–	–	–	–	–	–	2
WIDOWERS with SPINSTERS.	2099	–	–	–	–	–	–	–	36	260	418	400	357	243	162	111	70	26	13	1	–	–	2
	2099	–	–	–	3	10	33	59	306	551	444	328	212	99	37	11	2	–	–	–	–	–	4
WIDOWERS with WIDOWS.	778	–	–	–	–	–	–	–	3	43	87	117	143	151	105	62	40	14	10	1	1	–	1
	778	–	–	–	–	–	1	1	9	70	162	180	148	114	58	22	11	1	–	–	–	–	1
Condition not stated. MEN.	92	–	–	–	–	–	–	5	18	32	17	6	5	3	1	2	–	1	–	–	–	–	2
Condition not stated. WOMEN.	92	–	1	–	–	1	6	7	27	27	11	7	2	–	–	–	–	–	–	–	–	–	3
TOTAL MEN.....	24019	–	–	2	24	133	522	1140	8074	7282	3037	1497	949	583	348	211	127	47	25	2	1	–	15
TOTAL WOMEN.....	24019	–	12	89	347	989	1719	2165	8624	5729	2233	1077	555	274	126	35	14	1	–	–	–	–	30

AGES of MALES married in Scotland in 1871.

	Total Males.	AGES OF MALES MARRIED IN SCOTLAND IN 1871.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland	24019	–	–	2	24	133	522	1140	8074	7282	3037	1497	949	583	348	211	127	47	25	2	1	–	15
GROUPS OF DISTRICTS.																							
Principal Towns .	9819	–	–	2	9	56	240	475	3220	2957	1270	625	403	258	151	77	44	15	13	1	–	–	3
Large Towns . .	2656	–	–	–	2	24	62	147	964	747	292	156	90	80	42	27	12	6	–	1	–	–	4
Small Towns . .	5081	–	–	–	7	31	111	267	1874	1568	555	262	170	95	65	36	26	8	3	–	–	–	3
Mainland-Rural .	5863	–	–	–	6	20	107	241	1923	1794	783	390	251	131	79	66	41	17	8	–	1	–	5
Insular-Rural .	600	–	–	–	–	2	2	10	93	216	137	64	35	19	11	5	4	1	1	–	–	–	–
DIVISIONS.																							
1. Northern . .	591	–	–	–	1	2	8	13	131	210	96	54	40	12	6	7	9	2	–	–	–	–	–
2. North-Western .	810	–	–	–	2	–	3	11	115	299	177	93	51	30	10	4	6	4	4	–	–	–	1
3. North-Eastern .	2417	–	–	1	2	12	39	101	766	749	336	166	110	49	31	27	16	7	3	–	1	–	1
4. East Midland .	3796	–	–	–	3	21	84	203	1364	1099	425	220	133	91	58	46	29	7	5	2	–	–	6
5. West Midland .	1484	–	–	–	–	5	20	67	465	483	218	90	56	32	20	18	6	3	1	–	–	–	–
6. South-Western .	10115	–	–	1	13	75	283	554	3598	2974	1143	566	398	249	142	70	33	8	5	–	–	–	3
7. South-Eastern .	3618	–	–	–	3	12	68	137	1243	1111	470	227	125	89	60	25	23	14	7	–	–	–	4
8. Southern . .	1188	–	–	–	–	6	17	54	392	357	172	81	36	31	21	14	5	2	–	–	–	–	–
COUNTIES.																							
Shetland . . .	154	–	–	–	1	2	1	1	32	61	30	6	8	4	2	2	3	1	–	–	–	–	–
Orkney . . .	152	–	–	–	–	–	1	4	31	64	18	12	9	6	1	3	3	–	–	–	–	–	–
Caithness . .	185	–	–	–	–	–	4	7	49	58	27	19	15	1	–	2	2	1	–	–	–	–	–
Sutherland . .	100	–	–	–	–	–	2	1	19	27	21	17	8	1	3	–	1	–	–	–	–	–	–
Ross and Cromarty .	380	–	–	–	2	–	2	4	62	156	75	40	21	8	3	2	2	1	2	–	–	–	–
Inverness . .	430	–	–	–	–	–	1	7	53	143	102	53	30	22	7	2	4	3	2	–	–	–	1

AGES of MALES married in Scotland in 1871.

Nairn . . .	43	–	–	–	–	–	–	2	12	10	9	6	3	1	–	–	–	–	–	–	–	–	–	–
Elgin . . .	193	–	–	–	1	1	2	7	64	61	21	14	13	4	2	1	1	–	1	–	–	–	–	–
Banff . . .	354	–	–	–	–	1	5	15	116	106	54	18	16	5	5	4	4	2	2	–	1	–	–	–
Aberdeen . .	1634	–	–	1	1	9	27	73	517	500	232	114	68	37	22	18	9	5	–	–	–	–	–	1
Kincardine . .	193	–	–	–	–	1	5	4	57	72	20	14	10	2	2	4	2	–	–	–	–	–	–	–
Forfar . . .	1817	–	–	–	3	12	48	120	632	523	198	103	72	35	33	18	12	4	3	1	–	–	–	–
Perth . . .	754	–	–	–	–	2	6	21	237	234	108	54	28	25	13	14	6	3	1	1	–	–	–	1
Fife	1052	–	–	–	–	6	26	52	426	295	104	55	26	26	10	10	10	–	1	–	–	–	–	5
Kinross . . .	49	–	–	–	–	1	1	2	14	15	7	1	4	2	1	–	1	–	–	–	–	–	–	–
Clackmannan . .	124	–	–	–	–	–	3	8	55	32	8	7	3	3	1	4	–	–	–	–	–	–	–	–
Stirling . . .	688	–	–	–	–	3	12	40	253	201	95	33	18	15	6	10	1	1	–	–	–	–	–	–
Dumbarton . .	377	–	–	–	–	1	6	12	119	143	53	13	17	5	2	3	3	–	–	–	–	–	–	–
Argyll . . .	324	–	–	–	–	1	2	12	67	108	59	30	16	11	8	5	2	2	1	–	–	–	–	–
Bute . . .	95	–	–	–	–	–	–	3	26	31	11	14	5	1	4	–	–	–	–	–	–	–	–	–
Renfrew . . .	1610	–	–	–	1	4	36	87	554	509	173	104	64	43	15	10	5	2	3	–	–	–	–	–
Ayr	1513	–	–	–	1	18	53	103	563	403	150	70	55	43	24	15	12	1	–	–	–	–	–	2
Lanark . . .	6992	–	–	1	11	53	194	364	2481	2062	820	392	279	163	103	45	16	5	2	–	–	–	–	1
Linlithgow . .	288	–	–	–	–	2	10	19	130	82	18	14	10	2	1	–	–	–	–	–	–	–	–	–
Edinburgh . .	2723	–	–	–	2	9	54	93	883	835	378	177	105	75	52	20	21	11	6	–	–	–	–	2
Haddington . .	203	–	–	–	–	–	2	8	66	69	29	12	7	5	3	–	–	1	1	–	–	–	–	–
Berwick . . .	190	–	–	–	–	–	1	7	74	62	21	13	2	3	1	2	1	1	–	–	–	–	–	2
Peebles . . .	63	–	–	–	1	–	1	3	23	22	5	2	1	1	2	1	–	1	–	–	–	–	–	–
Selkirk . . .	151	–	–	–	–	1	–	7	67	41	19	9	–	3	1	2	1	–	–	–	–	–	–	–
Roxburgh . .	288	–	–	–	–	–	4	10	109	85	41	18	10	4	4	3	–	–	–	–	–	–	–	–
Dumfries . . .	463	–	–	–	–	4	6	18	153	151	60	31	12	15	6	4	2	1	–	–	–	–	–	–
Kirkcudbright . .	237	–	–	–	–	2	3	7	62	75	37	22	10	8	5	4	2	–	–	–	–	–	–	–
Wigtown . . .	200	–	–	–	–	–	4	19	68	46	34	10	4	4	6	3	1	1	–	–	–	–	–	–

AGES of FEMALES married in Scotland in 1871.

	Total Females.	AGES OF FEMALES MARRIED IN SCOTLAND IN 1871.																					
		Under 15	16	17	18	19	20	21	25	30	35	40	45	50	55	60	65	70	75	80	85	90	Age not stated.
Scotland . . .	24019	–	12	89	347	989	1719	2165	8624	5729	2233	1077	555	274	126	35	14	1	–	–	–	–	30
GROUPS OF DISTRICTS.																							
Principal Towns .	9819	–	3	40	159	441	771	883	3388	2268	938	471	250	125	52	18	6	–	–	–	–	–	6
Large Towns . .	2656	–	1	4	41	127	197	229	983	605	225	112	76	29	18	4	1	–	–	–	–	–	4
Small Towns . .	5081	–	3	27	71	228	368	496	1934	1131	421	209	99	53	23	7	3	–	–	–	–	–	8
Mainland-Rural .	5863	–	5	17	72	188	360	524	2118	1517	573	250	124	63	31	5	4	1	–	–	–	–	11
Insular-Rural .	600	–	–	1	4	5	23	33	201	208	76	35	6	4	2	1	–	–	–	–	–	–	1
DIVISIONS.																							
1. Northern . .	591	–	–	2	4	8	26	30	180	218	67	33	13	4	4	1	–	–	–	–	–	–	1
2. North-Western .	810	–	–	1	4	9	32	48	287	252	106	47	13	6	2	–	–	–	–	–	–	–	3
3. North-Eastern .	2417	–	3	9	35	84	167	220	890	550	243	121	49	28	10	3	2	1	–	–	–	–	2
4. East Midland .	3796	–	1	8	38	113	246	321	1410	938	391	147	104	39	21	9	3	–	–	–	–	–	7
5. West Midland .	1484	–	1	2	17	49	106	131	565	375	121	62	28	18	7	2	–	–	–	–	–	–	–
6. South-Western .	10115	–	5	54	181	548	826	957	3616	2181	851	464	229	122	54	14	7	–	–	–	–	–	6
7 South-Eastern .	3618	–	1	11	56	130	256	330	1249	917	332	155	96	46	24	4	2	–	–	–	–	–	9
8. Southern . .	1188	–	1	2	12	48	60	128	427	298	122	48	23	11	4	2	–	–	–	–	–	–	2
COUNTIES.																							
Shetland . .	154	–	–	1	1	–	2	4	58	57	13	14	3	–	1	–	–	–	–	–	–	–	–
Orkney . . .	152	–	–	–	1	3	12	6	43	50	18	11	2	2	2	1	–	–	–	–	–	–	1
Caithness . .	185	–	–	–	1	5	8	17	58	63	21	5	5	1	1	–	–	–	–	–	–	–	–
Sutherland . .	100	–	–	1	1	–	4	3	21	48	15	3	3	1	–	–	–	–	–	–	–	–	–
Ross and Cromarty .	380	–	–	1	2	5	13	22	146	119	43	19	3	5	1	–	–	–	–	–	–	–	1
Inverness . .	430	–	–	–	2	4	19	26	141	133	63	23	10	1	1	–	–	–	–	–	–	–	2

AGES of FEMALES married in Scotland in 1871.

Nairn . . .	43	–	–	–	–	–	2	1	15	20	2	2	1	–	–	–	–	–	–	–	–	–	–
Elgin . . .	193	–	–	–	2	6	15	13	81	36	19	9	8	2	1	–	–	–	–	–	–	–	1
Banff . . .	354	–	–	3	5	16	28	31	121	82	38	19	4	4	2	–	1	–	–	–	–	–	–
Aberdeen . .	1634	–	3	6	26	59	115	155	591	373	160	81	33	19	7	3	1	1	–	–	–	–	1
Kincardine . .	193	–	–	–	2	3	7	20	82	39	24	10	3	3	–	–	–	–	–	–	–	–	–
Forfar . . .	1817	–	–	7	22	70	144	152	667	406	202	65	51	18	10	3	–	–	–	–	–	–	–
Perth . . .	754	–	1	1	12	16	38	49	256	221	83	35	24	12	3	1	–	–	–	–	–	–	2
Fife . . .	1052	–	–	–	3	23	54	104	420	271	91	36	25	8	7	3	3	–	–	–	–	–	4
Kinross . . .	49	–	–	–	–	–	2	2	19	13	7	3	2	–	–	1	–	–	–	–	–	–	–
Clackmannan .	124	–	–	–	1	4	8	14	48	27	8	8	2	1	1	1	–	–	–	–	–	–	1
Stirling . . .	688	–	1	1	11	24	52	80	267	156	44	27	14	7	2	2	–	–	–	–	–	–	–
Dumbarton . .	377	–	–	1	3	15	31	23	157	89	29	15	8	4	2	–	–	–	–	–	–	–	–
Argyll . . .	324	–	–	–	3	8	20	25	101	101	41	11	6	5	3	–	–	–	–	–	–	–	–
Bute . . .	95	–	–	–	–	2	3	3	40	29	7	9	–	2	–	–	–	–	–	–	–	–	–
Renfrew . . .	1610	–	1	2	24	75	126	157	577	366	136	80	38	16	4	3	4	–	–	–	–	–	1
Ayr . . .	1513	–	–	8	27	96	119	173	532	303	118	61	37	23	12	2	–	–	–	–	–	–	2
Lanark . . .	6992	–	4	44	130	377	581	627	2507	1512	597	323	154	83	38	9	3	–	–	–	–	–	3
Linlithgow . .	288	–	–	1	7	18	32	39	105	53	19	9	3	2	–	–	–	–	–	–	–	–	–
Edinburgh . .	2723	–	1	10	43	106	186	236	899	699	267	122	83	38	22	3	2	–	–	–	–	–	6
Haddington . .	203	–	–	–	2	–	4	19	71	71	17	12	4	1	–	1	–	–	–	–	–	–	1
Berwick . . .	190	–	–	–	2	3	14	15	83	45	15	8	1	1	1	–	–	–	–	–	–	–	2
Peebles . . .	63	–	–	–	1	1	7	7	25	11	3	3	3	1	1	–	–	–	–	–	–	–	–
Selkirk . . .	151	–	–	–	1	2	13	14	66	38	11	1	2	3	–	–	–	–	–	–	–	–	–
Roxburgh . .	288	–	–	–	2	11	12	26	105	83	27	13	4	3	1	–	–	–	–	–	–	–	1
Dumfries . .	463	–	–	–	4	16	26	52	179	105	48	17	10	3	1	1	–	–	–	–	–	–	1
Kirkcudbright .	237	–	–	1	3	9	10	22	75	68	29	9	5	5	–	1	–	–	–	–	–	–	–
Wigtown . .	200	–	1	1	3	12	12	28	68	42	18	9	4	–	2	–	–	–	–	–	–	–	–

DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—BOTH SEXES.

	POPULATION.		BOTH SEXES.												
			ALL AGES.	AGE UNDER											
				MONTHS.											
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	3062294	3360018	74712	7137	2780	5217	6227	3100	2033	1441	3779	2152	2651	2884	2694
Principal Towns	884955	1068556	31426	3059	1275	2657	3428	1676	1038	720	1760	813	1032	1167	1162
Large Towns .	274381	334257	8071	791	338	623	768	351	210	147	368	231	319	298	280
Small Towns .	704380	776087	16200	1595	642	1111	1198	612	440	317	912	581	600	622	589
Mainland-Rural	1061793	1049114	17180	1529	491	762	775	426	319	239	690	466	637	718	592
Insular-Rural .	136785	132004	1835	163	34	64	58	35	26	18	49	41	63	79	71
Shetland . .	31670	31608	386	25	5	6	13	11	5	5	10	8	15	16	15
Orkney . .	32395	31274	432	26	10	11	10	8	4	5	19	16	16	21	12
Caithness . .	42200	41011	611	35	15	20	25	21	22	9	35	20	21	23	25
Sutherland .	24157	23298	346	14	7	7	3	–	5	3	10	4	9	14	14
Ross & Cromarty	82427	82093	1191	100	19	45	38	24	25	15	39	26	36	45	36
Inverness .	84815	84258	1399	135	29	57	55	22	16	10	42	33	49	58	71
Nairn . .	8347	8372	134	11	5	9	8	5	–	2	2	3	2	6	1
Elgin . .	44305	44549	682	73	30	39	28	12	5	6	29	20	21	27	26
Banff . .	56020	58883	908	76	25	53	50	34	19	16	46	27	31	36	34
Aberdeen .	223417	246298	4334	394	161	256	301	166	92	63	190	121	140	159	144
Kincardine .	34781	35097	548	38	13	24	27	18	10	9	29	11	15	26	20
Forfar . .	206750	240049	5472	634	250	378	340	209	119	105	296	165	209	228	201
Perth . .	133198	128550	2313	156	58	94	105	42	28	28	78	66	87	87	92
Fife . . .	155021	160924	3070	307	117	184	214	101	72	47	118	80	91	128	120
Kinross . .	8731	7918	114	9	2	2	4	–	1	–	2	4	2	4	5
Clackmannan .	20122	22235	463	45	23	32	29	13	16	12	23	23	16	21	14
Stirling . .	88138	93345	1845	184	81	129	135	65	45	21	86	66	83	68	70
Dumbarton .	54179	61116	1247	113	39	91	106	54	40	28	59	39	44	58	42
Argyll . .	83859	79661	1409	81	30	48	50	29	18	14	45	45	65	63	63
Bute . .	16311	16966	393	14	16	18	16	14	5	7	11	11	10	19	15
Renfrew . .	168746	195305	5098	500	185	425	484	240	148	109	310	133	169	180	168
Ayr . .	199083	200908	4140	426	159	261	269	135	101	76	196	175	180	181	147
Lanark . .	640444	787005	23201	2225	955	2148	2863	1338	829	541	1260	649	832	878	791
Linlithgow .	39045	41379	922	115	47	63	86	39	26	19	61	17	28	27	21
Edinburgh .	273792	328138	8485	826	321	555	733	341	282	192	544	242	265	271	354
Haddington .	37626	37755	689	70	16	37	37	24	12	12	32	20	24	18	25
Berwick . .	36488	36382	591	53	19	28	19	18	8	13	39	12	28	20	23
Peebles . .	11264	12218	211	24	8	13	7	7	2	2	10	6	8	9	4
Selkirk . .	14901	19651	487	73	15	36	23	33	18	16	46	18	14	27	19
Roxburgh .	49568	48241	821	102	26	51	44	23	16	14	24	22	34	33	30
Dumfries . .	75904	74842	1443	133	50	52	54	28	20	23	42	44	51	75	48
Kirkcudbright	42680	42087	686	67	21	22	31	16	13	7	25	11	26	29	23
Wigtown . .	41910	38602	641	53	23	23	20	10	11	12	21	15	30	29	21

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—BOTH SEXES.

Glasgow . .	395503	477732	15790	1460	636	1512	2086	969	604	387	860	383	527	617	551
Edinburgh .	170444	201052	5447	472	203	364	506	235	173	129	311	136	174	180	239
Dundee . .	91664	120724	3336	418	165	260	239	140	82	68	201	111	130	138	130
Aberdeen .	73900	88181	1997	201	84	141	163	95	54	27	90	59	58	66	77
Greenock .	43894	59794	1772	183	69	166	195	112	57	53	111	39	43	63	48
Paisley . .	47427	48257	1453	133	44	104	117	60	32	27	86	36	44	52	59
Leith . .	36029	46434	1081	149	51	84	85	51	32	21	81	33	30	30	34
Perth . .	26094	26382	550	43	23	26	37	14	4	8	20	16	26	21	24

DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—BOTH SEXES.

	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND	2402	2443	2325	2435	2624	2586	3246	3150	3723	3099	2486	1372	499	140	29	58
Principal Towns	1084	1213	1103	1125	1193	1051	1246	1056	1064	699	474	224	75	20	2	10
Large Towns	282	272	267	280	300	270	354	325	345	271	207	102	30	14	2	6
Small Towns	485	453	447	488	511	591	688	723	898	702	559	294	111	21	4	6
Mainland-Rural	491	460	467	488	566	614	871	931	1266	1269	1096	661	239	68	17	32
Insular-Rural	60	45	41	54	54	60	87	115	150	158	150	91	44	17	4	4
Shetland	15	15	7	15	8	12	23	19	31	39	34	18	13	–	1	2
Orkney	7	12	7	7	9	18	18	31	44	29	43	32	11	5	–	1
Caithness	21	20	12	16	20	14	20	30	53	48	48	23	9	3	2	1
Sutherland	14	11	8	7	8	15	20	25	35	40	34	21	10	7	1	–
Ross and Cromarty	41	35	41	36	35	38	70	61	111	93	81	54	27	14	5	1
Inverness	50	39	45	59	45	71	75	64	90	101	105	45	17	12	2	2
Nairn	1	3	5	2	4	5	9	10	16	13	8	3	1	–	–	–
Elgin	9	14	16	19	32	24	29	47	45	43	43	28	16	–	–	1
Banff	27	20	31	25	21	28	43	37	53	64	58	39	10	3	2	–
Aberdeen	134	131	109	116	136	145	195	216	273	263	230	135	53	7	2	2
Kincardine	11	9	14	16	13	26	26	39	34	34	41	34	9	–	–	2
Forfar	183	178	175	189	213	198	252	244	265	181	145	67	31	11	1	5
Perth	73	72	59	74	65	98	113	124	211	199	172	103	23	5	1	–
Fife	79	73	81	93	107	97	157	155	219	169	151	81	23	4	–	2
Kinross	4	1	2	2	1	4	9	12	11	17	13	1	2	–	–	–
Clackmannan	13	7	10	16	16	23	15	20	27	20	19	6	2	2	–	–
Stirling	53	42	52	58	72	85	69	90	106	77	67	24	13	4	–	–
Dumbarton	48	44	36	34	39	36	76	51	54	51	32	25	5	2	1	–
Argyll	49	49	31	42	55	54	69	90	104	129	92	55	23	12	3	1
Bute	14	18	14	14	16	12	24	24	28	32	18	14	7	1	–	1
Renfrew	175	175	172	191	195	165	227	201	189	148	123	50	16	6	2	12
Ayr	145	121	134	144	138	158	180	164	209	191	133	79	32	6	–	–
Lanark	732	834	799	794	829	730	839	683	668	442	315	150	53	13	3	8
Linlithgow	26	17	13	19	36	32	27	45	59	46	27	15	9	1	1	–
Edinburgh	315	340	294	291	302	299	387	351	392	273	172	105	28	8	–	2
Haddington	13	22	19	20	28	22	33	39	53	49	33	15	5	1	–	10
Berwick	21	11	10	12	19	22	31	39	46	39	34	20	5	1	–	1
Peebles	6	7	9	7	7	8	9	16	16	13	7	4	–	1	1	–
Selkirk	11	14	8	14	9	18	18	22	20	8	4	2	1	–	–	–
Roxburgh	24	19	17	19	37	29	42	45	49	51	37	23	6	3	–	1
Dumfries	53	50	46	47	56	56	72	74	120	90	83	55	17	3	–	1
Kirkcudbright	22	26	26	20	25	28	37	34	42	47	49	24	11	2	1	1
Wigtown	13	14	23	17	28	16	32	48	50	60	35	22	11	3	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—BOTH SEXES.

Glasgow	497	586	553	574	586	502	563	429	416	242	154	61	26	6	2	1
Edinburgh	209	249	205	203	206	206	232	220	237	164	108	63	17	6	–	–
Dundee	126	123	115	120	142	121	148	108	113	66	40	18	10	4	–	–
Aberdeen	75	74	64	58	71	67	85	103	94	86	58	33	14	–	–	–
Greenock	65	70	62	68	66	52	69	58	49	31	23	7	3	2	–	8
Paisley	47	46	58	51	70	49	78	73	64	46	48	21	5	2	–	1
Leith	44	42	30	35	31	33	43	37	52	28	13	12	–	–	–	–
Perth	21	23	16	16	21	21	28	28	39	36	30	9	–	–	–	–

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—MALES.

	MALE POPULATION.		MALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.												
	1861.	1871.		3	6	12	2	3	4	5	10	15	20	25	30
SCOTLAND .	1449848	1603143	36827	4056	1533	2763	3160	1549	1022	712	1924	1022	1312	1460	1202
Principal Towns	407839	502021	15478	1720	683	1376	1740	838	536	348	888	395	511	591	534
Large Towns .	129933	160176	4003	450	189	346	382	184	96	75	175	101	155	153	113
Small Towns .	335356	371118	7913	916	364	601	608	295	227	155	469	275	299	287	259
Mainland-Rural	513554	508787	8527	871	278	405	404	212	152	124	366	233	309	374	265
Insular-Rural .	63166	61041	906	99	19	35	26	20	11	10	26	18	38	55	31
Shetland . .	13053	13103	171	12	2	3	7	6	2	2	5	7	10	11	4
Orkney . .	14924	14355	204	16	5	5	4	6	1	1	12	7	10	10	8
Caithness .	19846	19403	301	20	9	10	13	6	13	1	17	11	16	14	13
Sutherland .	11058	10942	175	9	3	3	1	–	3	1	6	2	6	8	7
Ross & Cromarty	38462	38558	594	62	12	23	25	13	13	10	22	10	21	28	20
Inverness .	39500	39360	655	81	20	35	22	10	7	5	17	14	25	36	35
Nairn . .	3976	3925	62	7	2	5	5	1	–	2	1	2	1	2	–
Elgin . .	20716	20738	321	40	20	18	11	2	2	3	12	9	12	15	12
Banff . .	26401	27826	455	50	15	30	29	11	12	8	22	14	19	21	16
Aberdeen .	105355	116768	2026	226	82	119	149	72	48	28	89	51	67	83	64
Kincardine .	16906	17002	285	23	8	11	17	11	5	4	14	5	12	16	8
Forfar . .	93280	107416	2568	350	135	181	163	103	68	45	147	76	100	106	85
Perth . .	63169	60812	1130	99	27	49	56	22	11	16	40	25	44	42	44
Fife . . .	72714	75206	1477	174	67	113	110	47	31	25	69	36	35	62	52
Kinross . .	4150	3748	60	7	2	1	1	–	1	–	2	3	–	2	3
Clackmannan .	9742	10819	237	33	13	23	15	8	9	6	12	9	6	9	8
Stirling . .	43487	46193	918	103	45	60	80	38	18	12	36	33	39	33	30
Dumbarton .	26455	29957	614	61	27	46	47	21	21	14	28	19	23	24	25
Argyll . .	40914	38796	674	47	14	25	26	15	10	5	21	27	29	39	28
Bute . .	7201	7616	203	10	11	9	10	9	3	4	7	5	4	11	2
Renfrew . .	79380	93167	2539	286	104	235	242	124	80	55	153	71	75	98	68
Ayr . .	97042	98244	2099	244	88	155	144	74	51	42	108	71	85	85	63
Lanark . .	308263	388392	11683	1260	532	1118	1434	680	413	257	624	325	417	425	360
Linlithgow .	20069	21049	465	62	22	36	45	17	8	9	40	8	19	10	10
Edinburgh .	126276	153784	4204	459	175	299	385	179	142	106	293	113	135	143	162
Haddington .	17866	18069	340	40	8	26	21	9	7	7	16	10	11	9	13
Berwick . .	17354	17361	292	25	11	12	13	7	4	9	20	6	16	7	7
Peebles . .	5588	5902	106	15	4	8	3	2	1	2	7	3	4	4	2
Selkirk . .	7275	9476	243	41	9	22	8	24	8	3	25	10	8	14	4
Roxburgh .	24555	22049	398	53	11	22	25	12	9	10	9	11	16	20	11
Dumfries .	35687	34831	685	78	30	35	22	10	7	10	26	20	21	40	19
Kirkcudbright	19885	19607	319	36	11	13	16	7	5	3	11	3	15	13	10
Wigtown .	19299	17769	324	27	9	13	11	3	9	7	13	6	11	20	9

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—MALES.

Glasgow . .	185556	230995	7887	824	350	781	1070	478	308	186	424	194	256	294	259
Edinburgh .	76013	91090	2682	261	102	190	266	120	80	69	166	63	91	106	108
Dundee . .	40395	52605	1580	235	84	118	116	71	46	30	108	56	65	68	60
Aberdeen. .	32554	39786	911	115	40	71	75	43	29	10	42	22	29	29	37
Greenock .	21567	30298	921	101	40	98	92	55	34	26	54	20	25	39	24
Paisley . .	21913	22269	690	71	23	57	62	33	16	12	38	19	14	26	19
Leith . .	17894	22976	542	92	33	49	41	31	21	11	43	14	14	15	15
Perth . .	11947	12002	265	21	11	12	18	7	2	4	13	7	17	14	12

MALE DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—MALES.

	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1159	1133	1104	1226	1338	1230	1528	1503	1697	1383	1004	531	178	45	15	38
Principal Towns .	550	563	518	562	602	488	562	494	443	263	159	79	18	7	1	9
Large Towns . .	128	129	133	143	171	130	177	154	161	113	87	40	9	5	1	3
Small Towns . .	214	204	204	245	254	292	317	337	396	312	225	110	38	5	2	3
Mainland-Rural .	240	214	226	252	286	295	432	466	622	623	470	257	101	21	8	21
Insular-Rural . .	27	23	23	24	25	25	40	52	75	72	63	45	12	7	3	2
Shetland . . .	7	6	5	6	4	7	8	9	13	12	13	6	3	–	–	1
Orkney . . .	5	7	6	2	3	6	11	12	23	13	15	10	3	3	–	–
Caithness . . .	15	11	5	9	11	5	12	12	21	20	23	10	2	–	1	1
Sutherland . .	10	7	4	5	5	9	7	14	20	16	12	9	2	5	1	–
Ross and Cromarty .	21	12	18	21	12	16	44	24	48	49	27	20	14	6	3	–
Inverness . . .	21	16	16	31	18	32	39	30	37	44	32	21	5	3	2	1
Nairn . . .	–	2	2	1	1	1	6	3	8	5	2	3	–	–	–	–
Elgin . . .	3	7	5	10	21	12	12	25	21	21	17	6	4	–	–	1
Banff . . .	13	10	12	12	7	15	13	21	27	21	36	17	2	–	2	–
Aberdeen . . .	54	61	47	62	59	73	94	102	128	114	81	50	20	2	–	1
Kincardine . .	6	4	8	9	7	15	18	21	21	14	17	10	1	–	–	–
Forfar . . .	81	72	71	91	98	74	103	117	121	81	55	28	9	3	–	5
Perth . . .	37	29	27	31	33	55	54	69	102	86	70	47	11	4	–	–
Fife . . .	27	29	37	37	60	49	68	79	91	84	59	26	10	–	–	–
Kinross . . .	2	1	2	1	–	2	5	5	6	7	5	1	1	–	–	–
Clackmannan . .	4	3	5	7	8	10	10	11	15	7	5	–	1	–	–	–
Stirling . . .	27	17	24	31	44	46	36	32	50	43	23	13	4	1	–	–
Dumbarton . .	29	23	22	14	17	16	33	24	26	26	14	10	3	1	–	–
Argyll . . .	21	25	17	19	20	21	28	36	47	65	52	25	7	4	1	–
Bute	8	13	6	7	7	5	12	14	9	18	9	7	2	–	–	1
Renfrew . . .	83	91	82	96	82	69	112	90	92	67	49	19	5	2	–	9
Ayr	69	59	65	70	77	84	89	88	104	80	56	31	15	2	–	–
Lanark . . .	351	385	393	425	462	369	402	349	306	188	129	54	14	5	2	4
Linlithgow . .	14	10	4	12	22	18	13	19	26	23	8	6	3	–	1	–
Edinburgh . .	186	158	151	138	152	130	174	148	148	116	63	36	9	2	–	2
Haddington . .	5	10	5	10	16	6	15	18	26	22	12	5	4	–	–	9
Berwick . . .	9	3	4	7	10	12	14	22	22	23	18	8	2	–	–	1
Peebles . . .	2	1	7	3	4	4	5	7	5	7	4	–	–	1	1	–
Selkirk . . .	4	7	–	5	4	9	4	14	12	5	2	1	–	–	–	–
Roxburgh . .	14	7	9	7	23	12	23	18	22	17	23	10	2	1	–	1
Dumfries . . .	18	25	19	28	26	25	38	32	57	35	37	19	8	–	–	–
Kirkcudbright . .	7	14	15	9	11	15	15	16	17	22	16	12	5	–	1	1
Wigtown . . .	6	8	11	10	14	8	11	22	26	32	20	11	7	–	–	–
DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—MALES.																
Glasgow . . .	247	272	268	294	319	247	256	209	180	90	54	18	6	1	1	1
Edinburgh . .	125	120	105	97	101	94	99	93	93	66	39	24	2	2	–	–
Dundee . . .	59	51	45	57	65	47	62	51	39	23	11	8	3	2	–	–
Aberdeen . . .	31	33	23	35	32	34	38	46	41	27	14	11	4	–	–	–
Greenock . . .	33	35	28	36	31	28	32	29	23	14	10	4	1	1	–	8
Paisley . . .	21	25	29	23	26	17	41	35	29	23	21	7	2	1	–	–
Leith . . .	20	16	14	16	15	10	21	18	19	8	3	3	–	–	–	–
Perth . . .	14	11	6	4	13	11	13	13	19	12	7	4	–	–	–	–

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—FEMALES.

	FEMALE POPULATION.		FEMALES.													
			ALL AGES.	AGE UNDER												
				MONTHS.			2	3	4	5	10	15	20	25	30
	1861.	1871.		3	6	12									
SCOTLAND .	1612446	1756875	37885	3081	1247	2454	3067	1551	1011	729	1855	1130	1339	1424	1492
Principal Towns	477116	566535	15948	1339	592	1281	1688	838	502	372	872	418	521	576	628
Large Towns .	144448	174081	4068	341	149	277	386	167	114	72	193	150	164	145	167
Small Towns .	369024	404969	8287	679	278	510	590	317	213	162	443	306	301	335	330
Mainland-Rural	548239	540327	8653	658	213	357	371	214	167	115	324	233	328	344	327
Insular-Rural .	73619	70963	929	64	15	29	32	15	15	8	23	23	25	24	40
Shetland . .	18617	18505	215	13	3	3	6	5	3	3	5	1	5	5	11
Orkney . .	17471	16919	228	10	5	6	6	2	3	4	7	9	6	11	4
Caithness . .	22354	21608	310	15	6	10	12	15	9	8	18	9	5	9	12
Sutherland .	13099	12356	171	5	4	4	2	–	2	2	4	2	3	6	7
Ross & Cromarty	43965	43535	597	38	7	22	13	11	12	5	17	16	15	17	16
Inverness .	45315	44898	744	54	9	22	33	12	9	5	25	19	24	22	36
Nairn . .	4371	4447	72	4	3	4	3	4	–	–	1	1	1	4	1
Elgin . .	23589	23811	361	33	10	21	17	10	3	3	17	11	9	12	14
Banff . .	29619	31057	453	26	10	23	21	23	7	8	24	13	12	15	18
Aberdeen .	118062	129530	2308	168	79	137	152	94	44	35	101	70	73	76	80
Kincardine .	17875	18095	263	15	5	13	10	7	5	5	15	6	3	10	12
Forfar . .	113470	132633	2904	284	115	197	177	106	51	60	149	89	109	122	116
Perth . .	70029	67738	1183	57	31	45	49	20	17	12	38	41	43	45	48
Fife . .	82307	85718	1593	133	50	71	104	54	41	22	49	44	56	66	68
Kinross . .	4581	4170	54	2	–	1	3	–	–	–	–	1	2	2	2
Clackmannan .	10380	11416	226	12	10	9	14	5	7	6	11	14	10	12	6
Stirling . .	44651	47152	927	81	36	69	55	27	27	9	50	33	44	35	40
Dumbarton .	27724	31159	633	52	12	45	59	33	19	14	31	20	21	34	17
Argyll . .	42945	40865	735	34	16	23	24	14	8	9	24	18	36	24	35
Bute . .	9110	9350	190	4	5	9	6	5	2	3	4	6	6	8	13
Renfrew . .	89366	102138	2559	214	81	190	242	116	68	54	157	62	94	82	100
Ayr . .	102041	102664	2041	182	71	106	125	61	50	34	88	104	95	96	84
Lanark . .	332181	398613	11518	965	423	1030	1429	658	416	284	636	324	415	453	431
Linlithgow .	18976	20330	457	53	25	27	41	22	18	10	21	9	9	17	11
Edinburgh .	147516	174354	4281	367	146	256	348	162	140	86	251	129	130	128	192
Haddington .	19760	19686	349	30	8	11	16	15	5	5	16	10	13	9	12
Berwick . .	19134	19021	299	28	8	16	6	11	4	4	19	6	12	13	16
Peebles . .	5676	6316	105	9	4	5	4	5	1	–	3	3	4	5	2
Selkirk . .	7626	10175	244	32	6	14	15	9	10	13	21	8	6	13	15
Roxburgh .	25013	25292	423	49	15	29	19	11	7	4	15	11	18	13	19
Dumfries .	40217	40011	758	55	20	17	32	18	13	13	16	24	30	35	29
Kirkcudbright	22795	22480	367	31	10	9	15	9	8	4	14	8	11	16	13
Wigtown . .	22611	20833	317	26	14	10	9	7	2	5	8	9	19	9	12

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—FEMALES.

Glasgow . .	209947	246737	7903	636	286	731	1016	491	296	201	436	189	271	323	292
Edinburgh .	94431	109962	2765	211	101	174	240	115	93	60	145	73	83	74	131
Dundee . .	51269	68119	1756	183	81	142	123	69	36	38	93	55	65	70	70
Aberdeen .	41346	48395	1086	86	44	70	88	52	25	17	48	37	29	37	40
Greenock .	22327	29496	851	82	29	68	103	57	23	27	57	19	18	24	24
Paisley . .	25514	25988	763	62	21	47	55	27	16	15	48	17	30	26	40
Leith . .	18135	23458	539	57	18	35	44	20	11	10	38	19	16	15	19
Perth . .	14147	14380	285	22	12	14	19	7	2	4	7	9	9	7	12

FEMALE DEATHS at Different Ages in SCOTLAND during the YEAR 1871.—FEMALES.

	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
SCOTLAND . . .	1243	1310	1221	1209	1286	1356	1718	1647	2026	1716	1482	841	321	95	14	20
Principal Towns .	534	650	585	563	591	563	684	562	621	436	315	145	57	13	1	1
Large Towns . .	154	143	134	137	129	140	177	171	184	158	120	62	21	9	1	3
Small Towns . .	271	249	243	243	257	299	371	386	502	390	334	184	73	16	2	3
Mainland-Rural .	251	246	241	236	280	319	439	465	644	646	626	404	138	47	9	11
Insular-Rural . .	33	22	18	30	29	35	47	63	75	86	87	46	32	10	1	2
Shetland . . .	8	9	2	9	4	5	15	10	18	27	21	12	10	–	1	1
Orkney . . .	2	5	1	5	6	12	7	19	21	16	28	22	8	2	–	1
Caithness . . .	6	9	7	7	9	9	8	18	32	28	25	13	7	3	1	–
Sutherland . .	4	4	4	2	3	6	13	11	15	24	22	12	8	2	–	–
Ross and Cromarty .	20	23	23	15	23	22	26	37	63	44	54	34	13	8	2	1
Inverness . . .	29	23	29	28	27	39	36	34	53	57	73	24	12	9	–	1
Nairn . . .	1	1	3	1	3	4	3	7	8	8	6	–	1	–	–	–
Elgin . . .	6	7	11	9	11	12	17	22	24	22	26	22	12	–	–	–
Banff . . .	14	10	19	13	14	13	30	16	26	43	22	22	8	3	–	–
Aberdeen . . .	80	70	62	54	77	72	101	114	145	149	149	85	33	5	2	1
Kincardine . .	5	5	6	7	6	11	8	18	13	20	24	24	8	–	–	2
Forfar . . .	102	106	104	98	115	124	149	127	144	100	90	39	22	8	1	–
Perth . . .	36	43	32	43	32	43	59	55	109	113	102	56	12	1	1	–
Fife . . .	52	44	44	56	47	48	89	76	128	85	92	55	13	4	–	2
Kinross . . .	2	–	–	1	1	2	4	7	5	10	8	–	1	–	–	–
Clackmannan . .	9	4	5	9	8	13	5	9	12	13	14	6	1	2	–	–
Stirling . . .	26	25	28	27	28	39	33	58	56	34	44	11	9	3	–	–
Dumbarton . .	19	21	14	20	22	20	43	27	28	25	18	15	2	1	1	–
Argyll . . .	28	24	14	23	35	33	41	54	57	64	40	30	16	8	2	1
Bute . . .	6	5	8	7	9	7	12	10	19	14	9	7	5	1	–	–
Renfrew . . .	92	84	90	95	113	96	115	111	97	81	74	31	11	4	2	3
Ayr . . .	76	62	69	74	61	74	91	76	105	111	77	48	17	4	–	–
Lanark . . .	381	449	406	369	367	361	437	334	362	254	186	96	39	8	1	4
Linlithgow . .	12	7	9	7	14	14	14	26	33	23	19	9	6	1	–	–
Edinburgh . .	129	182	143	153	150	169	213	203	244	157	109	69	19	6	–	–
Haddington . .	8	12	14	10	12	16	18	21	27	27	21	10	1	1	–	1
Berwick . . .	12	8	6	5	9	10	17	17	24	16	16	12	3	1	–	–
Peebles . . .	4	6	2	4	3	4	4	9	11	6	3	4	–	–	–	–
Selkirk . . .	7	7	8	9	5	9	14	8	8	3	2	1	1	–	–	–
Roxburgh . . .	10	12	8	12	14	17	19	27	27	34	14	13	4	2	–	–
Dumfries . . .	35	25	27	19	30	31	34	42	63	55	46	36	9	3	–	1
Kirkcudbright . .	15	12	11	11	14	13	22	18	25	25	33	12	6	2	–	–
Wigtown . . .	7	6	12	7	14	8	21	26	24	28	15	11	4	3	–	1

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1871.—FEMALES.

Glasgow . . .	250	314	285	280	267	255	307	220	236	152	100	43	20	5	1	–
Edinburgh . . .	84	129	100	106	105	112	133	127	144	98	69	39	15	4	–	–
Dundee . . .	67	72	70	63	77	74	86	57	74	43	29	10	7	2	–	–
Aberdeen . . .	44	41	41	23	39	33	47	57	53	59	44	22	10	–	–	–
Greenock . . .	32	35	34	32	35	24	37	29	26	17	13	3	2	1	–	–
Paisley . . .	26	21	29	28	44	32	37	38	35	23	27	14	3	1	–	1
Leith . . .	24	26	16	19	16	23	22	19	33	20	10	9	–	–	–	–
Perth . . .	7	12	10	12	8	10	15	15	20	24	23	5	–	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1871.—Both Sexes.

Large Towns.	Both Sexes.												
	All Ages.	Age under											
		Months.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	432	30	11	22	20	6	8	2	21	16	15	24	23
Arbroath	410	57	15	30	27	15	9	5	18	11	21	14	12
Forfar	242	34	17	17	13	12	7	3	6	3	7	12	6
Montrose	322	21	12	19	16	6	3	3	10	9	6	15	14
Dunfermline	288	33	6	17	21	5	6	6	8	10	12	18	9
Kirkcaldy	237	22	13	11	25	8	7	3	12	9	4	9	12
Stirling	320	25	11	18	16	12	10	4	18	11	19	7	9
Dumbarton	256	23	9	25	25	14	6	7	5	9	11	5	7
Ayr	419	43	9	20	27	13	5	5	18	13	19	18	18
Kilmarnock	577	59	35	49	52	19	14	13	28	13	24	30	22
Barony	1204	98	52	106	132	77	33	27	49	38	49	37	43
Govan	1409	144	66	135	220	84	48	25	63	33	56	41	48
Hamilton	445	30	10	31	39	17	21	16	44	27	11	14	11
Airdrie	355	36	17	35	38	23	7	11	12	15	20	8	11
Coatbridge	442	50	25	40	57	19	13	8	33	12	22	17	13
Hawick	252	38	7	23	20	12	9	6	8	6	12	9	7
Dumfries	461	48	23	25	20	9	4	3	15	16	11	20	15

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—Both Sexes.

Shetland	75	3	3	2	4	3	2	1	4	2	1	2	4
Orkney	80	5	2	2	1	1	1	1	5	4	4	5	4
Caithness	329	24	13	13	20	16	15	7	21	10	11	8	14
Ross and Cromarty	166	13	4	6	8	4	3	3	12	6	3	6	9
Nairn	88	11	2	6	6	5	–	2	2	3	2	6	–
Elgin	307	42	20	18	17	7	2	4	12	7	12	12	13
Banff	388	37	11	28	27	19	9	8	20	13	12	11	18
Aberdeen	609	49	20	52	69	25	13	11	26	12	14	29	16
Kincardine	116	7	3	5	6	3	2	1	5	2	–	2	4
Forfar	620	48	26	34	31	19	15	19	39	17	18	16	26
Perth	477	33	8	29	25	8	6	5	18	19	21	25	12
Fife	1221	117	53	90	97	52	28	19	58	32	35	50	44
Clackmannan	372	38	19	29	22	12	14	11	20	18	13	11	12
Stirling	1005	101	49	78	86	39	20	11	44	40	41	41	46
Dumbarton	684	64	21	40	60	34	22	16	36	23	25	41	27
Argyll	355	22	6	16	14	7	6	4	13	14	15	15	18
Bute	217	9	9	13	12	8	3	7	7	5	6	5	9
Renfrew	1374	141	57	127	135	54	47	22	82	40	55	46	48
Ayr	2153	221	79	136	127	70	50	46	109	117	96	81	72
Lanark	2363	278	108	199	224	112	72	43	147	101	99	97	74
Linlithgow	620	78	33	45	60	22	19	12	46	15	20	16	10
Edinburgh	891	79	35	45	61	25	47	31	92	40	28	25	39
Haddington	289	28	7	19	16	14	2	4	13	5	17	7	8
Berwick	104	14	6	5	6	3	2	4	7	1	5	1	5
Peebles	72	6	2	7	4	4	–	2	4	2	2	6	2
Selkirk	456	69	15	35	23	30	17	16	44	17	14	25	19
Roxburgh	207	18	8	15	16	4	4	2	7	6	3	8	10
Dumfries	162	11	5	4	6	4	4	–	5	–	11	8	11
Kirkcudbright	191	15	9	7	8	6	6	1	7	5	6	12	7
Wigtown	209	14	9	6	7	2	9	4	7	5	11	5	8

DEATHS at DIFFERENT AGES in the LARGE TOWNS of SCOTLAND, 1871.—Both Sexes.

Large Towns.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness . . .	20	16	13	28	13	28	23	17	21	19	23	8	1	1	1	2
Arbroath . . .	8	10	13	13	14	18	19	22	35	14	7	2	–	1	–	–
Forfar . . .	4	10	6	4	10	9	6	17	14	12	8	1	2	2	–	–
Montrose . . .	8	7	9	14	15	13	24	24	31	18	12	7	3	1	1	1
Dunfermline . .	7	6	12	12	12	15	16	13	15	15	10	4	–	–	–	–
Kirkcaldy . . .	6	5	7	11	10	5	14	15	12	9	4	2	1	1	–	–
Stirling . . .	10	12	7	12	13	11	20	17	18	16	15	4	4	1	–	–
Dumbarton . .	11	14	11	5	7	8	20	12	5	8	7	1	–	1	–	–
Ayr	20	7	16	17	19	14	22	23	22	16	20	11	4	–	–	–
Kilmarnock . .	21	23	16	17	21	17	15	20	18	29	9	12	–	1	–	–
Barony . . .	35	41	56	41	39	34	60	57	38	21	26	12	3	–	–	–
Govan . . .	62	66	43	41	45	42	33	29	28	31	10	12	2	–	–	2
Hamilton . . .	15	15	11	8	13	14	13	15	25	16	17	7	2	2	–	1
Airdrie . . .	8	9	9	15	14	10	15	9	16	9	5	2	–	1	–	–
Coatbridge . .	19	7	11	8	19	15	21	6	8	5	8	4	2	–	–	–
Hawick . . .	9	7	3	9	14	5	7	10	11	12	4	3	1	–	–	–
Dumfries . . .	19	17	24	25	22	12	26	19	28	21	22	10	5	2	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—Both Sexes.

Shetland . . .	2	5	2	7	2	2	5	2	4	6	4	3	–	–	–	–
Orkney . . .	1	1	1	1	2	5	4	9	5	2	10	4	–	–	–	–
Caithness . . .	14	15	6	7	12	7	10	12	27	16	17	9	4	1	–	–
Ross and Cromarty .	8	4	6	3	4	6	9	7	12	8	10	4	8	–	–	–
Nairn	1	1	3	2	2	2	5	7	9	7	3	1	–	–	–	–
Elgin	4	4	8	9	12	14	10	16	18	14	17	10	5	–	–	–
Banff	10	5	13	15	5	6	14	12	21	29	23	17	4	–	1	–
Aberdeen . . .	13	12	10	15	26	15	28	18	37	38	31	19	8	2	1	–
Kincardine . .	1	1	2	5	4	6	13	6	12	7	9	6	4	–	–	–
Forfar . . .	25	12	19	17	22	24	29	41	38	31	27	17	8	2	–	–
Perth	14	16	8	17	15	22	22	28	46	32	28	15	5	–	–	–
Fife	32	33	31	36	42	45	61	44	80	56	46	29	9	1	–	1
Clackmannan . .	11	6	9	10	13	19	11	12	21	16	18	4	2	1	–	–
Stirling . . .	34	21	32	27	36	49	29	46	57	32	28	12	5	1	–	–
Dumbarton . .	23	24	18	21	21	22	39	30	27	23	13	12	2	–	–	–
Argyll . . .	12	14	8	14	8	14	18	31	26	31	15	8	5	1	–	–
Bute	9	14	9	9	6	9	14	9	15	13	8	5	4	–	–	–
Renfrew . . .	51	46	37	50	38	43	52	49	55	43	35	14	5	–	1	1
Ayr	69	62	75	78	65	98	101	87	109	88	66	34	13	4	–	–
Lanark . . .	62	71	70	65	76	74	79	82	81	65	47	24	7	3	–	3
Linlithgow . . .	18	11	7	14	25	21	18	30	36	31	21	6	4	1	1	–
Edinburgh . . .	28	20	29	28	29	31	45	41	41	30	13	7	1	1	–	–
Haddington . .	7	12	7	9	10	10	13	23	23	16	13	5	1	–	–	–
Berwick . . .	3	3	1	2	3	5	3	6	5	7	6	–	–	1	–	–
Peebles . . .	3	2	3	2	1	2	1	5	4	4	3	1	–	–	–	–
Selkirk . . .	11	11	8	14	9	16	16	17	19	6	3	1	1	–	–	–
Roxburgh . . .	3	6	5	2	6	5	12	12	14	20	12	4	3	2	–	–
Dumfries . . .	6	7	5	3	2	7	12	9	18	8	10	6	–	–	–	–
Kirkcudbright . .	6	10	6	2	5	7	8	9	17	9	13	9	1	–	–	–
Wigtown . . .	4	4	9	4	10	5	7	23	21	14	10	8	2	–	–	1

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1871.—MALES.

LARGE TOWNS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	212	19	7	16	10	3	4	–	6	7	9	12	11
Arbroath	199	29	11	18	18	7	5	2	6	5	8	4	4
Forfar	113	17	9	10	5	5	3	1	5	1	5	7	2
Montrose	157	13	9	12	8	2	1	2	5	4	4	6	7
Dunfermline	126	17	4	8	8	1	1	3	8	4	3	9	4
Kirkcaldy	125	16	8	10	15	6	4	1	4	2	1	3	9
Stirling	143	12	5	6	9	3	1	1	8	2	7	4	4
Dumbarton	128	13	8	16	11	5	1	6	3	2	7	3	1
Ayr	203	24	8	9	17	9	2	3	7	7	12	10	6
Kilmarnock	292	37	14	32	27	11	10	6	17	3	10	17	7
Barony	609	54	30	50	64	45	19	11	24	20	22	15	15
Govan	704	79	35	78	101	45	21	13	31	11	29	26	18
Hamilton	225	20	7	18	24	6	11	7	18	10	7	8	4
Airdrie	178	21	6	18	17	14	5	8	4	7	9	4	4
Coatbridge	230	31	14	21	32	9	5	4	17	6	9	8	6
Hawick	119	19	1	11	11	6	3	5	3	3	4	5	4
Dumfries	240	29	13	13	10	2	–	2	9	7	9	12	7

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—MALES.

Shetland	36	1	2	1	2	1	2	–	3	2	1	1	1
Orkney	36	3	1	1	–	–	–	–	4	2	4	1	3
Caithness	150	15	8	7	11	4	7	1	11	4	8	4	6
Ross and Cromarty	85	9	4	4	7	2	1	2	5	1	3	4	5
Nairn	41	7	1	4	3	1	–	2	1	2	1	2	–
Elgin	142	22	13	9	6	–	1	2	4	2	7	7	5
Banff	181	22	6	16	15	6	7	6	7	6	8	3	9
Aberdeen	283	27	12	20	39	8	6	6	10	8	8	17	10
Kincardine	61	5	1	3	5	2	–	–	1	2	–	1	–
Forfar	265	32	14	13	14	7	10	9	12	5	8	8	9
Perth	244	25	4	16	11	4	5	3	9	8	11	10	6
Fife	581	66	31	54	44	19	15	12	32	16	16	23	18
Clackmannan	188	27	10	22	11	7	7	5	10	7	5	5	6
Stirling	485	56	23	38	54	21	11	7	20	21	17	20	15
Dumbarton	335	34	12	19	27	13	13	7	17	12	13	16	20
Argyll	157	13	2	8	7	3	3	2	5	8	7	6	7
Bute	107	7	6	6	6	6	1	4	5	4	2	2	2
Renfrew	693	91	34	65	75	31	22	10	43	23	24	23	22
Ayr	1078	123	45	81	65	34	25	26	60	46	39	36	37
Lanark	1222	152	68	108	98	62	32	18	81	50	56	46	34
Linlithgow	322	44	15	26	30	9	5	5	31	7	15	7	5
Edinburgh	445	40	25	23	35	15	31	18	47	20	15	9	16
Haddington	126	15	4	12	10	7	–	–	6	2	7	3	2
Berwick	49	6	3	2	3	2	–	3	4	1	5	–	2
Peebles	38	4	1	4	2	1	–	2	4	2	1	2	1
Selkirk	225	38	9	21	8	22	8	3	25	9	8	13	4
Roxburgh	100	9	3	7	9	3	3	1	2	4	1	6	3
Dumfries	70	5	3	4	3	1	3	–	2	–	2	5	6
Kirkcudbright	77	11	3	4	4	3	2	–	4	–	3	4	3
Wigtown	91	7	1	3	4	1	7	1	4	1	4	3	2

DEATHS at Different Ages on the LARGE TOWNS of SCOTLAND, 1871.—MALES.

LARGE TOWNS.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	6	10	4	16	3	15	15	10	10	8	6	3	–	–	1	1
Arbroath	5	2	6	8	9	11	4	11	19	7	4	–	–	1	–	–
Forfar	4	4	1	2	6	1	3	4	8	6	3	–	1	–	–	–
Montrose	2	4	4	8	8	3	12	12	15	8	4	2	1	–	–	1
Dunfermline	3	3	3	4	10	5	5	8	7	4	4	–	–	–	–	–
Kirkcaldy	3	2	4	4	7	3	6	7	3	4	2	1	–	–	–	–
Stirling	6	6	2	7	8	7	11	6	7	10	3	2	–	1	–	–
Dumbarton	4	10	8	1	3	2	7	6	1	3	5	1	–	1	–	–
Ayr	10	5	9	4	10	7	9	12	6	5	8	2	2	–	–	–
Kilmarnock	11	8	6	8	12	8	10	10	9	9	4	6	–	–	–	–
Barony	19	18	30	23	26	17	31	27	19	11	11	6	2	–	–	–
Govan	23	28	24	22	29	21	18	11	13	11	8	7	1	–	–	1
Hamilton	4	8	6	5	6	10	6	11	9	8	8	3	–	1	–	–
Airdrie	4	4	6	9	6	5	7	3	9	5	2	–	–	1	–	–
Coatbridge	10	5	5	4	9	8	12	4	4	2	3	2	–	–	–	–
Hawick	7	2	2	2	9	–	5	4	5	3	3	2	–	–	–	–
Dumfries	7	10	13	16	10	7	16	8	17	9	9	3	2	–	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—MALES.

Shetland	1	2	2	3	2	1	2	1	2	1	2	–	–	–	–	–
Orkney	–	–	1	1	–	3	2	4	1	1	3	1	–	–	–	–
Caithness	10	9	1	4	5	3	5	4	8	6	8	1	–	–	–	–
Ross and Cromarty	5	1	3	2	1	3	4	3	6	3	3	1	3	–	–	–
Nairn	–	1	2	1	–	1	3	2	5	1	–	1	–	–	–	–
Elgin	2	2	2	7	11	7	5	6	7	6	5	2	2	–	–	–
Banff	4	2	3	6	3	2	3	6	8	12	12	6	2	–	1	–
Aberdeen	8	6	4	5	13	6	13	7	16	14	13	4	3	–	–	–
Kincardine	–	1	2	2	2	4	10	3	6	5	4	1	1	–	–	–
Forfar	7	4	5	9	6	9	9	19	20	15	9	12	–	–	–	–
Perth	7	7	5	10	9	11	10	15	23	13	13	8	1	–	–	–
Fife	7	11	13	13	18	27	26	21	33	28	21	12	5	–	–	–
Clackmannan	3	2	5	4	7	10	7	7	11	4	5	–	1	–	–	–
Stirling	15	8	14	16	23	25	14	13	25	12	10	6	1	–	–	–
Dumbarton	14	11	8	11	8	10	20	15	12	11	5	6	1	–	–	–
Argyll	6	6	4	6	–	5	10	12	8	16	6	3	3	1	–	–
Bute	6	9	4	3	2	3	7	5	3	7	4	2	1	–	–	–
Renfrew	25	24	21	25	17	13	23	16	29	18	13	3	2	–	–	1
Ayr	31	31	37	39	33	56	45	50	55	38	26	15	4	1	–	–
Lanark	23	31	33	41	44	39	44	48	39	35	22	11	3	2	–	2
Linlithgow	10	6	3	10	14	13	8	14	18	16	6	3	1	–	1	–
Edinburgh	17	7	14	13	15	15	18	18	14	15	3	1	1	–	–	–
Haddington	1	3	2	4	4	3	6	11	9	8	6	1	–	–	–	–
Berwick	1	1	–	1	1	2	1	4	2	3	2	–	–	–	–	–
Peebles	2	–	2	–	–	1	1	2	2	2	2	–	–	–	–	–
Selkirk	4	7	–	5	4	7	4	10	11	3	1	1	–	–	–	–
Roxburgh	2	3	4	1	5	2	6	5	4	6	7	1	2	1	–	–
Dumfries	1	4	2	1	–	4	3	5	6	4	4	2	–	–	–	–
Kirkcudbright	1	3	4	–	3	5	4	3	4	2	5	2	–	–	–	–
Wigtown	1	2	4	2	4	2	4	8	9	7	5	4	1	–	–	–

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1871.—FEMALES.

LARGE TOWNS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Inverness	220	11	4	6	10	3	4	2	15	9	6	12	12
Arbroath	211	28	4	12	14	8	4	3	12	6	13	10	8
Forfar	129	17	8	7	8	7	4	2	1	2	2	5	4
Montrose	165	8	3	7	8	4	2	1	5	5	2	9	7
Dunfermline	162	16	2	9	13	4	5	3	–	6	9	9	5
Kirkcaldy	112	6	5	1	10	2	3	2	8	7	3	6	3
Stirling	177	13	6	12	7	4	9	3	10	9	12	8	5
Dumbarton	128	10	1	9	14	9	5	1	2	7	4	2	6
Ayr	216	19	1	11	10	4	3	2	11	6	7	8	12
Kilmarnock	285	22	21	17	25	8	4	7	11	10	14	13	15
Barony	595	44	22	56	68	32	14	16	25	18	27	22	28
Govan	705	65	31	57	119	39	27	12	32	22	27	15	30
Hamilton	220	10	3	13	15	11	10	9	26	17	4	6	7
Airdrie	177	15	11	17	21	9	2	3	8	8	11	4	7
Coatbridge	212	19	11	19	25	10	8	4	16	6	13	9	7
Hawick	133	19	6	12	9	6	6	1	5	3	8	4	3
Dumfries	221	19	10	12	10	7	4	1	6	9	2	8	8

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—FEMALES.

Shetland	39	2	1	1	2	2	–	1	1	–	–	1	3
Orkney	44	2	1	1	1	1	1	1	1	2	–	4	1
Caithness	179	9	5	6	9	12	8	6	10	6	3	4	8
Ross and Cromarty	81	4	–	2	1	2	2	1	7	5	–	2	4
Nairn	47	4	1	2	3	4	–	–	1	1	1	4	–
Elgin	165	20	7	9	11	7	1	2	8	5	5	5	8
Banff	207	15	5	12	12	13	2	2	13	7	4	8	9
Aberdeen	326	22	8	32	30	17	7	5	16	4	6	12	6
Kincardine	55	2	2	2	1	1	2	1	4	–	–	1	4
Forfar	355	16	12	21	17	12	5	10	27	12	10	8	17
Perth	233	8	4	13	14	4	1	2	9	11	10	15	6
Fife	640	51	22	36	53	33	13	7	26	16	19	27	26
Clackmannan	184	11	9	7	11	5	7	6	10	11	8	6	6
Stirling	520	45	26	40	32	18	9	4	24	19	24	21	31
Dumbarton	349	30	9	21	33	21	9	9	19	11	12	25	7
Argyll	198	9	4	8	7	4	3	2	8	6	8	9	11
Bute	110	2	3	7	6	2	2	3	2	1	4	3	7
Renfrew	681	50	23	62	60	23	25	12	39	17	31	23	26
Ayr	1075	98	34	55	62	36	25	20	49	71	57	45	35
Lanark	1141	126	40	91	126	50	40	25	66	51	43	51	40
Linlithgow	298	34	18	19	30	13	14	7	15	8	5	9	5
Edinburgh	446	39	10	22	26	10	16	13	45	20	13	16	23
Haddington	163	13	3	7	6	7	2	4	7	3	10	4	6
Berwick	55	8	3	3	3	1	2	1	3	–	–	1	3
Peebles	34	2	1	3	2	3	–	–	–	–	1	4	1
Selkirk	231	31	6	14	15	8	9	13	19	8	6	12	15
Roxburgh	107	9	5	8	7	1	1	1	5	2	2	2	7
Dumfries	92	6	2	–	3	3	1	–	3	–	9	3	5
Kirkcudbright	114	4	6	3	4	3	4	1	3	5	3	8	4
Wigtown	118	7	8	3	3	1	2	3	3	4	7	2	6

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1871.—FEMALES.

LARGE TOWNS.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Inverness	14	6	9	12	10	13	8	7	11	11	17	5	1	1	–	1
Arbroath	3	8	7	5	5	7	15	11	16	7	3	2	–	–	–	–
Forfar	–	6	5	2	4	8	3	13	6	6	5	1	1	2	–	–
Montrose	6	3	5	6	7	10	12	12	16	10	8	5	2	1	1	–
Dunfermline	4	3	9	8	2	10	11	5	8	11	6	4	–	–	–	–
Kirkcaldy	3	3	3	7	3	2	8	8	9	5	2	1	1	1	–	–
Stirling	4	6	5	5	5	4	9	11	11	6	12	2	4	–	–	–
Dumbarton	7	4	3	4	4	6	13	6	4	5	2	–	–	–	–	–
Ayr	10	2	7	13	9	7	13	11	16	11	12	9	2	–	–	–
Kilmarnock	10	15	10	9	9	9	5	10	9	20	5	6	–	1	–	–
Barony	16	23	26	18	13	17	29	30	19	10	15	6	1	–	–	–
Govan	39	38	19	19	16	21	15	18	15	20	2	5	1	–	–	1
Hamilton	11	7	5	3	7	4	7	4	16	8	9	4	2	1	–	1
Airdrie	4	5	3	6	8	5	8	6	7	4	3	2	–	–	–	–
Coatbridge	9	2	6	4	10	7	9	2	4	3	5	2	2	–	–	–
Hawick	2	5	1	7	5	5	2	6	6	9	1	1	1	–	–	–
Dumfries	12	7	11	9	12	5	10	11	11	12	13	7	3	2	–	–

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1871.—FEMALES.

Shetland	1	3	–	4	–	1	3	1	2	5	2	3	–	–	–	–
Orkney	1	1	–	–	2	2	2	5	4	1	7	3	–	–	–	–
Caithness	4	6	5	3	7	4	5	8	19	10	9	8	4	1	–	–
Ross and Cromarty	3	3	3	1	3	3	5	4	6	5	7	3	5	–	–	–
Nairn	1	–	1	1	2	1	2	5	4	6	3	–	–	–	–	–
Elgin	2	2	6	2	1	7	5	10	11	8	12	8	3	–	–	–
Banff	6	3	10	9	2	4	11	6	13	17	11	11	2	–	–	–
Aberdeen	5	6	6	10	13	9	15	11	21	24	18	15	5	2	1	–
Kincardine	1	–	–	3	2	2	3	3	6	2	5	5	3	–	–	–
Forfar	18	8	14	8	16	15	20	22	18	16	18	5	8	2	–	–
Perth	7	9	3	7	6	11	12	13	23	19	15	7	4	–	–	–
Fife	25	22	18	23	24	18	35	23	47	28	25	17	4	1	–	1
Clackmannan	8	4	4	6	6	9	4	5	10	12	13	4	1	1	–	–
Stirling	19	13	18	11	13	24	15	33	32	20	18	6	4	1	–	–
Dumbarton	9	13	10	10	13	12	19	15	15	12	8	6	1	–	–	–
Argyll	6	8	4	8	8	9	8	19	18	15	9	5	2	–	–	–
Bute	3	5	5	6	4	6	7	4	12	6	4	3	3	–	–	–
Renfrew	26	22	16	25	21	30	29	33	26	25	22	11	3	–	1	–
Ayr	38	31	38	39	32	42	56	37	54	50	40	19	9	3	–	–
Lanark	39	40	37	24	32	35	35	34	42	30	25	13	4	1	–	1
Linlithgow	8	5	4	4	11	8	10	16	18	15	15	3	3	1	–	–
Edinburgh	11	13	15	15	14	16	27	23	27	15	10	6	–	1	–	–
Haddington	6	9	5	5	6	7	7	12	14	8	7	4	1	–	–	–
Berwick	2	2	1	1	2	3	2	2	3	4	4	–	–	1	–	–
Peebles	1	2	1	2	1	1	–	3	2	2	1	1	–	–	–	–
Selkirk	7	4	8	9	5	9	12	7	8	3	2	–	1	–	–	–
Roxburgh	1	3	1	1	1	3	6	7	10	14	5	3	1	1	–	–
Dumfries	5	3	3	2	2	3	9	4	12	4	6	4	–	–	–	–
Kirkcudbright	5	7	2	2	2	2	4	6	13	7	8	7	1	–	–	–
Wigtown	3	2	5	2	6	3	3	15	12	7	5	4	1	–	–	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—BOTH SEXES.

MAINLAND-RURAL DISTRICTS.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	282	11	2	7	5	5	7	2	14	10	10	15	11
Sutherland	346	14	7	7	3	–	5	3	10	4	9	14	14
Ross and Cromarty	850	55	12	25	23	16	12	9	25	19	31	36	25
Inverness	443	30	10	10	14	9	2	3	6	7	12	16	19
Nairn	46	–	3	3	2	–	–	–	–	–	–	–	1
Elgin	375	31	10	21	11	5	3	2	17	13	9	15	13
Banff	520	39	14	25	23	15	10	8	26	14	19	25	16
Aberdeen	1728	144	57	63	69	46	25	25	74	50	68	64	51
Kincardine	432	31	10	19	21	15	8	8	24	9	15	24	16
Forfar	542	56	15	18	14	17	3	7	22	14	27	33	13
Perth	1286	80	27	39	43	20	18	15	40	31	40	41	56
Fife	1324	135	45	66	71	36	31	19	40	29	40	51	55
Kinross	114	9	2	2	4	–	1	–	2	4	2	4	5
Clackmannan	91	7	4	3	7	1	2	1	3	5	3	10	2
Stirling	520	58	21	33	33	14	15	6	24	15	23	20	15
Dumbarton	307	26	9	26	21	6	12	5	18	7	8	12	8
Argyll	757	51	18	25	28	19	10	8	24	25	41	34	30
Renfrew	499	43	15	28	37	14	12	7	31	18	27	19	13
Ayr	991	103	36	56	63	33	32	12	41	32	41	52	35
Lanark	1193	129	41	90	67	37	31	24	52	40	48	47	40
Linlithgow	302	37	14	18	26	17	7	7	15	2	8	11	11
Edinburgh	1066	126	32	62	81	30	30	11	60	33	33	36	42
Haddington	400	42	9	18	21	10	10	8	19	15	7	11	17
Berwick	487	39	13	23	13	15	6	9	32	11	23	19	18
Peebles	139	18	6	6	3	3	2	–	6	4	6	3	2
Selkirk	31	4	–	1	–	3	1	–	2	1	–	2	–
Roxburgh	362	46	11	13	8	7	3	6	9	10	19	16	13
Dumfries	892	82	25	26	33	18	13	20	29	29	31	48	22
Kirkcudbright	423	44	9	12	18	7	6	6	11	5	18	16	16
Wigtown	432	39	14	17	13	8	2	8	14	10	19	24	13

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—BOTH SEXES.

Shetland	311	22	2	4	9	8	3	4	6	6	14	14	11
Orkney	352	21	8	9	9	7	3	4	14	12	12	16	8
Ross and Cromarty	175	32	3	14	7	4	10	3	2	1	2	3	2
Inverness	524	75	8	25	21	7	6	5	15	10	22	18	29
Argyll	297	8	6	7	8	3	2	2	8	6	9	14	15
Bute	176	5	7	5	4	6	2	–	4	6	4	14	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—BOTH SEXES.

MAINLAND-RURAL DISTRICTS.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	7	5	6	9	8	7	10	18	26	32	31	14	5	2	2	1
Sutherland	14	11	8	7	8	15	20	25	35	40	34	21	10	7	1	–
Ross and Cromarty	27	29	28	22	28	29	54	48	86	73	61	43	17	12	4	1
Inverness	14	13	19	17	13	21	28	18	33	47	47	22	9	4	–	–
Nairn	–	2	2	–	2	3	4	3	7	6	5	2	1	–	–	–
Elgin	5	10	8	10	20	10	19	31	27	29	26	18	11	–	–	1
Banff	17	15	18	10	16	22	29	25	32	35	35	22	6	3	1	–
Aberdeen	46	45	35	43	39	63	82	95	142	139	141	83	31	5	1	2
Kincardine	10	8	12	11	9	20	13	33	22	27	32	28	5	–	–	2
Forfar	12	16	13	21	10	13	26	32	34	40	51	22	8	1	–	4
Perth	38	33	35	41	29	55	63	68	126	131	114	79	18	5	1	–
Fife	34	29	31	34	43	32	66	83	112	89	91	46	13	2	–	1
Kinross	4	1	2	2	1	4	9	12	11	17	13	1	2	–	–	–
Clackmannan	2	1	1	6	3	4	4	8	6	4	1	2	–	1	–	–
Stirling	9	9	13	19	23	25	20	27	31	29	24	8	4	2	–	–
Dumbarton	14	6	7	8	11	6	17	9	22	20	12	12	3	1	1	–
Argyll	23	27	18	18	38	31	37	33	56	66	45	30	10	9	2	1
Renfrew	12	13	15	22	21	21	28	21	21	28	17	8	3	2	1	2
Ayr	35	29	27	32	33	29	42	34	60	58	38	22	15	1	–	–
Lanark	34	39	46	42	37	39	55	56	56	53	48	28	11	1	1	1
Linlithgow	8	6	6	5	11	11	9	15	23	15	6	9	5	–	–	–
Edinburgh	34	29	30	25	36	29	67	53	62	51	38	23	10	1	–	2
Haddington	6	10	12	11	18	12	20	16	30	33	20	10	4	1	–	10
Berwick	18	8	9	10	16	17	28	33	41	32	28	20	5	–	–	1
Peebles	3	5	6	5	6	6	8	11	12	9	4	3	–	1	1	–
Selkirk	–	3	–	–	–	2	2	5	1	2	1	1	–	–	–	–
Roxburgh	12	6	9	8	17	19	23	23	24	19	21	16	2	1	–	1
Dumfries	30	27	20	25	35	40	36	50	77	64	55	41	14	1	–	1
Kirkcudbright	14	15	17	12	17	18	27	21	22	35	32	13	8	2	1	1
Wigtown	9	10	14	13	18	11	25	25	29	46	25	14	9	3	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—BOTH SEXES.

Shetland	13	10	5	8	6	10	18	17	27	33	30	15	13	–	1	2
Orkney	6	11	6	6	7	13	14	22	39	27	33	28	11	5	–	1
Ross and Cromarty	6	2	7	11	3	3	7	6	13	12	10	7	2	2	1	–
Inverness	16	10	13	14	19	22	24	29	36	35	35	15	7	7	1	–
Argyll	14	8	5	10	9	9	14	26	22	32	32	17	8	2	1	–
Bute	5	4	5	5	10	3	10	15	13	19	10	9	3	1	–	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—MALES.

MAINLAND-RURAL DISTRICTS.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	151	5	1	3	2	2	6	–	6	7	8	10	7
Sutherland	175	9	3	3	1	–	3	1	6	2	6	8	7
Ross and Cromarty	418	34	7	11	15	9	7	6	16	8	16	22	14
Inverness	185	16	6	7	7	4	1	1	4	4	4	10	8
Nairn	21	–	1	1	2	–	–	–	–	–	–	–	–
Elgin	179	18	7	9	5	2	1	1	8	7	5	8	7
Banff	274	28	9	14	14	5	5	2	15	8	11	18	7
Aberdeen	832	84	30	28	35	21	13	12	37	21	30	37	17
Kincardine	224	18	7	8	12	9	5	4	13	3	12	15	8
Forfar	254	24	8	10	7	11	3	1	11	5	10	13	3
Perth	621	53	12	21	27	11	4	9	18	10	16	18	26
Fife	645	75	24	41	43	21	11	9	25	14	15	27	21
Kinross	60	7	2	1	1	–	1	–	2	3	–	2	3
Clackmannan	49	6	3	1	4	1	2	1	2	2	1	4	2
Stirling	290	35	17	16	17	9	6	4	8	10	15	9	11
Dumbarton	151	14	7	11	9	3	7	1	8	5	3	5	4
Argyll	359	27	10	11	14	11	6	2	10	16	15	22	15
Renfrew	235	23	7	15	13	5	8	7	18	9	12	10	3
Ayr	526	60	21	33	35	20	14	7	24	15	24	22	13
Lanark	628	79	22	44	28	21	12	10	25	27	29	24	20
Linlithgow	143	18	7	10	15	8	3	4	9	1	4	3	5
Edinburgh	535	66	15	37	43	13	10	8	37	16	15	13	23
Haddington	214	25	4	14	11	2	7	7	10	8	4	6	11
Berwick	243	19	8	10	10	5	4	6	16	5	11	7	5
Peebles	68	11	3	4	1	1	1	–	3	1	3	2	1
Selkirk	18	3	–	1	–	2	–	–	–	1	–	1	–
Roxburgh	179	25	7	4	5	3	3	4	4	4	11	9	4
Dumfries	410	48	15	20	11	8	4	8	19	14	12	24	6
Kirkcudbright	207	21	7	7	10	3	3	3	3	2	10	8	7
Wigtown	233	20	8	10	7	2	2	6	9	5	7	17	7

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—MALES.

Shetland	135	11	–	2	5	5	–	2	2	5	9	10	3
Orkney	168	13	4	4	4	6	1	1	8	5	6	9	5
Ross and Cromarty	91	19	1	8	3	2	5	2	1	1	2	2	1
Inverness	258	46	7	12	5	3	2	4	7	3	12	14	16
Argyll	158	7	2	6	5	1	1	1	6	3	7	11	6
Bute	96	3	5	3	4	3	2	–	2	1	2	9	–

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—MALES.

MAINLAND-RURAL DISTRICTS.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	5	2	4	5	6	2	7	8	13	14	15	9	2	–	1	1
Sutherland	10	7	4	5	5	9	7	14	20	16	12	9	2	5	1	–
Ross and Cromarty	14	10	12	12	10	12	38	20	34	36	21	17	10	5	2	–
Inverness	8	4	6	9	4	9	10	7	11	21	13	8	3	–	–	–
Nairn	–	1	–	–	1	–	3	1	3	4	2	2	–	–	–	–
Elgin	1	5	3	3	10	5	7	19	14	15	12	4	2	–	–	1
Banff	9	8	9	6	4	13	10	15	19	9	24	11	–	–	1	–
Aberdeen	15	22	20	22	14	33	43	49	71	73	54	35	13	2	–	1
Kincardine	6	3	6	7	5	11	8	18	15	9	13	9	–	–	–	–
Forfar	4	7	10	7	4	3	13	20	20	22	24	6	4	–	–	4
Perth	16	11	16	17	11	33	31	41	60	61	50	35	10	4	–	–
Fife	14	13	17	16	25	14	31	43	48	48	32	13	5	–	–	–
Kinross	2	1	2	1	–	2	5	5	6	7	5	1	1	–	–	–
Clackmannan	1	1	–	3	1	–	3	4	4	3	–	–	–	–	–	–
Stirling	6	3	8	8	13	14	11	13	18	21	10	5	3	–	–	–
Dumbarton	11	2	6	2	6	4	6	3	13	12	4	3	2	–	–	–
Argyll	10	14	9	10	17	11	14	11	27	36	27	9	2	3	–	–
Renfrew	4	7	4	12	8	11	16	10	11	12	5	5	–	–	–	–
Ayr	17	15	13	19	22	13	25	16	34	28	18	8	9	1	–	–
Lanark	21	19	21	27	23	22	28	36	33	26	21	7	2	–	1	–
Linlithgow	4	4	1	2	8	5	5	5	8	7	2	3	2	–	–	–
Edinburgh	24	15	18	12	21	11	36	19	22	27	18	8	6	–	–	2
Haddington	4	7	3	6	12	3	9	7	17	14	6	4	4	–	–	9
Berwick	8	2	4	6	9	10	13	18	20	20	16	8	2	–	–	1
Peebles	–	1	5	3	4	3	4	5	3	5	2	–	–	1	1	–
Selkirk	–	–	–	–	–	2	–	4	1	2	1	–	–	–	–	–
Roxburgh	5	2	3	4	9	10	12	9	13	8	13	7	–	–	–	1
Dumfries	10	12	5	13	18	16	21	22	35	24	25	14	6	–	–	–
Kirkcudbright	6	10	10	7	6	8	9	10	12	18	10	10	5	–	1	1
Wigtown	5	6	7	8	10	6	7	14	17	25	15	7	6	–	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—MALES.

Shetland	6	4	3	3	2	6	6	8	11	11	11	6	3	–	–	1
Orkney	5	7	5	1	3	3	9	8	22	12	12	9	3	3	–	–
Ross and Cromarty	2	1	3	7	1	1	2	1	8	10	3	2	1	1	1	–
Inverness	7	2	6	6	11	8	14	13	16	15	13	10	2	3	1	–
Argyll	5	5	4	3	3	5	4	13	12	13	19	13	2	–	1	–
Bute	2	4	2	4	5	2	5	9	6	11	5	5	1	–	–	1

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—FEMALES.

MAINLAND-RURAL DISTRICTS.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
Caithness	131	6	1	4	3	3	1	2	8	3	2	5	4
Sutherland	171	5	4	4	2	–	2	2	4	2	3	6	7
Ross and Cromarty	432	21	5	14	8	7	5	3	9	11	15	14	11
Inverness	258	14	4	3	7	5	1	2	2	3	8	6	11
Nairn	25	–	2	2	–	–	–	–	–	–	–	–	1
Elgin	196	13	3	12	6	3	2	1	9	6	4	7	6
Banff	246	11	5	11	9	10	5	6	11	6	8	7	9
Aberdeen	896	60	27	35	34	25	12	13	37	29	38	27	34
Kincardine	208	13	3	11	9	6	3	4	11	6	3	9	8
Forfar	288	32	7	8	7	6	–	6	11	9	17	20	10
Perth	665	27	15	18	16	9	14	6	22	21	24	23	30
Fife	679	60	21	25	28	15	20	10	15	15	25	24	34
Kinross	54	2	–	1	3	–	–	–	–	1	2	2	2
Clackmannan	42	1	1	2	3	–	–	–	1	3	2	6	–
Stirling	230	23	4	17	16	5	9	2	16	5	8	11	4
Dumbarton	156	12	2	15	12	3	5	4	10	2	5	7	4
Argyll	398	24	8	14	14	8	4	6	14	9	26	12	15
Renfrew	264	20	8	13	24	9	4	–	13	9	15	9	10
Ayr	465	43	15	23	28	13	18	5	17	17	17	30	22
Lanark	565	50	19	46	39	16	19	14	27	13	19	23	20
Linlithgow	159	19	7	8	11	9	4	3	6	1	4	8	6
Edinburgh	531	60	17	25	38	17	20	3	23	17	18	23	19
Haddington	186	17	5	4	10	8	3	1	9	7	3	5	6
Berwick	244	20	5	13	3	10	2	3	16	6	12	12	13
Peebles	71	7	3	2	2	2	1	–	3	3	3	1	1
Selkirk	13	1	–	–	–	1	1	–	2	–	–	1	–
Roxburgh	183	21	4	9	3	4	–	2	5	6	8	7	9
Dumfries	482	34	10	6	22	10	9	12	10	15	19	24	16
Kirkcudbright	216	23	2	5	8	4	3	3	8	3	8	8	9
Wigtown	199	19	6	7	6	6	–	2	5	5	12	7	6

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—FEMALES.

Shetland	176	11	2	2	4	3	3	2	4	1	5	4	8
Orkney	184	8	4	5	5	1	2	3	6	7	6	7	3
Ross and Cromarty	84	13	2	6	4	2	5	1	1	–	–	1	1
Inverness	266	29	1	13	16	4	4	1	8	7	10	4	13
Argyll	139	1	4	1	3	2	1	1	2	3	2	3	9
Bute	80	2	2	2	–	3	–	–	2	5	2	5	6

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1871.—FEMALES.

MAINLAND-RURAL DISTRICTS.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Caithness	2	3	2	4	2	5	3	10	13	18	16	5	3	2	1	–
Sutherland	4	4	4	2	3	6	13	11	15	24	22	12	8	2	–	–
Ross and Cromarty	13	19	16	10	18	17	16	28	52	37	40	26	7	7	2	1
Inverness	6	9	13	8	9	12	18	11	22	26	34	14	6	4	–	–
Nairn	–	1	2	–	1	3	1	2	4	2	3	–	1	–	–	–
Elgin	4	5	5	7	10	5	12	12	13	14	14	14	9	–	–	–
Banff	8	7	9	4	12	9	19	10	13	26	11	11	6	3	–	–
Aberdeen	31	23	15	21	25	30	39	41	71	66	87	48	18	3	1	1
Kincardine	4	5	6	4	4	9	5	15	7	18	19	19	5	–	–	2
Forfar	8	9	3	14	6	10	13	12	14	18	27	16	4	1	–	–
Perth	22	22	19	24	18	22	32	27	66	70	64	44	8	1	1	–
Fife	20	16	14	18	18	18	35	40	64	41	59	33	8	2	–	1
Kinross	2	–	–	1	1	2	4	7	5	10	8	–	1	–	–	–
Clackmannan	1	–	1	3	2	4	1	4	2	1	1	2	–	1	–	–
Stirling	3	6	5	11	10	11	9	14	13	8	14	3	1	2	–	–
Dumbarton	3	4	1	6	5	2	11	6	9	8	8	9	1	1	1	–
Argyll	13	13	9	8	21	20	23	22	29	30	18	21	8	6	2	1
Renfrew	8	6	11	10	13	10	12	11	10	16	12	3	3	2	1	2
Ayr	18	14	14	13	11	16	17	18	26	30	20	14	6	–	–	–
Lanark	13	20	25	15	14	17	27	20	23	27	27	21	9	1	–	1
Linlithgow	4	2	5	3	3	6	4	10	15	8	4	6	3	–	–	–
Edinburgh	10	14	12	13	15	18	31	34	40	24	20	15	4	1	–	–
Haddington	2	3	9	5	6	9	11	9	13	19	14	6	–	1	–	1
Berwick	10	6	5	4	7	7	15	15	21	13	12	12	3	–	–	–
Peebles	3	4	1	2	2	3	4	6	9	4	2	3	–	–	–	–
Selkirk	–	3	–	–	–	–	2	1	–	–	–	1	–	–	–	–
Roxburgh	7	4	6	4	8	9	11	14	11	11	8	9	2	1	–	–
Dumfries	20	15	15	12	17	24	15	28	42	40	30	27	8	1	–	1
Kirkcudbright	8	5	7	5	11	10	18	11	10	17	22	3	3	2	–	–
Wigtown	4	4	7	5	8	5	18	11	12	21	10	7	3	3	–	–

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1871.—FEMALES.

Shetland	7	6	2	5	4	4	12	9	16	22	19	9	10	–	1	1
Orkney	1	4	1	5	4	10	5	14	17	15	21	19	8	2	–	1
Ross and Cromarty	4	1	4	4	2	2	5	5	5	2	7	5	1	1	–	–
Inverness	9	8	7	8	8	14	10	16	20	20	22	5	5	4	–	–
Argyll	9	3	1	7	6	4	10	13	10	19	13	4	6	2	–	–
Bute	3	–	3	1	5	1	5	6	7	8	5	4	2	1	–	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine	Forfar.	Perth.	Fife.
ALL CAUSES	74712	386	432	611	346	1191	1399	134	682	908	4334	548	5472	2313	3070
SPECIFIED CAUSES	72723	319	406	589	308	1021	1229	129	648	872	4246	536	5390	2233	2971
I. Zymotic Class	15617	33	77	100	27	172	245	20	95	165	914	103	1496	325	567
II. Diseases of Uncer. Seat	2411	13	16	20	19	45	52	9	31	34	174	28	190	92	123
III. Tubercular Class	13011	47	50	107	49	144	166	10	103	126	688	63	781	354	426
IV. Brain and Nervous Sys.	5932	17	23	46	17	68	92	12	67	86	423	58	447	238	301
V. Organs of Circulation	3503	4	15	33	5	31	41	6	34	42	249	26	287	159	197
VI. Respiratory Organs	12467	14	38	76	27	102	136	10	78	132	548	69	833	280	474
VII. Organs of Digestion	4925	23	29	25	23	53	87	19	66	78	334	45	284	167	193
VIII. Urinary Organs	1166	6	6	5	12	20	18	1	12	37	113	8	64	54	45
IX. Organs of Generation	611	5	1	5	1	9	19	–	5	12	40	7	47	20	27
X. Organs of Locomotion	466	6	4	4	5	15	16	–	1	10	33	4	27	10	17
XI. Skin, etc.	121	–	–	3	–	3	1	1	2	2	13	–	9	2	10
XII. Malformation	231	1	–	1	2	–	1	–	2	4	14	2	23	2	14
XIII. Premature Debility	3609	9	13	21	1	26	48	4	36	39	208	17	354	92	144
XIV. Atrophy	530	4	3	10	1	8	7	2	2	6	25	5	25	22	24
XV. Age	5605	115	118	108	108	277	262	28	94	79	356	77	369	332	306
XVI. Sudden Deaths	157	3	–	–	1	2	2	1	–	1	3	3	12	5	10
XVII. Violent Deaths	2361	19	13	25	10	46	36	6	20	19	111	21	142	79	93
I. Small-pox	1442	2	6	3	1	16	85	7	–	–	33	3	411	19	22
Measles	2057	1	–	1	–	–	25	–	–	15	171	21	26	9	86
Scarlatina	2586	1	14	17	1	17	16	–	4	34	108	21	143	73	87
Diphtheria	880	1	9	14	3	17	3	1	22	20	71	5	20	19	27
Hooping-cough	1504	14	18	4	1	12	18	8	21	19	109	5	212	25	78
Croup	970	–	–	16	5	29	17	1	6	8	55	4	60	21	35
Thrush	43	–	–	–	–	2	–	–	1	–	6	2	4	–	1
Diarrhœa	1662	1	9	6	2	18	19	2	11	13	114	15	231	40	65
Dysentery	215	–	1	3	–	3	7	–	5	2	26	1	24	8	11
Cholera	95	–	–	–	–	–	2	–	–	2	3	–	4	1	7
Influenza	105	–	5	2	2	4	6	–	3	5	13	–	6	4	2
Purpura	55	1	1	–	–	–	–	–	–	–	7	–	9	3	1
Ague	6	–	1	–	–	–	–	–	–	–	1	–	2	–	–
Worms	13	–	–	–	–	–	–	–	–	–	–	–	1	–	1
Typhus	1129	2	5	3	3	33	16	–	4	7	29	7	96	19	36
Enteric Fever	1234	2	3	17	3	11	10	1	6	32	76	10	117	56	58
Relapsing Fever	411	1	–	–	–	1	–	–	–	1	5	–	32	4	5
Simple Cont. Fever	108	–	3	1	–	2	–	–	1	–	3	1	7	6	–
Infantile Remittent	124	1	–	–	1	–	–	–	1	2	4	1	8	3	2
Metria	225	2	–	2	1	1	5	–	2	2	15	3	19	4	17
Rheumatic Fever	135	3	1	4	2	2	4	–	5	1	12	2	11	3	8
Erysipelas	336	1	1	4	2	3	9	–	3	–	29	1	28	6	12
Pyæmia	41	–	–	–	–	–	2	–	–	2	–	–	4	1	3
Syphilis	227	–	–	3	–	1	1	–	–	–	22	–	21	1	3
Noma	10	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Hydrophobia	4	–	–	–	–	–	–	–	–	–	–	1	–	–	–
II. Hæmorrhage	81	–	–	1	2	–	–	–	–	–	5	1	4	4	2
Dropsy	583	6	8	3	5	19	19	2	4	3	26	4	54	21	37
Abscess	120	–	–	–	–	–	5	1	–	7	14	1	9	1	3
Ulcer	43	2	–	–	1	1	–	–	2	–	10	–	2	–	3
Fistula	13	–	–	–	–	–	–	–	–	–	1	–	–	2	–
Mortification	124	–	1	2	2	1	3	–	2	3	11	2	13	5	5
Cancer	1432	4	7	14	9	24	23	6	23	18	105	20	108	59	73
Gout	15	1	–	–	–	–	2	–	–	3	2	–	–	–	–
III. Scrofula	810	3	3	9	4	5	5	–	7	17	61	3	31	20	31
Tabes Mesenterica	967	–	–	1	2	–	2	–	2	–	34	5	48	16	24
Phthisis	9102	42	40	85	40	133	149	8	85	95	485	47	562	269	297
Hydrocephalus	2132	2	7	12	3	6	10	2	9	14	108	8	140	49	74

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	463	1845	1247	1409	393	5098	4140	23201	922	8485	689	591	211	487	821	1443	686	641
SPECIFIED CAUSES	449	1762	1202	1285	372	4959	4064	22859	897	8428	673	580	204	484	808	1398	671	622
Zymotic Class	106	306	211	141	54	1027	679	5169	228	2391	146	120	43	201	120	168	75	83
Uncertain Seat	19	65	39	47	20	141	143	543	28	303	17	28	8	13	37	56	26	30
Tubercular Class	82	340	275	247	90	1007	966	4601	116	1241	76	78	31	76	149	265	145	102
Brain, etc.	39	150	95	116	38	408	339	1548	65	745	55	70	19	19	87	121	59	58
Heart, etc.	14	101	67	66	23	207	190	771	48	506	43	55	12	25	66	84	50	34
Respiratory Organs	73	240	196	173	39	875	624	5083	152	1376	101	62	34	56	105	229	104	109
Digestive Organs	21	161	87	100	35	367	290	1512	52	453	54	39	21	24	70	112	42	48
Urinary Organs	7	24	13	35	3	55	63	265	21	163	7	13	3	3	20	30	18	16
Generative Organs	2	19	13	20	2	48	29	163	6	63	5	12	1	3	6	13	4	3
Locomotive Organs	–	15	6	12	2	37	27	115	7	49	3	5	2	4	6	16	6	2
Skin	1	2	3	1	–	7	4	26	2	17	–	1	–	1	1	6	1	1
Malformation	2	4	6	1	1	5	18	58	4	31	3	6	1	8	6	3	4	3
Premature Debility	21	109	55	37	9	261	225	1133	58	396	43	24	9	32	58	76	31	16
Atrophy	4	21	7	7	1	50	23	186	3	54	1	2	1	1	7	11	6	1
Age	51	136	71	234	44	268	293	883	69	353	89	54	12	9	56	167	74	91
Sudden Deaths	–	2	2	–	–	13	2	71	5	13	2	–	–	–	2	2	–	–
Violent Deaths	7	67	56	48	11	183	149	732	33	274	28	11	7	9	12	39	26	25
Small Pox	–	2	7	6	–	51	13	280	3	391	12	13	2	43	2	5	3	1
Measles	3	26	33	3	2	146	38	1091	21	300	5	1	3	7	14	1	–	8
Scarlatina	57	45	43	25	4	173	106	632	104	577	45	36	4	94	25	36	21	23
Diphtheria	–	33	10	9	2	46	35	209	14	207	21	19	7	3	7	18	5	1
Hooping Cough	7	5	16	4	1	74	86	670	4	69	2	7	–	–	1	9	–	4
Croup	4	45	17	16	–	58	41	339	15	135	7	6	3	2	7	12	3	2
Thrush	1	–	–	1	–	3	–	12	1	5	–	1	–	–	1	–	1	1
Diarrhœa	6	46	21	16	10	99	86	526	27	184	11	6	3	19	16	22	6	11
Dysentery	1	4	12	2	3	14	10	43	3	16	1	3	2	1	1	4	4	–
Cholera	–	5	3	–	–	9	11	20	–	15	2	3	1	2	3	1	–	1
Influenza	–	4	7	4	–	4	11	16	1	2	–	1	–	–	1	1	1	–
Purpura	–	–	–	–	3	6	1	10	–	7	1	–	–	2	–	1	–	2
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	2	7	–	–	–	–	–	–	1	–	1	–
Typhus	7	26	16	16	7	150	61	410	5	134	10	2	1	3	6	9	2	2
Enteric Fever	9	32	15	20	13	62	106	308	17	144	13	10	7	11	15	22	9	16
Relapsing Fever	–	3	2	2	2	39	11	277	–	22	1	–	–	–	–	3	–	–
Simple Cont. Fever	–	6	–	1	1	3	8	37	1	10	1	1	1	3	2	2	6	1
Infantile Remittent	2	9	–	1	2	17	10	32	2	15	1	2	–	–	1	3	–	4
Metria	1	5	1	4	2	15	9	53	2	27	8	–	2	1	3	13	4	2
Rheumatic Fever	2	–	3	3	–	9	7	22	1	15	–	5	3	–	4	1	2	–
Erysipelas	6	7	3	6	1	28	15	80	2	58	3	2	1	7	6	5	5	2
Pyæmia	–	1	–	–	–	4	4	11	2	3	–	1	–	1	1	–	1	–
Syphilis	–	2	2	2	1	15	8	76	3	53	2	1	3	2	2	–	1	2
Noma	–	–	–	–	–	1	–	5	–	2	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	1	1	5	4	26	1	13	1	3	–	–	1	–	1	4
Dropsy	12	27	12	11	2	46	41	164	–	34	3	1	1	–	2	7	6	2
Abscess	–	1	1	4	–	11	5	35	3	13	1	–	1	–	1	2	–	1
Ulcer	–	–	–	1	1	1	1	7	–	7	–	–	–	–	–	2	1	1
Fistula	–	–	–	–	–	1	–	4	–	5	–	–	–	–	–	–	–	–
Mortification	–	1	2	1	1	12	5	22	–	19	1	2	1	–	1	2	1	3
Cancer	7	35	24	29	15	64	87	283	24	210	11	22	5	13	31	43	17	18
Gout	–	–	–	–	–	1	–	2	–	2	–	–	–	1	–	–	–	1
Scrofula	3	19	8	16	5	78	54	286	13	72	3	8	2	4	9	18	7	5
Tabes Mesenterica	4	23	21	9	4	66	81	442	12	115	2	5	–	4	21	13	7	3
Phthisis	63	234	192	198	57	707	685	3059	60	806	60	58	26	45	97	212	110	89
Hydrocephalus	12	64	54	24	24	156	146	814	31	248	11	7	3	23	22	22	21	5

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Scotland.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	599	3	1	5	2	13	5	1	10	8	37	5	33	20	34	1
Apoplexy	1420	2	7	8	3	6	13	1	16	25	104	7	116	58	65	3
Paralysis	1749	4	7	17	9	26	40	5	17	25	111	24	122	100	115	–
Delirium Tremens	45	–	–	–	–	–	–	–	–	–	3	3	2	2	5	–
Chorea	5	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	212	3	2	2	–	4	3	1	2	7	10	3	16	11	13	–
Tetanus	48	–	–	1	–	2	4	–	–	2	2	–	1	3	4	–
Insanity	28	1	–	–	–	–	–	–	–	–	3	–	2	3	–	–
Convulsions	925	2	–	11	1	7	18	3	11	10	71	6	93	16	29	1
Brain Disease	901	2	5	2	2	10	9	1	11	9	81	10	62	25	36	1
V. Pericarditis	65	–	–	1	–	3	1	–	–	2	2	–	6	5	2	–
Aneurism	91	–	1	1	–	–	–	–	2	1	8	–	6	3	2	–
Heart Disease	3347	4	14	31	5	28	40	6	32	39	239	26	275	151	193	12
VI. Laryngitis	145	–	–	3	–	2	3	1	–	2	13	–	9	3	8	–
Bronchitis	8663	7	24	42	10	34	69	9	46	84	389	50	619	202	323	11
Pleurisy	250	1	–	1	–	7	17	–	4	6	12	4	15	4	18	–
Pneumonia	2655	–	8	23	8	25	17	–	20	31	110	10	147	51	103	7
Asthma	431	5	–	7	9	33	29	–	4	8	17	1	32	10	15	–
Lung Disease	323	1	6	–	–	1	1	–	4	1	7	4	11	10	7	1
VII. Teething	872	4	1	3	–	1	6	9	10	13	58	3	63	17	32	1
Quinsey	62	–	–	2	–	–	2	–	1	1	4	–	5	–	2	1
Gastritis	213	1	3	1	2	2	10	1	6	5	9	–	8	7	13	–
Enteritis	867	–	1	1	2	9	15	1	6	6	34	5	39	29	22	–
Peritonitis	372	–	1	1	1	2	5	1	5	4	26	5	21	11	13	–
Ascites	69	2	–	–	–	–	2	–	2	3	4	1	10	1	4	–
Ulceration of Intestines	238	2	2	1	–	–	4	1	5	12	29	7	22	7	7	2
Hernia	112	–	–	1	–	2	1	1	–	4	8	1	9	8	5	–
Ileus	275	3	4	2	7	7	8	1	4	4	38	6	16	14	12	1
Intussusception	47	–	–	–	–	–	–	–	–	1	5	–	1	2	5	–
Stricture of Intestines	27	–	–	1	–	1	1	1	–	2	5	–	1	1	–	–
Stomach Disease	693	7	11	6	6	12	14	1	8	13	39	13	24	32	35	2
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hepatitis	123	1	–	1	1	1	–	–	5	1	3	–	4	6	2	–
Jaundice	202	–	2	2	1	5	9	–	4	2	31	1	13	5	10	1
Liver Disease	728	3	4	3	3	11	10	2	10	7	39	3	47	25	30	3
Spleen Disease	23	–	–	–	–	–	–	–	–	–	2	–	–	2	1	–
VIII. Nephritis	86	–	1	–	1	1	–	–	–	3	2	–	4	6	4	–
Nephria	320	–	–	1	–	4	3	–	2	7	28	1	22	17	10	2
Addison's Disease	10	–	–	–	–	–	–	–	1	–	1	–	–	–	1	–
Ischuria	57	2	–	–	1	3	5	–	–	3	3	1	1	–	1	–
Diabetes	115	–	1	2	3	2	2	–	3	5	14	–	4	6	6	–
Stone	55	4	3	–	2	4	1	1	–	1	4	1	4	3	2	–
Cystitis	190	–	–	2	1	4	3	–	3	8	17	2	6	11	10	2
Stricture of Urethra	15	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Kidney Disease	318	–	1	–	4	2	3	–	2	9	44	3	23	11	11	2
IX. Paramenia	29	–	–	–	–	–	1	–	1	1	4	–	3	3	–	–
Ovarian Dropsy	94	1	1	1	–	–	3	–	1	2	7	2	11	–	2	–
Childbirth	420	4	–	4	1	9	14	–	2	7	19	5	26	13	23	1
Organs of Generation	68	–	–	–	–	–	1	–	1	2	10	–	7	4	2	–
X. Bone Disease	115	1	1	–	1	2	2	–	–	5	6	3	7	–	6	–
Rheumatism	211	4	3	3	4	12	11	–	–	4	18	1	10	8	7	–
Joint Disease	140	1	–	1	–	1	3	–	1	1	9	–	10	2	4	–
XI. Carbuncle	28	–	–	1	–	1	1	–	2	–	2	–	2	1	–	–
Phlegmon	24	–	–	–	–	1	–	–	–	–	2	–	3	–	2	–
Skin Disease	69	–	–	2	–	1	–	1	–	2	9	–	4	1	8	1
XVII. Intemperance	130	–	1	–	3	–	–	–	–	–	1	1	6	4	4	1
Privation	9	–	–	–	1	–	1	–	–	–	2	–	–	–	–	–
Want of Breast Milk	68	–	–	–	–	–	–	–	–	–	3	–	1	2	2	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	22	–	–	2	–	1	–	–	–	–	1	–	1	3	–	–
Poison	41	–	–	–	–	–	–	–	–	1	3	–	–	–	1	–
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	252	5	2	3	–	3	4	2	1	2	17	1	12	8	9	–
Hanging, etc.	53	–	–	–	1	–	1	–	1	–	4	–	4	5	5	–
Suffocation	167	–	–	1	–	–	1	1	4	2	9	3	28	4	5	–
Drowning	495	9	4	11	4	30	10	1	7	5	24	10	36	15	23	–
Fracture and Contusion	974	4	5	8	1	10	9	2	6	7	40	5	49	28	40	2
Gunshot Wounds	16	–	–	–	–	–	3	–	–	–	1	–	–	3	1	–
Cuts and Stabs	33	–	–	–	–	–	1	–	–	–	–	–	1	2	1	–
Other Violent Causes	99	1	1	–	–	2	6	–	1	2	6	1	3	5	2	–
Not Specified	1989	67	26	22	38	170	170	5	34	36	88	12	82	80	99	[illegible]

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	9	4	10	5	41	33	189	5	82	4	4	–	1	14	9	10	–
Apoplexy	10	32	40	31	10	99	76	358	10	183	21	15	4	4	21	34	16	22
Paralysis	11	50	25	34	13	131	99	359	32	221	13	21	8	8	18	45	16	23
Delirium Tremens	–	1	–	2	–	3	2	12	1	7	–	–	–	–	1	1	–	–
Chorea	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	7	4	10	1	9	10	42	1	30	5	2	–	–	3	4	1	2
Tetanus	1	1	–	–	–	4	5	8	1	4	–	1	1	–	1	2	–	–
Insanity	–	1	–	–	–	2	2	1	–	10	–	–	–	–	–	3	–	–
Convulsions	8	17	15	9	1	56	42	317	7	118	4	12	3	2	17	10	3	5
Brain Disease	4	32	7	20	8	62	70	260	8	90	8	15	3	4	12	13	13	6
Pericarditis	–	3	–	3	–	4	1	14	2	8	2	2	–	1	1	2	–	–
Aneurism	–	–	2	1	–	2	2	24	3	26	–	–	–	1	–	3	2	1
Heart Disease	14	98	65	62	23	201	187	733	43	472	41	53	12	23	65	79	48	33
Laryngitis	1	2	3	1	–	8	11	43	3	17	–	1	–	5	–	4	1	1
Bronchitis	53	158	136	113	22	621	447	3640	110	912	68	34	27	42	69	146	73	73
Pleurisy	–	5	3	10	–	18	12	56	4	38	1	2	–	2	3	3	3	1
Pneumonia	18	47	39	33	16	195	99	1097	28	328	25	22	6	7	30	64	17	24
Asthma	1	16	8	10	–	19	41	107	3	29	4	2	–	–	2	8	8	3
Lung Disease	–	12	7	6	1	14	14	140	4	52	3	1	1	–	1	4	2	7
Teething	7	29	20	12	–	114	38	340	10	50	8	5	2	3	3	5	2	3
Quinsey	–	4	1	4	1	3	7	16	–	5	1	1	–	–	1	–	–	–
Gastritis	1	7	–	10	2	7	14	68	1	11	3	3	1	1	4	10	1	1
Enteritis	2	27	17	5	5	75	61	331	17	70	11	7	2	5	15	25	5	17
Peritonitis	2	17	3	11	3	17	25	97	1	68	1	5	1	5	3	9	5	3
Ascites	–	4	–	5	1	7	4	15	–	2	–	–	–	–	–	1	–	1
Ulceration of Intestines	–	5	6	5	1	14	10	40	–	31	3	3	–	2	2	7	4	4
Hernia	–	2	4	4	–	8	4	28	1	12	–	1	1	–	1	3	1	2
Ileus	3	9	5	3	1	12	15	48	2	24	4	5	3	–	7	3	1	3
Intussusception	–	2	1	3	–	–	4	9	2	7	–	–	1	–	1	3	–	–
Stricture of Intestines	–	1	–	–	–	–	1	5	–	2	–	–	–	–	–	5	–	–
Stomach Disease	1	21	11	12	2	42	42	222	4	55	7	4	3	3	15	11	9	6
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	4	2	8	–	5	10	39	1	16	2	–	1	–	3	5	–	2
Jaundice	3	5	1	2	1	15	9	50	1	18	2	2	–	1	1	4	–	1
Liver Disease	2	24	16	16	18	47	41	200	10	77	12	3	6	4	13	21	13	5
Spleen Disease	–	–	–	–	–	1	4	4	2	5	–	–	–	–	1	–	1	–
Nephritis	1	2	–	3	–	8	3	23	1	12	2	–	–	–	2	6	1	–
Nephria	4	6	1	10	1	12	14	64	13	66	3	1	1	1	5	9	6	6
Addison's Disease	–	–	–	–	–	2	1	2	–	1	–	–	–	–	–	1	–	–
Ischuria	–	–	1	6	–	1	4	14	–	5	1	1	–	1	3	–	–	–
Diabetes	–	1	1	–	–	5	5	24	2	8	1	4	–	1	3	5	3	4
Stone	–	2	–	3	–	2	5	10	–	3	–	–	–	–	–	–	–	–
Cystitis	2	5	7	2	2	5	9	41	1	26	–	2	2	–	3	5	7	2
Stricture of Urethra	–	1	–	–	–	1	1	4	–	3	–	–	–	–	–	1	–	1
Kidney Disease	–	7	3	11	–	19	21	83	4	39	–	5	–	–	4	3	1	3
Paramenia	–	1	1	1	–	2	4	4	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	1	5	2	6	–	6	2	20	2	12	–	4	1	–	–	1	1	–
Childbirth	1	12	9	12	1	36	20	126	1	43	3	7	–	3	5	8	3	2
Organs of Generation	–	1	1	1	1	4	3	13	3	7	2	–	–	–	–	4	–	1
Bone Disease	–	2	2	3	1	7	4	24	5	17	–	1	2	2	3	6	1	1
Rheumatism	–	7	2	7	–	15	11	47	2	22	1	3	–	–	1	4	4	–
Joint Disease	–	6	2	2	1	15	12	44	–	10	2	1	–	2	2	6	1	1
Carbuncle	1	–	1	1	–	4	–	5	1	1	–	–	–	–	–	4	–	–
Phlegmon	–	–	–	–	–	1	2	6	1	4	–	–	–	1	–	1	–	–
Skin Disease	–	2	2	–	–	2	2	15	–	12	–	1	–	–	1	1	1	1
Intemperance	–	2	1	1	1	13	4	51	–	28	3	–	–	–	1	–	2	1
Privation	–	–	–	–	–	–	–	3	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	–	2	–	–	–	3	2	32	–	13	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	–	2	5	3	1	1	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	5	3	18	1	7	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	9	5	6	3	19	14	81	5	25	1	2	–	–	2	3	4	1
Hanging, etc.	–	2	–	1	–	3	5	9	–	5	2	–	–	–	2	3	–	–
Suffocation	–	1	3	2	–	10	12	44	2	23	1	–	–	3	1	–	2	5
Drowning	–	16	25	22	1	44	22	110	1	22	14	4	3	–	1	6	4	11
Fracture and Contusion	3	26	18	13	6	64	77	345	19	130	6	4	3	2	5	21	10	6
Gunshot Wounds	1	–	–	–	–	–	1	1	–	2	–	1	–	–	–	1	1	–
Cuts and Stabs	–	2	–	–	–	2	2	8	2	7	1	–	1	–	–	3	–	–
Other Violent Causes	–	4	4	3	–	13	2	26	2	9	–	–	–	1	–	2	3	–
Not Specified	14	83	45	124	21	139	76	342	25	57	16	11	7	3	13	45	15	19

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	36827	171	204	301	175	594	655	62	321	455	2026	285	2568	1130	1477	60
SPECIFIED CAUSES	35780	141	191	290	154	489	579	60	306	438	1982	277	2526	1087	1430	56
I. Zymotic Class	7581	16	44	41	16	92	116	8	36	75	412	54	702	144	270	5
II. Diseases of Uncer. Seat	911	5	4	9	8	19	21	2	8	14	73	12	59	32	41	1
III. Tubercular Class	6224	25	27	69	27	79	91	6	52	64	316	39	359	171	191	6
IV. Brain and Nervous Sys.	3127	10	10	23	10	34	45	5	39	47	213	31	216	121	162	5
V. Organs of Circulation	1719	4	10	19	5	15	12	2	15	15	124	13	136	94	94	4
VI. Respiratory Organs	6423	6	21	34	9	45	70	7	35	79	260	36	405	131	247	9
VII. Organs of Digestion	2416	7	18	11	17	29	41	10	33	34	168	28	125	92	91	5
VIII. Urinary Organs	760	4	4	5	10	17	13	1	8	26	65	6	38	36	25	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	245	3	–	1	2	5	11	–	–	9	13	2	14	3	7	–
XI. Skin, etc.	60	–	–	3	–	2	–	1	1	2	6	–	3	1	3	1
XII. Malformation	144	1	–	–	2	–	1	–	2	4	6	2	13	2	8	–
XIII. Premature Debility	2021	3	5	15	–	14	29	3	20	21	119	10	202	56	84	4
XIV. Atrophy	212	1	1	3	–	2	3	–	2	3	10	1	9	10	14	–
XV. Age	2116	39	38	38	38	105	97	9	37	32	124	25	144	138	116	8
XVI. Sudden Deaths	87	3	–	–	1	1	1	1	–	–	1	1	7	5	6	–
XVII. Violent Deaths	1734	14	9	19	9	30	28	5	18	13	72	17	94	51	71	3
I. Small Pox	749	2	5	2	1	11	40	2	–	–	18	1	214	8	10	–
Measles	1020	1	–	1	–	–	9	–	–	8	81	12	12	2	35	–
Scarlatina	1340	1	10	7	–	11	7	–	1	13	56	12	58	37	51	–
Diphtheria	401	–	4	7	3	10	2	1	9	7	28	2	11	7	14	2
Hooping Cough	673	7	6	1	–	7	12	4	9	9	45	2	87	9	39	–
Croup	494	–	–	3	1	17	8	1	2	6	25	2	39	13	16	–
Thrush	26	–	–	–	–	2	–	–	–	–	5	2	2	–	–	–
Diarrhœa	835	1	4	2	2	10	11	–	6	8	52	8	116	20	36	1
Dysentery	101	–	1	2	–	2	1	–	1	2	10	1	12	2	5	–
Cholera	51	–	–	–	–	–	1	–	–	1	–	–	1	1	5	–
Influenza	49	–	4	–	1	1	4	–	3	3	5	–	2	2	1	–
Purpura	32	–	1	–	–	–	–	–	–	–	1	–	6	1	1	–
Ague	4	–	1	–	–	–	–	–	–	–	1	–	1	–	–	–
Worms	5	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Typhus	582	1	3	1	3	13	7	–	1	5	14	3	44	10	14	1
Enteric Fever	577	1	3	11	1	4	6	–	3	12	36	5	42	22	26	1
Relapsing Fever	200	–	–	–	–	1	–	–	–	–	–	–	14	3	2	–
Simple Cont. Fever	42	–	1	1	–	–	–	–	–	–	–	1	5	3	–	–
Infantile Remittent	55	–	–	–	1	–	–	–	1	1	2	1	3	1	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	56	2	–	1	1	1	3	–	–	–	3	–	7	–	5	–
Erysipelas	152	–	1	1	2	2	3	–	–	–	18	1	13	3	5	–
Pyæmia	17	–	–	–	–	–	1	–	–	–	–	–	2	–	1	–
Syphilis	114	–	–	1	–	–	1	–	–	–	12	–	11	–	3	–
Noma	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
II. Hæmorrhage	48	–	–	–	1	–	–	–	–	–	1	1	2	1	1	–
Dropsy	254	2	3	2	3	8	9	1	1	1	12	2	16	7	17	1
Abscess	67	–	–	–	–	–	3	–	–	4	12	–	6	1	–	–
Ulcer	14	1	–	–	–	–	–	–	–	–	4	–	1	–	2	–
Fistula	12	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Mortification	57	–	1	1	1	–	2	–	–	3	4	2	6	–	2	–
Cancer	449	2	–	6	3	11	5	1	7	6	37	7	28	22	19	–
Gout	10	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–
III. Scrofula	432	1	1	6	3	–	1	–	5	11	35	1	12	12	14	–
Tabes Mesenterica	511	–	–	1	–	–	–	–	–	–	16	3	24	10	13	1
Phthisis	4113	22	23	57	22	77	84	4	43	45	11	9	242	121	128	4
Hydrocephalus	1168	2	3	5	2	2	6	2	4	8	54	6	81	28	36	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	237	918	614	674	203	2539	2099	11683	465	4204	340	292	106	243	398	685	319	324
SPECIFIED CAUSES	228	882	588	612	195	2464	2051	11487	451	4173	335	287	102	240	391	663	311	314
Zymotic Class	59	155	105	67	30	500	324	2540	113	1198	75	63	19	100	58	78	32	34
Uncertain Seat	6	24	9	22	11	66	61	210	6	105	11	11	1	4	19	19	9	9
Tubercular Class	41	154	128	121	53	442	451	2167	55	658	40	34	15	39	80	117	63	44
Brain, etc.	22	75	44	64	18	209	196	833	39	395	27	34	8	9	50	70	29	34
Heart, etc.	6	47	39	24	10	112	97	381	24	246	17	30	5	13	24	41	23	18
Respiratory Organs	44	136	95	84	22	463	326	2692	81	694	48	34	20	36	45	108	51	50
Digestive Organs	11	88	38	43	15	185	158	738	25	200	31	20	11	11	25	57	21	30
Urinary Organs	3	21	11	23	1	38	42	169	13	100	3	10	3	2	14	20	13	11
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	7	2	6	2	23	16	67	4	26	–	2	1	2	4	7	4	2
Skin	1	–	1	1	–	5	2	13	1	8	–	1	–	–	–	3	1	–
Malformation	2	4	5	–	1	4	14	32	4	20	1	2	1	3	4	2	2	2
Premature Debility	11	66	34	18	6	145	122	636	31	210	25	12	6	16	28	43	17	10
Atrophy	1	9	4	2	1	22	9	70	2	17	1	–	1	–	7	6	–	1
Age	16	47	26	103	18	102	108	343	24	105	35	26	6	–	26	66	28	49
Sudden Deaths	–	1	1	–	–	7	1	36	2	9	2	–	–	–	1	–	–	–
Violent Deaths	5	48	46	34	7	141	124	560	27	182	19	8	5	5	6	26	18	20
Small Pox	–	1	2	3	–	33	4	166	1	187	8	4	1	21	1	3	–	–
Measles	3	13	10	1	2	70	21	546	9	163	3	1	1	3	7	1	–	5
Scarlatina	34	26	28	13	4	92	57	311	60	308	23	20	2	48	14	18	9	9
Diphtheria	–	21	6	4	–	21	16	89	8	91	12	9	1	1	3	9	3	–
Hooping Cough	4	4	6	2	–	35	39	302	1	33	–	3	–	–	1	5	–	1
Croup	1	21	7	10	–	29	23	175	7	65	3	4	3	1	4	6	2	–
Thrush	1	–	–	–	–	2	–	8	–	3	–	–	–	–	–	–	1	–
Diarrhœa	1	23	13	7	6	45	42	261	10	99	8	3	3	10	8	14	1	4
Dysentery	–	1	6	–	3	8	3	21	1	7	1	2	2	1	1	2	3	–
Cholera	–	2	1	–	–	5	6	12	–	8	1	2	–	1	2	1	–	1
Influenza	–	2	4	1	–	2	6	7	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	–	2	6	–	6	–	5	1	–	–	1	–	–	–	1
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–
Typhus	4	18	8	7	3	73	31	230	2	71	4	1	–	2	1	4	2	1
Enteric Fever	6	12	9	9	8	28	48	149	9	75	5	8	3	6	7	9	5	8
Relapsing Fever	–	1	2	1	1	20	5	139	–	9	1	–	–	–	–	1	–	–
Simple Cont. Fever	–	3	–	1	–	–	2	13	1	5	–	–	–	–	2	–	4	–
Infantile Remittent	–	3	–	1	1	7	5	15	–	5	1	1	–	–	–	2	–	4
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	2	–	3	3	10	1	5	–	4	2	–	2	–	–	–
Erysipelas	5	3	1	5	–	9	4	33	1	29	2	1	–	4	2	3	1	–
Pyæmia	–	–	–	–	–	3	2	5	–	2	–	–	–	–	1	–	–	–
Syphilis	–	1	1	–	–	8	7	34	2	27	2	–	1	1	2	–	–	–
Noma	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	1	1	5	3	17	–	8	1	2	–	–	1	–	1	1
Dropsy	4	12	5	3	–	26	19	75	–	16	1	–	–	–	1	4	3	–
Abscess	–	–	–	1	–	7	3	17	1	9	1	–	–	–	–	1	–	1
Ulcer	–	–	–	1	1	–	–	3	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	1	–	4	–	5	–	–	–	–	–	–	–	–
Mortification	–	1	1	1	–	6	4	10	–	6	1	1	–	–	1	1	1	1
Cancer	2	11	3	15	9	20	32	83	5	58	7	8	1	4	15	13	4	5
Gout	–	–	–	–	–	1	–	1	–	2	–	–	–	–	1	–	–	1
Scrofula	1	10	5	8	4	39	24	166	7	40	1	4	–	3	4	9	3	2
Tabes Mesenterica	4	14	6	3	4	40	38	240	3	61	2	2	–	3	14	3	4	2
Phthisis	28	99	91	97	29	279	302	1324	28	406	29	27	13	20	52	92	47	38
Hydrocephalus	8	31	26	13	16	84	87	437	17	151	8	1	2	13	10	13	9	2

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	347	2	1	3	2	6	2	–	7	5	18	1	23	11	21	1
Apoplexy	712	–	5	4	3	1	7	–	10	12	53	3	44	30	27	2
Paralysis	847	2	1	7	3	12	17	4	7	13	45	12	54	45	59	–
Delirium Tremens	37	–	–	–	–	–	–	–	–	–	2	3	2	2	5	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	95	3	1	2	–	2	1	–	–	4	4	2	8	8	9	–
Tetanus	35	–	–	1	–	1	2	–	–	1	2	–	–	2	3	–
Insanity	10	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Convulsions	530	1	–	6	–	6	11	–	8	6	43	3	50	8	17	1
Brain Disease	513	2	2	–	2	6	5	1	7	6	45	7	34	15	21	1
V. Pericarditis	38	–	–	–	–	2	1	–	–	2	2	–	5	2	1	–
Aneurism	63	–	1	1	–	–	–	–	2	1	6	–	4	2	1	–
Heart Disease	1618	4	9	18	5	13	11	2	13	12	116	13	127	90	92	4
VI. Laryngitis	91	–	–	1	–	1	2	1	–	2	8	–	7	2	4	–
Bronchitis	4216	2	13	17	2	18	33	6	19	47	166	21	298	80	164	5
Pleurisy	142	1	–	1	–	4	11	–	1	3	5	3	8	2	10	–
Pneumonia	1558	–	5	12	5	12	10	–	9	23	70	7	73	34	58	3
Asthma	217	2	–	3	2	9	13	–	3	4	7	1	15	5	7	–
Lung Disease	199	1	3	–	–	1	1	–	3	–	4	4	4	8	4	1
VII. Teething	425	1	–	1	–	–	3	7	6	4	29	1	24	9	15	–
Quinsey	31	–	–	1	–	–	1	–	–	1	1	–	3	–	1	–
Gastritis	91	1	1	–	1	1	4	–	2	2	4	–	2	5	5	–
Enteritis	444	–	–	–	1	6	8	–	2	5	19	1	12	18	11	–
Peritonitis	160	–	–	–	1	1	2	–	4	1	9	3	10	5	5	–
Ascites	24	–	–	–	–	–	1	–	–	2	2	1	2	1	1	–
Ulceration of Intestines	111	1	2	–	–	–	2	1	3	6	14	6	12	3	3	1
Hernia	54	–	–	1	–	1	1	–	–	1	2	1	4	6	3	–
Ileus	137	2	2	–	6	3	2	1	–	3	19	4	5	9	7	1
Intussusception	26	–	–	–	–	–	–	–	–	–	4	–	1	1	4	–
Stricture of Intestines	14	–	–	–	–	1	1	–	–	1	3	–	–	1	–	–
Stomach Disease	358	2	7	4	4	4	9	–	5	4	19	8	13	14	17	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	56	–	–	–	1	–	–	–	3	–	1	–	3	4	2	–
Jaundice	107	–	2	2	1	5	2	–	3	1	18	–	5	2	5	–
Liver Disease	365	–	4	2	2	7	5	1	5	3	22	3	29	12	12	2
Spleen Disease	12	–	–	–	–	–	–	–	–	–	2	–	–	2	–	–
VIII. Nephritis	51	–	1	–	–	1	–	–	–	3	2	–	3	4	2	–
Nephria	174	–	–	1	–	4	2	–	1	4	12	1	12	10	4	2
Addison's Disease	8	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Ischuria	40	1	–	–	1	3	2	–	–	1	2	1	–	–	1	–
Diabetes	73	–	1	2	2	1	1	–	2	3	6	–	2	2	4	–
Stone	46	3	1	–	2	3	1	1	–	1	3	1	4	1	2	–
Cystitis	171	–	–	2	1	3	3	–	3	7	15	1	6	11	8	2
Stricture of Urethra	15	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–
Kidney Disease	182	–	1	–	4	2	3	–	1	6	25	2	11	8	3	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	80	1	–	–	1	–	2	–	–	5	2	2	5	–	4	–
Rheumatism	82	1	–	–	1	4	6	–	–	3	7	–	4	3	2	–
Joint Disease	83	1	–	1	–	1	3	–	–	1	4	–	5	–	1	–
XI. Carbuncle	16	–	–	1	–	1	–	–	1	–	1	–	1	1	–	–
Phlegmon	9	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Skin Disease	35	–	–	2	–	1	–	1	–	2	4	–	2	–	3	1
XVII. Intemperance	77	–	–	–	3	–	–	–	–	–	1	1	2	2	1	2
Privation	6	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Want of Breast Milk	33	–	–	–	–	–	–	–	–	–	1	–	–	1	2	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	–	–	2	–	1	–	–	–	–	–	–	–	2	–	–
Poison	21	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Burns and Scalds	122	1	–	1	–	2	1	1	–	1	7	–	3	3	6	–
Hanging, etc.	37	–	–	–	–	–	1	–	1	–	3	–	3	4	2	–
Suffocation	94	–	–	1	–	–	–	1	4	1	6	2	13	2	2	–
Drowning	406	9	4	10	4	19	8	1	7	4	20	9	33	9	17	–
Fracture and Contusion	808	3	4	5	1	7	8	2	6	5	28	4	37	21	37	1
Gunshot Wounds	16	–	–	–	–	–	3	–	–	–	1	–	–	3	1	–
Cuts and Stabs	26	–	–	–	–	–	1	–	–	–	–	–	1	1	1	–
Other Violent Causes	72	1	1	–	–	1	5	–	–	2	4	1	1	3	1	–
Not Specified	1047	30	13	11	21	105	76	2	15	17	44	5	42	43	47	4

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	7	3	7	2	22	26	104	4	45	2	1	–	1	9	5	5	–
Apoplexy	4	17	21	16	2	49	43	191	5	86	10	8	2	2	13	19	10	13
Paralysis	8	22	11	21	7	61	48	187	20	109	4	8	4	3	7	26	8	12
Delirium Tremens	–	1	–	1	–	2	1	10	1	6	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	4	1	1	5	20	–	10	2	–	–	–	2	2	1	1
Tetanus	1	1	–	–	–	2	5	7	1	4	–	1	–	–	–	1	–	–
Insanity	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	3	–	–
Convulsions	6	10	5	6	1	30	22	181	3	74	3	6	1	2	11	4	2	3
Brain Disease	2	15	4	9	5	41	46	132	5	57	6	10	1	1	8	9	3	5
Pericarditis	–	1	–	1	–	2	1	5	2	5	1	1	–	1	1	2	–	–
Aneurism	–	–	–	–	–	–	2	17	2	20	–	–	–	–	–	3	–	1
Heart Disease	6	46	39	23	10	110	94	359	20	221	16	29	5	12	23	36	23	17
Laryngitis	1	2	2	1	–	7	5	24	3	10	–	–	–	4	–	2	1	1
Bronchitis	32	87	60	52	12	303	215	1824	52	446	31	20	14	25	27	66	31	28
Pleurisy	–	2	2	6	–	9	5	33	3	22	1	2	–	2	2	2	2	–
Pneumonia	11	27	25	19	9	130	67	658	18	167	11	11	5	5	15	34	11	14
Asthma	–	10	3	4	–	9	24	64	2	16	2	1	–	–	1	4	5	1
Lung Disease	–	8	3	2	1	5	10	89	3	33	3	–	1	–	–	–	1	6
Teething	1	13	9	6	–	68	20	155	6	27	5	4	1	2	1	5	–	2
Quinsey	–	2	–	2	1	1	3	10	–	3	–	1	–	–	–	–	–	–
Gastritis	–	5	–	6	1	3	5	30	–	5	–	–	1	1	–	4	1	1
Enteritis	2	16	6	2	2	33	35	167	9	41	8	4	1	3	4	16	2	10
Peritonitis	2	11	–	4	1	11	14	44	–	17	–	5	1	2	1	2	2	2
Ascites	–	1	–	2	–	1	1	8	–	1	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	3	1	2	1	7	5	13	–	11	1	1	–	1	1	3	3	4
Hernia	–	1	3	2	–	5	2	11	1	6	–	–	–	–	–	2	–	1
Ileus	2	3	4	1	–	8	10	22	1	10	2	1	1	–	3	2	1	2
Intussusception	–	2	–	2	–	–	3	4	1	2	–	–	–	–	1	1	–	–
Stricture of Intestines	–	1	–	–	–	–	1	3	–	–	–	–	–	–	–	2	–	–
Stomach Disease	–	10	5	4	2	20	26	122	2	26	5	2	2	2	6	4	5	4
Pancreas Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	3	1	2	–	3	4	16	–	6	2	–	–	–	2	2	–	1
Jaundice	2	3	–	1	1	6	2	29	1	9	2	1	–	–	1	2	–	1
Liver Disease	2	14	9	7	6	18	24	101	4	34	6	1	4	–	5	12	7	2
Spleen Disease	–	–	–	–	–	1	2	3	–	2	–	–	–	–	–	–	–	–
Nephritis	–	2	–	3	–	6	3	10	1	5	1	–	–	–	1	3	–	–
Nephria	1	5	–	3	–	9	6	35	7	38	1	1	1	1	2	3	4	4
Addison's Disease	–	–	–	–	–	2	1	2	–	1	–	–	–	–	–	1	–	–
Ischuria	–	–	1	6	–	1	3	11	–	4	–	–	–	–	2	–	–	–
Diabetes	–	1	1	–	–	3	2	17	–	6	1	4	–	1	2	4	3	2
Stone	–	2	–	3	–	2	5	8	–	3	–	–	–	–	–	–	–	–
Cystitis	2	5	6	2	1	5	8	35	1	24	–	2	2	–	3	5	6	2
Stricture of Urethra	–	1	–	–	–	1	1	4	–	3	–	–	–	–	–	1	–	1
Kidney Disease	–	5	3	6	–	9	13	47	4	16	–	3	–	–	4	3	–	2
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	2	1	6	2	18	4	13	–	1	1	2	2	3	1	1
Rheumatism	–	3	–	4	–	7	6	19	–	8	–	1	–	–	–	1	2	–
Joint Disease	–	4	1	–	1	10	8	30	–	5	–	–	–	–	2	3	1	1
Carbuncle	1	–	–	1	–	3	–	3	1	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	1	1	3	–	2	–	–	–	–	–	1	–	–
Skin Disease	–	–	1	–	–	1	1	7	–	6	–	1	–	–	–	1	1	–
Intemperance	–	1	1	1	–	6	1	36	–	13	2	–	–	–	1	–	2	1
Privation	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	8	1	15	–	3	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	2	–	–	–	2	3	2	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	1	1	11	–	5	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	5	3	4	1	10	9	46	4	8	–	1	–	–	–	–	2	1
Hanging, etc.	–	1	–	1	–	2	5	8	–	2	1	–	–	–	1	2	–	–
Suffocation	–	1	1	1	–	3	10	30	2	11	1	–	–	–	–	–	–	2
Drowning	–	13	21	15	1	38	18	91	–	19	11	4	3	–	1	5	1	11
Fracture and Contusion	2	18	17	10	5	57	72	292	19	106	4	2	1	2	3	15	9	5
Gunshot Wounds	1	–	–	–	–	–	1	1	–	2	–	1	–	–	–	1	1	–
Cuts and Stabs	–	2	–	–	–	2	2	6	1	6	–	–	1	–	–	2	–	–
Other Violent Causes	–	3	3	2	–	12	1	18	1	7	–	–	–	1	–	1	3	–
Not Specified	9	36	28	32	8	75	48	196	14	31	5	5	4	3	7	22	8	10

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
ALL CAUSES	37885	215	228	310	171	597	744	72	361	453	2308	263	2904	1183	1593	54
SPECIFIED CAUSES	36943	178	215	299	154	532	650	69	342	434	2264	259	2864	1146	1541	53
I. Zymotic Class	8036	17	33	59	11	80	129	12	59	90	502	49	794	181	297	5
II. Diseases of Uncer. Seat	1500	8	12	11	11	26	31	7	23	20	101	16	131	60	82	1
III. Tubercular Class	6787	22	23	38	22	65	75	4	51	62	372	24	422	183	235	4
IV. Brain and Nervous Sys.	2805	7	13	23	7	34	47	7	28	39	210	27	231	117	139	1
V. Organs of Circulation	1784	–	5	14	–	16	29	4	19	27	125	13	151	65	103	8
VI. Respiratory Organs	6044	8	17	42	18	57	66	3	43	53	288	33	428	149	227	10
VII. Organs of Digestion	2509	16	11	14	6	24	46	9	33	44	166	17	159	75	102	6
VIII. Urinary Organs	406	2	2	–	2	3	5	–	4	11	48	2	26	18	20	1
IX. Organs of Generation	611	5	1	5	1	9	19	–	5	12	40	7	47	20	27	1
X. Organs of Locomotion	221	3	4	3	3	10	5	–	1	1	20	2	13	7	10	–
XI. Skin, etc.	61	–	–	–	–	1	1	–	1	–	7	–	6	1	7	–
XII. Malformation	87	–	–	1	–	–	–	–	–	–	8	–	10	–	6	1
XIII. Premature Debility	1588	6	8	6	1	12	19	1	16	18	89	7	152	36	60	–
XIV. Atrophy	318	3	2	7	1	6	4	2	–	3	15	4	16	12	10	–
XV. Age	3489	76	80	70	70	172	165	19	57	47	232	52	225	194	190	14
XVI. Sudden Deaths	70	–	–	–	–	1	1	–	–	1	2	2	5	–	4	–
XVII. Violent Deaths	627	5	4	6	1	16	8	1	2	6	39	4	48	28	22	1
I. Small Pox	693	–	1	1	–	5	45	5	–	–	15	2	197	11	12	–
Measles	1037	–	–	–	–	–	16	–	–	7	90	9	14	7	51	–
Scarlatina	1246	–	4	10	1	6	9	–	3	21	52	9	85	36	36	–
Diphtheria	479	1	5	7	–	7	1	–	13	13	43	3	9	12	13	–
Hooping Cough	831	7	12	3	1	5	6	4	12	10	64	3	125	16	39	1
Croup	476	–	–	13	4	12	9	–	4	2	30	2	21	8	19	1
Thrush	17	–	–	–	–	–	–	–	1	–	1	–	2	–	1	–
Diarrhœa	827	–	5	4	–	8	8	2	5	5	62	7	115	20	29	–
Dysentery	114	–	–	1	–	1	6	–	4	–	16	–	12	6	6	–
Cholera	44	–	–	–	–	–	1	–	–	1	3	–	3	–	2	–
Influenza	56	–	1	2	1	3	2	–	–	2	8	–	4	2	1	–
Purpura	23	1	–	–	–	–	–	–	–	–	6	–	3	2	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	8	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Typhus	547	1	2	2	–	20	9	–	3	2	15	4	52	9	22	1
Enteric Fever	657	1	–	6	2	7	4	1	3	20	40	5	75	34	32	2
Relapsing Fever	211	1	–	–	–	–	–	–	–	1	5	–	18	1	3	–
Simple Cont. Fever	66	–	2	–	–	2	–	–	1	–	3	–	2	3	–	–
Infantile Remittent	69	1	–	–	–	–	–	–	–	1	2	–	5	2	2	–
Metria	225	2	–	2	1	1	5	–	2	2	15	3	19	4	17	–
Rheumatic Fever	79	1	1	3	1	1	1	–	5	1	9	2	4	3	3	–
Erysipelas	184	1	–	3	–	1	6	–	3	–	11	–	15	3	7	–
Pyæmia	24	–	–	–	–	–	1	–	–	2	–	–	2	1	2	–
Syphilis	113	–	–	2	–	1	–	–	–	–	10	–	10	1	–	–
Noma	7	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	33	–	–	1	1	–	–	–	–	–	4	–	2	3	1	–
Dropsy	329	4	5	1	2	11	10	1	3	2	14	2	38	14	20	–
Abscess	53	–	–	–	–	–	2	1	–	3	2	1	3	–	3	–
Ulcer	29	1	–	–	1	1	–	–	2	–	6	–	1	–	1	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	67	–	–	1	1	1	1	–	2	–	7	–	7	5	3	–
Cancer	983	2	7	8	6	13	18	5	16	12	68	13	80	37	54	1
Gout	5	1	–	–	–	–	–	–	–	3	–	–	–	–	–	–
III. Scrofula	378	2	2	3	1	5	4	–	2	6	26	2	19	8	17	1
Tabes Mesenterica	456	–	–	–	2	–	2	–	2	–	18	2	24	6	11	–
Phthisis	4989	20	17	28	18	56	65	4	42	50	274	18	320	148	169	3
Hydrocephalus	964	–	4	7	1	4	4	–	5	6	54	2	59	21	38	–

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	226	927	633	735	190	2559	2041	11518	457	4281	349	299	105	244	423	758	367	317
SPECIFIED CAUSES	221	880	614	673	177	2495	2013	11372	446	4255	338	293	102	244	417	735	360	308
Zymotic Class	47	151	106	74	24	527	355	2629	115	1193	71	57	24	101	62	90	43	49
Uncertain Seat	13	41	30	25	9	75	82	333	22	198	6	17	7	9	18	37	17	21
Tubercular Class	41	186	147	126	37	565	515	2434	61	583	36	44	16	37	69	148	82	58
Brain, etc.	17	75	51	52	20	199	143	715	26	350	28	36	11	10	37	51	30	24
Heart, etc.	8	54	28	42	13	95	93	390	24	260	26	25	7	12	42	43	27	16
Respiratory Organs	29	104	101	89	17	412	298	2391	71	682	53	28	14	20	60	121	53	59
Digestive Organs	10	73	49	57	20	182	132	774	27	253	23	19	10	13	45	55	21	18
Urinary Organs	4	3	2	12	2	17	21	96	8	63	4	3	–	1	6	10	5	5
Generative Organs	2	19	13	20	2	48	29	163	6	63	5	12	1	3	6	13	4	3
Locomotive Organs	–	8	4	6	–	14	11	48	3	23	3	3	1	2	2	9	2	–
Skin	–	2	2	–	–	2	2	13	1	9	–	–	–	1	1	3	–	1
Malformation	–	–	1	1	–	1	4	26	–	11	2	4	–	5	2	1	2	1
Premature Debility	10	43	21	19	3	116	103	497	27	186	18	12	3	16	30	33	14	6
Atrophy	3	12	3	5	–	28	14	116	1	37	–	2	–	1	–	5	6	–
Age	35	89	45	131	26	166	185	540	45	248	54	28	6	9	30	101	46	42
Sudden Deaths	–	1	1	–	–	6	1	35	3	4	–	–	–	–	1	2	–	–
Violent Deaths	2	19	10	14	4	42	25	172	6	92	9	3	2	4	6	13	8	5
Small Pox	–	1	5	3	–	18	9	114	2	204	4	9	1	22	1	2	3	1
Measles	–	13	23	2	–	76	17	545	12	137	2	–	2	4	7	–	–	3
Scarlatina	23	19	15	12	–	81	49	321	44	269	22	16	2	46	11	18	12	14
Diphtheria	–	12	4	5	2	25	19	120	6	116	9	10	6	2	4	9	2	1
Hooping Cough	3	1	10	2	1	39	47	368	3	36	2	4	–	–	–	4	–	3
Croup	3	24	10	6	–	29	18	164	8	70	4	2	–	1	3	6	1	2
Thrush	–	–	–	1	–	1	–	4	1	2	–	1	–	–	1	–	–	1
Diarrhœa	5	23	8	9	4	54	44	265	17	85	3	3	–	9	8	8	5	7
Dysentery	1	3	6	2	–	6	7	22	2	9	–	1	–	–	–	2	1	–
Cholera	–	3	2	–	–	4	5	8	–	7	1	1	1	1	1	–	–	–
Influenza	–	2	3	3	–	2	5	9	1	2	–	1	–	–	1	1	–	–
Purpura	–	–	–	–	1	–	1	4	–	2	–	–	–	1	–	1	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Worms	–	–	–	–	–	–	2	3	–	–	–	–	–	–	1	–	1	–
Typhus	3	8	8	9	4	77	30	180	3	63	6	1	1	1	5	5	–	1
Enteric Fever	3	20	6	11	5	34	58	159	8	69	8	2	4	5	8	13	4	8
Relapsing Fever	–	2	–	1	1	19	6	138	–	13	–	–	–	–	–	2	–	–
Simple Cont. Fever	–	3	–	–	1	3	6	24	–	5	1	1	1	3	–	2	2	1
Infantile Remittent	2	6	–	–	1	10	5	17	2	10	–	1	–	–	1	1	–	–
Metria	1	5	1	4	2	15	9	53	2	27	8	–	2	1	3	13	4	2
Rheumatic Fever	2	–	2	1	–	6	4	12	–	10	–	1	1	–	2	1	2	–
Erysipelas	1	4	2	1	1	19	11	47	1	29	1	1	1	3	4	2	4	2
Pyæmia	–	1	–	–	–	1	2	6	2	1	–	1	–	1	–	–	1	–
Syphilis	–	1	1	2	1	7	1	42	1	26	–	1	2	1	–	–	1	2
Noma	–	–	–	–	–	1	–	3	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	1	9	1	5	–	1	–	–	–	–	–	3
Dropsy	8	15	7	8	2	20	22	89	–	18	2	1	1	–	1	3	3	2
Abscess	–	1	1	3	–	4	2	18	2	4	–	–	1	–	1	1	–	–
Ulcer	–	–	–	–	–	1	1	4	–	6	–	–	–	–	–	2	1	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	1	6	1	12	–	13	–	1	1	–	–	1	–	2
Cancer	5	24	21	14	6	44	55	200	19	152	4	14	4	9	16	30	13	13
Gout	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Scrofula	2	9	3	8	1	39	30	120	6	32	2	4	2	1	5	9	4	3
Tabes Mesenterica	–	9	15	6	–	26	43	202	9	54	–	3	–	1	7	10	3	1
Phthisis	35	135	101	101	28	428	383	1735	32	400	31	31	13	25	45	120	63	51
Hydrocephalus	4	33	28	11	8	72	59	377	14	97	3	6	1	10	12	9	12	3

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	SCOTLAND.	Shetland.	Orkney.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.
IV. Cephalitis	252	1	–	2	–	7	3	1	3	3	19	4	10	9	13	–
Apoplexy	708	2	2	4	–	5	6	1	6	13	51	4	72	28	38	1
Paralysis	902	2	6	10	6	14	23	1	10	12	66	12	68	55	56	–
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Chorea	4	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–
Epilepsy	117	–	1	–	–	2	2	1	2	3	6	1	8	3	4	–
Tetanus	13	–	–	–	–	1	2	–	–	1	–	–	1	1	1	–
Insanity	18	1	–	–	–	–	–	–	–	–	2	–	1	3	–	–
Convulsions	395	1	–	5	1	1	7	3	3	4	28	3	43	8	12	–
Brain Disease	388	–	3	2	–	4	4	–	4	3	36	3	28	10	15	–
V. Pericarditis	27	–	–	1	–	1	–	–	–	–	–	–	1	3	1	–
Aneurism	28	–	–	–	–	–	–	–	–	–	2	–	2	1	1	–
Heart Disease	1729	–	5	13	–	15	29	4	19	27	123	13	148	61	101	8
VI. Laryngitis	54	–	–	2	–	1	1	–	–	–	5	–	2	1	4	–
Bronchitis	4447	5	11	25	8	16	36	3	27	37	223	29	321	122	159	6
Pleurisy	108	–	–	–	–	3	6	–	3	3	7	1	7	2	8	–
Pneumonia	1097	–	3	11	3	13	7	–	11	8	40	3	74	17	45	4
Asthma	214	3	–	4	7	24	16	–	1	4	10	–	17	5	8	–
Lung Disease	124	–	3	–	–	–	–	–	1	1	3	–	7	2	3	–
VII. Teething	447	3	1	2	–	1	3	2	4	9	29	2	39	8	17	1
Quinsey	31	–	–	1	–	–	1	–	1	–	3	–	2	–	1	1
Gastritis	122	–	2	1	1	1	6	1	4	3	5	–	6	2	8	–
Enteritis	423	–	1	1	1	3	7	1	4	1	15	4	27	11	11	–
Peritonitis	212	–	1	1	–	1	3	1	1	3	17	2	11	6	8	–
Ascites	45	2	–	–	–	–	1	–	2	1	2	–	8	–	3	–
Ulceration of Intestines	127	1	–	1	–	–	2	–	2	6	15	1	10	4	4	1
Hernia	58	–	–	–	–	1	–	1	–	3	6	–	5	2	2	–
Ileus	138	1	2	2	1	4	6	–	4	1	19	2	11	5	5	–
Intussusception	21	–	–	–	–	–	–	–	–	1	1	–	–	1	1	–
Stricture of Intestines	13	–	–	1	–	–	–	1	–	1	2	–	1	–	–	–
Stomach Disease	335	5	4	2	2	8	5	1	3	9	20	5	11	18	18	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Hepatitis	67	1	–	1	–	1	–	–	2	1	2	–	1	2	–	–
Jaundice	95	–	–	–	–	–	7	–	1	1	13	1	8	3	5	1
Liver Disease	363	3	–	1	1	4	5	1	5	4	17	–	18	13	18	1
Spleen Disease	11	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	35	–	–	–	1	–	–	–	–	–	–	–	1	2	2	–
Nephria	146	–	–	–	–	–	1	–	1	3	16	–	10	7	6	–
Addison's Disease	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Ischuria	17	1	–	–	–	–	3	–	–	2	1	–	1	–	–	–
Diabetes	42	–	–	–	1	1	1	–	1	2	8	–	2	4	2	–
Stone	9	1	2	–	–	1	–	–	–	–	1	–	–	2	–	–
Cystitis	19	–	–	–	–	1	–	–	–	1	2	1	–	–	2	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	136	–	–	–	–	–	–	–	1	3	19	1	12	3	8	1
IX. Paramenia	29	–	–	–	–	–	1	–	1	1	4	–	3	3	–	–
Ovarian Dropsy	94	1	1	1	–	–	3	–	1	2	7	2	11	–	2	–
Childbirth	420	4	–	4	1	9	14	–	2	7	19	5	26	13	23	1
Organs of Generation	68	–	–	–	–	–	1	–	1	2	10	–	7	4	2	–
X. Bone Disease	35	–	1	–	–	2	–	–	–	–	4	1	2	–	2	–
Rheumatism	129	3	3	3	3	8	5	–	–	1	11	1	6	5	5	–
Joint Disease	57	–	–	–	–	–	–	–	1	–	5	–	5	2	3	–
XI. Carbuncle	12	–	–	–	–	–	1	–	1	–	1	–	1	–	–	–
Phlegmon	15	–	–	–	–	1	–	–	–	–	1	–	3	–	2	–
Skin Disease	34	–	–	–	–	–	–	–	–	–	5	–	2	1	5	–
XVII. Intemperance	53	–	1	–	–	–	–	–	–	–	–	–	4	2	3	–
Privation	3	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Want of Breast Milk	35	–	–	–	–	–	–	–	–	–	2	–	1	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
Poison	20	–	–	–	–	–	–	–	–	1	3	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	130	4	2	2	–	1	3	1	1	1	10	1	9	5	3	–
Hanging, etc.	16	–	–	–	1	–	–	–	–	–	1	–	1	1	3	–
Suffocation	73	–	–	–	–	–	1	–	–	1	3	1	15	2	3	–
Drowning	89	–	–	1	–	11	2	–	–	1	4	1	3	6	6	–
Fracture and Contusion	166	1	1	3	–	3	1	–	–	2	12	1	12	7	3	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Other Violent Causes	27	–	–	–	–	1	1	–	1	–	2	–	2	2	1	–
Not Specified	942	37	13	11	17	65	94	3	19	19	44	4	40	37	52	1

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Clackmannan.	Stirling.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	2	1	3	3	19	7	85	1	37	2	3	–	–	5	4	5	–
Apoplexy	6	15	19	15	8	50	33	167	5	97	11	7	2	2	8	15	6	9
Paralysis	3	28	14	13	6	70	51	172	12	112	9	13	4	5	11	19	8	11
Delirium Tremens	–	–	–	1	–	1	1	2	–	1	–	–	–	–	1	–	–	–
Chorea	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	5	4	6	–	8	5	22	1	20	3	2	–	–	1	2	–	1
Tetanus	–	–	–	–	–	2	–	1	–	–	–	–	1	–	1	1	–	–
Insanity	–	1	–	–	–	1	2	1	–	6	–	–	–	–	–	–	–	–
Convulsions	2	7	10	3	–	26	20	136	4	44	1	6	2	–	6	6	1	2
Brain Disease	2	17	3	11	3	21	24	128	3	33	2	5	2	3	4	4	10	1
Pericarditis	–	2	–	2	–	2	–	9	–	3	1	1	–	–	–	–	–	–
Aneurism	–	–	2	1	–	2	–	7	1	6	–	–	–	1	–	–	2	–
Heart Disease	8	52	26	39	13	91	93	374	23	251	25	24	7	11	42	43	25	16
Laryngitis	–	–	1	–	–	1	6	19	–	7	–	1	–	1	–	2	–	–
Bronchitis	21	71	76	61	10	318	232	1816	58	466	37	14	13	17	42	80	42	45
Pleurisy	–	3	1	4	–	9	7	23	1	16	–	–	–	–	1	1	1	1
Pneumonia	7	20	14	14	7	65	32	439	10	161	14	11	1	2	15	30	6	10
Asthma	1	6	5	6	–	10	17	43	1	13	2	1	–	–	1	4	3	2
Lung Disease	–	4	4	4	–	9	4	51	1	19	–	1	–	–	1	4	1	1
Teething	6	16	11	6	–	46	18	185	4	23	3	1	1	1	2	–	2	1
Quinsey	–	2	1	2	–	2	4	6	–	2	1	–	–	–	1	–	–	–
Gastritis	1	2	–	4	1	4	9	38	1	6	3	3	–	–	4	6	–	–
Enteritis	–	11	11	3	3	42	26	164	8	29	3	3	1	2	11	9	3	7
Peritonitis	–	6	3	7	2	6	11	53	1	51	1	–	–	3	2	7	3	1
Ascites	–	3	–	3	1	6	3	7	–	1	–	–	–	–	–	1	–	1
Ulceration of Intestines	–	2	5	3	–	7	5	27	–	20	2	2	–	1	1	4	1	–
Hernia	–	1	1	2	–	3	2	17	–	6	–	1	1	–	1	1	1	1
Ileus	1	6	1	2	1	4	5	26	1	14	2	4	2	–	4	1	–	1
Intussusception	–	–	1	1	–	–	1	5	1	5	–	–	1	–	–	2	–	–
Stricture of Intestines	–	–	–	–	–	–	–	2	–	2	–	–	–	–	–	3	–	–
Stomach Disease	1	11	6	8	–	22	16	100	2	29	2	2	1	1	9	7	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	6	–	2	6	23	1	10	–	–	1	–	1	3	–	1
Jaundice	1	2	1	1	–	9	7	21	–	9	–	1	–	1	–	2	–	–
Liver Disease	–	10	7	9	12	29	17	99	6	43	6	2	2	4	8	9	6	3
Spleen Disease	–	–	–	–	–	–	2	1	2	3	–	–	–	–	1	–	1	–
Nephritis	1	–	–	–	–	2	–	13	–	7	1	–	–	–	1	3	1	–
Nephria	3	1	1	7	1	3	8	29	6	28	2	–	–	–	3	6	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	1	3	–	1	1	1	–	1	1	–	–	–
Diabetes	–	–	–	–	–	2	3	7	2	2	–	–	–	–	1	1	–	2
Stone	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	1	–	1	–	1	6	–	2	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	2	–	5	–	10	8	36	–	23	–	2	–	–	–	–	1	1
Paramenia	–	1	1	1	–	2	4	4	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	1	5	2	6	–	6	2	20	2	12	–	4	1	–	–	1	1	–
Childbirth	1	12	9	12	1	36	20	126	1	43	3	7	–	3	5	8	3	2
Organs of Generation	–	1	1	1	1	4	3	13	3	7	2	–	–	–	–	4	–	1
Bone Disease	–	2	1	1	–	1	2	6	1	4	–	–	1	–	1	3	–	–
Rheumatism	–	4	2	3	–	8	5	28	2	14	1	2	–	–	1	3	2	–
Joint Disease	–	2	1	2	–	5	4	14	–	5	2	1	–	2	–	3	–	–
Carbuncle	–	–	1	–	–	1	–	2	–	1	–	–	–	–	–	3	–	–
Phlegmon	–	–	–	–	–	–	1	3	1	2	–	–	–	1	–	–	–	–
Skin Disease	–	2	1	–	–	1	1	8	–	6	–	–	–	–	1	–	–	1
Intemperance	–	1	–	–	1	7	3	15	–	15	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Want of Breast Milk	–	1	–	–	–	–	1	17	–	10	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	4	2	7	1	2	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	4	2	2	2	9	5	35	1	17	1	1	–	–	2	3	2	–
Hanging, etc.	–	1	–	–	–	1	–	1	–	3	1	–	–	–	1	1	–	–
Suffocation	–	–	2	1	–	7	2	14	–	12	–	–	–	3	1	–	2	3
Drowning	–	3	4	7	–	6	4	19	1	3	3	–	–	–	–	1	3	–
Fracture and Contusion	1	8	1	3	1	7	5	53	–	24	2	2	2	–	2	6	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	2	1	1	1	–	–	–	–	1	–	–
Other Violent Causes	–	1	1	1	–	1	1	8	1	2	–	–	–	–	–	1	–	–
Not Specified	5	47	19	62	13	64	28	146	11	26	11	6	3	–	6	23	7	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	31426	15790	5447	3336	1997	1772	1453	1081	550
SPECIFIED CAUSES	31119	15638	5427	3315	1987	1718	1414	1077	543
I. Zymotic Class	7647	3561	1494	1035	455	430	284	307	81
II. Diseases of Uncertain Seat	866	341	209	104	74	41	54	30	13
III. Tubercular Class	5782	3177	864	511	367	314	277	153	119
IV. Brain and Nervous System	2401	1050	491	252	197	123	126	100	62
V. Organs of Circulation	1315	531	331	135	116	65	54	50	33
VI. Respiratory Organs	6324	3731	941	570	284	309	231	180	78
VII. Organs of Digestion	1881	994	261	146	143	116	125	66	30
VIII. Urinary Organs	420	176	112	24	49	17	15	15	12
IX. Organs of Generation	234	102	42	25	19	14	18	11	3
X. Organs of Locomotion	164	73	37	14	10	15	8	4	3
XI. Skin, etc.	40	20	6	2	5	3	2	2	–
XII. Malformation	75	30	22	13	4	3	1	1	1
XIII. Premature Debility	1525	736	218	211	104	98	61	71	26
XIV. Atrophy	235	133	22	19	13	18	14	7	9
XV. Age	1164	457	196	152	104	53	107	41	54
XVI. Sudden Deaths	87	55	5	9	2	8	2	5	1
XVII. Violent Deaths	959	471	176	93	41	91	35	34	18
I. Small Pox	886	184	173	376	30	30	3	82	8
Measles	1408	934	252	13	97	47	42	19	4
Scarlatina	917	319	331	23	52	106	29	53	4
Diphtheria	351	116	162	13	11	16	7	22	4
Hooping Cough	879	516	48	169	72	42	9	5	18
Croup	394	188	74	26	27	24	17	28	10
Thrush	20	6	4	2	5	1	2	–	–
Diarrhœa	769	334	98	166	46	31	36	46	12
Dysentery	59	20	8	15	6	6	–	4	–
Cholera	32	12	5	3	1	5	2	4	–
Influenza	20	10	1	–	7	1	1	–	–
Purpura	24	4	3	5	5	4	–	2	1
Ague	3	–	–	2	–	–	1	–	–
Worms	5	4	–	1	–	–	–	–	–
Typhus	616	284	105	72	10	54	74	9	8
Enteric Fever	418	180	79	69	36	22	11	15	6
Relapsing Fever	325	241	13	32	3	11	19	5	1
Simple Continued Fever	47	29	6	4	1	3	–	2	2
Infantile Remittent	60	24	12	7	2	3	11	–	1
Metria	69	31	12	6	9	4	4	3	–
Rheumatic Fever	39	12	13	4	6	2	1	1	–
Erysipelas	148	49	47	13	14	12	8	4	1
Pyæmia	11	5	3	1	–	1	1	–	–
Syphilis	138	53	43	13	15	4	6	3	1
Noma	6	3	2	–	–	1	–	–	–
Hydrophobia	3	3	–	–	–	–	–	–	–
II. Hæmorrhage	31	18	7	2	–	2	–	2	–
Dropsy	182	76	17	32	8	15	21	10	3
Abscess	63	27	7	8	8	4	5	4	–
Ulcer	21	3	6	2	9	–	–	1	–
Fistula	11	4	5	–	1	1	–	–	–
Mortification	52	13	13	10	6	4	4	1	1
Cancer	501	198	152	50	41	15	24	12	9
Gout	5	2	2	–	1	–	–	–	–
III. Scrofula	372	198	48	19	29	40	22	9	7
Tabes Mesenterica	496	305	80	30	22	13	26	11	9
Phthisis	3879	2138	565	357	246	215	188	86	84
Hydrocephalus	1035	536	171	105	70	46	41	47	19

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Contd.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	247	133	53	15	17	15	5	6	3
Apoplexy	546	237	114	67	36	19	34	24	15
Paralysis	629	219	144	60	58	36	58	28	26
Delirium Tremens	18	9	4	1	1	2	1	1	–
Chorea	4	2	–	–	1	–	1	–	–
Epilepsy	72	24	21	8	6	3	3	3	4
Tetanus	15	5	3	–	–	2	2	1	2
Insanity	16	1	9	–	2	–	1	–	3
Convulsions	493	238	72	77	43	24	8	29	2
Brain Disease	361	182	71	24	33	22	14	8	7
V. Pericarditis	17	9	4	1	1	1	1	–	–
Aneurism	50	17	20	2	7	–	–	2	2
Heart Disease	1248	505	307	132	108	64	53	48	31
VI. Laryngitis	61	28	14	6	6	1	4	2	–
Bronchitis	4572	2726	595	437	225	233	169	130	57
Pleurisy	80	30	31	6	2	6	4	1	–
Pneumonia	1318	774	241	95	42	61	45	43	17
Asthma	126	67	17	23	3	4	6	2	4
Lung Disease	167	106	43	3	6	4	3	2	–
VII. Teething	476	278	23	43	38	44	35	11	4
Quinsey	16	10	4	–	1	1	–	–	–
Gastritis	56	37	3	6	4	3	1	2	–
Enteritis	319	180	36	16	18	17	35	12	5
Peritonitis	141	55	42	13	6	10	1	10	4
Ascites	22	5	2	6	2	4	3	–	–
Ulceration of Intestines	70	17	22	8	10	1	6	5	1
Hernia	53	23	9	6	4	2	6	1	2
Ileus	76	31	16	8	11	4	1	3	2
Intussusception	9	3	4	–	2	–	–	–	–
Stricture of Intestines	8	4	2	1	1	–	–	–	–
Stomach Disease	257	160	38	11	15	8	16	6	3
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	36	21	6	2	2	–	3	2	–
Jaundice	64	25	9	8	9	8	1	2	2
Liver Disease	272	143	43	18	19	14	17	11	7
Spleen Disease	6	2	2	–	1	–	–	1	–
VIII. Nephritis	34	19	8	–	1	3	1	2	–
Nephria	118	40	48	8	7	6	1	3	5
Addison's Disease	4	1	1	–	1	1	–	–	–
Ischuria	16	11	3	–	1	–	1	–	–
Diabetes	32	15	4	3	4	–	4	–	2
Stone	14	6	3	1	1	1	1	–	1
Cystitis	50	22	16	3	4	1	1	2	1
Stricture of Urethra	6	3	2	–	–	1	–	–	–
Kidney Disease	146	59	27	9	30	4	6	8	3
IX. Paramenia	8	2	–	1	2	1	1	–	1
Ovarian Dropsy	38	14	8	5	5	4	1	1	–
Childbirth	170	82	32	14	11	7	15	7	2
Organs of Generation	18	4	2	5	1	2	1	3	–
X. Bone Disease	40	15	15	4	3	3	–	–	–
Rheumatism	67	29	14	5	6	3	5	4	1
Joint Disease	57	29	8	5	1	9	3	–	2
XI. Carbuncle	9	4	1	1	1	–	2	–	–
Phlegmon	8	5	–	–	1	1	–	1	–
Skin Disease	23	11	5	1	3	2	–	1	–
XVII. Intemperance	81	45	19	3	–	9	3	1	1
Privation	4	1	2	–	1	–	–	–	–
Want of Breast Milk	54	29	13	1	2	6	2	–	1
Neglect	–	–	–	–	–	–	–	–	–
Cold	2	–	1	–	–	–	–	–	1
Poison	26	13	6	–	2	4	1	–	–
Poisoned Wounds	1	–	–	1	–	–	–	–	–
Burns and Scalds	90	48	14	9	3	2	7	5	2
Hanging, etc.	18	6	2	2	1	1	2	1	3
Suffocation	82	30	12	21	7	5	–	6	1
Drowning	134	68	5	20	4	19	8	8	2
Fracture and Contusion	413	208	92	34	16	36	10	13	4
Gunshot Wounds	4	–	2	–	–	–	–	–	2
Cuts and Stabs	8	4	3	–	–	1	–	–	–
Other Violent Causes	42	19	5	2	5	8	2	–	1
Not Specified	307	152	20	21	10	54	39	4	7

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15478	7887	2682	1580	911	921	690	542	265
SPECIFIED CAUSES	15317	7808	2671	1571	906	892	670	539	260
I. Zymotic Class	3742	1759	733	499	202	222	131	156	40
II. Diseases of Uncertain Seat	335	130	74	34	30	22	26	14	5
III. Tubercular Class	2777	1503	457	241	170	137	118	88	63
IV. Brain and Nervous System	1260	567	262	124	103	63	58	51	32
V. Organs of Circulation	642	255	156	59	54	35	32	31	20
VI. Respiratory Organs	3217	1943	467	277	125	166	122	85	32
VII. Organs of Digestion	884	477	115	60	72	57	61	27	15
VIII. Urinary Organs	252	106	66	15	26	14	10	9	6
IX. Organs of Generation	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	93	46	21	7	4	9	4	2	–
XI. Skin, etc.	20	11	3	1	1	2	1	1	–
XII. Malformation	45	17	14	8	2	2	1	–	1
XIII. Premature Debility	844	409	118	126	54	53	35	37	12
XIV. Atrophy	91	52	9	4	6	10	3	2	5
XV. Age	386	160	57	49	29	25	41	10	15
XVI. Sudden Deaths	46	26	2	6	1	4	1	5	1
XVII. Violent Deaths	683	347	117	61	27	71	26	21	13
I. Small Pox	480	115	82	197	16	21	2	41	6
Measles	713	480	137	5	42	21	20	8	–
Scarlatina	478	158	170	15	32	59	13	27	4
Diphtheria	146	45	70	7	2	7	4	11	–
Hooping Cough	388	233	24	68	30	20	4	2	7
Croup	194	90	36	16	10	13	7	15	7
Thrush	14	5	2	1	4	1	1	–	–
Diarrhœa	375	165	48	80	19	16	17	28	2
Dysentery	29	10	2	6	4	4	–	3	–
Cholera	15	5	4	1	–	3	1	1	–
Influenza	7	3	–	–	3	–	1	–	–
Purpura	14	2	1	3	1	4	–	2	1
Ague	2	–	–	1	–	–	1	–	–
Worms	2	2	–	–	–	–	–	–	–
Typhus	328	159	53	38	6	29	33	4	6
Enteric Fever	191	88	36	26	14	9	5	8	5
Relapsing Fever	156	122	5	14	–	3	11	1	–
Simple Continued Fever	19	10	3	3	–	–	–	1	2
Infantile Remittent	25	11	4	3	1	2	4	–	–
Metria	–	–	–	–	–	–	–	–	–
Rheumatic Fever	13	3	5	2	1	2	–	–	–
Erysipelas	69	21	25	5	8	5	3	2	–
Pyæmia	7	3	2	1	–	1	–	–	–
Syphilis	73	26	23	7	9	2	4	2	–
Noma	2	1	1	–	–	–	–	–	–
Hydrophobia	2	2	–	–	–	–	–	–	–
II. Hæmorrhage	18	10	4	1	–	2	–	1	–
Dropsy	88	38	11	11	2	10	11	3	2
Abscess	38	13	3	5	7	2	4	4	–
Ulcer	8	2	1	1	4	–	–	–	–
Fistula	11	4	5	–	1	1	–	–	–
Mortification	22	6	3	5	2	2	3	1	–
Cancer	146	56	45	11	13	5	8	5	3
Gout	4	1	2	–	1	–	–	–	–
III. Scrofula	205	114	26	7	18	16	12	6	6
Tabes Mesenterica	261	163	40	14	10	11	12	7	4
Phthisis	1730	937	286	157	103	89	72	43	43
Hydrocephalus	581	289	105	63	39	21	22	32	10

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	139	76	27	10	8	9	3	4	2
Apoplexy	277	130	58	26	20	10	16	7	10
Paralysis	301	108	73	30	24	19	23	10	14
Delirium Tremens	13	7	3	1	–	1	–	1	–
Chorea	1	1	–	–	–	–	–	–	–
Epilepsy	35	15	9	5	3	–	1	1	1
Tetanus	11	4	3	–	–	1	1	1	1
Insanity	5	–	4	–	1	–	–	–	–
Convulsions	279	134	40	39	28	11	4	23	–
Brain Disease	199	92	45	13	19	12	10	4	4
V. Pericarditis	7	3	2	–	1	–	1	–	–
Aneurism	35	11	15	1	5	–	–	2	1
Heart Disease	600	241	139	58	48	35	31	29	19
VI. Laryngitis	41	17	10	5	4	1	4	–	–
Bronchitis	2193	1331	283	214	92	114	77	63	19
Pleurisy	45	17	17	3	1	4	2	1	–
Pneumonia	769	473	121	42	23	45	34	19	12
Asthma	67	40	9	11	2	1	3	–	1
Lung Disease	102	65	27	2	3	1	2	2	–
VII. Teething	227	126	14	15	16	26	24	5	1
Quinsey	9	6	2	–	–	1	–	–	–
Gastritis	23	16	1	1	2	1	1	1	–
Enteritis	159	89	21	7	11	8	14	7	2
Peritonitis	54	25	11	7	2	5	1	2	1
Ascites	7	2	1	1	2	1	–	–	–
Ulceration of Intestines	31	6	9	5	5	–	3	2	1
Hernia	26	9	5	3	2	2	3	–	2
Ileus	34	14	6	3	6	2	1	1	1
Intussusception	3	–	1	–	2	–	–	–	–
Stricture of Intestines	2	2	–	–	–	–	–	–	–
Stomach Disease	130	90	17	3	7	4	6	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	17	10	3	1	–	–	2	1	–
Jaundice	28	11	3	3	6	3	–	1	1
Liver Disease	130	69	20	11	10	4	6	5	5
Spleen Disease	4	2	1	–	1	–	–	–	–
VIII. Nephritis	16	8	4	–	1	2	1	–	–
Nephria	65	22	27	3	3	5	1	2	2
Addison's Disease	3	1	1	–	–	1	–	–	–
Ischuria	11	8	2	–	–	–	1	–	–
Diabetes	18	10	2	2	1	–	2	–	1
Stone	12	4	3	1	1	1	1	–	1
Cystitis	46	19	16	3	3	1	1	2	1
Stricture of Urethra	6	3	2	–	–	1	–	–	–
Kidney Disease	75	31	9	6	17	3	3	5	1
IX. Paramenia	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–
X. Bone Disease	30	12	12	3	1	2	–	–	–
Rheumatism	27	13	5	1	3	2	1	2	–
Joint Disease	36	21	4	3	–	5	3	–	–
XI. Carbuncle	3	2	–	–	–	–	1	–	–
Phlegmon	4	3	–	–	–	1	–	–	–
Skin Disease	13	6	3	1	1	1	–	1	–
XVII. Intemperance	47	32	7	1	–	4	2	1	–
Privation	2	1	–	–	1	–	–	–	–
Want of Breast Milk	26	14	3	–	1	6	2	–	–
Neglect	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	1
Poison	13	7	5	–	–	1	–	–	–
Poisoned Wounds	1	–	–	1	–	–	–	–	–
Burns and Scalds	39	25	6	1	1	1	4	–	1
Hanging, etc.	12	5	–	2	1	–	2	–	2
Suffocation	46	20	6	11	5	1	–	3	–
Drowning	116	58	4	18	3	16	7	8	2
Fracture and Contusion	339	171	76	26	12	34	7	9	4
Gunshot Wounds	4	–	2	–	–	–	–	–	2
Cuts and Stabs	6	2	3	–	–	1	–	–	–
Other Violent Causes	31	12	5	1	3	7	2	–	1
Not Specified	161	79	11	9	5	29	20	3	5

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
ALL CAUSES	15948	7903	2765	1756	1086	851	763	539	285
SPECIFIED CAUSES	15802	7830	2756	1744	1081	826	744	538	283
I. Zymotic Class	3905	1802	761	536	253	208	153	151	41
II. Diseases of Uncertain Seat	531	211	135	70	44	19	28	16	8
III. Tubercular Class	3005	1674	407	270	197	177	159	65	56
IV. Brain and Nervous System	1141	483	229	128	94	60	68	49	30
V. Organs of Circulation	673	276	175	76	62	30	22	19	13
VI. Respiratory Organs	3107	1788	474	293	159	143	109	95	46
VII. Organs of Digestion	997	517	146	86	71	59	64	39	15
VIII. Urinary Organs	168	70	46	9	23	3	5	6	6
IX. Organs of Generation	234	102	42	25	19	14	18	11	3
X. Organs of Locomotion	71	27	16	7	6	6	4	2	3
XI. Skin, etc.	20	9	3	1	4	1	1	1	–
XII. Malformation	30	13	8	5	2	1	–	1	–
XIII. Premature Debility	681	327	100	85	50	45	26	34	14
XIV. Atrophy	144	81	13	15	7	8	11	5	4
XV. Age	778	297	139	103	75	28	66	31	39
XVI. Sudden Deaths	41	29	3	3	1	4	1	–	–
XVII. Violent Deaths	276	124	59	32	14	20	9	13	5
I. Small Pox	406	69	91	179	14	9	1	41	2
Measles	695	454	115	8	55	26	22	11	4
Scarlatina	439	161	161	8	20	47	16	26	–
Diphtheria	205	71	92	6	9	9	3	11	4
Hooping Cough	491	283	24	101	42	22	5	3	11
Croup	200	98	38	10	17	11	10	13	3
Thrush	6	1	2	1	1	–	1	–	–
Diarrhœa	394	169	50	86	27	15	19	18	10
Dysentery	30	10	6	9	2	2	–	1	–
Cholera	17	7	1	2	1	2	1	3	–
Influenza	13	7	1	–	4	1	–	–	–
Purpura	10	2	2	2	4	–	–	–	–
Ague	1	–	–	1	–	–	–	–	–
Worms	3	2	–	1	–	–	–	–	–
Typhus	288	125	52	34	4	25	41	5	2
Enteric Fever	227	92	43	43	22	13	6	7	1
Relapsing Fever	169	119	8	18	3	8	8	4	1
Simple Continued Fever	28	19	3	1	1	3	–	1	–
Infantile Remittent	35	13	8	4	1	1	7	–	1
Metria	69	31	12	6	9	4	4	3	–
Rheumatic Fever	26	9	8	2	5	–	1	1	–
Erysipelas	79	28	22	8	6	7	5	2	1
Pyæmia	4	2	1	–	–	–	1	–	–
Syphilis	65	27	20	6	6	2	2	1	1
Nævus	4	2	1	–	–	1	–	–	–
Hydrophobia	1	1	–	–	–	–	–	–	–
II. Hæmorrhage	13	8	3	1	–	–	–	1	–
Dropsy	94	38	6	21	6	5	10	7	1
Abscess	25	14	4	3	1	2	1	–	–
Ulcer	13	1	5	1	5	–	–	1	–
Fistula	–	–	–	–	–	–	–	–	–
Mortification	30	7	10	5	4	2	1	–	1
Cancer	355	142	107	39	28	10	16	7	6
Gout	1	1	–	–	–	–	–	–	–
III. Scrofula	167	84	22	12	11	24	10	3	1
Tabes Mesenterica	235	142	40	16	12	2	14	4	5
Phthisis	2149	1201	279	200	143	126	116	43	41
Hydrocephalus	454	247	66	42	31	25	19	15	9

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Total Principal Towns.	Glasgow.	Edinburgh.	Dundee.	Aberdeen.	Greenock.	Paisley.	Leith.	Perth.
IV. Cephalitis	108	57	26	5	9	6	2	2	1
Apoplexy	269	107	56	41	16	9	18	17	5
Paralysis	328	111	71	30	34	17	35	18	12
Delirium Tremens	5	2	1	–	1	1	–	–	–
Chorea	3	1	–	–	1	–	1	–	–
Epilepsy	37	9	12	3	3	3	2	2	3
Tetanus	4	1	–	–	–	1	1	–	1
Insanity	11	1	5	–	1	–	1	–	3
Convulsions	214	104	32	38	15	13	4	6	2
Brain Disease	162	90	26	11	14	10	4	4	3
V. Pericarditis	10	6	2	1	–	1	–	–	–
Aneurism	15	6	5	1	2	–	–	–	1
Heart Disease	648	264	168	74	60	29	22	19	12
VI. Laryngitis	20	11	4	1	2	–	–	2	–
Bronchitis	2379	1395	312	223	133	119	92	67	38
Pleurisy	35	13	14	3	1	2	2	–	–
Pneumonia	549	301	120	53	19	16	11	24	5
Asthma	59	27	8	12	1	3	3	2	3
Lung Disease	65	41	16	1	3	3	1	–	–
VII. Teething	249	152	9	28	22	18	11	6	3
Quinsey	7	4	2	–	1	–	–	–	–
Gastritis	33	21	2	5	2	2	–	1	–
Enteritis	160	91	15	9	7	9	21	5	3
Peritonitis	87	30	31	6	4	5	–	8	3
Ascites	15	3	1	5	–	3	3	–	–
Ulceration of Intestines	39	11	13	3	5	1	3	3	–
Hernia	27	14	4	3	2	–	3	1	–
Ileus	42	17	10	5	5	2	–	2	1
Intussusception	6	3	3	–	–	–	–	–	–
Stricture of Intestines	6	2	2	1	1	–	–	–	–
Stomach Disease	127	70	21	8	8	4	10	4	2
Pancreas Disease	–	–	–	–	–	–	–	–	–
Hepatitis	19	11	3	1	2	–	1	1	–
Jaundice	36	14	6	5	3	5	1	1	1
Liver Disease	142	74	23	7	9	10	11	6	2
Spleen Disease	2	–	1	–	–	–	–	1	–
VIII. Nephritis	18	11	4	–	–	1	–	2	–
Nephria	53	18	21	5	4	1	–	1	3
Addison's Disease	1	–	–	–	1	–	–	–	–
Ischuria	5	3	1	–	1	–	–	–	–
Diabetes	14	5	2	1	3	–	2	–	1
Stone	2	2	–	–	–	–	–	–	–
Cystitis	4	3	–	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–
Kidney Disease	71	28	18	3	13	1	3	3	2
IX. Paramenia	8	2	–	1	2	1	1	–	1
Ovarian Dropsy	38	14	8	5	5	4	1	1	–
Childbirth	170	82	32	14	11	7	15	7	2
Organs of Generation	18	4	2	5	1	2	1	3	–
X. Bone Disease	10	3	3	1	2	1	–	–	–
Rheumatism	40	16	9	4	3	1	4	2	1
Joint Disease	21	8	4	2	1	4	–	–	2
XI. Carbuncle	6	2	1	1	1	–	1	–	–
Phlegmon	4	2	–	–	1	–	–	1	–
Skin Disease	10	5	2	–	2	1	–	–	–
XVII. Intemperance	34	13	12	2	–	5	1	–	1
Privation	2	–	2	–	–	–	–	–	–
Want of Breast Milk	28	15	10	1	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–
Poison	13	6	1	–	2	3	1	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–
Burns and Scalds	51	23	8	8	2	1	3	5	1
Hanging, etc.	6	1	2	–	–	1	–	1	1
Suffocation	36	10	6	10	2	4	–	3	1
Drowning	18	10	1	2	1	3	1	–	–
Fracture and Contusion	74	37	16	8	4	2	3	4	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	2	–	–	–	–	–	–	–
Other Violent Causes	11	7	–	1	2	1	–	–	–
Not Specified	146	73	9	12	5	25	19	1	2

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	8071	432	410	242	322	288	237	320	256	419	577	1204	1409	445	355	442	252	461
SPECIFIED CAUSES	7908	430	407	231	313	284	234	310	239	413	573	1174	1387	427	341	441	251	453
I. Zymotic Class	1611	127	70	51	65	34	48	58	33	54	91	278	296	139	85	104	32	46
II. Uncertain Seat	243	16	13	10	12	12	13	8	9	12	13	36	34	7	8	13	12	15
III. Tubercular Class	1606	53	59	39	37	64	31	51	68	91	170	229	338	69	61	105	53	88
IV. Brain, etc.	672	41	45	15	45	26	26	38	22	34	38	75	121	32	20	23	25	46
V. Heart, etc.	381	20	33	13	27	24	15	29	14	26	29	31	43	26	4	10	11	26
VI. Respiratory Organs	1399	54	63	33	39	59	35	20	49	62	113	242	275	61	83	65	48	98
VII. Digestive Organs	518	24	29	16	15	13	18	31	13	38	32	59	86	22	24	41	27	30
VIII. Urinary Organs	89	10	6	3	14	3	–	6	4	4	6	10	9	1	1	5	3	4
IX. Generative Organs	62	5	4	2	3	1	–	4	4	3	1	5	15	4	4	3	–	4
X. Locomotive Organs	46	4	4	1	1	1	1	3	2	2	2	7	7	2	1	2	3	3
XI. Skin	13	1	2	–	–	2	1	1	–	–	–	3	–	–	–	–	1	2
XII. Malformation	26	1	4	–	1	2	–	1	–	1	2	5	5	–	–	2	2	–
XIII. Premature Debility	442	19	47	18	16	15	20	18	5	21	33	51	69	18	18	22	17	35
XIV. Atrophy	61	3	2	1	–	1	1	4	–	1	3	12	12	3	4	3	4	7
XV. Age	510	42	18	24	31	22	19	29	3	42	26	91	44	33	21	21	7	37
XVI. Sudden Deaths	14	–	1	–	1	–	2	–	1	–	1	3	3	1	1	–	–	–
XVII. Violent Deaths	215	10	7	5	6	5	4	9	12	22	13	37	30	8	7	22	6	12
I. Small Pox	143	77	7	–	10	–	2	–	1	–	1	7	11	1	8	16	–	2
Measles	173	2	5	1	5	4	13	8	3	3	1	59	54	8	1	2	4	–
Scarlatina	214	8	4	5	7	1	2	13	5	4	6	22	18	72	18	16	10	3
Diphtheria	85	–	1	1	2	1	–	9	3	5	1	10	40	4	1	1	1	5
Hooping Cough	187	9	9	13	5	2	1	1	2	2	34	42	32	2	10	20	–	3
Croup	129	6	11	9	4	2	2	4	–	3	6	16	33	8	7	14	2	2
Thrush	5	–	–	–	–	–	–	–	–	–	–	–	3	2	–	–	–	–
Diarrhœa	205	11	11	6	14	6	7	11	2	13	13	37	32	11	10	9	3	9
Dysentery	31	–	–	1	–	4	2	–	6	–	3	4	5	2	1	3	–	–
Cholera	11	1	1	–	–	–	1	3	–	–	3	–	2	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	1	5	–	–	–	–	–	–	1	–	–
Purpura	9	–	–	–	1	1	–	–	–	–	1	1	2	1	–	1	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Worms	3	–	–	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–
Typhus	117	–	4	4	8	2	7	3	1	9	8	40	5	1	16	6	2	1
Enteric Fever	119	4	8	2	1	3	9	4	–	7	8	6	31	12	1	10	5	8
Relapsing Fever	32	–	–	–	–	–	–	–	–	3	1	17	2	4	–	2	–	3
Simple Cont. Fever	9	–	1	2	–	–	–	–	–	–	–	1	4	1	–	–	–	–
Infantile Remittent	5	–	–	–	–	–	1	–	–	–	1	2	1	–	–	–	–	–
Metria	28	4	1	–	3	2	1	–	1	–	–	1	6	3	–	1	–	5
Rheumatic Fever	17	–	1	–	–	4	–	–	2	2	–	–	2	1	3	–	2	–
Erysipelas	45	4	3	4	2	1	–	–	1	1	3	5	6	3	5	2	1	4
Pyæmia	6	–	1	–	1	1	–	–	–	–	1	2	–	–	–	–	–	–
Syphilis	29	1	2	3	2	–	–	1	1	2	–	5	6	2	3	–	1	–
Noma	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	1	–	1	–	–	–	–	–	–	1	3	–	1	1	1	–
Dropsy	82	1	5	4	1	1	6	2	4	3	5	20	10	2	7	7	1	3
Abscess	11	3	–	–	–	–	–	1	–	–	–	4	1	1	–	–	1	–
Ulcer	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	1	–	2	–	1	1	–	–	–	–	2	4	–	–	1	–	–
Cancer	123	9	7	4	10	10	6	5	5	9	7	9	16	3	–	4	8	11
Gout	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
III. Scrofula	73	–	2	–	2	7	1	4	1	6	3	12	20	3	2	3	2	5
Tabes Mesenterica	139	–	3	5	3	3	2	3	4	12	10	15	34	9	6	15	11	4
Phthisis	1092	48	43	27	28	43	25	41	44	69	125	162	196	44	41	58	31	67
Hydrocephalus	302	5	11	7	4	11	3	3	19	4	32	40	88	13	12	29	9	12

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	59	1	7	1	4	2	8	1	–	1	1	7	13	3	1	3	5	1
Apoplexy	154	7	8	8	11	6	2	6	11	4	5	20	28	9	8	11	1	9
Paralysis	204	20	12	2	16	9	7	13	4	20	8	14	35	13	5	2	5	19
Delirium Tremens	4	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	–	–	1	2	–	3	1	2	2	3	4	4	1	1	1	–	4
Tetanus	3	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–
Insanity	5	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	3
Convulsions	93	7	4	–	1	4	3	3	4	3	8	21	17	–	3	2	9	4
Brain Disease	121	6	13	3	10	5	3	12	1	3	12	9	23	6	2	4	3	6
V. Pericarditis	7	–	–	1	–	1	–	–	–	–	–	–	2	1	–	1	–	1
Aneurism	7	–	–	1	1	–	–	–	–	1	–	2	1	–	–	–	–	1
Heart Disease	367	20	33	11	26	23	15	29	14	25	29	29	40	25	4	9	11	24
VI. Laryngitis	17	3	–	–	–	1	1	–	1	–	2	1	3	1	1	1	–	2
Bronchitis	975	35	47	27	30	41	23	14	35	48	91	160	178	48	51	51	34	62
Pleurisy	29	4	–	1	2	3	1	–	–	1	–	4	5	2	1	1	1	3
Pneumonia	300	7	12	4	6	11	8	3	8	9	12	62	79	7	21	10	13	28
Asthma	50	5	3	1	1	2	2	2	2	4	5	10	3	2	5	2	–	1
Lung Disease	28	–	1	–	–	1	–	1	3	–	3	5	7	1	4	–	–	2
VII. Teething	64	3	5	2	–	2	2	8	2	9	1	11	11	2	3	1	1	1
Quinsey	9	–	1	–	–	–	1	2	–	1	1	–	1	1	–	–	1	–
Gastritis	21	–	1	–	–	1	–	–	–	–	1	3	4	–	1	4	2	4
Enteritis	97	3	7	1	–	2	–	4	2	8	9	18	21	1	4	7	6	4
Peritonitis	42	2	3	–	–	–	2	3	–	2	3	4	6	5	2	7	1	2
Ascites	8	–	–	1	–	1	–	2	–	1	–	–	1	1	–	1	–	–
Ulcer. of Intestines	23	–	1	3	6	3	–	–	1	–	1	2	–	–	1	2	1	2
Hernia	8	1	–	–	–	–	–	–	–	–	–	2	–	–	1	2	1	1
Ileus	23	2	1	–	3	2	2	–	1	1	1	2	3	1	1	2	–	1
Intussusception	8	–	1	–	–	1	–	1	–	–	2	–	–	–	–	1	1	1
Strict. of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4
Stomach Disease	83	7	1	4	1	–	7	7	3	2	4	10	20	1	6	4	5	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	–	–	–	–	–	–	–	2	–	–	2	4	1	1	4	–	–
Jaundice	21	1	–	1	2	–	–	1	–	2	2	1	3	2	–	2	1	3
Liver Disease	88	5	8	4	3	1	4	3	2	12	3	4	11	7	4	4	7	6
Spleen Disease	5	–	–	–	–	–	–	–	–	–	4	–	1	–	–	–	–	–
VIII. Nephritis	10	–	3	–	–	–	–	–	–	2	–	–	–	–	–	1	2	2
Nephria	22	2	2	–	5	1	–	1	1	1	1	2	2	–	–	2	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	4	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	8	–	–	–	–	1	–	–	–	–	–	4	3	–	–	–	–	–
Stone	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	2	–	–	–	–	–	–	3	–	3	2	1	–	–	1	–	–
Stricture of Urethra	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	27	2	1	2	8	–	–	4	–	1	2	2	2	1	1	1	–	–
IX. Paramenia	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
Ovarian Dropsy	8	1	–	1	1	–	–	1	2	–	–	2	–	–	–	–	–	–
Childbirth	44	4	4	1	2	1	–	3	2	1	1	2	11	2	3	3	–	4
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–
X. Bone Disease	14	2	1	1	–	1	–	1	1	1	–	1	2	–	–	–	2	1
Rheumatism	17	1	–	–	–	–	1	1	–	1	–	4	3	1	1	1	1	2
Joint Disease	15	1	3	–	1	–	–	1	1	–	2	2	2	1	–	1	–	–
XI. Carbuncle	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1
Skin Disease	9	–	2	–	–	2	1	1	–	–	–	1	–	–	–	–	1	1
XVII. Intemperance	6	–	1	–	1	1	–	–	–	1	–	1	1	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	4	–	–	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
Poison	6	–	–	–	–	–	–	1	–	2	–	2	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	21	1	1	1	–	–	–	2	1	2	1	4	2	1	–	3	1	1
Hanging, etc.	7	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	2	1
Suffocation	14	–	2	–	–	–	–	–	1	–	1	4	2	–	1	1	–	2
Drowning	44	2	–	–	2	–	1	1	5	6	2	12	6	–	1	5	1	–
Fracture & Contusion	96	3	5	2	2	3	2	2	4	6	8	13	16	5	5	10	2	8
Gunshot Wounds	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–
Other Violent Causes	6	2	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–
Not Specified.	163	2	3	11	9	4	3	10	17	6	4	30	22	18	14	1	1	8

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES . . .	4003	212	199	113	157	126	125	143	128	203	292	609	704	225	178	230	119	240
SPECIFIED CAUSES . .	3907	212	199	107	151	126	123	140	117	198	288	586	691	212	172	230	119	236
I. Zymotic Class . .	768	63	34	24	31	14	20	26	11	30	43	136	136	61	43	59	14	23
II. Uncertain Seat .	82	7	4	4	3	5	3	2	3	3	4	11	11	4	4	6	5	3
III. Tubercular Class .	752	28	21	20	17	29	14	24	32	48	85	98	152	32	27	48	30	47
VI. Brain, etc. . .	367	20	27	4	22	14	20	18	9	15	24	41	65	19	12	12	16	29
V. Heart, etc. . .	188	6	16	7	15	8	5	10	8	13	13	18	30	16	2	3	3	15
VI. Respiratory Organs .	722	28	34	20	23	22	23	13	26	28	50	127	136	36	50	37	21	48
VII. Digestive Organs .	259	13	15	7	4	6	9	15	7	17	20	29	51	11	9	20	8	18
VIII. Urinary Organs .	57	6	4	–	8	2	–	4	3	4	4	8	7	–	1	3	1	2
IX. Generative Organs .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs .	24	3	2	1	1	1	–	1	1	1	1	2	6	–	–	1	2	1
XI. Skin.	5	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	2
XII. Malformation . .	15	1	1	–	1	–	–	1	–	1	2	3	3	–	–	1	1	–
XIII. Premature Debility .	263	12	27	8	10	10	13	10	3	13	21	29	43	13	11	12	7	21
XIV. Atrophy . . .	28	1	1	1	–	1	1	1	–	–	1	6	4	1	1	1	4	4
XV. Age	201	15	8	9	10	9	8	9	2	9	10	45	22	11	8	8	3	15
XVI. Sudden Deaths .	10	–	–	–	1	–	2	–	1	–	1	2	2	–	1	–	–	–
XVII. Violent Deaths .	166	9	5	2	5	4	4	6	11	16	9	30	23	8	3	19	4	8
I. Small Pox . .	72	37	4	–	5	–	–	–	–	–	–	2	8	–	5	10	–	1
Measles . . .	77	1	2	–	3	1	8	3	–	2	–	30	20	1	1	2	3	–
Scarlatina . .	101	3	1	3	2	1	1	6	3	3	3	14	6	32	8	7	6	2
Diphtheria . .	42	–	1	1	2	1	–	5	1	2	–	5	20	1	–	1	–	2
Hooping Cough .	85	7	5	5	2	2	–	1	1	1	13	21	9	1	3	12	–	2
Croup . . .	75	2	7	4	4	1	1	2	–	2	3	10	20	5	3	10	–	1
Thrush . . .	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Diarrhœa . . .	102	8	5	3	7	2	3	3	1	8	8	13	13	8	5	6	2	7
Dysentery . .	14	–	–	1	–	1	2	–	2	–	1	1	3	–	1	2	–	–
Cholera . . .	7	1	–	–	–	–	–	2	–	–	2	–	2	–	–	–	–	–
Influenza . . .	4	–	–	–	–	–	–	–	3	–	–	–	–	–	–	1	–	–
Purpura . . .	5	–	–	–	–	1	–	–	–	–	–	1	2	–	–	1	–	–
Ague . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms . . .	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Typhus . . .	57	–	1	1	3	1	1	2	–	5	5	23	4	1	8	1	–	1
Enteric Fever . .	59	3	3	–	1	–	4	1	–	3	5	5	19	6	–	5	1	3
Relapsing Fever .	12	–	–	–	–	–	–	–	–	2	–	8	–	1	–	–	–	1
Simple Cont. Fever .	5	–	–	2	–	–	–	–	–	–	–	–	2	1	–	–	–	–
Infantile Remittent .	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Metria . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever .	9	–	1	–	–	2	–	–	–	1	–	–	1	1	2	–	1	–
Erysipelas . .	19	–	1	3	1	1	–	–	–	–	2	–	3	–	4	1	–	3
Pyæmia . . .	3	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Syphilis . . .	13	1	2	1	1	–	–	1	–	1	–	1	1	1	2	–	1	–
Noma . . .	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage . .	8	–	1	–	–	–	–	–	–	–	–	1	3	–	1	1	1	–
Dropsy . . .	35	1	1	2	–	1	2	1	2	1	3	6	3	2	3	4	1	2
Abscess . . .	5	2	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
Ulcer . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula . . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification . .	3	–	–	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Cancer . . .	28	2	2	1	3	4	1	1	1	2	1	2	3	1	–	1	2	1
Gout . . .	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
III. Scrofula . . .	43	–	1	–	–	4	1	1	1	4	1	10	11	1	2	1	2	3
Tabes Mesenterica .	76	–	2	1	2	2	1	3	–	6	5	8	24	6	3	6	6	1
Phthisis . . .	469	25	15	13	13	17	11	19	20	35	59	56	75	18	15	24	18	36
Hydrocephalus .	164	3	3	6	2	6	1	1	11	3	20	24	42	7	7	17	4	7

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	35	–	3	1	3	1	6	1	–	–	–	3	7	2	1	3	3	1
Apoplexy	81	3	5	2	5	3	1	5	5	1	3	10	14	6	4	5	1	8
Paralysis	106	9	8	–	5	4	5	4	1	10	3	11	23	6	5	–	2	10
Delirium Tremens	3	–	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	3	–	–	1	1	–	2	1	–	–	–	2
Tetanus	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Insanity	4	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	3
Convulsions	56	4	3	–	1	2	3	1	2	–	5	13	9	–	2	2	7	2
Brain Disease	70	4	7	1	7	4	2	5	1	3	11	4	9	4	–	2	3	3
V. Pericarditis	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1
Aneurism	7	–	–	1	1	–	–	–	–	1	–	2	1	–	–	–	–	1
Heart Disease	178	6	16	5	14	8	5	10	8	12	13	16	28	16	2	3	3	13
VI. Laryngitis	9	2	–	–	–	–	1	–	1	–	–	1	1	–	1	–	–	2
Bronchitis	482	17	24	15	17	16	14	8	17	20	37	81	82	27	31	32	14	30
Pleurisy	19	3	–	1	2	–	–	–	–	–	–	2	4	1	1	1	1	3
Pneumonia	171	5	8	3	4	4	7	2	6	6	7	36	44	7	11	3	6	12
Asthma	27	1	2	1	–	1	1	2	1	2	4	5	1	–	4	1	–	1
Lung Disease	14	–	–	–	–	1	–	1	1	–	2	2	4	1	2	–	–	–
VII. Teething	25	2	2	–	–	–	–	3	1	4	–	5	6	1	–	1	–	–
Quinsey	4	–	–	–	–	–	1	–	–	1	–	–	1	1	–	–	–	–
Gastritis	9	–	1	–	–	–	–	–	–	–	–	2	1	–	–	1	–	4
Enteritis	48	2	2	–	–	1	–	2	1	3	5	9	12	1	2	5	1	2
Peritonitis	17	–	1	–	–	–	–	2	–	1	2	2	4	1	2	1	–	1
Ascites	6	–	–	–	–	1	–	1	–	1	–	–	1	1	–	1	–	–
Ulcer. of Intestines	8	–	1	1	2	1	–	–	–	–	1	–	–	–	–	1	–	1
Hernia	4	1	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	1
Ileus	14	1	–	–	1	1	2	–	1	1	1	1	2	1	1	–	–	1
Intussusception	7	–	1	–	–	1	–	1	–	–	2	–	–	–	–	1	1	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	45	4	1	3	–	–	3	3	2	1	4	4	11	1	3	2	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	1	–	–	1	2	1	–	2	–	–
Jaundice	10	–	–	1	–	–	–	1	–	–	–	1	2	2	–	1	1	1
Liver Disease	51	3	6	2	1	1	3	2	1	5	3	3	8	1	1	3	3	5
Spleen Disease	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–	–
VIII. Nephritis	7	–	2	–	–	–	–	–	–	2	–	–	–	–	–	1	1	1
Nephria	10	1	1	–	4	–	–	–	–	1	–	2	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	6	–	–	–	–	1	–	–	–	–	–	2	3	–	–	–	–	–
Stone	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	2	–	–	–	–	–	–	3	–	3	2	1	–	–	1	–	–
Stricture of Urethra	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Kidney Disease	16	2	1	–	3	–	–	3	–	1	1	2	1	–	1	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	10	2	1	1	–	1	–	–	–	–	–	1	2	–	–	–	2	–
Rheumatism	5	–	–	–	–	–	–	–	–	1	–	–	2	–	–	1	–	1
Joint Disease	9	1	1	–	1	–	–	1	1	–	1	1	2	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Skin Disease	3	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	2	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–
Poison	5	–	–	–	–	–	–	1	–	1	–	2	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	1	1	1	–	–	–	2	1	–	–	2	1	1	–	3	–	–
Hanging, etc.	6	1	–	–	1	–	–	–	–	1	–	–	–	1	–	–	1	1
Suffocation	4	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–
Drowning	37	2	–	–	2	–	1	1	5	5	2	9	5	–	–	4	1	–
Fracture & Contusion	83	3	4	1	2	3	2	–	4	6	6	12	14	5	3	9	2	7
Gunshot Wounds	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	1	–	2	–	1	–	–	1	–	–	–	–	–
Other Violent Causes	5	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–	–
Not Specified	96	–	–	6	6	–	2	3	11	5	4	23	13	13	6	–	–	4

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
ALL CAUSES	4068	220	211	129	165	162	112	177	128	216	285	595	705	220	177	212	133	221
SPECIFIED CAUSES	4001	218	208	124	162	158	111	170	122	215	285	588	696	215	169	211	132	217
I. Zymotic Class	843	64	36	27	34	20	28	32	22	24	48	142	160	78	42	45	18	23
II. Uncertain Seat	161	9	9	6	9	7	10	6	6	9	9	25	23	3	4	7	7	12
III. Tubercular Class	854	25	38	19	20	35	17	27	36	43	85	131	186	37	34	57	23	41
IV. Brain, etc.	305	21	18	11	23	12	6	20	13	19	14	34	56	13	8	11	9	17
V. Heart, etc.	193	14	17	6	12	16	10	19	6	13	16	13	13	10	2	7	8	11
VI. Respiratory Organs	677	26	29	13	16	37	12	7	23	34	63	115	139	25	33	28	27	50
VII. Digestive Organs	259	11	14	9	11	7	9	16	6	21	12	30	35	11	15	21	19	12
VIII. Urinary Organs	32	4	2	3	6	1	–	2	1	–	2	2	2	1	–	2	2	2
IX. Generative Organs	62	5	4	2	3	1	–	4	4	3	1	5	15	4	4	3	–	4
X. Locomotive Organs	22	1	2	–	–	–	1	2	1	1	1	5	1	2	1	1	1	2
XI. Skin	8	1	2	–	–	1	–	1	–	–	–	2	–	–	–	–	1	–
XII. Malformation	11	–	3	–	–	2	–	–	–	–	–	2	2	–	–	1	1	–
XIII. Premature Debility	179	7	20	10	6	5	7	8	2	8	12	22	26	5	7	10	10	14
XIV. Atrophy	33	2	1	–	–	–	–	3	–	1	2	6	8	3	2	2	–	3
XV. Age	309	27	10	15	21	13	11	20	1	33	16	46	22	22	13	13	4	22
XVI. Sudden Deaths	4	–	1	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–
XVII. Violent Deaths	49	1	2	3	1	1	–	3	1	6	4	7	7	–	4	3	2	4
I. Small Pox	71	40	3	–	5	–	2	–	1	–	1	5	3	1	3	6	–	1
Measles	96	1	3	1	2	3	5	5	3	1	1	29	34	7	–	–	1	–
Scarlatina	113	5	3	2	5	–	1	7	2	1	3	8	12	40	10	9	4	1
Diphtheria	43	–	–	–	–	–	–	4	2	3	1	5	20	3	1	–	1	3
Hooping Cough	102	2	4	8	3	–	1	–	1	1	21	21	23	1	7	8	–	1
Croup	54	4	4	5	–	1	1	2	–	1	3	6	13	3	4	4	2	1
Thrush	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Diarrhœa	103	3	6	3	7	4	4	8	1	5	5	24	19	3	5	3	1	2
Dysentery	17	–	–	–	–	3	–	–	4	–	2	3	2	2	–	1	–	–
Cholera	4	–	1	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	1	–	–	–	–	–	1	–	–	1	–	–	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	60	–	3	3	5	1	6	1	1	4	3	17	1	–	8	5	2	–
Enteric Fever	60	1	5	2	–	3	5	3	–	4	3	1	12	6	1	5	4	5
Relapsing Fever	20	–	–	–	–	–	–	–	–	1	1	9	2	3	–	2	–	2
Simple Cont. Fever	4	–	1	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–
Infantile Remittent	4	–	–	–	–	–	1	–	–	–	1	2	–	–	–	–	–	–
Metria	28	4	1	–	3	2	1	–	1	–	–	1	6	3	–	1	–	5
Rheumatic Fever	8	–	–	–	–	2	–	–	2	1	–	–	1	–	1	–	1	–
Erysipelas	26	4	2	1	1	–	–	–	1	1	1	5	3	3	1	1	1	1
Pyæmia	3	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	16	–	–	2	1	–	–	–	1	1	–	4	5	1	1	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	47	–	4	2	1	–	4	1	2	2	2	14	7	–	4	3	–	1
Abscess	6	1	–	–	–	–	–	1	–	–	–	3	–	–	–	–	1	–
Ulcer	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	1	–	1	–	1	1	–	–	–	–	1	3	–	–	1	–	–
Cancer	95	7	5	3	7	6	5	4	4	7	6	7	13	2	–	3	6	10
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	–	1	–	2	3	–	3	–	2	2	2	9	2	–	2	–	2
Tabes Mesenterica	63	–	1	4	1	1	1	–	4	6	5	7	10	3	3	9	5	3
Phthisis	623	23	28	14	15	26	14	22	24	34	66	106	121	26	26	34	13	31
Hydrocephalus	138	2	8	1	2	5	2	2	8	1	12	16	46	6	5	12	5	5

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Total Large Towns.	Inverness.	Arbroath.	Forfar.	Montrose.	Dunfermline.	Kirkcaldy.	Stirling.	Dumbarton.	Ayr.	Kilmarnock.	Barony.	Govan.	Hamilton.	Airdrie.	Coatbridge.	Hawick.	Dumfries.
IV. Cephalitis	24	1	4	–	1	1	2	–	–	1	1	4	6	1	–	–	2	–
Apoplexy	73	4	3	6	6	3	1	1	6	3	2	10	14	3	4	6	–	1
Paralysis	98	11	4	2	11	5	2	9	3	10	5	3	12	7	–	2	3	9
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	19	–	–	1	2	–	–	1	2	1	2	4	2	–	1	1	–	2
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Insanity	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	37	3	1	–	–	2	–	2	2	3	3	8	8	–	1	–	2	2
Brain Disease	51	2	6	2	3	1	1	7	–	–	1	5	14	2	2	2	–	3
V. Pericarditis	4	–	–	–	–	1	–	–	–	–	–	–	1	1	–	1	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	189	14	17	6	12	15	10	19	6	13	16	13	12	9	2	6	8	11
VI. Laryngitis	8	1	–	–	–	1	–	–	–	–	2	–	2	1	–	1	–	–
Bronchitis	493	18	23	12	13	25	9	6	18	28	54	79	96	21	20	19	20	32
Pleurisy	10	1	–	–	–	3	1	–	–	1	–	2	1	1	–	–	–	–
Pneumonia	129	2	4	1	2	7	1	1	2	3	5	26	35	–	10	7	7	16
Asthma	28	4	1	–	1	1	1	–	1	2	1	5	2	2	1	1	–	–
Lung Disease	14	–	1	–	–	–	–	–	2	–	1	3	3	–	2	–	–	2
VII. Teething	39	1	3	2	–	2	2	5	1	5	1	6	5	1	3	–	1	1
Quinsey	5	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–	1	–
Gastritis	12	–	–	–	–	1	–	–	–	–	1	1	3	–	1	3	2	–
Enteritis	40	1	5	1	–	1	–	2	1	5	4	9	9	–	2	2	5	2
Peritonitis	25	2	2	–	–	–	2	1	–	1	1	2	2	4	–	6	1	1
Ascites	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer. of Intestines	15	–	–	2	4	2	–	–	1	–	–	2	–	–	1	1	1	1
Hernia	4	–	–	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–
Ileus	9	1	1	–	2	1	–	–	–	–	–	1	1	–	–	2	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	3
Stomach Disease	38	3	–	1	1	–	4	4	1	1	–	6	9	–	3	2	3	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	1	–	–	1	2	–	1	2	–	–
Jaundice	11	1	–	–	2	–	–	–	–	2	2	–	1	–	–	1	–	2
Liver Disease	37	2	2	2	2	–	1	1	1	7	–	1	3	6	3	1	4	1
Spleen Disease	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
VIII. Nephritis	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1	1
Nephria	12	1	1	–	1	1	–	1	1	–	1	–	1	–	–	2	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Isuhuria	4	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	11	–	–	2	5	–	–	1	–	–	1	–	1	1	–	–	–	–
IX. Paramenia	4	–	–	–	–	–	–	–	–	2	–	1	1	–	–	–	–	–
Ovarian Dropsy	8	1	–	1	1	–	–	1	2	–	–	2	–	–	–	–	–	–
Childbirth	44	4	4	1	2	1	–	3	2	1	1	2	11	2	3	3	–	4
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	3	2	1	–	–	–
X. Bone Disease	4	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	1
Rheumatism	12	1	–	–	–	–	1	1	–	–	–	4	1	1	1	–	1	1
Joint Disease	6	–	2	–	–	–	–	–	–	–	1	1	–	1	–	1	–	–
XI. Carbuncle	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	6	–	2	–	–	1	–	1	–	–	–	1	–	–	–	–	1	–
XVII. Intemperance	5	–	1	–	1	1	–	–	–	1	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	–	–	–	–	–	2	1	2	1	–	–	–	1	1
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Suffocation	10	–	–	2	–	–	–	–	1	–	1	–	2	–	1	1	–	2
Drowning	7	–	–	–	–	–	–	–	–	1	–	3	1	–	1	1	–	–
Fracture & Contusion	13	–	1	1	–	–	–	2	–	–	2	1	2	–	2	1	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	67	2	3	5	3	4	1	7	6	1	–	7	9	5	8	1	1	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	16200	75	80	329	166	88	307	388	609	116	620	477	1221	372	1005
SPECIFIED CAUSES	15756	69	76	315	155	86	291	374	583	115	600	451	1182	361	955
I. Zymotic Class	3357	13	12	60	49	17	46	88	179	18	174	68	267	90	158
II. Diseases of Uncert. Seat	554	1	3	9	8	5	17	14	27	4	27	26	42	15	35
III. Tubercular Class	2958	11	13	56	14	6	45	48	98	10	71	76	179	64	206
IV. Brain and Nervous Syst.	1297	6	3	34	11	8	37	37	46	14	51	50	117	29	67
V. Organs of Circulation	799	1	4	18	5	4	15	17	22	5	43	39	62	12	44
VI. Respiratory Organs	2414	7	7	48	20	9	40	62	61	19	69	58	174	60	151
VII. Organs of Digestion	1130	4	6	5	9	12	25	26	50	10	43	35	70	14	83
VIII. Urinary Organs	259	–	–	3	2	–	6	14	11	1	11	14	22	5	10
IX. Organs of Generation	125	1	–	4	–	–	2	3	6	–	4	3	8	1	13
X. Organs of Locomotion	90	3	1	2	3	–	1	2	2	–	1	2	5	–	7
XI. Skin, etc.	29	–	–	2	1	–	1	1	2	–	2	–	4	1	1
XII. Malformation	68	1	–	1	–	–	–	3	3	–	3	1	7	2	–
XIII. Premature Debility	856	2	4	14	4	4	17	22	16	5	29	19	58	19	64
XIV. Atrophy	115	2	–	10	–	2	–	3	5	1	–	3	14	4	15
XV. Age	1150	12	17	40	21	15	28	27	46	23	60	40	100	39	71
XVI. Sudden Deaths	31	1	–	–	–	1	–	1	–	1	1	3	4	–	2
XVII. Violent Deaths	524	4	6	9	8	3	11	6	9	4	11	14	49	6	28
I. Small Pox	209	2	–	3	1	6	–	–	–	1	6	2	6	–	2
Measles	277	–	–	–	–	–	–	9	71	1	–	–	40	2	12
Scarlatina	835	1	1	10	10	–	2	13	8	3	70	27	41	53	16
Diphtheria	187	–	1	14	4	1	14	14	9	1	1	1	14	–	14
Hooping Cough	220	4	–	4	1	7	5	12	16	1	11	2	40	7	4
Croup	227	–	–	11	6	1	4	6	10	–	7	3	20	4	25
Thrush	7	–	–	–	–	–	–	–	–	–	2	–	–	1	–
Diarrhœa	384	–	3	3	5	1	6	4	29	4	20	11	32	4	20
Dysentery	46	–	–	–	1	–	1	–	3	–	6	2	3	1	1
Cholera	34	–	–	–	–	–	–	2	–	–	–	–	3	–	2
Influenza	32	–	2	1	1	–	2	–	–	–	4	1	1	–	–
Purpura	10	–	–	–	–	–	–	–	1	–	3	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	215	1	2	1	16	–	3	3	8	3	5	1	21	5	19
Enteric Fever	384	–	–	4	4	1	4	19	10	3	26	16	27	5	19
Relapsing Fever	28	–	–	–	–	–	–	1	1	–	–	–	–	–	3
Simple Continued Fever	21	–	2	1	–	–	–	–	–	–	–	–	–	–	4
Infantile Remittent	34	1	–	–	–	–	1	1	–	1	–	1	1	2	9
Metria	58	1	–	2	–	–	1	2	2	–	2	–	7	1	3
Rheumatic Fever	31	2	1	1	–	–	2	1	1	–	5	–	1	2	–
Erysipelas	68	1	–	2	–	–	1	–	6	–	4	–	7	3	5
Pyæmia	11	–	–	–	–	–	–	1	–	–	1	–	2	–	–
Syphilis	36	–	–	3	–	–	–	–	4	–	1	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	133	–	–	2	5	–	2	2	6	–	6	3	10	8	13
Albuminuria	22	–	–	–	–	1	–	5	2	–	–	–	2	–	–
Ulcer	7	–	–	–	–	–	1	–	–	–	–	–	2	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	26	–	1	2	1	–	2	1	3	–	1	2	–	–	–
Cancer	350	1	2	5	2	4	12	5	16	4	20	20	27	7	22
Gout	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
III. Scrofula	192	1	–	3	–	–	2	6	18	–	3	2	14	2	11
Tabes Mesenterica	211	–	–	1	–	–	–	–	5	–	5	4	9	4	16
Phthisis	2056	8	9	47	13	4	40	36	60	8	56	59	118	48	132
Hydrocephalus	499	2	4	5	1	2	3	6	15	2	7	11	38	10	47

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	684	355	217	1374	2153	2363	620	891	289	104	72	456	207	162	191	209
SPECIFIED CAUSES	666	331	208	1348	2122	2315	608	875	284	104	70	453	206	157	191	205
Zymotic Class	99	37	29	244	367	478	155	326	53	21	14	190	34	21	23	27
Uncertain Seat	20	11	8	33	91	63	18	23	9	4	2	10	6	8	7	8
Tubercular Class	164	71	64	315	492	451	88	100	40	14	19	76	41	34	51	41
Brain, etc.	55	29	20	120	197	131	45	56	21	21	1	17	22	13	14	25
Heart, etc.	38	23	10	61	99	86	26	58	19	10	4	21	21	9	14	9
Respiratory Organs	100	52	20	263	301	435	108	111	53	7	10	51	21	23	29	45
Digestive Organs	59	25	18	90	148	187	33	65	22	7	8	23	14	15	11	13
Urinary Organs	5	6	1	15	36	35	14	18	3	3	2	3	7	5	2	5
Generative Organs	8	5	1	10	20	18	4	3	3	–	–	2	1	2	1	2
Locomotive Organs	3	2	–	9	16	9	5	4	1	1	2	4	1	2	2	–
Skin	2	–	–	2	3	1	1	3	–	1	–	–	–	–	–	1
Malformation	5	1	1	1	8	13	3	5	–	1	1	6	–	–	2	–
Premature Debility	38	12	7	77	119	155	38	43	19	5	1	32	15	4	8	6
Atrophy	5	4	1	6	14	11	2	11	–	–	–	–	–	–	1	1
Age	38	40	21	66	131	124	44	30	31	6	3	9	19	15	18	16
Sudden Deaths	–	–	–	3	1	6	4	1	–	–	–	–	1	1	–	–
Violent Deaths	27	13	7	33	79	112	20	18	10	3	3	9	3	5	8	6
Small Pox	6	–	–	15	11	29	–	68	6	–	1	43	1	–	–	–
Measles	11	1	1	45	16	25	15	4	2	–	3	7	8	–	–	4
Scarlatina	21	1	4	26	58	126	81	134	5	9	–	94	5	4	8	4
Diphtheria	4	6	–	16	21	23	4	9	8	4	3	–	–	1	–	–
Hooping Cough	2	–	–	20	37	33	4	7	–	–	–	–	1	2	–	–
Croup	12	3	–	13	23	48	8	12	5	2	1	1	1	–	1	–
Thrush	–	–	–	–	–	1	–	–	–	1	–	–	1	–	1	–
Diarrhœa	10	7	2	29	49	59	22	17	6	3	–	18	9	3	2	6
Dysentery	3	1	1	6	6	5	3	2	–	–	–	–	–	–	1	–
Cholera	2	–	–	2	7	6	–	5	–	1	–	2	1	1	–	–
Influenza	2	4	–	1	7	4	–	1	–	–	–	–	–	–	1	–
Purpura	–	–	–	2	–	–	–	1	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Typhus	11	2	4	16	30	32	3	14	8	–	–	3	1	2	–	1
Enteric Fever	10	6	10	22	73	47	7	36	9	–	1	8	2	3	3	9
Relapsing Fever	2	–	1	6	3	11	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	4	1	1	–	–	–	–	3	1	–	3	–
Infantile Remittent	–	–	2	2	5	3	1	–	–	–	–	–	1	2	–	1
Metria	–	2	1	7	3	8	1	7	3	–	–	1	–	2	2	–
Rheumatic Fever	–	1	–	4	3	3	1	–	–	1	1	–	1	–	–	–
Erysipelas	2	1	1	6	6	6	2	5	1	–	1	6	–	1	1	–
Pyæmia	–	–	–	2	1	3	–	–	–	–	–	1	–	–	–	–
Syphilis	1	2	1	4	2	5	2	4	–	–	3	2	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	3	4	1	1	2	1	–	–	–	–	–	1	–
Dropsy	5	5	1	7	24	30	–	3	1	–	–	–	–	–	–	–
Abscess	–	–	–	2	5	–	3	1	–	–	–	–	–	–	–	1
Ulcer	–	–	1	–	–	2	–	–	–	–	–	–	–	–	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	3	3	1	–	1	1	1	–	–	–	–	–	1
Cancer	14	6	5	18	55	29	14	16	6	3	2	10	6	8	5	6
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	5	9	4	11	29	33	11	10	2	–	1	4	5	3	2	1
Tabes Mesenterica	13	1	4	24	37	43	9	14	2	3	–	4	7	4	1	1
Phthisis	117	53	36	225	344	311	45	63	28	10	16	45	24	25	39	37
Hydrocephalus	29	8	20	55	82	64	23	13	8	1	2	23	5	2	9	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	TOTAL SMALL TOWNS.	Shetland.	Orkney.	Caithness.	Ross and Cromarty	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	135	–	–	5	2	1	8	4	3	–	5	2	15	–	6
Apoplexy	327	–	1	7	3	–	5	14	13	2	13	12	24	5	18
Paralysis	585	3	1	7	5	4	7	8	10	7	15	17	48	10	15
Delirium Tremens	9	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	36	1	1	2	–	1	1	1	–	–	1	2	4	3	3
Tetanus	12	–	–	1	–	–	–	1	–	–	1	1	2	1	–
Insanity	5	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Convulsions	177	–	–	11	1	2	9	6	5	2	7	6	11	7	9
Brain Disease	211	2	–	1	–	–	7	3	14	1	8	9	13	3	16
V. Pericarditis	19	–	–	1	1	–	–	1	1	–	4	3	1	–	2
Aneurism	16	–	–	–	–	–	2	–	–	–	1	1	1	–	–
Heart Disease	764	1	4	17	4	4	13	16	21	5	38	35	60	12	42
VI. Laryngitis	41	–	–	1	1	1	–	–	1	–	2	1	3	–	2
Bronchitis	1656	6	5	25	8	8	27	38	37	16	46	44	108	43	102
Pleurisy	62	–	–	1	2	–	3	3	3	1	4	4	7	–	3
Pneumonia	507	–	2	20	5	–	7	15	18	1	12	3	48	16	28
Asthma	93	–	–	1	4	–	1	6	2	–	3	2	5	1	7
Lung Disease	55	1	–	–	–	–	2	–	–	1	2	4	3	–	9
VII. Teething	209	2	–	–	–	7	6	7	10	–	12	2	18	5	14
Quinsey	16	–	–	–	–	–	1	–	–	–	1	–	1	–	2
Gastritis	53	–	2	–	1	–	3	3	2	–	–	3	8	1	2
Enteritis	222	–	–	–	–	1	3	1	2	1	7	8	9	2	11
Peritonitis	80	–	–	–	1	–	–	1	3	–	3	1	3	–	7
Ascites	17	1	–	–	–	–	1	–	–	1	1	–	1	–	2
Ulceration of Intestines	64	–	1	1	–	–	2	3	4	2	2	1	2	–	2
Hernia	16	–	–	–	–	–	–	2	–	–	3	1	2	–	1
Ileus	61	1	2	–	2	1	2	–	7	1	2	2	2	1	5
Intussusception	13	–	–	–	–	–	–	–	–	–	–	2	1	–	1
Stricture of Intestines	4	–	–	–	–	–	–	–	3	–	–	–	–	–	–
Stomach Disease	121	–	–	1	1	1	3	4	5	5	1	8	5	1	12
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	32	–	–	1	–	–	1	–	1	–	1	–	–	–	4
Jaundice	47	–	–	1	2	–	1	2	6	–	–	–	4	2	2
Liver Disease	169	–	1	1	2	2	2	3	7	–	10	6	13	2	18
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	1	1	–	–
VIII. Nephritis	15	–	–	–	–	–	–	1	–	–	1	2	1	1	–
Nephria	86	–	–	1	1	–	2	4	4	–	5	6	5	4	3
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	12	–	–	–	–	–	–	1	2	–	–	–	–	–	–
Diabetes	25	–	–	1	–	–	1	1	1	–	–	3	4	–	–
Stone	8	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Cystitis	45	–	–	1	1	–	1	1	3	–	–	–	5	–	4
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	64	–	–	–	–	–	2	5	1	1	3	3	5	–	3
IX. Paramenia	8	–	–	–	–	–	–	–	2	–	1	2	–	–	1
Ovarian Dropsy	18	1	–	1	–	–	1	–	–	–	2	–	1	1	2
Childbirth	86	–	–	3	–	–	1	3	2	–	1	1	6	–	9
Organs of Generation	13	–	–	–	–	–	–	–	2	–	–	–	1	–	1
X. Bone Disease	22	1	–	–	–	–	–	1	–	–	1	–	2	–	1
Rheumatism	37	1	1	2	3	–	–	1	1	–	–	2	1	–	3
Joint Disease	31	1	–	–	–	–	1	–	1	–	–	–	2	–	3
XI. Carbuncle	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Phlegmon	6	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Skin Disease	18	–	–	2	–	–	–	1	2	–	1	–	3	–	1
XVII. Intemperance	25	–	1	–	–	–	–	–	–	–	–	2	3	–	2
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	1	–	–	–	–	–	–	1	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	66	–	–	–	–	2	–	1	1	–	1	1	5	3	6
Hanging, etc.	12	–	–	–	–	–	1	–	–	–	–	1	2	–	–
Suffocation	46	–	–	1	–	–	3	2	–	1	1	1	4	–	–
Drowning	102	3	3	3	5	1	3	1	4	2	3	1	13	–	4
Fracture and Contusion	222	1	1	4	2	–	3	2	4	1	4	6	19	2	12
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	25	–	1	–	1	–	1	–	–	–	1	–	1	–	4
Not Specified	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	1	4	15	18	22	3	2	1	3	–	1	4	2	5	–
Apoplexy	22	9	10	36	47	29	5	14	9	1	–	3	8	7	2	8
Paralysis	15	11	2	30	50	27	27	28	4	5	–	8	4	2	4	11
Delirium Tremens	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	2	3	4	1	1	1	–	–	–	1	–	–	–
Tetanus	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Convulsions	8	1	1	16	28	24	3	5	1	8	–	2	3	–	–	1
Brain Disease	6	4	3	19	47	22	4	4	5	4	1	3	2	2	3	5
Pericarditis	–	–	–	2	–	–	1	1	–	–	–	1	–	–	–	–
Aneurism	1	–	–	2	1	2	2	2	–	–	–	1	–	–	–	–
Heart Disease	37	23	10	57	98	84	23	55	19	10	4	19	21	9	14	9
Laryngitis	2	1	–	2	9	5	3	–	–	–	–	4	–	2	–	1
Bronchitis	72	38	12	176	210	314	81	86	33	3	8	39	14	6	21	30
Pleurisy	2	3	–	4	4	8	3	3	1	–	–	2	–	1	–	–
Pneumonia	18	7	7	68	49	94	17	9	16	4	2	6	7	14	3	11
Asthma	2	1	–	8	25	8	2	8	1	–	–	–	–	–	5	1
Lung Disease	4	2	1	5	4	6	2	5	2	–	–	–	–	–	–	2
Teething	18	4	–	34	22	24	9	11	3	2	2	3	–	3	–	1
Quinsey	1	2	–	1	3	3	–	–	1	–	–	–	–	–	–	–
Gastritis	–	2	1	3	4	8	1	2	3	–	–	1	2	1	–	–
Enteritis	9	1	2	20	34	61	10	16	7	1	–	5	2	2	3	4
Peritonitis	2	3	3	5	14	12	1	10	1	–	1	5	2	–	–	2
Ascites	–	1	–	–	2	6	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	5	3	1	5	6	15	–	1	1	1	–	2	–	2	–	2
Hernia	4	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	2	1	–	5	10	5	2	2	1	–	1	–	2	–	–	2
Intussusception	1	1	–	–	1	4	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	6	3	–	11	27	12	–	3	2	1	–	2	2	2	3	–
Pancreas Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	2	7	4	–	2	2	–	–	–	2	3	–	1
Jaundice	1	–	–	5	2	13	–	4	–	1	–	1	–	–	–	–
Liver Disease	10	3	11	9	14	19	7	12	1	1	4	4	2	1	4	–
Spleen Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–
Nephritis	–	–	–	3	1	2	1	1	1	–	–	–	–	–	–	–
Nephria	–	3	1	4	8	13	8	9	1	–	–	1	–	1	–	2
Addison's Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	3	–	–	1	–	–	1	1	–	–	1	1	–	–	–
Diabetes	–	–	–	1	3	2	1	2	–	2	–	1	1	–	–	1
Stone	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	1	5	7	–	4	–	–	2	–	2	3	1	1
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	5	14	9	4	1	–	1	–	–	3	1	1	1
Paramenia	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	2	2	2	1	–	–	–	–	–	–	–	–
Childbirth	7	3	1	10	15	14	1	2	2	–	–	2	1	–	1	1
Organs of Generation	1	–	–	–	1	2	1	–	1	–	–	–	–	2	–	1
Bone Disease	1	–	–	4	1	2	3	–	–	–	2	2	–	–	1	–
Rheumatism	1	2	–	4	6	2	2	3	–	–	–	–	–	1	1	–
Joint Disease	1	–	–	1	9	5	–	1	1	1	–	2	1	1	–	–
Carbuncle	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	–	2	1	–	1	–	1	–	–	–	–	–	1
Intemperance	1	1	1	–	3	4	–	2	2	–	–	–	1	–	1	1
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	1	1	–	–	–	–	–	2	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	2	2	7	8	19	1	2	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	3	1	–	1	2	–	–	–	–	1	–	–
Suffocation	2	1	–	5	10	5	2	2	–	–	–	3	–	–	–	3
Drowning	8	5	–	10	8	11	1	3	2	2	2	–	–	1	3	–
Fracture and Contusion	9	4	4	7	41	62	12	6	3	1	1	2	1	3	4	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	1	1	1	1	–	–	–	–	–	–	–
Other Violent Causes	3	–	–	3	2	4	2	1	–	–	–	1	–	–	–	–
Not Specified	18	24	9	2[illegible]	[illegible]1	48	12	1[illegible]	5	–	[illegible]	[illegible]	1	5	–	4

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
All Causes	7913	36	36	150	85	41	142	181	283	61	265	244	581	188	485
Specified Causes	7688	32	36	142	76	41	137	177	266	61	252	229	564	181	463
I. Zymotic Class	1604	5	5	22	28	8	17	36	81	12	68	34	129	50	78
II. Diseases of Uncert. Seat	191	–	1	6	1	1	5	4	11	3	5	11	12	4	12
III. Tubercular Class	1409	5	7	33	6	4	24	27	47	7	34	40	79	31	93
IV. Brain and Nervous Syst.	666	5	2	17	5	3	24	18	20	7	19	28	56	17	35
V. Organs of Circulation	377	1	3	9	1	2	8	3	13	1	20	18	28	5	21
VI. Respiratory Organs	1278	3	6	21	12	6	16	36	27	11	28	28	91	37	82
VII. Organs of Digestion	548	1	3	2	5	7	11	9	22	8	18	18	31	6	43
VIII. Urinary Organs	170	–	–	3	2	–	4	8	10	–	7	10	12	1	9
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	43	2	–	–	1	–	–	2	2	–	–	1	–	–	3
XI. Skin, etc.	17	–	–	2	–	–	1	1	2	–	1	–	–	1	–
XII. Malformation	43	1	–	–	–	–	–	3	1	–	3	1	4	2	–
XIII. Premature Debility	477	1	1	11	2	3	7	10	10	3	18	11	36	10	37
XIV. Atrophy	43	–	–	3	–	–	–	2	3	–	–	1	7	1	7
XV. Age	412	3	3	8	7	4	10	15	11	6	26	15	40	12	23
XVI. Sudden Deaths	16	1	–	–	–	1	–	–	–	–	–	3	1	–	1
XVII. Violent Deaths	394	4	5	5	6	2	10	3	6	3	5	10	38	4	19
I. Small Pox	97	2	–	2	1	2	–	–	–	–	1	–	3	–	1
Measles	132	–	–	–	–	–	–	3	39	–	–	–	15	2	6
Scarlatina	448	1	–	5	6	–	–	5	4	2	23	17	24	31	12
Diphtheria	93	–	–	7	3	1	5	4	4	1	–	–	7	–	10
Hooping Cough	94	1	–	1	–	4	1	6	4	1	2	–	18	4	3
Croup	107	–	–	2	6	1	1	4	4	–	6	1	6	1	11
Thrush	3	–	–	–	–	–	–	–	–	–	1	–	–	1	–
Diarrhœa	200	–	1	1	3	–	4	3	13	3	13	7	23	1	11
Dysentery	21	–	–	–	1	–	–	–	1	–	4	1	2	–	–
Cholera	18	–	–	–	–	–	–	1	–	–	–	–	3	–	–
Influenza	16	–	2	–	–	–	2	–	–	–	–	1	–	–	–
Purpura	6	–	–	–	–	–	–	–	–	–	3	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	107	–	1	–	7	–	1	3	1	2	1	–	10	4	13
Enteric Fever	167	–	–	1	1	–	2	7	4	2	9	7	13	3	4
Relapsing Fever	17	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	7	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Infantile Remittent	14	–	–	–	–	–	1	–	–	1	–	–	–	–	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	14	1	–	–	–	–	–	–	1	–	3	–	1	–	–
Erysipelas	24	–	–	1	–	–	–	–	4	–	2	–	2	3	2
Pyæmia	5	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Syphilis	14	–	–	1	–	–	–	–	2	–	–	–	1	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	52	–	–	2	–	–	1	–	3	–	2	1	4	2	3
Abscess	11	–	–	–	–	–	–	3	1	–	–	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	16	–	1	1	–	–	–	1	2	–	–	–	–	–	–
Cancer	106	–	–	3	1	1	4	–	5	3	3	10	7	2	9
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	89	–	–	2	–	–	1	4	10	–	1	–	4	1	5
Tabes Mesenterica	117	–	–	1	–	–	–	–	3	–	3	4	6	4	9
Phthisis	921	3	5	30	6	2	22	19	27	5	26	29	48	20	53
Hydrocephalus	282	2	2	–	–	2	1	4	7	2	4	7	21	6	26

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	335	157	107	693	1078	1222	322	445	126	49	38	225	100	70	77	91
SPECIFIED CAUSES	324	146	104	681	1062	1197	315	435	124	49	37	222	100	69	77	89
Zymotic Class	52	17	14	120	169	235	78	166	20	11	4	92	18	12	11	12
Uncertain Seat	3	2	3	12	38	26	4	8	5	–	–	3	2	3	2	4
Tubercular Class	77	31	39	146	227	224	43	51	17	5	12	39	19	11	18	13
Brain, etc.	25	14	6	68	109	71	29	27	11	9	–	7	13	6	2	13
Heart, etc.	22	9	5	30	54	34	15	25	9	4	3	12	9	3	7	3
Respiratory Organs	46	26	10	137	162	255	55	60	28	5	6	32	7	13	13	19
Digestive Organs	26	9	8	53	77	91	17	32	9	2	4	10	5	7	6	8
Urinary Organs	4	4	–	10	22	20	12	12	–	3	2	2	6	4	1	2
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	5	10	4	3	2	–	–	1	2	1	–	2	–
Skin	1	–	–	2	2	–	1	2	–	1	–	–	–	–	–	–
Malformation	4	–	1	1	7	5	3	3	–	–	1	2	–	–	1	–
Premature Debility	25	7	5	46	62	82	22	22	10	3	–	16	8	1	4	4
Atrophy	2	–	1	3	7	2	1	2	–	–	–	–	–	–	–	1
Age	16	16	8	21	48	52	16	8	11	3	2	–	9	7	5	7
Sudden Deaths	–	–	–	2	–	4	1	1	–	–	–	–	1	–	–	–
Violent Deaths	20	10	4	25	68	92	15	14	4	3	2	5	2	2	5	3
Small Pox	2	–	–	8	3	16	–	30	4	–	–	21	1	–	–	–
Measles	1	–	1	25	9	9	8	3	2	–	1	3	3	–	–	2
Scarlatina	12	–	4	14	31	67	48	75	1	5	–	48	4	3	5	1
Diphtheria	4	4	–	6	12	13	2	4	2	2	1	–	–	1	–	–
Hooping Cough	1	–	–	10	17	16	1	3	–	–	–	–	1	–	–	–
Croup	5	2	–	8	13	23	2	5	2	1	1	–	1	–	1	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Diarrhœa	8	3	–	11	21	34	6	9	5	1	–	9	5	2	–	3
Dysentery	3	–	1	3	1	2	1	–	–	–	–	–	–	–	1	–
Cholera	–	–	–	1	3	5	–	2	–	1	–	1	–	1	–	–
Influenza	1	1	–	1	5	2	–	–	–	–	–	–	–	–	1	–
Purpura	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	1	9	13	16	2	10	2	–	–	2	–	1	–	1
Enteric Fever	6	3	6	12	31	16	4	22	2	–	–	4	1	2	1	4
Relapsing Fever	2	–	–	5	1	8	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	–	1	–	–	–	–	–	1	–	1	–
Infantile Remittent	–	–	1	1	3	1	–	–	–	–	–	–	–	2	–	1
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	1	2	1	–	–	1	–	–	1	–	–	–
Erysipelas	1	1	–	–	1	2	1	1	–	–	–	3	–	–	–	–
Pyæmia	–	–	–	2	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	1	2	2	1	1	–	–	1	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	3	3	–	–	2	1	–	–	–	–	–	1	–
Dropsy	2	–	–	4	10	16	–	1	1	–	–	–	–	–	–	–
Abscess	–	–	–	1	3	–	1	1	–	–	–	–	–	–	–	1
Ulcer	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	1
Cancer	1	2	2	4	20	9	3	4	2	–	–	3	2	3	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	4	3	7	11	17	6	5	–	–	–	3	1	1	1	–
Tabes Mesenterica	3	–	4	15	17	21	3	9	2	1	–	3	7	1	1	–
Phthisis	59	22	19	89	151	149	22	29	10	4	10	20	10	7	13	12
Hydrocephalus	13	5	13	35	48	37	12	8	5	–	2	13	1	2	3	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	75	–	–	3	1	–	5	3	–	–	5	2	7	–	5
Apoplexy	151	–	1	3	1	–	3	5	8	1	4	6	11	2	8
Paralysis	184	2	–	2	2	3	4	3	5	3	4	6	23	7	5
Delirium Tremens	9	–	–	–	–	–	–	–	–	2	–	1	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	1	1	2	–	–	–	–	–	–	–	2	2	–	1
Tetanus	10	–	–	1	–	–	–	1	–	–	–	1	1	1	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	98	–	–	6	1	–	7	3	2	–	3	3	4	5	7
Brain Disease	125	2	–	–	–	–	5	3	5	1	3	7	8	2	9
V. Pericarditis	12	–	–	–	–	–	–	1	1	–	4	1	1	–	1
Aneurism	9	–	–	–	–	–	2	–	–	–	–	1	–	–	–
Heart Disease	356	1	3	9	1	2	6	2	12	1	16	16	27	5	20
VI. Laryngitis	25	–	–	–	–	1	–	–	–	–	2	–	1	–	2
Bronchitis	841	2	4	10	6	5	10	20	16	8	20	19	56	27	56
Pleurisy	33	–	–	1	1	–	1	1	–	1	1	2	5	–	–
Pneumonia	299	–	2	10	4	–	2	12	10	1	4	3	28	10	16
Asthma	46	–	–	–	1	–	1	3	1	–	1	1	1	–	2
Lung Disease	34	1	–	–	–	–	2	–	–	1	–	3	–	–	6
VII. Teething	108	1	–	–	–	5	4	1	7	–	6	2	9	–	8
Quinsey	5	–	–	–	–	–	–	–	–	–	–	–	–	–	2
Gastritis	21	–	–	–	1	–	1	1	–	–	–	2	4	–	1
Enteritis	114	–	–	–	–	–	1	1	2	–	1	4	5	2	7
Peritonitis	32	–	–	–	–	–	–	–	–	–	–	1	2	–	3
Ascites	6	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Ulceration of Intestines	31	–	1	–	–	–	[illegible]	1	1	2	1	1	2	–	1
Hernia	10	–	–	–	–	–	–	1	–	–	1	1	1	–	–
Ileus	29	–	1	–	1	1	–	–	1	1	–	1	–	1	2
Intussusception	7	–	–	–	–	–	–	–	–	–	–	1	1	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Stomach Disease	56	–	–	1	–	–	1	2	3	4	1	1	1	–	5
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	–	–	–	–	–	–	–	1	–	1	–	–	–	3
Jaundice	29	–	–	1	2	–	–	1	3	–	–	–	3	1	1
Liver Disease	78	–	1	–	1	1	2	1	2	–	6	3	3	2	9
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
VIII. Nephritis	11	–	–	–	–	–	–	1	–	–	1	2	–	–	–
Nephria	48	–	–	1	1	–	1	3	3	–	3	4	2	1	3
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Ischuria	9	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Diabetes	15	–	–	1	–	–	1	–	1	–	–	1	2	–	–
Stone	8	–	–	–	–	–	–	1	–	–	2	–	1	–	–
Cystitis	39	–	–	1	1	–	1	1	3	–	–	–	5	–	4
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	36	–	–	–	–	–	1	2	1	–	1	3	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	15	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Rheumatism	12	–	–	–	1	–	–	1	1	–	–	1	–	–	1
Joint Disease	16	1	–	–	–	–	–	–	1	–	–	–	–	–	2
XI. Carbuncle	5	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	–	–	2	–	–	–	1	2	–	1	–	–	–	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	2	1	–	1
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	–	–	–	1	–	–	–	–	–	1	2	2	3
Hanging, etc.	9	–	–	–	–	–	1	–	–	–	–	1	1	–	–
Suffocation	30	–	–	1	–	–	3	1	–	–	–	1	2	–	–
Drowning	83	3	3	2	5	1	3	1	4	2	3	1	10	–	3
Fracture and Contusion	190	1	1	1	1	–	[illegible]	1	2	1	2	3	19	1	9
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	17	–	1	–	–	–	–	–	–	–	–	–	1	–	3
Not Specified	225	4	–	8	9	–	5	4	17	–	13	15	17	7	22

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	3	–	2	5	14	10	2	–	–	1	–	1	3	2	1	–
Apoplexy	10	4	2	18	27	13	2	7	4	–	–	1	4	2	–	4
Paralysis	6	7	–	18	24	15	18	13	2	1	–	3	1	1	1	5
Delirium Tremens	–	1	–	1	–	2	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	1	1	–	–	1	–	–	–	1	–	–	–
Tetanus	–	–	–	–	3	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	–	1	11	15	14	2	3	–	4	–	2	2	–	–	–
Brain Disease	3	2	1	14	25	15	3	3	4	3	–	–	2	1	–	4
Pericarditis	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	1	2	1	2	–	–	–	–	–	–	–	–
Heart Disease	22	9	5	29	53	32	13	23	9	4	3	11	9	3	7	3
Laryngitis	1	1	–	2	5	2	3	–	–	–	–	3	–	1	–	1
Bronchitis	30	18	7	91	105	182	34	44	16	2	5	22	4	4	9	9
Pleurisy	1	1	–	1	2	6	3	2	1	–	–	2	–	1	–	–
Pneumonia	12	4	2	38	33	52	12	6	9	3	1	5	3	7	2	8
Asthma	–	1	–	4	14	8	1	5	–	–	–	–	–	–	2	–
Lung Disease	2	1	1	1	3	5	2	3	2	–	–	–	–	–	–	1
Teething	8	2	–	14	11	10	5	6	1	1	1	2	–	3	–	1
Quinsey	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	1	1	5	–	1	–	–	–	1	–	–	–	–
Enteritis	3	–	1	10	19	31	7	8	4	1	–	3	–	1	1	2
Peritonitis	–	–	1	4	8	6	–	2	–	–	1	2	1	–	–	1
Ascites	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	4	3	5	–	–	1	–	–	1	–	–	–	2
Hernia	3	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Ileus	2	–	–	5	6	2	1	1	1	–	–	–	1	–	–	1
Intussusception	–	1	–	–	–	2	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	3	–	–	6	13	7	–	3	–	–	–	1	2	–	2	–
Pancreas Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	4	–	–	1	2	–	–	–	1	1	–	1
Jaundice	–	–	–	3	2	9	–	3	–	–	–	–	–	–	–	–
Liver Disease	6	1	4	5	7	10	3	5	–	–	2	–	–	1	3	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	3	1	1	1	1	–	–	–	–	–	–	–	–
Nephria	–	1	–	3	4	6	7	4	–	–	–	1	–	–	–	–
Addison's Disease	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	3	–	–	1	–	–	1	–	–	–	–	1	–	–	–
Diabetes	–	–	–	1	1	2	–	2	–	2	–	1	–	–	–	–
Stone	–	–	–	–	3	1	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	1	4	4	–	3	–	–	2	–	2	3	1	1
Stricture of Urethra	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	1	7	5	4	1	–	1	–	–	3	1	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	–	–	4	–	1	3	–	–	–	1	2	–	–	1	–
Rheumatism	–	1	–	1	3	–	–	1	–	–	–	–	–	–	1	–
Joint Disease	–	–	–	–	7	3	–	1	–	–	–	–	1	–	–	–
Carbuncle	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Intemperance	1	1	–	–	1	3	–	2	1	–	–	–	1	–	1	1
Privation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	1	3	7	10	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	3	1	–	1	1	–	–	–	–	–	–	–
Suffocation	1	1	–	2	9	5	2	1	–	–	–	–	–	–	–	1
Drowning	6	3	–	10	6	9	–	2	–	2	2	–	–	1	1	–
Fracture and Contusion	8	4	3	6	39	56	12	6	2	1	–	2	1	1	3	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	3	1	3	1	1	–	–	–	1	–	–	–	–
Not Specified	11	11	3	12	16	15	7	15	2	–	1	3	–	1	–	[illegible]

CAUSES OF DEATH in the SMALL TOWN DISTRICTS of the COUNTIES OF SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
ALL CAUSES	8287	39	44	179	81	47	165	207	326	55	355	233	640	184	520
SPECIFIED CAUSES	8068	37	40	173	79	45	154	197	317	54	348	222	618	180	492
I. Zymotic Class	1753	8	7	38	21	9	29	52	98	6	106	34	138	40	80
II. Uncertain Seat	363	1	2	3	7	4	12	10	16	1	22	15	80	11	23
III. Tubercular Class	1549	6	6	23	8	2	21	21	51	3	37	36	100	33	113
IV. Brain, etc.	631	1	1	17	6	5	13	19	26	7	32	22	61	12	32
V. Heart, etc.	422	–	1	9	4	2	7	14	9	4	23	21	34	7	23
VI. Respiratory Organs	1136	4	1	27	8	3	24	26	34	8	41	30	83	23	69
VII. Digestive Organs	582	3	3	3	4	5	14	17	28	2	25	17	39	8	40
VIII. Urinary Organs	89	–	–	–	–	–	2	6	1	1	4	4	10	4	1
IX. Generative Organs	125	1	–	4	–	–	2	3	6	–	4	3	8	1	13
X. Locomotive Organs	47	1	1	2	2	–	1	–	–	–	1	1	5	–	4
XI. Skin etc.,	12	–	–	–	1	–	–	–	–	–	1	–	4	–	1
XII. Malformation	25	–	–	1	–	–	–	–	2	–	–	–	3	–	–
XIII. Premature Debility	379	1	3	3	2	1	10	12	6	2	11	8	22	9	27
XIV. Atrophy	72	2	–	7	–	2	–	1	2	1	–	2	7	3	8
XV. Age	738	9	14	32	14	11	18	12	35	17	34	25	60	27	48
XVI. Sudden Deaths	15	–	–	–	–	–	–	1	–	1	1	–	3	–	1
XVII. Violent Deaths	130	–	1	4	2	1	1	3	3	1	6	4	11	2	9
I. Small Pox	112	–	–	1	–	4	–	–	–	1	5	2	3	–	1
Measles	145	–	–	–	–	–	–	6	32	1	–	–	25	–	6
Scarlatina	387	–	1	5	4	–	2	8	4	1	47	10	17	22	4
Diphtheria	94	–	1	7	1	–	9	10	5	–	1	1	7	–	4
Hooping Cough	126	3	–	3	1	3	4	6	12	–	9	2	22	3	1
Croup	120	–	–	9	–	–	3	2	6	–	1	2	14	3	14
Thrush	4	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Diarrhœa	184	–	2	2	2	1	2	1	16	1	7	4	9	3	9
Dysentery	25	–	–	–	–	–	1	–	2	–	2	1	1	1	1
Cholera	16	–	–	–	–	–	–	1	–	–	–	–	–	–	2
Influenza	10	–	–	1	1	–	–	–	–	–	4	–	1	–	–
Purpura	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	108	1	1	1	9	–	2	–	7	1	4	1	11	1	6
Enteric Fever	217	–	–	3	3	1	2	12	6	1	17	9	14	2	15
Relapsing Fever	11	–	–	–	–	–	–	1	1	–	–	–	–	–	2
Simple Cont. Fever	14	–	1	–	–	–	–	–	–	–	–	–	–	–	3
Infantile Remittent	20	1	–	–	–	–	–	1	–	–	–	1	1	2	6
Metria	58	1	–	2	–	–	1	2	2	–	2	–	7	1	3
Rheumatic Fever	17	1	1	1	–	–	2	1	–	–	2	–	–	2	–
Erysipelas	44	1	–	1		–	1	–	2	–	2	–	5	–	3
Pyæmia	6	–	–	–	–	–	–	1	–	–	1	–	1	–	–
Syphilis	22	–	–	2	–	–	–	–	2	–	1	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Dropsy	81	–	–	–	5	–	1	2	3	–	4	2	6	6	10
Abscess	11	–	–	–	–	1	–	2	1	–	–	–	2	–	–
Ulcer	5	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	16	–	–	1	1	–	2	–	1	–	1	2	–	–	–
Cancer	244	1	2	2	1	3	8	5	11	1	17	10	20	5	13
Gout	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
III. Scrofula	103	1	–	1	–	–	1	2	8	–	2	2	10	1	6
Tabes Mesenterica	94	–	–	–	–	–	–	–	2	–	2	–	3	–	7
Phthisis	1135	5	4	17	7	2	18	17	33	3	30	30	70	28	79
Hydrocephalus	217	–	2	5	1	–	2	2	8	–	3	4	17	4	21

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	349	198	110	681	1075	1141	298	446	163	55	34	231	107	92	114	118
SPECIFIED CAUSES	342	185	104	667	1060	1118	293	440	160	55	33	231	106	88	114	116
Zymotic Class	47	20	15	124	198	243	77	160	33	10	10	98	16	9	12	15
Uncertain Seat	17	9	5	21	53	37	14	15	4	4	2	7	4	5	5	4
Tubercular Class	87	40	25	169	265	227	45	49	23	9	7	37	22	23	33	28
Brain, etc.	30	15	14	52	88	60	16	29	10	12	1	10	9	7	12	12
Heart, etc.	16	14	5	31	45	52	11	33	10	6	1	9	12	6	7	6
Respiratory Organs	54	26	10	126	139	180	53	51	25	2	4	19	14	10	16	26
Digestive Organs	33	16	10	37	71	96	16	33	13	5	4	13	9	8	5	5
Urinary Organs	1	2	1	5	14	15	2	6	3	–	–	1	1	1	1	3
Generative Organs	8	5	1	10	20	18	4	3	3	–	–	2	1	2	1	2
Locomotive Organs	2	1	–	4	6	5	2	2	1	1	1	2	–	2	–	–
Skin	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1
Malformation	1	1	–	–	1	8	–	2	–	1	–	4	–	–	1	–
Premature Debility	13	5	2	31	57	73	16	21	9	2	1	16	7	3	4	2
Atrophy	3	4	–	3	7	9	1	9	–	–	–	–	–	–	1	–
Age	22	24	13	45	83	72	28	22	20	3	1	9	10	8	13	9
Sudden Deaths	–	–	–	1	1	2	3	–	–	–	–	–	–	1	–	–
Violent Deaths	7	3	3	8	11	20	5	4	6	–	1	4	1	3	3	3
Small Pox	4	–	–	7	8	13	–	38	2	–	1	22	–	–	–	–
Measles	10	1	–	20	7	16	7	1	–	–	2	4	5	–	–	2
Scarlatina	9	1	–	12	27	59	33	59	4	4	–	46	1	1	3	3
Diphtheria	–	2	–	10	9	10	2	5	6	2	2	–	–	2	–	–
Hooping Cough	1	–	–	10	20	17	3	4	–	–	–	–	–	2	–	–
Croup	7	1	–	5	10	25	6	7	3	1	–	1	–	–	–	–
Thrush	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
Diarrhœa	2	4	2	18	28	25	16	8	1	2	–	9	4	1	2	3
Dysentery	–	1	–	3	5	3	2	2	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	4	1	–	3	–	–	–	1	1	–	–	–
Influenza	1	3	–	–	2	2	–	1	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	2	–	–	–	–	–	–	–	1	–	–	–
Typhus	6	–	3	7	17	16	1	4	6	–	–	1	1	1	–	–
Enteric Fever	4	3	4	10	42	31	3	14	7	–	1	4	1	1	2	5
Relapsing Fever	–	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	–	3	1	–	–	–	–	–	3	–	–	2	–
Infantile Remittent	–	–	1	1	2	2	1	–	–	–	–	–	1	–	–	–
Metria	–	2	1	7	3	8	1	7	3	–	–	1	–	2	2	–
Rheumatic Fever	–	–	–	3	2	1	–	–	–	–	1	–	–	–	–	–
Erysipelas	1	–	1	6	5	4	1	4	1	–	1	3	–	1	1	–
Pyæmia	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Syphilis	–	2	1	3	–	3	1	3	–	–	2	1	–	–	–	1
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Dropsy	3	5	1	3	14	14	–	2	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	2	–	–	–	–	–	–	–	–	1	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	1	3	1	–	–	1	–	1	–	–	–	–	–	–
Cancer	13	4	3	14	35	20	11	12	4	3	2	7	4	5	4	4
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	5	1	4	18	16	5	5	2	–	1	1	4	2	1	1
Tabes Mesenterica	10	1	–	9	20	22	6	5	–	2	–	1	–	3	–	1
Phthisis	58	31	17	136	193	162	23	34	18	6	6	25	14	18	26	25
Hydrocephalus	16	3	7	20	34	27	11	5	3	1	–	10	4	–	6	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Total Small Towns.	Shetland.	Orkney.	Caithness.	Ross and Cromarty.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Clackmannan.	Stirling.
IV. Cephalitis	60	–	–	2	1	1	3	1	3	–	–	–	8	–	1
Apoplexy	176	–	–	4	2	–	2	9	5	1	9	6	13	3	10
Paralysis	201	1	1	5	3	1	3	5	5	4	11	11	25	3	10
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	23	–	–	–	–	1	1	1	–	–	1	–	2	3	2
Tetanus	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Insanity	4	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Convulsions	79	–	–	5	–	2	2	3	3	2	4	3	7	2	2
Brain Disease	86	–	–	1	–	–	2	–	9	–	5	2	5	1	7
V. Pericarditis	7	–	–	1	1	–	–	–	–	–	–	2	–	–	1
Aneurism	7	–	–	–	–	–	–	–	–	–	1	–	1	–	–
Heart Disease	408	–	1	8	3	2	7	14	9	4	22	19	33	7	22
VI. Laryngitis	16	–	–	1	1	–	–	–	1	–	–	1	2	–	–
Bronchitis	815	4	1	15	2	3	17	18	21	8	26	25	52	16	46
Pleurisy	29	–	–	–	1	–	2	2	3	–	3	2	2	–	3
Pneumonia	208	–	–	10	1	–	5	3	8	–	8	–	20	6	12
Asthma	47	–	–	1	3	–	–	3	1	–	2	1	4	1	5
Lung Disease	21	–	–	–	–	–	–	–	–	–	2	1	3	–	3
VII. Teething	101	1	–	–	–	2	2	6	3	–	6	–	9	5	6
Quinsey	11	–	–	–	–	–	1	–	–	–	1	–	1	–	–
Gastritis	32	–	2	–	–	–	2	2	2	–	–	1	4	1	1
Enteritis	108	–	–	–	–	1	2	–	–	1	6	4	4	–	4
Peritonitis	48	–	–	–	1	–	–	1	3	–	3	–	1	–	4
Ascites	11	1	–	–	–	–	1	–	–	–	–	–	1	–	2
Ulcer. of Intestines	33	–	–	1	–	–	–	2	3	–	1	–	–	–	1
Hernia	6	–	–	–	–	–	–	1	–	–	2	–	1	–	1
Ileus	32	1	1	–	1	–	2	–	6	–	2	1	2	–	3
Intussusception	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Stomach Disease	65	–	–	–	1	1	2	2	2	1	–	7	4	1	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Jaundice	18	–	–	–	–	–	1	1	3	–	–	–	1	1	1
Liver Disease	91	–	–	1	1	1	–	2	5	–	4	3	10	–	9
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	1	–	–
VIII. Nephritis	4	–	–	–	–	–	–	–	–	–	–	–	1	1	–
Nephria	38	–	–	–	–	–	1	1	1	–	2	2	3	3	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	10	–	–	–	–	–	–	1	–	–	–	2	2	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	–	–	–	–	–	1	3	–	1	2	–	4	–	1
IX. Paramenia	8	–	–	–	–	–	–	–	2	–	1	2	–	–	1
Ovarian Dropsy	18	1	–	1	–	–	1	–	–	–	2	–	1	1	2
Childbirth	86	–	–	3	–	–	1	3	2	–	1	1	6	–	9
Organs of Generation	13	–	–	–	–	–	–	–	2	–	–	–	1	–	1
X. Bone Disease	7	–	–	–	–	–	–	–	–	–	1	–	2	–	1
Rheumatism	25	1	1	2	2	–	–	–	–	–	–	1	1	–	2
Joint Disease	15	–	–	–	–	–	1	–	–	–	–	–	2	–	1
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	1	–	–	–	–	–	1	–	1	–	–
Skin Disease	9	–	–	–	–	–	–	–	–	–	–	–	3	–	1
XVII. Intemperance	9	–	1	–	–	–	–	–	–	–	–	–	2	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	–	–	–	1	–	1	1	–	1	–	3	1	3
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Suffocation	16	–	–	–	–	–	–	1	–	1	1	–	2	–	–
Drowning	19	–	–	1	–	–	–	–	–	–	–	–	3	–	1
Fracture & Contusion	32	–	–	3	1	–	–	1	2	–	2	3	–	1	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Other Violent Causes	8	–	–	–	1	–	1	–	–	–	1	–	–	–	1
Not Specified	219	2	4	6	2	2	11	10	9	1	3	11	22	4	28

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Dumbarton.	Argyll.	Bute.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	–	1	2	10	4	12	1	2	1	2	–	–	1	–	4	–
Apoplexy	12	5	8	18	20	16	3	7	5	1	–	2	4	5	2	4
Paralysis	9	4	2	12	26	12	9	15	2	4	–	5	3	1	3	6
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	2	2	3	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Convulsions	5	1	–	5	13	10	1	2	1	4	–	–	1	–	–	1
Brain Disease	3	2	2	5	22	7	1	1	1	1	1	3	–	1	3	1
Pericarditis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	1	–	–	2	–	–	1	–	–	–	–	1	–	–	–	–
Heart Disease	15	14	5	28	45	52	10	32	10	6	1	8	12	6	7	6
Laryngitis	1	–	–	–	4	3	–	–	–	–	–	1	–	1	–	–
Bronchitis	42	20	5	85	105	132	47	42	17	1	3	17	10	2	12	21
Pleurisy	1	2	–	3	2	2	–	1	–	–	–	–	–	–	–	–
Pneumonia	6	3	5	30	16	42	5	3	7	1	1	1	4	7	1	3
Asthma	2	–	–	4	11	–	1	3	1	–	–	–	–	–	3	1
Lung Disease	2	1	–	4	1	1	–	2	–	–	–	–	–	–	–	1
Teething	10	2	–	10	11	14	4	5	2	1	1	1	–	–	–	–
Quinsey	1	1	–	1	2	2	–	–	1	–	–	–	–	–	–	–
Gastritis	–	1	–	2	3	3	1	1	3	–	–	–	2	1	–	–
Enteritis	6	1	1	10	15	30	3	8	3	–	–	2	2	1	2	2
Peritonitis	2	3	2	1	6	6	1	8	1	–	–	3	1	–	–	1
Ascites	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	4	2	–	1	3	10	–	1	–	1	–	1	–	2	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	4	3	1	1	–	–	1	–	1	–	–	1
Intussusception	1	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	3	–	5	14	5	–	–	2	1	–	1	–	2	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	3	4	–	1	–	–	–	–	1	2	–	–
Jaundice	1	–	–	2	–	4	–	1	–	1	–	1	–	–	–	–
Liver Disease	4	2	7	4	7	9	4	7	1	1	2	4	2	–	1	–
Spleen Disease	–	–	–	–	–	1	1	–	–	–	–	–	–	–	1	–
Nephritis	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Nephria	–	2	1	1	4	7	1	5	1	–	–	–	–	1	–	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–
Diabetes	–	–	–	–	2	–	1	–	–	–	–	–	1	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	4	7	4	–	–	–	–	–	–	–	–	1	–
Paramenia	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	2	–	–	2	2	2	1	–	–	–	–	–	–	–	–
Childbirth	7	3	1	10	15	14	1	2	2	–	–	2	1	–	1	1
Organs of Generation	1	–	–	–	1	2	1	–	1	–	–	–	–	2	–	1
Bone Disease	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Rheumatism	1	1	–	3	3	2	2	2	–	–	–	–	–	1	–	–
Joint Disease	1	–	–	1	2	2	–	–	1	1	–	2	–	1	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	1	1	–	1	–	–	–	–	–	–	–	1
Intemperance	–	–	1	–	2	1	–	–	1	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	1
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	1	1	4	1	9	1	2	–	–	–	–	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
Suffocation	1	–	–	3	1	–	–	1	–	–	–	3	–	–	–	2
Drowning	2	2	–	–	2	2	1	1	2	–	–	–	–	–	2	–
Fracture and Contusion	1	–	1	1	2	6	–	–	1	–	1	–	–	2	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Not Specified	7	13	6	14	15	23	5	6	3	–	1	–	1	4	–	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Total Mainland Rural.	Caithness.	Sutherland.	Ross & Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
All Causes	17180	282	346	850	443	46	375	520	1728	432	542	1286	1324	114	91
Specified Causes	16406	274	308	736	395	43	357	498	1676	421	524	1239	1271	109	88
I. Zymotic Class	2766	40	27	89	51	3	49	77	280	85	101	176	218	10	16
II. Diseases of Uncert. Seat	678	11	19	28	22	4	14	20	73	24	24	53	56	2	4
III. Tubercular Class	2463	51	49	119	52	4	58	78	223	53	64	159	152	10	18
IV. Brain and Nervous Syst.	1469	12	17	53	30	4	30	49	180	44	39	126	132	6	10
V. Organs of Circulation	960	15	5	23	13	2	19	25	111	21	36	87	96	12	2
VI. Respiratory Organs	2167	28	27	77	24	1	38	70	203	50	59	144	206	19	13
VII. Organs of Digestion	1272	20	23	34	36	7	41	52	141	35	35	102	92	11	7
VIII. Urinary Organs	369	2	12	15	3	1	6	23	53	7	6	28	20	6	2
IX. Organs of Generation	169	1	1	7	6	–	3	9	15	7	9	14	18	1	1
X. Organs of Locomotion	141	2	5	6	7	–	–	8	21	4	6	5	10	–	–
XI. Skin, etc.	39	1	–	2	–	1	1	1	6	–	3	2	3	1	–
XII. Malformation	62	–	2	–	–	–	2	1	7	2	2	–	5	1	–
XIII. Premature Debility	740	7	1	14	11	–	19	17	88	12	33	47	51	4	2
XIV. Atrophy	113	–	1	8	3	–	2	3	7	4	3	10	8	–	–
XV. Age	2358	68	108	223	121	13	66	52	206	54	84	238	165	22	12
XVI. Sudden Deaths	23	–	1	2	2	–	–	–	1	2	–	1	4	–	–
XVII. Violent Deaths	617	16	10	36	14	3	9	13	61	17	20	47	35	4	1
I. Small Pox	193	–	1	15	6	1	–	–	3	2	12	9	14	–	–
Measles	174	1	–	–	–	–	–	6	3	20	2	5	29	–	1
Scarlatina	601	7	1	6	3	–	2	21	48	18	34	42	43	–	4
Diphtheria	242	–	3	10	2	–	8	6	51	4	2	14	12	2	–
Hooping Cough	181	–	1	8	5	1	16	7	21	4	5	5	35	1	–
Croup	195	5	5	7	4	–	2	2	18	4	3	8	11	1	–
Thrush	11	–	–	2	–	–	1	–	1	2	–	–	1	–	–
Diarrhœa	283	3	2	12	6	1	5	9	39	11	14	17	20	1	2
Dysentery	74	3	–	2	6	–	4	2	17	1	2	6	2	–	–
Cholera	18	–	–	–	1	–	–	–	2	–	–	1	3	–	–
Influenza	37	1	2	2	1	–	1	5	6	–	2	3	1	–	–
Purpura	7	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	147	2	3	9	4	–	1	4	11	4	3	10	6	2	2
Enteric Fever	360	13	3	7	3	–	2	13	30	7	11	34	19	3	4
Relapsing Fever	23	–	–	1	–	–	–	–	1	–	–	3	5	–	–
Simple Continued Fever	30	–	–	2	–	–	1	–	2	1	–	4	–	–	–
Infantile Remittent	24	–	1	–	–	–	–	1	2	–	1	1	–	–	–
Metria	66	–	1	–	1	–	1	–	4	3	7	4	7	–	–
Rheumatic Fever	44	3	2	2	2	–	3	–	5	2	1	3	3	–	–
Erysipelas	72	2	2	3	5	–	2	–	9	1	2	5	4	–	3
Pyæmia	13	–	–	–	2	–	–	1	–	–	–	1	–	–	–
Syphilis	24	–	–	1	–	–	–	–	3	–	–	–	2	–	–
Noma	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II. Hæmorrhage	26	1	2	–	–	–	–	–	5	1	–	4	1	–	–
Dropsy	155	1	5	9	9	2	2	1	12	4	6	15	20	1	4
Abscess	23	–	–	–	1	–	–	2	4	1	1	1	1	–	–
Ulcer	10	–	1	1	–	–	1	–	1	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	34	–	2	–	2	–	–	2	2	2	–	2	3	–	–
Cancer	424	9	9	18	10	2	11	13	48	16	17	30	30	1	–
Gout	5	–	–	–	–	–	–	2	1	–	–	–	–	–	–
III. Scrofula	163	6	4	4	3	–	5	11	14	3	5	11	9	1	1
Tabes Mesenterica	118	–	2	–	1	–	2	–	7	5	2	8	10	1	–
Phthisis	1896	38	40	110	44	4	45	59	179	39	51	126	111	7	15
Hydrocephalus	286	7	3	5	4	–	6	8	23	6	6	19	22	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—BOTH SEXES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	520	307	757	499	991	1193	302	1066	400	487	139	31	362	892	423	432
SPECIFIED CAUSES	497	297	698	479	956	1136	289	1049	389	476	134	31	351	858	410	417
Zymotic Class	90	79	79	69	167	228	73	264	93	99	29	11	54	106	47	56
Uncertain Seat	22	10	26	13	27	41	10	41	8	24	6	3	19	35	17	22
Tubercular Class	83	43	145	101	213	171	28	124	36	64	12	–	55	160	77	61
Brain, etc.	45	18	68	39	70	96	20	98	34	49	18	2	40	67	40	33
Heart, etc.	28	15	33	27	36	40	22	67	24	45	8	4	34	54	31	25
Respiratory Organs	69	47	78	72	148	191	44	144	48	55	24	5	36	125	58	64
Digestive Organs	47	15	47	36	72	99	19	61	32	32	13	1	29	71	27	35
Urinary Organs	8	4	22	8	17	28	7	18	4	10	1	–	10	21	16	11
Generative Organs	2	1	10	6	5	12	2	7	2	12	1	1	5	8	2	1
Locomotive Organs	5	1	4	5	7	14	2	4	2	4	–	–	2	11	4	2
Skin	–	1	1	–	1	2	1	6	–	–	–	1	–	5	–	–
Malformation	3	1	–	–	7	3	1	3	3	5	–	2	4	3	2	3
Premature Debility	27	12	23	25	52	64	20	64	24	19	8	–	26	40	20	10
Atrophy	2	2	3	12	5	8	1	14	1	2	1	1	3	5	4	–
Age	36	30	130	42	94	92	25	86	58	48	9	–	30	122	49	75
Sudden Deaths	–	1	–	–	–	2	1	2	2	–	–	–	1	1	–	–
Violent Deaths	30	17	29	24	35	45	13	46	18	8	4	–	3	24	16	19
Small Pox	–	–	3	3	1	24	3	68	6	13	1	–	1	3	3	1
Measles	6	19	2	12	18	8	6	25	3	1	–	–	2	1	–	4
Scarlatina	16	17	24	12	38	41	23	59	40	27	4	–	10	30	12	19
Diphtheria	10	3	3	7	8	14	10	14	13	15	4	3	6	13	4	1
Hooping Cough	–	12	3	3	13	15	–	9	2	7	–	–	–	4	–	4
Croup	16	5	11	4	9	25	7	21	2	4	2	1	4	10	2	2
Thrush	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–	1
Diarrhœa	15	9	6	3	11	34	5	23	5	3	3	1	4	11	3	5
Dysentery	3	3	–	2	1	3	–	2	1	3	2	1	1	4	3	–
Cholera	–	1	–	–	1	–	–	1	2	2	1	–	2	–	–	1
Influenza	3	–	–	1	4	1	1	–	–	1	–	–	1	1	–	–
Purpura	–	–	–	–	–	1	–	1	1	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Typhus	4	4	7	6	14	26	2	6	2	2	1	–	3	6	2	1
Enteric Fever	9	5	12	7	18	21	10	14	4	10	6	3	8	12	5	7
Relapsing Fever	–	–	1	3	4	–	–	4	1	–	–	–	–	–	–	–
Simple Continued Fever	2	–	1	–	4	1	–	2	1	1	1	–	1	2	3	1
Infantile Remittent	–	–	–	1	4	2	1	3	1	2	–	–	–	1	–	3
Metria	2	–	1	–	6	3	1	5	5	–	2	–	3	6	2	2
Rheumatic Fever	–	1	1	2	2	1	–	1	–	4	2	–	1	1	2	–
Erysipelas	2	–	3	2	5	4	–	2	2	2	–	1	5	1	3	2
Pyæmia	1	–	–	–	2	1	2	–	–	1	–	–	1	–	1	–
Syphilis	1	–	–	1	4	2	1	3	2	1	–	–	1	–	1	1
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	1	–	–	1	–	2	–	3	–	–	–	–	–	4
Dropsy	12	3	4	3	9	12	–	4	2	1	1	–	1	4	6	2
Abscess	–	1	4	–	–	2	–	1	1	–	1	–	–	2	–	–
Ulcer	–	–	1	1	–	1	–	–	–	–	–	–	–	1	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	1	1	2	1	–	4	–	1	1	–	1	2	1	2
Cancer	8	5	15	7	16	24	10	30	5	19	3	3	17	26	10	12
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	4	2	6	5	16	15	2	5	1	8	1	–	2	11	4	4
Tabes Mesenterica	4	4	6	3	22	15	3	10	–	2	–	–	3	7	4	2
Phthisis	61	31	119	79	147	109	15	92	32	48	10	–	42	131	60	52
Hydrocephalus	14	6	14	14	28	32	8	17	3	6	1	–	8	11	9	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross & Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	151	–	2	11	4	–	2	4	17	5	1	15	9	1	1
Apoplexy	382	1	3	3	5	1	11	11	55	5	9	31	33	3	5
Paralysis	492	10	9	19	11	1	10	17	43	17	17	57	51	–	1
Delirium Tremens	14	–	–	–	–	–	–	–	2	1	–	1	5	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	66	–	–	3	2	–	1	6	4	3	4	5	6	–	1
Tetanus	13	–	–	1	–	–	–	1	2	–	–	–	2	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	154	–	1	6	6	1	2	4	23	4	4	8	11	1	1
Brain Disease	196	1	2	10	2	1	4	6	34	9	4	9	15	1	1
V. Pericarditis	20	–	–	1	1	–	–	1	–	–	–	2	–	–	–
Aneurism	16	1	–	–	–	–	–	1	1	–	1	–	1	–	–
Heart Disease	924	14	5	22	12	2	19	23	110	21	35	85	95	12	2
VI. Laryngitis	26	2	–	1	–	–	–	2	6	–	1	2	3	–	1
Bronchitis	1377	17	10	24	11	1	19	46	127	34	32	101	151	11	10
Pleurisy	63	–	–	3	2	–	1	3	7	3	2	–	7	–	–
Pneumonia	501	3	8	20	4	–	13	16	50	9	18	31	36	7	2
Asthma	136	6	9	28	7	–	3	2	12	1	1	4	6	–	–
Lung Disease	64	–	–	1	–	–	2	1	1	3	5	6	3	1	–
VII. Teething	116	3	–	1	2	2	4	6	10	3	1	11	10	1	2
Quinsey	19	2	–	–	1	–	–	1	3	–	3	–	–	1	–
Gastritis	70	1	2	1	2	1	3	2	3	–	1	4	4	–	–
Enteritis	215	1	2	4	8	–	3	5	14	4	8	16	11	–	–
Peritonitis	102	1	1	1	1	1	5	3	17	5	2	6	8	–	2
Ascites	17	–	–	–	1	–	1	3	2	–	2	1	2	–	–
Ulceration of Intestines	73	–	–	–	1	1	3	9	15	5	2	5	2	2	–
Hernia	34	1	–	2	–	1	–	2	4	1	–	5	3	–	–
Ileus	105	2	7	4	4	–	2	4	20	5	2	10	6	1	2
Intussusception	16	–	–	–	–	–	–	1	3	–	–	–	3	–	–
Stricture of Intestines	11	1	–	1	1	1	–	2	1	–	–	1	–	–	–
Stomach Disease	209	5	6	11	6	–	5	9	19	8	6	21	23	2	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hepatitis	38	–	1	1	–	–	4	1	–	–	1	6	2	–	–
Jaundice	62	1	1	2	5	–	3	–	16	1	2	3	6	1	1
Liver Disease	177	2	3	6	4	–	8	4	13	3	4	12	12	3	–
Spleen Disease	7	–	–	–	–	–	–	–	1	–	–	1	–	–	–
VIII. Nephritis	26	–	1	1	–	–	–	2	1	–	–	4	3	–	–
Nephria	92	–	–	3	–	–	–	3	17	1	2	6	4	2	–
Addison's Disease	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	18	–	1	3	1	–	–	2	–	1	–	–	–	–	–
Diabetes	49	1	3	2	2	–	2	4	9	–	1	1	1	–	–
Stone	22	–	2	3	–	1	–	–	3	1	–	2	1	–	–
Cystitis	79	1	1	2	–	–	2	7	10	2	3	10	5	2	2
Stricture of Urethra	5	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	75	–	4	1	–	–	–	4	13	2	–	5	6	2	–
IX. Paramenia	8	–	–	–	1	–	1	1	–	–	1	–	–	–	–
Ovarian Dropsy	28	–	–	–	2	–	–	2	2	2	2	–	1	–	–
Childbirth	104	1	1	7	3	–	1	4	6	5	4	10	16	1	1
Organs of Generation	29	–	–	–	–	–	1	2	7	–	2	4	1	–	–
X. Bone Disease	35	–	1	2	–	–	–	4	3	3	–	–	3	–	–
Rheumatism	72	1	4	3	6	–	–	3	11	1	5	5	5	–	–
Joint Disease	34	1	–	1	1	–	–	1	7	–	1	–	2	–	–
XI. Carbuncle	12	1	–	1	–	–	1	–	1	–	1	1	–	–	–
Phlegmon	8	–	–	–	–	–	–	–	1	–	2	–	1	–	–
Skin Disease	19	–	–	1	–	1	–	1	4	–	–	1	2	1	–
XVII. Intemperance	18	–	3	–	–	–	–	–	1	1	1	1	–	2	–
Privation	3	–	1	–	1	–	–	–	1	–	–	–	–	–	–
Want of Breast Milk	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	1	–	1	–	–	–	–	1	–	–	2	–	–	–
Poison	5	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	3	–	3	1	–	1	1	13	1	–	5	4	–	–
Hanging, etc.	16	–	1	–	–	–	–	–	3	–	1	1	3	–	–
Suffocation	25	–	–	–	1	1	1	–	2	2	4	2	1	–	–
Drowning	198	8	4	23	4	–	4	4	16	8	11	12	9	–	–
Fracture and Contusion	228	4	1	8	3	2	3	5	20	4	2	18	16	2	1
Gunshot Wounds	7	–	–	1	–	–	–	–	1	–	–	1	–	–	–
Cuts and Stabs	13	–	–	–	1	–	–	–	–	–	1	1	–	–	–
Other Violent Causes	24	–	–	1	3	–	–	2	1	1	–	4	1	–	–
Not Specified	774	8	38	114	48	3	18	22	52	11	18	47	53	5	3

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	2	1	7	6	13	7	2	21	3	1	–	–	5	6	5	–
Apoplexy	8	7	20	10	20	16	5	31	12	14	4	1	12	19	13	14
Paralysis	22	6	13	7	21	44	5	21	9	16	8	–	9	25	11	12
Delirium Tremens	–	–	1	–	2	–	–	1	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	1	5	1	2	3	–	5	4	2	–	–	2	–	1	2
Tetanus	–	–	–	–	1	2	–	–	–	1	1	–	–	2	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	5	3	7	8	3	12	4	12	3	4	3	–	5	7	2	4
Brain Disease	4	–	15	7	8	12	4	7	3	11	2	1	7	7	8	1
Pericarditis	1	–	2	–	1	1	1	3	2	2	–	–	1	1	–	–
Aneurism	–	1	–	–	–	2	1	2	–	–	–	–	–	2	2	1
Heart Disease	27	14	31	27	35	37	20	62	22	43	8	4	33	51	29	24
Laryngitis	–	–	–	1	–	3	–	1	–	1	–	1	–	1	–	–
Bronchitis	42	29	47	43	98	112	29	101	35	31	19	3	21	90	40	1
Pleurisy	2	1	5	4	7	5	1	3	–	2	–	–	2	1	1	43
Pneumonia	16	13	18	21	29	50	11	35	9	18	4	1	10	24	12	13
Asthma	7	4	6	1	7	10	1	2	3	2	–	–	2	7	3	2
Lung Disease	2	–	2	2	7	11	2	2	1	1	1	–	1	2	2	5
Teething	7	–	5	11	6	10	1	5	5	3	–	–	2	2	1	2
Quinsey	–	–	2	1	2	1	–	1	–	1	–	–	–	–	–	–
Gastritis	5	–	6	–	9	11	–	4	–	3	1	–	–	6	–	1
Enteritis	12	6	3	3	10	39	7	6	4	6	2	–	7	19	2	13
Peritonitis	7	1	4	1	6	6	–	6	–	5	–	–	–	8	4	1
Ascites	–	–	2	–	1	1	–	–	–	–	–	–	–	1	–	–
Ulceration of Intestines	3	–	–	2	3	3	–	3	2	2	–	–	1	3	4	2
Hernia	1	–	3	–	3	–	–	1	–	1	1	–	–	2	1	2
Ileus	4	2	–	2	3	3	–	3	3	5	2	–	5	2	1	1
Intussusception	–	–	1	–	1	1	1	2	–	–	1	–	–	2	–	–
Stricture of Intestines	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	2	7	7	9	9	4	8	5	3	3	1	8	8	6	6
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	5	–	3	2	1	6	–	–	1	–	1	2	–	1
Jaundice	2	–	1	1	3	4	1	3	2	1	–	–	–	1	–	1
Liver Disease	3	4	8	7	12	8	3	11	11	2	2	–	4	15	8	5
Spleen Disease	–	–	–	1	–	–	1	2	–	–	–	–	1	–	–	–
Nephritis	2	–	3	1	–	1	–	1	1	–	–	–	–	4	1	–
Nephria	2	–	6	1	4	5	5	6	2	1	1	–	4	7	6	4
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	1	–	3	2	–	1	–	1	–	–	2	–	–	–
Diabetes	1	1	–	–	2	–	1	2	1	2	–	–	2	5	3	3
Stone	2	–	2	–	2	3	–	–	–	–	–	–	–	–	–	–
Cystitis	1	1	2	2	1	8	1	4	–	2	–	–	1	2	6	1
Stricture of Urethra	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Kidney Disease	–	2	8	4	4	8	–	3	–	4	–	–	1	2	–	2
Paramenia	–	1	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	2	–	3	1	–	2	–	2	–	4	1	–	–	1	1	–
Childbirth	–	–	6	4	3	9	–	2	1	7	–	1	4	5	1	1
Organs of Generation	–	–	1	1	2	1	2	2	1	–	–	–	–	2	–	–
Bone Disease	–	–	1	–	2	4	2	2	–	1	–	–	1	5	–	1
Rheumatism	3	1	2	3	4	6	–	1	1	3	–	–	–	1	3	–
Joint Disease	2	–	1	2	1	4	–	1	1	–	–	–	1	5	1	1
Carbuncle	–	1	1	–	–	–	–	–	–	–	–	–	–	4	–	–
Phlegmon	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	–	–	2	–	5	–	–	–	–	–	1	–	–
Intemperance	–	–	–	1	–	–	–	6	1	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	4	3	3	4	4	4	1	2	–	–	–	2	4	1
Hanging, etc.	2	–	1	–	1	1	–	1	–	–	–	–	–	1	–	–
Suffocation	1	–	1	–	1	1	–	3	1	–	–	–	1	–	–	2
Drowning	11	12	14	7	6	7	–	6	12	2	1	–	–	5	1	11
Fracture and Contusion	12	5	6	11	22	26	7	19	3	3	2	–	2	10	6	5
Gunshot Wounds	–	–	–	–	1	1	–	–	–	1	–	–	–	1	1	–
Cuts and Stabs	–	–	–	–	–	2	1	3	–	–	1	–	–	3	–	–
Other Violent Causes	–	–	3	–	–	–	–	3	–	–	–	–	–	2	3	–
Not Specified	23	10	59	20	35	57	13	17	11	11	5	–	11	34	13	15

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	TOTAL MAINLAND-RURAL.	Caithness.	Sutherland.	Ross & Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	8527	151	175	418	185	21	179	274	832	224	254	621	645	60	49
SPECIFIED CAUSES	8114	148	154	350	164	19	169	261	810	216	246	598	617	56	47
I. Zymotic Class	1340	19	16	49	22	–	19	39	129	42	46	70	107	5	9
II. Uncertain Seat	271	3	8	13	7	1	3	10	32	9	9	16	21	1	2
III. Tubercular Class	1171	36	27	67	27	2	28	37	99	32	26	68	69	6	10
IV. Brain, etc.	785	6	10	27	12	2	15	29	90	24	20	61	72	5	5
V. Heart, etc.	486	10	5	12	1	–	7	12	57	12	19	56	53	4	1
VI. Respiratory Organs	1125	13	9	31	12	1	19	43	108	25	23	71	111	9	7
VII. Digestive Organs	662	9	17	17	14	3	22	25	74	20	21	59	45	5	5
VIII. Urinary Organs	261	2	10	13	2	1	4	18	29	6	4	20	11	5	2
IX. Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Locomotive Organs	75	1	2	2	5	–	–	7	7	2	3	2	6	–	–
XI. Skin, etc.	18	1	–	2	–	1	–	1	3	–	1	1	1	1	–
XII. Malformation	41	–	2	–	–	–	2	1	3	2	–	–	4	–	–
XIII. Premature Debility	416	4	–	8	8	–	13	11	55	7	13	33	25	4	1
XIV. Atrophy	47	–	–	2	1	–	2	1	1	1	3	4	5	–	–
XV. Age	946	30	38	84	43	5	27	17	84	19	42	108	59	8	4
XVI. Sudden Deaths	13	–	1	1	1	–	–	–	–	1	–	1	3	–	–
XVII. Violent Deaths	457	14	9	22	9	3	8	10	39	14	16	28	25	3	1
I. Small Pox	92	–	1	10	2	–	–	–	2	1	7	2	7	–	–
Measles	88	1	–	–	–	–	–	5	–	12	2	2	11	–	1
Scarlatina	300	2	–	5	1	–	1	8	20	10	14	16	25	–	3
Diphtheria	114	–	3	6	1	–	4	3	22	1	–	7	6	2	–
Hooping Cough	91	–	–	6	4	–	8	3	11	1	5	2	19	–	–
Croup	103	1	1	2	2	–	1	2	11	2	2	5	8	–	–
Thrush	6	–	–	2	–	–	–	–	1	2	–	–	–	–	–
Diarrhœa	145	1	2	6	3	–	2	5	20	5	8	11	8	1	–
Dysentery	33	2	–	1	–	–	1	2	5	1	1	1	–	–	–
Cholera	11	–	–	–	–	–	–	–	–	–	–	1	2	–	–
Influenza	17	–	1	1	1	–	1	3	2	–	2	1	1	–	–
Purpura	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Typhus	74	1	3	3	1	–	–	2	7	1	–	4	2	1	–
Enteric Fever	152	10	1	3	2	–	1	5	18	3	3	10	9	1	3
Relapsing Fever	13	–	–	1	–	–	–	–	–	–	–	3	2	–	–
Simple Continued Fever	11	–	–	–	–	–	–	–	–	1	–	1	–	–	–
Infantile Remittent	14	–	1	–	–	–	–	1	1	–	–	1	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	16	1	1	1	1	–	–	–	1	–	1	–	2	–	–
Erysipelas	37	–	2	2	3	–	–	–	6	1	1	3	2	–	2
Pyæmia	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Syphilis	14	–	–	–	–	–	–	–	1	–	–	–	2	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
II. Hæmorrhage	11	–	1	–	–	–	–	–	1	1	–	1	1	–	–
Dropsy	66	–	3	6	3	1	–	1	7	2	–	4	10	1	2
Abscess	12	–	–	–	–	–	–	1	4	–	1	1	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Mortification	22	–	1	–	2	–	–	2	–	2	–	–	2	–	–
Cancer	153	3	3	7	2	–	3	6	19	4	8	9	7	–	–
Gout	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
III. Scrofula	92	4	3	–	1	–	4	7	7	1	3	6	5	–	–
Tabes Mesenterica	56	–	–	–	–	–	–	–	3	3	2	2	4	1	–
Phthisis	889	27	22	65	24	2	21	26	81	24	18	49	52	4	8
Hydrocephalus	134	5	2	2	2	–	3	4	8	4	3	11	8	1	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—MALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	290	151	359	235	526	628	143	535	214	243	68	18	179	410	207	233
SPECIFIED CAUSES	279	147	333	221	503	591	136	528	211	238	65	18	172	393	199	225
Zymotic Class	51	42	35	27	82	111	35	143	55	52	15	8	26	48	16	22
Uncertain Seat	10	3	16	6	16	18	2	9	6	11	1	1	12	13	7	5
Tubercular Class	37	19	71	41	91	83	12	62	23	29	3	–	31	68	36	31
Brain, etc.	22	10	41	20	48	46	10	55	16	25	8	2	21	37	25	21
Heart, etc.	16	9	11	15	17	23	9	34	8	26	2	1	12	26	13	15
Respiratory Organs	41	23	39	38	86	108	26	82	20	29	14	4	17	57	28	31
Digestive Organs	30	5	20	14	44	50	8	26	22	18	7	1	12	35	12	22
Urinary Organs	8	4	15	4	12	24	1	13	3	7	1	–	7	14	12	9
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	–	3	5	4	8	1	1	–	2	–	–	1	6	2	2
Skin	–	–	1	–	–	1	–	2	–	–	–	–	–	2	–	–
Malformation	3	1	–	–	4	3	1	3	1	2	–	1	3	2	1	2
Premature Debility	19	6	10	11	26	37	9	33	15	9	6	–	13	23	11	6
Atrophy	1	2	2	6	1	3	1	4	1	–	1	–	3	2	–	–
Age	15	8	50	15	41	37	8	30	24	23	4	–	14	44	23	42
Sudden Deaths	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–
Violent Deaths	23	15	19	19	31	38	12	30	15	5	3	–	–	16	13	17
Small Pox	–	–	1	2	1	10	1	34	4	4	1	–	–	2	–	–
Measles	4	9	1	4	10	3	1	15	1	1	–	–	1	1	–	3
Scarlatina	8	13	13	6	20	19	12	36	22	15	2	–	4	14	3	8
Diphtheria	6	1	–	4	2	4	6	6	10	7	–	1	3	7	2	–
Hooping Cough	–	4	1	1	8	7	–	4	–	3	–	–	–	3	–	1
Croup	8	2	6	1	5	14	5	9	1	3	2	1	3	5	1	–
Thrush	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	9	4	2	1	5	17	4	14	3	2	3	1	1	6	–	1
Dysentery	1	1	–	1	1	2	–	2	1	2	2	1	1	2	2	–
Cholera	–	1	–	–	1	–	–	1	1	1	–	–	2	–	–	1
Influenza	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	3	2	8	18	–	4	2	1	–	–	1	2	2	–
Enteric Fever	7	3	5	2	9	10	5	9	3	8	3	2	5	5	3	4
Relapsing Fever	–	–	–	1	2	–	–	3	1	–	–	–	–	–	–	–
Simple Cont. Fever	2	–	1	–	1	–	–	1	–	–	–	–	1	–	3	–
Infantile Remittent	–	–	–	–	2	2	–	1	1	1	–	–	–	–	–	3
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	1	1	–	–	–	3	2	–	–	–	–	–
Erysipelas	1	–	2	1	1	2	–	1	2	1	–	1	2	1	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	–	–	–	1	4	1	1	1	2	–	–	–	1	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	1	–	1	–	2	–	–	–	–	–	1
Dropsy	8	1	2	1	5	3	–	1	–	–	–	–	–	2	3	–
Abscess	–	–	1	–	–	1	–	1	1	–	–	–	–	1	–	–
Ulcer	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	1	1	2	1	–	2	–	1	–	–	1	1	1	–
Cancer	1	1	10	3	9	11	2	4	5	8	1	1	11	9	3	3
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1
Scrofula	4	2	4	4	8	10	1	3	1	4	–	–	1	5	2	2
Tabes Mesenterica	2	3	2	2	10	9	–	5	–	1	–	–	1	2	2	2
Phthisis	27	12	59	29	57	50	6	48	19	23	3	–	24	55	28	26
Hydrocephalus	4	2	6	6	16	14	5	6	3	1	–	–	5	6	4	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross & Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	94	–	2	5	2	–	2	2	10	1	1	7	7	1	1
Apoplexy	198	1	3	–	3	–	7	7	25	2	2	14	12	2	2
Paralysis	236	5	3	9	3	1	3	10	16	9	7	25	27	–	1
Delirium Tremens	12	–	–	–	–	–	–	–	2	1	–	1	5	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	32	–	–	1	1	–	–	4	1	2	3	5	4	–	–
Tetanus	10	–	–	1	–	–	–	–	2	–	–	–	2	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	90	–	–	5	2	–	1	3	13	3	4	5	8	1	1
Brain Disease	113	–	2	6	1	1	2	3	21	6	3	4	7	1	–
V. Pericarditis	14	–	–	1	1	–	–	1	–	–	–	1	–	–	–
Aneurism	11	1	–	–	–	–	–	1	1	–	1	–	1	–	–
Heart Disease	461	9	5	11	–	–	7	10	56	12	18	55	52	4	1
VI. Laryngitis	16	1	–	1	–	–	–	2	4	–	–	2	2	–	1
Bronchitis	664	7	2	12	5	1	9	27	58	13	8	42	78	5	5
Pleurisy	34	–	–	1	2	–	–	2	4	2	1	–	5	–	–
Pneumonia	301	2	5	8	2	–	7	11	37	6	12	19	19	3	1
Asthma	65	3	2	8	3	–	2	1	4	1	–	3	4	–	–
Lung Disease	45	–	–	1	–	–	1	–	1	3	2	5	3	1	–
VII. Teething	64	1	–	–	1	2	2	3	6	1	1	6	6	–	1
Quinsey	11	1	–	–	–	–	–	1	1	–	3	–	–	–	–
Gastritis	32	–	1	–	–	–	1	1	2	–	–	3	1	–	–
Enteritis	116	–	1	3	4	–	1	4	6	1	2	12	5	–	–
Peritonitis	53	–	1	1	1	–	4	1	7	3	2	3	3	–	2
Ascites	3	–	–	–	–	–	–	2	–	–	–	1	–	–	–
Ulceration of Intestines	36	–	–	–	–	1	1	5	8	4	2	1	–	1	–
Hernia	13	1	–	1	–	–	–	–	–	1	–	3	2	–	–
Ileus	55	–	6	2	–	–	–	3	12	3	1	7	4	1	1
Intussusception	9	–	–	–	–	–	–	–	2	–	–	–	2	–	–
Stricture of Intestines	8	–	–	1	1	–	–	1	1	–	–	1	–	–	–
Stomach Disease	115	3	4	4	4	–	4	2	9	4	5	12	13	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	1	–	–	–	3	–	–	–	1	4	2	–	–
Jaundice	34	1	1	2	1	–	3	–	9	–	1	1	2	–	1
Liver Disease	94	2	2	3	2	–	3	2	10	3	3	4	5	2	–
Spleen Disease	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–
VIII. Nephritis	16	–	–	1	–	–	–	2	1	–	–	2	2	–	–
Nephria	50	–	–	3	–	–	–	1	6	1	1	4	2	2	–
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	–	1	3	1	–	–	1	–	1	–	–	–	–	–
Diabetes	33	1	2	1	1	–	1	3	4	–	–	–	1	–	–
Stone	18	–	2	2	–	1	–	–	2	1	–	–	1	–	–
Cystitis	72	1	1	2	–	–	2	6	9	1	3	10	3	2	2
Stricture of Urethra	5	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Kidney Disease	51	–	4	1	–	–	–	4	7	2	–	4	2	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	23	–	1	–	–	–	–	4	1	2	–	–	3	–	–
Rheumatism	32	–	1	1	4	–	–	2	3	–	3	2	2	–	–
Joint Disease	20	1	–	1	1	–	–	1	3	–	–	–	1	–	–
XI. Carbuncle	7	1	–	1	–	–	–	–	1	–	1	1	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin Disease	10	–	–	1	–	1	–	1	1	–	–	–	1	1	–
XVII. Intemperance	13	–	3	–	–	–	–	–	1	1	1	–	–	2	–
Privation	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	1	–	1	–	–	–	–	–	–	–	1	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	36	1	–	2	–	–	–	1	6	–	–	1	4	–	–
Hanging, etc.	10	–	–	–	–	–	–	–	2	–	–	1	1	–	–
Suffocation	14	–	–	–	–	1	1	–	1	2	2	1	–	–	–
Drowning	153	8	4	12	2	–	4	3	13	7	10	6	6	–	–
Fracture and Contusion	184	4	1	6	2	2	3	4	14	3	2	14	13	1	1
Gunshot Wounds	7	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Cuts and Stabs	11	–	–	–	1	–	–	–	–	–	1	1	–	–	–
Other Violent Causes	17	–	–	1	3	–	–	2	1	1	–	2	–	–	–
Not Specified	413	3	21	68	21	2	10	13	22	8	8	23	28	4	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—MALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	–	6	5	12	2	2	14	2	–	–	–	3	2	4	–
Apoplexy	4	6	12	5	12	9	3	14	6	8	2	1	8	10	9	9
Paralysis	13	4	8	1	11	19	2	13	2	7	4	–	4	15	7	7
Delirium Tremens	–	–	–	–	1	–	–	1	–	–	–	–	–	1	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	3	–	2	1	–	–	1	–	–	–	1	–	1	1
Tetanus	–	–	–	–	1	2	–	–	–	1	–	–	–	1	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	–	5	4	2	7	1	8	3	2	1	–	2	3	1	3
Brain Disease	1	–	7	5	7	6	2	5	2	7	1	1	3	5	3	1
Pericarditis	–	–	–	–	1	1	1	3	–	1	–	–	–	1	–	–
Aneurism	–	–	–	–	–	1	1	1	–	–	–	–	–	2	–	1
Heart Disease	16	9	11	15	16	21	7	30	7	25	2	1	11	23	13	14
Laryngitis	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–
Bronchitis	23	13	23	21	53	58	18	56	15	18	9	3	9	38	16	19
Pleurisy	2	1	3	2	3	1	–	2	–	2	–	–	1	–	–	–
Pneumonia	9	7	10	13	21	32	6	21	2	8	4	–	6	16	8	6
Asthma	6	2	2	1	4	5	1	2	2	1	–	–	1	3	3	1
Lung Disease	1	–	1	1	5	10	1	1	1	–	1	–	–	–	1	5
Teething	2	–	3	4	5	6	1	2	4	3	–	–	1	2	–	1
Quinsey	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–	–
Gastritis	4	–	5	–	4	5	–	2	–	–	1	–	–	1	–	1
Enteritis	7	2	1	1	8	18	2	5	4	3	1	–	3	13	1	8
Peritonitis	6	–	1	1	3	3	–	2	–	5	–	–	–	2	1	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	1	1	–	–	–	1	–	–	1	2	3	2
Hernia	1	–	1	–	1	–	–	–	–	–	–	–	–	1	–	1
Ileus	1	1	–	–	2	1	–	2	1	1	1	–	2	1	1	1
Intussusception	–	–	1	–	1	1	1	–	–	–	–	–	–	1	–	–
Stricture of Intestines	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stomach Disease	2	–	4	4	8	4	2	4	5	2	2	1	2	3	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	1	–	–	–	–	1	1	–	–
Jaundice	1	–	–	–	–	3	1	2	2	1	–	–	–	1	–	1
Liver Disease	3	2	2	3	9	6	1	4	6	1	2	–	2	7	3	2
Spleen Disease	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Nephritis	2	–	3	–	–	–	–	–	1	–	–	–	–	2	–	–
Nephria	2	–	2	–	1	4	–	5	1	1	1	–	2	3	4	4
Addison's Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–
Ischuria	–	–	1	–	2	2	–	1	–	–	–	–	1	–	–	–
Diabetes	1	1	–	–	1	–	–	2	1	2	–	–	2	4	3	2
Stone	2	–	2	–	2	3	–	–	–	–	–	–	–	–	–	–
Cystitis	1	1	2	2	1	8	1	3	–	2	–	–	1	2	5	1
Stricture of Urethra	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	1
Kidney Disease	–	2	5	2	4	6	–	1	–	2	–	–	1	2	–	1
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	–	2	2	1	1	–	1	–	–	–	3	–	1
Rheumatism	2	–	2	3	2	3	–	–	–	1	–	–	–	–	1	–
Joint Disease	1	–	–	2	–	3	–	–	–	–	–	–	1	3	1	1
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	1	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	2	–	–	–	–	–	1	–	–
Intemperance	–	–	–	–	–	–	–	3	1	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	3	2	2	4	4	2	–	1	–	–	–	–	2	1
Hanging, etc.	1	–	1	–	1	1	–	1	–	–	–	–	–	1	–	–
Suffocation	1	–	–	–	1	1	–	1	1	–	–	–	–	–	–	1
Drowning	9	10	9	5	5	6	–	5	11	2	1	–	–	4	–	11
Fracture and Contusion	9	5	4	10	21	22	7	15	2	1	1	–	–	7	6	4
Gunshot Wounds	–	–	–	–	1	1	–	–	–	1	–	–	–	1	1	–
Cuts and Stabs	–	–	–	–	–	2	1	2	–	–	1	–	–	2	–	–
Other Violent Causes	–	–	2	–	–	–	–	1	–	–	–	–	–	1	3	–
Not Specified	11	4	26	14	23	37	7	7	3	5	3	–	7	17	8	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—FEMALES.

DISEASES.	TOTAL MAINLAND-RURAL.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
ALL CAUSES	8653	131	171	432	258	25	196	246	896	208	288	665	679	54	42
SPECIFIED CAUSES	8292	126	154	386	231	24	188	237	866	205	278	641	654	53	41
I. Zymotic Class	1426	21	11	40	29	3	30	38	151	43	55	106	111	5	7
II. Uncertain Seat	407	8	11	15	15	3	11	10	41	15	15	37	35	1	2
III. Tubercular Class	1292	15	22	52	25	2	30	41	124	21	38	91	83	4	8
IV. Brain, etc.	684	6	7	26	18	2	15	20	90	20	19	65	60	1	5
V. Heart, etc.	474	5	–	11	12	2	12	13	54	9	17	31	43	8	1
VI. Respiratory Organs	1042	15	18	46	12	–	19	27	95	25	36	73	95	10	6
VII. Digestive Organs	610	11	6	17	22	4	19	27	67	15	14	43	47	6	2
VIII. Locomotive Organs	108	–	2	2	1	–	2	5	24	1	2	8	9	1	–
IX. Urinary Organs	169	1	1	7	6	–	3	9	15	7	9	14	18	1	1
X. Generative Organs	66	1	3	4	2	–	–	1	14	2	3	3	4	–	–
XI. Skin, etc.	21	–	–	–	–	–	1	–	3	–	2	1	2	–	–
XII. Malformation	21	–	–	–	–	–	–	–	4	–	2	–	1	1	–
XIII. Premature Debility	324	3	1	6	3	–	6	6	33	5	20	14	26	–	1
XIV. Atrophy	66	–	1	6	2	–	–	2	6	3	–	6	3	–	–
XV. Age	1412	38	70	139	78	8	39	35	122	35	42	130	106	14	8
XVI. Sudden Deaths	10	–	–	1	1	–	–	–	1	1	–	–	1	–	–
XVII. Violent Deaths	160	2	1	14	5	–	1	3	22	3	4	19	10	1	–
I. Small Pox	101	–	–	5	4	1	–	–	1	1	5	7	7	–	–
Measles	86	–	–	–	–	–	–	1	3	8	–	3	18	–	–
Scarlatina	301	5	1	1	2	–	1	13	28	8	20	26	18	–	1
Diphtheria	128	–	–	4	1	–	4	3	29	3	2	7	6	–	–
Hooping Cough	90	–	1	2	1	1	8	4	10	3	–	3	16	1	–
Croup	92	4	4	5	2	–	1	–	7	2	1	3	3	1	–
Thrush	5	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Diarrhœa	138	2	–	6	3	1	3	4	19	6	6	6	12	–	2
Dysentery	41	1	–	1	6	–	3	–	12	–	1	5	2	–	–
Cholera	7	–	–	–	1	–	–	–	2	–	–	–	1	–	–
Influenza	20	1	1	1	–	–	–	2	4	–	–	2	–	–	–
Purpura	3	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	73	1	–	6	3	–	1	2	4	3	3	6	4	1	2
Enteric Fever	148	3	2	4	1	–	1	8	12	4	8	24	10	2	1
Relapsing Fever	10	–	–	–	–	–	–	–	1	–	–	–	3	–	–
Simple Cont. Fever	19	–	–	2	–	–	1	–	2	–	–	3	–	–	–
Infantile Remittent	10	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Metria	66	–	1	–	1	–	1	–	4	3	7	4	7	–	–
Rheumatic Fever	28	2	1	1	1	–	3	–	4	2	–	3	1	–	–
Erysipelas	35	2	–	1	2	–	2	–	3	–	1	2	2	–	1
Pyæmia	11	–	–	–	1	–	–	1	–	–	–	1	–	–	–
Syphilis	10	–	–	1	–	–	–	–	2	–	–	–	–	–	–
Noma	3	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	1	1	–	–	–	–	–	4	–	–	3	–	–	–
Dropsy	89	1	2	3	6	1	2	–	5	2	6	11	10	–	2
Abscess	11	–	–	–	1	–	–	1	–	1	–	–	1	–	–
Ulcer	7	–	1	1	–	–	1	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	–	1	–	–	–	–	–	2	–	–	2	1	–	–
Cancer	271	6	6	11	8	2	8	7	29	12	9	21	23	1	–
Gout	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
III. Scrofula	71	2	1	4	2	–	1	4	7	2	2	5	4	1	1
Tabes Mesenterica	62	–	2	–	1	–	2	–	4	2	–	1	6	–	–
Phthisis	1007	11	18	45	20	2	24	33	98	15	33	77	59	3	7
Hydrocephalus	152	2	1	3	2	–	3	4	15	2	3	8	14	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1871.—FEMALES.

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
ALL CAUSES	230	156	398	264	465	565	159	531	186	244	71	13	183	482	216	199
SPECIFIED CAUSES	218	150	365	258	453	545	153	521	178	238	69	13	179	465	211	192
Zymotic Class	39	37	44	42	85	117	38	121	38	47	14	3	28	58	31	34
Uncertain Seat	12	7	10	7	11	23	8	32	2	13	5	2	7	22	10	17
Tubercular Class	46	24	74	60	122	88	16	62	13	35	9	–	24	92	41	30
Brain, etc.	23	8	27	19	22	50	10	43	18	24	10	–	19	30	15	12
Heart, etc.	12	6	22	12	19	17	13	33	16	19	6	3	22	28	18	10
Respiratory Organs	28	24	39	34	62	83	18	62	28	26	10	1	19	68	30	33
Digestive Organs	17	10	27	22	28	49	11	35	10	14	6	–	17	36	15	13
Locomotive Organs	–	–	7	4	5	4	6	5	1	3	–	–	3	7	4	2
Urinary Organs	2	1	10	6	5	12	2	7	2	12	1	1	5	8	2	1
Generative Organs	2	1	1	–	3	6	1	3	2	2	–	–	1	5	2	–
Skin	–	1	–	–	1	1	1	4	–	–	–	1	–	3	–	–
Malformation	–	–	–	–	3	–	–	–	2	3	–	1	1	1	1	1
Premature Debility	8	6	13	14	26	27	11	31	9	10	2	–	13	17	9	4
Atrophy	1	–	1	6	4	5	–	10	–	2	–	1	–	3	4	–
Age	21	22	80	27	53	55	17	56	34	25	5	–	16	78	26	33
Sudden Deaths	–	1	–	–	–	1	–	1	–	–	–	–	1	1	–	–
Violent Deaths	7	2	10	5	4	7	1	16	3	3	1	–	3	8	3	2
Small-pox	–	–	2	1	–	14	2	34	2	9	–	–	1	1	3	1
Measles	2	10	1	8	8	5	5	10	2	–	–	–	1	–	–	1
Scarlatina	8	4	11	6	18	22	11	23	18	12	2	–	6	16	9	11
Diphtheria	4	2	3	3	6	10	4	8	3	8	4	2	3	6	2	1
Hooping-cough	–	8	2	2	5	8	–	5	2	4	–	–	–	1	–	3
Croup	8	3	5	3	4	11	2	12	1	1	–	–	1	5	1	2
Thrush	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1
Diarrhœa	6	5	4	2	6	17	1	9	2	1	–	–	3	5	3	4
Dysentery	2	2	–	1	–	1	–	–	–	1	–	–	–	2	1	–
Cholera	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Influenza	1	–	–	1	3	–	1	–	–	1	–	–	1	1	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–
Typhus	1	1	4	4	6	8	2	2	–	1	1	–	2	4	–	1
Enteric Fever	2	2	7	5	9	11	5	5	1	2	3	1	3	7	2	3
Relapsing Fever	–	–	1	2	2	–	–	1	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	3	1	–	1	1	1	1	–	–	2	–	1
Infantile Remittent	–	–	–	1	2	–	1	2	–	1	–	–	–	1	–	–
Malaria	2	–	1	–	6	3	1	5	5	–	2	–	3	6	2	2
Rheumatic Fever	–	–	1	2	1	–	–	1	–	1	–	–	1	1	2	–
Erysipelas	1	–	1	1	4	2	–	1	–	1	–	–	3	–	3	2
Pyæmia	1	–	–	–	2	1	2	–	–	1	–	–	–	–	1	–
Syphilis	1	–	–	–	–	1	–	2	–	1	–	–	–	–	1	1
Noma	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–	3
Dropsy	4	2	2	2	4	9	–	3	2	1	1	–	1	2	3	2
Abscess	–	1	3	–	–	1	–	–	–	–	1	–	–	1	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	1	–	1
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	2
Cancer	7	4	5	4	7	13	8	26	–	11	2	2	6	17	7	9
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	2	1	8	5	1	2	–	4	1	–	1	6	2	2
Tabes Mesenterica	2	1	4	1	12	6	3	5	–	1	–	–	2	5	2	–
Phthisis	34	19	60	50	90	59	9	44	13	25	7	–	18	76	32	26
Hydrocephalus	10	4	8	8	12	18	3	11	–	5	1	–	3	5	5	2

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1871.—FEMALES. (*Continued.*)

DISEASES.	Total Mainland-Rural.	Caithness.	Sutherland.	Ross and Cromarty.	Inverness.	Nairn.	Elgin.	Banff.	Aberdeen.	Kincardine.	Forfar.	Perth.	Fife.	Kinross.	Clackmannan.
IV. Cephalitis	57	–	–	6	2	–	–	2	7	4	–	8	2	–	–
Apoplexy	184	–	–	3	2	1	4	4	30	3	7	17	21	1	3
Paralysis	256	5	6	10	8	–	7	7	27	8	10	32	24	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	34	–	–	2	1	–	1	2	3	1	1	–	2	–	1
Tetanus	3	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	64	–	1	1	4	1	1	1	10	1	–	3	3	–	–
Brain	83	1	–	4	1	–	2	3	13	3	1	5	8	–	1
V. Pericarditis	6	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart	463	5	–	11	12	2	12	13	54	9	17	30	43	8	1
VI. Laryngitis	10	1	–	–	–	–	–	–	2	–	1	–	1	–	–
Bronchitis	713	10	8	12	6	–	10	19	69	21	24	59	73	6	5
Pleurisy	29	–	–	2	–	–	1	1	3	1	1	–	2	–	–
Pneumonia	200	1	3	12	2	–	6	5	13	3	6	12	17	4	1
Asthma	71	3	7	20	4	–	1	1	8	–	1	1	2	–	–
Lungs	19	–	–	–	–	–	1	1	–	–	3	1	–	–	–
VII. Teething	52	2	–	1	1	–	2	3	4	2	–	5	4	1	1
Quinsey	8	1	–	–	1	–	–	–	2	–	–	–	–	1	–
Gastritis	38	1	1	1	2	1	2	1	1	–	1	1	3	–	–
Enteritis	99	1	1	1	4	–	2	1	8	3	6	4	6	–	–
Peritonitis	49	1	–	–	–	1	1	2	10	2	–	3	5	–	–
Ascites	14	–	–	–	1	–	1	1	2	–	2	–	2	–	–
Ulcer. of Intestines	37	–	–	–	1	–	2	4	7	1	–	4	2	1	–
Hernia	21	–	–	1	–	1	–	2	4	–	–	2	1	–	–
Ileus	50	2	1	2	4	–	2	1	8	2	1	3	2	–	1
Intussusception	7	–	–	–	–	–	–	1	1	–	–	–	1	–	–
Strict. of Intestines	3	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Stomach Disease	94	2	2	7	2	–	1	7	10	4	1	9	10	1	–
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Hepatitis	23	–	–	1	–	–	1	1	–	–	–	2	–	–	–
Jaundice	28	–	–	–	4	–	–	–	7	1	1	2	4	1	–
Liver Disease	83	–	1	3	2	–	5	2	3	–	1	8	7	1	–
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	10	–	1	–	–	–	–	–	–	–	–	2	1	–	–
Nephria	42	–	–	–	–	–	–	2	11	–	1	2	2	–	–
Addison's Disease	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	16	–	1	1	1	–	1	1	5	–	1	1	–	–	–
Stone	4	–	–	1	–	–	–	–	1	–	–	2	–	–	–
Cystitis	7	–	–	–	–	–	–	1	1	1	–	–	2	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	–	–	–	–	–	6	–	–	1	4	1	–
IX. Paramenia	8	–	–	–	1	–	1	1	–	–	1	–	–	–	–
Ovarian Dropsy	28	–	–	–	2	–	–	2	2	2	2	–	1	–	–
Childbirth	104	1	1	7	3	–	1	4	6	5	4	10	16	1	1
Organs of Generation	29	–	–	–	–	–	1	2	7	–	2	4	1	–	–
X. Bone Diseases	12	–	–	2	–	–	–	–	2	1	–	–	–	–	–
Rheumatism	40	1	3	2	2	–	–	1	8	1	2	3	3	–	–
Joint Disease	14	–	–	–	–	–	–	–	4	–	1	–	1	–	–
XI. Carbuncle	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	2	–	1	–	–
Skin Disease	9	–	–	–	–	–	–	–	3	–	–	1	1	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	1	–	–	–
Privation	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Want of Milk	2	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	1	–	–	1	–	–	–
Poison	4	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	29	2	–	1	1	–	1	–	7	1	–	4	–	–	–
Hanging, etc.	6	–	1	–	–	–	–	–	1	–	1	–	2	–	–
Suffocation	11	–	–	–	1	–	–	–	1	–	2	1	1	–	–
Drowning	45	–	–	11	2	–	–	1	3	1	1	6	3	–	–
Fracture and Contusion	44	–	–	2	1	–	–	1	6	1	–	4	3	1	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	–	–	–	–	–	–	–	–	–	–	2	1	–	–
Not Specified	361	5	17	46	27	1	8	9	30	3	10	24	25	1	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.—FEMALES. (*Continued.*)

DISEASES.	Stirling.	Dumbarton.	Argyll.	Renfrew.	Ayr.	Lanark.	Linlithgow.	Edinburgh.	Haddington.	Berwick.	Peebles.	Selkirk.	Roxburgh.	Dumfries.	Kirkcudbright.	Wigtown.
Cephalitis	1	1	1	1	1	5	–	7	1	1	–	–	2	4	1	–
Apoplexy	4	1	8	5	8	7	2	17	6	6	2	–	4	9	4	5
Paralysis	9	2	5	6	10	25	3	8	7	9	4	–	5	10	4	5
Delirium Tremens	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	2	1	–	2	–	5	3	2	–	–	1	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	3	3	2	4	1	5	3	4	–	2	2	–	3	4	1	1
Brain Disease	3	–	8	2	1	6	2	2	1	4	1	–	4	2	5	–
Pericarditis	1	–	2	–	–	–	–	–	1	1	–	–	–	–	–	–
Aneurism	–	1	–	–	–	1	–	1	–	–	–	–	–	–	2	–
Heart Disease	11	5	20	12	19	16	13	32	15	18	6	3	22	28	16	10
Laryngitis	–	–	–	1	–	1	–	1	–	1	–	–	–	1	–	–
Bronchitis	19	16	24	22	45	54	11	45	20	13	10	–	12	52	24	24
Pleurisy	–	–	2	2	4	4	1	1	–	–	–	–	1	1	1	1
Pneumonia	7	6	8	8	8	18	5	14	7	10	–	1	4	8	4	7
Asthma	1	2	4	–	3	5	–	–	1	1	–	–	1	4	–	1
Lung Disease	1	–	1	1	2	1	1	1	–	1	–	–	1	2	1	–
Teething	5	–	2	7	1	4	–	3	1	–	–	–	1	–	1	1
Quinsey	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	1	–	5	6	–	2	–	3	–	–	–	5	–	–
Enteritis	5	4	2	2	2	21	5	1	–	3	1	–	4	6	1	5
Peritonitis	1	1	3	–	3	3	–	4	–	–	–	–	–	6	3	–
Ascites	–	–	2	–	1	1	–	–	–	–	–	–	–	1	–	–
Ulceration of Intest.	1	–	–	2	2	2	–	3	2	1	–	–	–	1	1	–
Hernia	–	–	2	–	2	–	–	1	–	1	1	–	–	1	1	1
Ileus	3	1	–	2	1	2	–	1	2	4	1	–	3	1	–	–
Intussusception	–	–	–	–	–	–	–	2	–	–	1	–	–	1	–	–
Stricture of Intest.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	2	3	3	1	5	2	4	–	1	1	–	6	5	3	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	4	–	3	2	1	5	–	–	1	–	–	1	–	1
Jaundice	1	–	1	1	3	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	–	2	6	4	3	2	2	7	5	1	–	–	2	8	5	3
Spleen Disease	–	–	–	–	–	–	1	1	–	–	–	–	1	–	–	–
Nephritis	–	–	–	1	–	1	–	1	–	–	–	–	–	2	1	–
Nephria	–	–	4	1	3	1	5	1	1	–	–	–	2	4	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	1	–	–	–	–	1	–	–	1	–	–	–
Diabetes	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	3	2	–	2	–	2	–	2	–	–	–	–	–	1
Paramenia	–	1	–	–	–	–	–	1	–	1	–	–	1	–	–	–
Ovarian Dropsy	2	–	3	1	–	2	–	2	–	4	1	–	–	1	1	–
Childbirth	–	–	6	4	3	9	–	2	1	7	–	1	4	5	1	1
Organs of Generation	–	–	1	1	2	1	2	2	1	–	–	–	–	2	–	–
Bone Disease	–	–	–	–	–	2	1	1	–	–	–	–	1	2	–	–
Rheumatism	1	1	–	–	2	3	–	1	1	2	–	–	–	1	2	–
Joint Disease	1	–	1	–	1	1	–	1	1	–	–	–	–	2	–	–
Carbuncle	–	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–
Phlegmon	–	–	–	–	1	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	1	1	1	–	–	2	1	1	–	–	–	2	2	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	1	–	–	–	–	2	–	–	–	–	1	–	–	1
Drowning	2	2	5	2	1	1	–	1	1	–	–	–	–	1	1	–
Fracture and Contusion	3	–	2	1	1	4	–	4	1	2	1	–	2	3	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Other Violent Causes	–	–	1	–	–	–	–	2	–	–	–	–	–	1	–	–
Not Specified	12	6	33	6	12	20	6	10	8	6	2	–	4	17	5	7

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
All Causes	1835	311	352	175	524	297	176	906	135	168	91	258	158	96	929	176	184	84	266	139	80
Specified Causes	1534	250	330	130	404	256	164	754	109	155	63	203	133	91	780	141	175	67	201	123	73
Zymotic Class	236	20	65	34	67	25	25	127	11	39	15	31	15	16	109	9	26	19	36	10	9
Uncertain Seat	70	12	13	9	14	10	12	32	5	3	5	7	4	8	38	7	10	4	7	6	4
Tubercular Class	202	36	37	11	61	31	26	115	20	20	6	36	19	14	87	16	17	5	25	12	12
Brain, etc.	93	11	20	4	21	19	18	49	5	8	2	13	9	12	44	6	12	2	8	10	6
Heart, etc.	48	3	11	3	8	10	13	26	3	7	2	5	4	5	22	–	4	1	3	6	8
Respiratory Organs	163	7	31	5	58	43	19	81	3	15	2	30	19	12	82	4	16	3	28	24	7
Digestive Organs	124	19	23	10	27	28	17	63	6	15	7	14	14	7	61	13	8	3	13	14	10
Urinary Organs	29	6	6	3	5	7	2	20	4	4	2	5	4	1	9	2	2	1	–	3	1
Generative Organs	21	4	1	2	8	5	1	–	–	–	–	–	–	–	21	4	1	2	8	5	1
Locomotive Organs	25	3	3	6	5	6	2	10	1	–	2	3	2	2	15	2	3	4	2	4	–
Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	46	7	9	8	18	2	2	21	2	4	4	9	1	1	25	5	5	4	9	1	1
Atrophy	6	2	3	–	1	–	–	3	1	1	–	1	–	–	3	1	2	–	–	–	–
Age	423	103	101	33	99	64	23	171	36	35	14	39	37	10	252	67	66	19	60	27	13
Sudden Deaths	2	2	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	46	15	7	2	12	6	4	34	10	4	2	10	5	3	12	5	3	–	2	1	1
Small Pox	11	–	6	–	2	3	–	8	–	5	–	1	2	–	3	–	1	–	1	1	–
Measles	25	1	–	–	23	–	1	10	1	–	–	8	–	1	15	–	–	–	15	–	–
Scarlatina	19	–	13	1	5	–	–	13	–	10	–	3	–	–	6	–	3	1	2	–	–
Diphtheria	15	1	8	3	1	–	2	6	–	4	1	1	–	–	9	1	4	2	–	–	2
Hooping Cough	37	10	18	3	4	1	1	15	6	6	1	1	1	–	22	4	12	2	3	–	1
Croup	25	–	–	16	7	2	–	15	–	–	9	4	2	–	10	–	–	7	3	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	1	6	1	2	3	8	13	1	3	1	–	2	6	8	–	3	–	2	1	2
Dysentery	5	–	1	–	1	1	2	4	–	1	–	1	–	2	1	–	–	–	–	1	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	–	3	1	5	–	–	5	–	2	–	3	–	–	4	–	1	1	2	–	–
Purpura	5	1	1	–	–	–	3	3	–	1	–	–	–	2	2	1	–	–	–	–	1
Ague	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	1	3	8	12	7	3	16	1	2	3	6	2	2	18	–	1	5	6	5	1
Enteric Fever	13	2	3	–	3	2	3	8	1	3	–	1	1	2	5	1	–	–	2	1	1
Relapsing Fever	3	1	–	–	–	1	1	2	–	–	–	–	1	1	1	1	–	–	–	–	–
Simple Cont. Fever	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Infantile Remittent	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Metria	4	1	–	1	–	1	1	–	–	–	–	–	–	–	4	1	–	1	–	1	1
Rheumatic Fever	4	1	–	–	2	1	–	4	1	–	–	2	1	–	–	–	–	–	–	–	–
Erysipelas	3	–	1	–	–	2	–	3	–	1	–	–	2	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nurse	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Dropsy	31	6	8	5	9	2	1	13	2	3	2	5	1	–	18	4	5	3	4	1	1
Abscess	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	2	2	–	–	–	–	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	34	3	5	4	4	8	10	16	2	–	3	1	3	7	18	1	5	1	3	5	3
Gout	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Scrofula	10	2	3	1	2	1	1	3	1	1	–	–	–	1	7	1	2	1	2	1	–
Tabes Mesenterica	3	–	–	–	1	2	–	1	–	–	–	–	1	–	2	–	–	–	1	1	–
Phthisis	179	34	31	10	57	26	21	104	19	18	6	35	16	10	75	15	13	4	22	10	11
Hydrocephalus	10	–	3	–	1	2	4	7	–	1	–	1	2	3	3	–	2	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1871.

DISEASES.	Both Sexes.							Males.							Females.						
	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.	Total.	Shetland.	Orkney.	Ross and Cromarty.	Inverness.	Argyll.	Bute.
Cephalitis	7	3	1	–	–	2	1	4	2	1	–	–	1	–	3	1	–	–	–	1	1
Apoplexy	11	2	6	–	1	2	–	5	–	4	–	1	–	–	6	2	2	–	–	2	–
Paralysis	39	1	6	2	9	10	11	20	–	1	1	5	6	7	19	1	5	1	4	4	4
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Epilepsy	9	2	1	1	1	3	1	5	2	–	1	–	1	1	4	–	1	–	1	2	–
Tetanus	5	–	–	1	4	–	–	2	–	–	–	2	–	–	3	–	–	1	2	–	–
Insanity	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Convulsions	8	2	–	–	5	1	–	7	1	–	–	5	1	–	1	1	–	–	–	–	–
Brain Disease	12	–	5	–	1	1	5	6	–	2	–	–	–	4	6	–	3	–	1	1	1
Pericarditis	2	–	–	1	–	1	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Aneurism	2	–	1	–	–	1	–	1	–	1	–	–	–	–	1	–	–	–	–	1	–
Heart Disease	44	3	10	2	8	8	13	23	3	6	1	5	3	5	21	–	4	1	3	5	8
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	83	1	19	2	23	28	10	36	–	9	–	11	11	5	47	1	10	2	12	17	5
Pleurisy	16	1	–	2	11	2	–	11	1	–	2	6	2	–	5	–	–	–	5	–	–
Pneumonia	29	–	6	–	6	8	9	18	–	3	–	3	5	7	11	–	3	–	3	3	2
Asthma	26	5	–	1	17	3	–	12	2	–	–	9	1	–	14	3	–	1	8	2	–
Lung Disease	9	–	6	–	1	2	–	4	–	3	–	1	–	–	5	–	3	–	–	2	–
Teething	7	2	1	–	1	3	–	1	–	–	–	–	1	–	6	2	1	–	1	2	–
Quinsey	2	–	–	–	1	–	1	2	–	–	–	1	–	1	–	–	–	–	–	–	–
Gastritis	13	1	1	–	8	2	1	6	1	1	–	4	–	–	7	–	–	–	4	2	1
Enteritis	14	–	1	5	4	1	3	7	–	–	3	2	1	1	7	–	1	2	2	–	2
Peritonitis	7	–	1	–	2	4	–	4	–	–	–	1	3	–	3	–	1	–	1	1	–
Ascites	5	1	–	–	1	2	1	2	–	–	–	1	1	–	3	1	–	–	–	1	1
Ulcer. of Intestines	8	2	1	–	3	2	–	5	1	1	–	2	1	–	3	1	–	–	1	1	–
Hernia	1	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	10	2	2	1	2	2	1	5	2	1	–	1	1	–	5	–	1	1	1	1	1
Intussusception	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Strict. of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	13	7	11	–	1	2	2	12	2	7	–	1	–	2	11	5	4	–	–	2	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	2	–	–	–	–	–	–	–	–	3	1	–	–	–	2	–
Jaundice	8	–	2	1	3	1	1	6	–	2	1	1	1	1	2	–	–	–	2	–	–
Liver Disease	22	3	3	3	1	5	7	12	–	3	3	–	4	2	10	3	–	–	1	1	5
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	1	1	–	1	–	–	–	1	–	–	1	–	–	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	2	–	–	–	2	–	3	1	–	–	1	2	–	1	1	–	–	–	–	–
Diabetes	1	–	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	10	4	3	1	1	1	–	7	3	1	1	1	1	–	3	1	2	–	–	–	–
Cystitis	4	–	–	1	1	–	2	2	–	–	–	1	–	1	2	–	–	1	–	–	1
Stricture of Urethra	1	–	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	1	1	1	3	–	4	–	1	1	1	1	–	2	–	–	–	–	2	–
Paramenia	1	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–
Ovarian Dropsy	2	–	1	–	–	1	–	–	–	–	–	–	–	–	2	–	1	–	–	1	–
Childbirth	16	4	–	2	7	3	–	–	–	–	–	–	–	–	16	4	–	2	7	3	–
Organs of Generation	2	–	–	–	1	–	1	–	–	–	–	–	–	–	2	–	–	–	1	–	1
Bone Disease	4	–	1	–	–	2	1	2	–	–	–	–	1	1	2	–	1	–	–	1	–
Rheumatism	18	3	2	6	4	3	–	6	1	–	2	2	1	–	12	2	2	4	2	2	–
Joint Disease	3	–	–	–	1	1	1	2	–	–	–	1	–	1	1	–	–	–	–	1	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	5	2	–	2	–	1	1	1	–	–	–	–	–	9	4	2	–	2	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	17	6	1	2	4	3	1	17	6	1	2	4	3	1	–	–	–	–	–	–	–
Fracture & Contusion	15	3	4	–	3	3	2	12	2	3	–	3	2	2	3	1	1	–	–	1	–
Gunshot Wounds	2	–	–	–	2	–	–	2	–	–	–	2	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	1	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–	–
Not Specified	301	61	22	45	120	41	12	152	26	13	28	55	25	5	149	35	9	17	65	16	7

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	74712	7137	2780	5217	6227	3100	2033	1441	3779	2152	2651	2884	2694
Specified Causes	72723	6557	2612	5067	6101	3031	1996	1399	3704	2088	2602	2816	2638
I. Zymotic Class	15617	798	681	1545	2406	1467	1087	779	1863	687	526	531	468
II. Diseases of Uncertain Seat	2411	29	9	16	27	17	13	13	40	27	21	19	51
III. Tubercular Class	13011	207	319	821	967	498	325	254	872	762	1325	1449	1263
IV. Brain and Nervous System	5932	416	182	297	316	134	92	84	251	140	128	122	101
V. Organs of Circulation	3503	9	8	6	1	2	1	8	37	50	92	87	117
VI. Respiratory Organs	12467	1013	800	1608	1572	656	314	169	314	114	134	182	179
VII. Organs of Digestion	4925	503	285	539	571	119	47	22	91	78	96	98	135
VIII. Urinary Organs	1166	5	4	6	13	5	16	6	40	34	51	54	50
IX. Organs of Generation	611	–	–	–	–	–	–	–	–	5	32	80	106
X. Organs of Locomotion	466	–	3	3	–	9	6	6	41	51	45	24	21
XI. Skin, etc.	121	9	15	15	7	6	3	–	3	2	–	3	3
XII. Malformation	231	194	21	12	1	1	–	1	1	–	–	–	–
XIII. Premature Debility	3609	3226	218	165	–	–	–	–	–	–	–	–	–
XIV. Atrophy	530	–	–	–	140	60	24	19	30	13	8	8	12
XV. Age	5605	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	157	17	9	5	2	4	1	–	4	1	2	4	2
XVII. Violent Deaths	2361	131	58	29	78	53	67	38	117	124	142	155	130
I. Small Pox	1442	78	89	39	20	27	31	23	198	181	118	162	150
Measles	2057	24	38	361	804	349	204	109	138	13	6	3	4
Scarlatina	2586	21	32	156	342	374	324	291	733	171	47	26	25
Diphtheria	880	18	12	67	149	134	98	92	197	43	18	9	7
Hooping Cough	1504	95	117	353	425	214	134	69	92	2	–	1	–
Croup	970	34	21	116	261	191	149	86	107	5	–	–	–
Thrush	43	30	4	4	3	1	1	–	–	–	–	–	–
Diarrhœa	1662	269	244	309	246	54	25	16	22	7	6	12	12
Dysentery	215	7	15	12	9	5	4	3	1	1	1	5	5
Cholera	95	5	9	21	12	5	3	–	4	1	1	1	4
Influenza	105	7	3	1	–	–	–	1	6	2	1	2	2
Purpura	55	1	1	2	3	–	2	1	9	6	3	1	1
Ague	6	–	–	–	–	–	–	–	–	–	–	2	–
Worms	13	1	–	–	2	4	1	2	2	1	–	–	–
Typhus	1129	4	5	14	14	22	21	10	83	47	111	101	73
Enteric Fever	1234	6	7	18	40	48	50	42	172	136	147	107	74
Relapsing Fever	411	2	5	14	20	10	10	11	29	31	22	21	22
Simple Continued Fever	108	3	–	3	7	3	5	4	17	5	11	6	4
Infantile Remittent	124	8	4	14	28	19	20	9	22	–	–	–	–
Metria	225	–	–	–	–	–	–	–	–	–	8	52	60
Rheumatic Fever	135	–	–	–	–	1	–	3	20	25	16	9	8
Erysipelas	336	92	20	10	3	2	1	4	5	6	10	6	4
Pyæmia	41	1	1	1	1	–	1	1	3	4	–	1	9
Syphilis	227	92	54	30	14	2	1	–	–	–	–	4	4
Noma	10	–	–	–	2	2	1	2	3	–	–	–	–
Hydrophobia	4	–	–	–	1	–	1	–	–	–	–	–	–
II. Hæmorrhage	81	12	2	–	2	1	–	1	5	1	4	2	4
Dropsy	583	3	–	5	9	11	10	9	24	13	8	9	11
Abscess	120	7	4	7	9	3	–	2	5	5	2	5	4
Ulcer	43	2	1	2	2	–	–	–	–	–	–	–	–
Fistula	13	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	124	5	–	1	5	1	1	–	1	5	1	–	1
Cancer	1432	–	2	1	–	1	2	1	5	3	5	3	29
Gout	15	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	810	24	26	64	78	58	34	21	109	92	71	49	43
Tabes Mesenterica	967	71	68	134	225	102	62	40	130	57	20	18	12
Phthisis	9102	28	58	100	165	112	85	79	357	553	1215	1378	1203
Hydrocephalus	2132	84	167	523	499	226	144	114	276	60	19	[illegible]	[illegible]

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	2402	2443	2325	2435	2624	2586	3246	3150	3723	3099	2486	1372	499	140	29	58
SPECIFIED CAUSES	2353	2380	2277	2376	2553	2508	3139	3135	3723	3097	2486	1372	499	140	29	45
Zymotic Class	349	347	282	283	283	219	264	192	236	168	100	42	8	3	–	3
Uncertain Seat	64	118	130	208	235	265	292	253	254	160	97	34	12	4	–	3
Tubercular Class	985	739	605	505	365	273	208	127	90	33	15	–	1	–	–	3
Brain, etc.	136	161	184	230	290	312	426	520	559	434	273	101	32	4	2	5
Heart, etc.	149	190	208	214	292	298	397	410	425	292	144	53	10	2	–	1
Respiratory Organs	217	292	372	437	502	566	712	660	669	484	332	136	26	3	1	3
Digestive Organs	105	178	151	200	244	262	345	266	282	186	79	33	5	3	–	2
Urinary Organs	72	41	70	64	77	63	92	108	113	92	57	29	2	2	–	–
Generative Organs	112	106	62	23	20	18	19	12	5	6	4	1	–	–	–	–
Locomotive Organs	17	14	22	19	19	26	44	26	31	22	10	4	2	–	–	1
Skin	5	6	3	1	2	7	4	10	6	9	1	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	9	18	23	31	64	71	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	220	451	970	1151	1345	924	397	118	26	3
Sudden Deaths	3	9	16	11	10	12	13	15	12	5	–	–	–	–	–	–
Violent Deaths	130	161	149	150	150	116	103	85	71	55	29	15	4	1	–	20
Small Pox	109	82	41	35	14	16	15	8	5	1	–	–	–	–	–	–
Measles	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	15	8	13	3	2	2	1	–	–	–	–	–	–	–	–	–
Diphtheria	4	4	3	3	2	3	4	3	6	3	1	–	–	–	–	–
Hooping Cough	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	5	20	13	16	37	30	46	53	77	64	46	24	6	2	–	1
Dysentery	4	8	9	8	13	8	21	14	22	18	14	8	–	–	–	–
Cholera	2	–	1	1	3	1	7	2	5	6	1	–	–	–	–	–
Influenza	1	–	2	3	2	6	8	10	14	18	10	5	–	1	–	–
Purpura	3	1	7	2	1	4	3	1	1	2	–	–	–	–	–	–
Ague	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	72	80	84	110	92	55	51	23	33	19	4	–	1	–	–	–
Enteric Fever	48	48	44	46	40	45	31	28	32	14	10	1	–	–	–	–
Relapsing Fever	16	20	23	25	35	24	33	20	11	5	2	–	–	–	–	–
Simple Cont. Fever	2	4	5	3	5	3	7	5	4	2	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	43	45	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	7	7	7	6	12	4	3	1	3	1	1	–	–	–	–	1
Erysipelas	10	11	10	12	14	12	33	20	23	13	11	3	1	–	–	–
Pyæmia	1	3	1	1	3	4	1	3	–	–	–	1	–	–	–	–
Syphilis	4	6	4	3	5	1	–	1	–	2	–	–	–	–	–	–
Nurse	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	5	7	7	4	3	4	3	6	1	5	1	1	–	–	–	–
Dropsy	13	27	19	32	41	52	62	60	64	55	32	9	2	1	–	2
Abscess	6	6	8	7	7	7	11	4	5	4	2	–	–	–	–	–
Ulcer	–	1	1	4	3	6	7	7	4	2	–	1	–	–	–	–
Fistula	2	4	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Mortification	2	3	3	4	4	7	11	10	13	21	11	9	5	–	–	–
Cancer	36	70	92	155	174	188	196	163	162	71	50	14	5	3	–	1
Gout	–	–	–	2	–	1	2	2	5	2	1	–	–	–	–	–
Scrofula	30	31	12	13	14	7	13	5	10	3	2	–	–	–	–	1
Tabes Mesenterica	9	5	4	1	1	1	–	3	3	–	1	–	–	–	–	–
Phthisis	942	700	586	490	350	265	195	119	77	30	12	–	1	–	–	2
Hydrocephalus	4	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	599	10	28	82	78	42	34	31	88	52	40	17	22
Apoplexy	1420	25	17	28	26	11	8	11	35	15	24	23	23
Paralysis	1749	1	–	2	4	1	3	2	3	8	8	12	15
Delirium Tremens	45	–	–	–	–	–	–	–	–	–	–	1	3
Chorea	5	–	–	–	–	–	–	–	2	2	–	1	–
Epilepsy	212	–	–	1	1	–	–	–	1	10	16	30	14
Tetanus	48	15	1	2	3	–	1	2	6	2	4	1	2
Insanity	28	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	925	349	121	147	170	55	23	21	39	–	–	–	–
Brain Disease	901	16	15	35	34	25	23	17	77	51	35	37	22
V. Pericarditis	65	1	1	–	–	–	–	–	4	6	6	3	5
Aneurism	21	–	–	–	–	–	–	–	1	1	1	1	3
Heart Disease	3347	8	7	6	1	2	1	8	32	43	85	83	109
VI. Laryngitis	145	8	7	18	18	7	7	5	15	2	3	8	5
Bronchitis	8663	798	650	1295	1219	490	230	109	192	57	45	54	66
Pleurisy	250	4	2	9	9	3	5	1	6	7	16	15	10
Pneumonia	2655	179	131	276	314	145	64	48	90	37	53	90	83
Asthma	431	–	1	1	1	1	–	–	2	1	1	4	4
Lung Disease	323	24	9	9	11	10	8	6	9	10	16	11	11
VII. Teething	872	6	49	355	420	37	5	–	–	–	–	–	–
Quinsey	62	10	4	6	9	4	3	3	7	3	–	1	4
Gastritis	213	19	18	6	12	3	5	2	7	7	7	5	8
Enteritis	867	218	124	101	77	35	14	2	27	11	20	9	19
Peritonitis	372	26	11	11	12	8	2	3	13	25	27	24	29
Ascites	69	1	–	–	–	–	1	1	2	2	6	2	3
Ulceration of Intestines	238	3	2	3	–	2	1	1	6	5	9	12	17
Hernia	112	5	2	1	–	–	–	–	–	–	–	3	2
Ileus	275	25	7	10	1	–	1	1	7	4	5	7	6
Intussusception	47	–	7	7	–	2	–	1	–	2	1	2	2
Stricture of Intestines	27	1	–	–	–	–	–	–	–	1	1	–	2
Stomach Disease	693	93	47	31	30	14	9	6	12	11	3	10	15
Pancreas Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	123	6	3	1	1	–	–	–	1	–	4	3	3
Jaundice	202	74	6	2	3	6	3	–	–	–	1	3	2
Liver Disease	728	16	5	5	5	8	3	2	9	7	12	16	21
Spleen Disease	23	–	–	–	1	–	–	–	–	–	–	1	2
VIII. Nephritis	86	–	1	1	3	1	6	1	10	5	5	4	5
Nephria	320	1	–	2	2	1	4	3	10	11	19	22	15
Addison's Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	57	1	–	–	1	1	1	–	2	–	1	3	3
Diabetes	115	–	1	–	2	1	–	–	–	7	13	10	9
Stone	55	–	–	–	–	–	–	1	1	–	–	–	1
Cystitis	190	–	–	–	2	–	1	–	3	1	3	–	2
Stricture of Urethra	15	–	–	–	–	–	–	–	–	–	–	1	1
Kidney Disease	318	3	2	3	3	1	4	1	14	10	10	14	13
IX. Paramenia	29	–	–	–	–	–	–	–	–	4	10	3	6
Ovarian Dropsy	94	–	–	–	–	–	–	–	–	1	1	1	4
Childbirth	420	–	–	–	–	–	–	–	–	–	19	75	89
Organs of Generation	68	–	–	–	–	–	–	–	–	–	2	1	7
X. Bone Disease	115	–	3	2	–	8	4	3	10	11	14	10	9
Rheumatism	211	–	–	–	–	–	1	–	7	9	10	3	8
Joint Disease	140	–	–	1	–	1	1	3	24	31	21	11	4
XI. Carbuncle	28	–	1	–	–	1	–	–	–	–	–	2	–
Phlegmon	24	–	–	1	1	1	–	–	1	1	–	1	2
Skin Disease	69	9	14	14	6	4	3	–	2	1	–	–	1
XVII. Intemperance	130	–	–	–	–	–	–	–	–	–	1	3	2
Privation	9	–	–	–	1	–	–	–	–	1	–	–	–
Want of Breast Milk	68	43	19	6	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	22	–	1	1	–	–	–	–	1	–	1	1	–
Poison	41	–	1	–	4	1	4	2	1	1	1	1	3
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	252	–	2	9	42	22	35	20	23	9	4	5	2
Hanging, etc.	53	–	–	–	–	–	–	–	–	1	2	2	2
Suffocation	167	67	32	7	4	4	–	–	3	–	4	2	4
Drowning	495	4	–	1	16	14	13	8	33	27	43	54	39
Fracture and Contusion	974	2	1	4	8	10	14	4	50	69	80	78	70
Gunshot Wounds	16	–	–	–	–	–	–	–	–	1	–	1	–
Cuts and Stabs	33	–	–	1	–	–	1	–	–	–	–	1	3
Other Violent Causes	99	15	2	–	3	2	–	4	6	15	6	7	4
Not Specified	1989	580	168	150	126	69	37	42	75	64	49	68	56

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Contd.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	14	10	9	5	11	4	9	7	1	3	2	–	–	–	–	–
Apoplexy	35	40	64	65	87	111	159	173	174	127	85	36	14	1	1	2
Paralysis	28	42	56	83	105	130	198	249	307	257	161	54	14	3	1	2
Delirium Tremens	7	6	6	8	4	2	4	3	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	25	9	18	17	8	7	10	17	8	5	4	–	–	–	1
Tetanus	2	–	–	–	2	1	3	1	–	–	–	–	–	–	–	–
Insanity	3	2	–	6	3	1	4	5	2	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	37	36	40	45	61	55	42	72	57	39	19	7	4	–	–	–
Pericarditis	2	3	3	3	5	4	3	6	6	3	1	–	–	–	–	–
Aneurism	8	11	13	16	16	6	4	3	2	4	1	–	–	–	–	–
Heart Disease	139	176	192	195	271	288	390	401	417	285	142	53	10	2	–	1
Laryngitis	2	8	9	4	5	4	4	2	2	2	–	–	–	–	–	–
Bronchitis	93	122	178	247	294	371	467	454	472	352	269	109	24	3	1	2
Pleurisy	12	18	18	15	16	11	18	14	23	9	7	2	–	–	–	–
Pneumonia	96	112	109	120	116	101	127	118	106	76	43	18	2	–	–	1
Asthma	5	11	36	33	43	47	70	57	59	39	8	7	–	–	–	–
Lung Disease	9	21	22	18	28	32	26	15	7	6	5	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	2	–	1	2	–	–	1	1	–	1	–	–	–	–	–
Gastritis	6	8	9	7	10	12	19	11	11	10	7	3	1	–	–	–
Enteritis	14	27	16	18	19	23	27	18	23	21	3	1	–	–	–	–
Peritonitis	23	24	12	15	25	19	15	11	15	11	8	2	1	–	–	–
Ascites	2	4	5	4	3	6	11	4	4	6	1	1	–	–	–	–
Ulceration of Intestines	9	14	9	20	25	20	33	16	17	9	4	1	–	–	–	–
Hernia	2	5	4	8	11	14	11	13	14	11	4	1	–	–	–	1
Ileus	4	13	9	17	16	14	25	28	36	15	13	8	–	3	–	–
Intussusception	–	3	1	2	4	5	2	1	2	–	3	–	–	–	–	–
Stricture of Intestines	–	1	–	2	5	2	6	1	4	1	–	–	–	–	–	–
Stomach Disease	9	16	21	31	45	53	70	54	51	42	13	6	1	–	–	–
Pancreas Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	5	8	8	8	18	16	13	8	7	3	1	–	–	–	–
Jaundice	2	6	4	7	8	8	6	13	20	14	10	4	–	–	–	–
Liver Disease	26	47	50	60	61	65	102	81	74	37	8	5	2	–	–	1
Spleen Disease	2	3	3	–	1	2	2	1	2	2	1	–	–	–	–	–
Nephritis	4	5	4	4	3	7	3	3	4	4	2	1	–	–	–	–
Nephria	28	13	26	26	23	21	21	30	19	13	6	2	1	1	–	–
Addison's Disease	2	–	3	–	1	–	2	–	–	–	–	1	–	–	–	–
Ischuria	1	2	–	2	–	4	3	7	6	8	8	3	–	–	–	–
Diabetes	11	8	9	2	8	8	10	7	6	1	2	–	–	–	–	–
Stone	3	–	–	1	2	–	10	9	15	4	4	4	–	–	–	–
Cystitis	5	2	8	7	7	4	22	25	32	35	16	14	1	–	–	–
Stricture of Urethra	–	1	2	1	3	1	2	2	–	–	–	1	–	–	–	–
Kidney Disease	18	10	18	21	30	18	19	25	31	27	19	3	–	1	–	–
Paramenia	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	9	2	9	12	14	8	13	10	5	3	1	1	–	–	–	–
Childbirth	91	95	44	6	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	10	7	9	3	5	10	6	2	–	3	3	–	–	–	–	–
Bone Disease	5	5	7	5	3	7	2	2	–	4	–	1	–	–	–	–
Rheumatism	6	3	9	7	11	18	33	24	31	17	9	3	2	–	–	–
Joint Disease	6	6	6	7	5	1	9	–	–	1	1	–	–	–	–	1
Carbuncle	2	1	2	1	2	3	2	3	3	3	1	–	–	–	–	1
Phlegmon	2	5	1	–	–	1	1	2	1	3	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	3	1	5	2	3	–	–	–	–	–	–
Intemperance	14	18	18	20	16	13	10	3	6	2	1	1	–	–	–	2
Privation	2	–	–	1	1	1	1	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	4	1	2	3	2	1	2	–	1	–	–	–	–
Poison	3	3	1	2	3	2	4	1	2	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	4	7	3	6	10	6	8	2	8	13	5	6	–	1	–	–
Hanging, etc.	2	4	5	8	11	3	5	4	3	–	1	–	–	–	–	–
Suffocation	3	4	5	7	4	6	4	3	3	1	–	–	–	–	–	–
Drowning	34	40	34	30	24	16	21	10	11	4	2	–	–	–	–	17
Fracture and Contusion	62	80	66	64	71	55	40	53	32	32	17	7	4	–	–	1
Gunshot Wounds	1	1	1	2	1	3	2	–	2	–	1	–	–	–	–	–
Cuts and Stabs	2	2	7	4	3	2	2	2	1	–	2	–	–	–	–	–
Other Violent Causes	3	2	8	2	4	7	3	4	2	–	–	–	–	–	–	–
Not Specified	49	63	48	59	71	78	107	15	–	2	–	–	–	–	–	13

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	36827	4056	1533	2763	3160	1549	1022	712	1924	1022	1312	1460	1202
SPECIFIED CAUSES	35780	3736	1438	2680	3095	1523	1005	697	1887	988	1288	1415	1174
I. Zymotic Class	7581	448	340	797	1201	735	531	371	885	283	256	250	210
II. Diseases of Uncertain Seat	911	16	6	7	15	10	11	9	23	15	9	10	15
III. Tubercular Class	6224	113	187	438	491	271	171	131	458	319	580	703	523
IV. Brain and Nervous System	3127	246	117	176	166	71	47	45	136	78	77	66	51
V. Organs of Circulation	1719	7	6	3	1	1	1	3	18	18	49	44	59
VI. Respiratory Organs	6423	603	448	865	820	319	145	91	171	49	71	111	102
VII. Organs of Digestion	2416	289	158	264	280	55	29	11	42	46	48	47	54
VIII. Urinary Organs	760	3	1	5	7	2	8	4	26	22	29	31	29
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	245	–	2	1	–	6	4	4	26	34	28	11	16
XI. Skin, etc.	60	5	5	11	3	2	3	–	1	2	–	2	–
XII. Malformation	144	120	15	7	–	–	–	1	1	–	–	–	–
XIII. Premature Debility	2021	1816	118	87	–	–	–	–	–	–	–	–	–
XIV. Atrophy	212	–	–	–	64	27	13	9	14	7	4	1	2
XV. Age	2116	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	87	6	5	4	2	1	1	–	1	1	2	3	–
XVII. Violent Deaths	1734	64	30	15	45	23	41	18	85	114	130	136	113
I. Small Pox	719	39	44	21	10	11	16	10	105	79	60	92	92
Measles	1020	13	24	192	409	168	95	40	65	6	2	1	2
Scarlatina	1340	14	19	83	182	200	181	157	380	68	26	7	9
Diphtheria	401	10	8	31	78	63	37	42	79	17	9	8	2
Hooping Cough	673	54	53	157	196	103	51	28	28	1	–	1	–
Croup	494	25	8	64	125	105	70	47	48	2	–	–	–
Thrush	26	17	2	2	3	1	1	–	–	–	–	–	–
Diarrhœa	835	161	118	173	127	30	11	7	11	2	2	7	2
Dysentery	101	4	10	7	6	4	4	1	1	1	1	4	4
Cholera	51	2	6	10	7	1	1	–	3	–	1	–	2
Influenza	49	5	2	1	–	–	–	1	4	1	–	2	1
Purpura	32	–	1	–	3	–	1	–	4	4	1	1	1
Ague	4	–	–	–	–	–	–	–	–	–	–	2	–
Worms	5	–	–	–	–	1	1	1	1	1	–	–	–
Typhus	582	3	2	10	8	8	9	4	41	19	53	59	41
Enteric Fever	577	2	4	7	16	24	31	23	79	51	72	46	36
Relapsing Fever	200	2	3	7	9	4	6	2	10	17	12	8	9
Simple Continued Fever	42	2	–	2	1	1	2	2	8	3	4	2	1
Infantile Remittent	55	6	2	10	10	6	11	3	7	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	56	–	–	–	–	1	–	–	9	6	8	5	4
Erysipelas	152	35	11	5	2	1	1	2	1	2	5	2	1
Pyæmia	17	–	–	1	1	–	1	–	1	3	–	1	–
Syphilis	114	54	23	14	6	2	1	–	–	–	–	2	3
Noma	3	–	–	–	1	1	–	1	–	–	–	–	–
Hydrophobia	3	–	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	48	6	2	–	2	1	–	1	1	1	2	1	3
Dropsy	254	2	–	1	6	6	9	6	16	7	4	4	2
Abscess	67	3	3	5	6	2	–	1	2	3	1	4	1
Ulcer	14	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	12	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	57	4	–	–	1	–	1	–	–	2	–	–	–
Cancer	449	–	1	1	–	1	1	1	4	2	1	1	7
Gout	10	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	432	11	12	33	39	30	21	14	54	57	35	30	22
Tabes Mesenterica	511	42	39	69	107	50	38	25	81	22	10	7	4
Phthisis	4113	13	36	54	77	53	42	38	169	208	525	663	494
Hydrocephalus	1168	47	100	282	268	138	70	54	154	32	10	3	3

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1159	1133	1104	1226	1338	1230	1528	1503	1697	1383	1004	531	178	45	15	38
SPECIFIED CAUSES	1132	1098	1077	1194	1307	1200	1475	1494	1697	1382	1004	531	178	45	15	30
Zymotic Class	152	142	134	136	147	106	128	92	106	71	40	13	3	2	–	2
Uncertain Seat	22	39	34	54	78	96	112	97	116	67	30	13	4	2	–	1
Tubercular Class	462	313	251	237	198	132	113	66	46	15	5	–	–	–	–	1
Brain, etc.	89	93	99	120	157	145	200	265	278	211	132	49	8	1	1	3
Heart, etc.	83	97	102	118	134	145	194	211	197	142	67	14	3	1	–	1
Respiratory Organs	110	147	199	261	266	297	349	312	276	216	120	58	13	2	1	1
Digestive Organs	47	84	74	91	118	114	151	123	135	98	42	13	3	–	–	–
Urinary Organs	36	26	41	33	54	33	67	75	87	72	42	24	2	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	12	10	9	10	8	12	16	8	13	11	2	1	–	–	–	1
Skin	–	2	1	1	2	4	3	5	3	4	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	4	8	10	25	21	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	72	167	390	446	507	343	141	36	13	1
Sudden Deaths	3	6	6	7	5	10	5	10	7	2	–	–	–	–	–	–
Violent Deaths	113	135	119	116	115	85	65	63	43	27	17	3	1	–	–	18
Small Pox	60	43	17	21	10	7	6	5	1	–	–	–	–	–	–	–
Measles	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	2	2	6	1	1	2	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	3	1	1	–	–	4	1	3	1	1	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	8	6	7	17	15	15	21	35	25	22	7	3	1	–	–
Dysentery	2	1	3	3	7	2	11	5	6	7	4	3	–	–	–	–
Cholera	–	–	1	1	2	1	5	1	2	4	1	–	–	–	–	–
Influenza	1	–	1	1	–	2	5	4	5	9	2	1	–	1	–	–
Purpura	3	1	4	1	1	2	2	–	1	1	–	–	–	–	–	–
Ague	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	41	44	53	50	50	27	27	11	14	6	2	–	–	–	–	–
Enteric Fever	21	22	20	17	18	26	17	18	17	8	2	–	–	–	–	–
Relapsing Fever	9	6	9	19	21	11	18	9	5	3	1	–	–	–	–	–
Simple Cont. Fever	1	1	2	1	3	1	1	3	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	4	3	3	5	2	–	–	3	–	–	–	–	–	–	1
Erysipelas	3	5	6	5	6	6	16	11	14	6	5	1	–	–	–	–
Pyæmia	–	–	–	1	2	2	1	2	–	–	–	1	–	–	–	–
Syphilis	1	2	1	2	2	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	4	5	4	4	–	2	2	3	1	3	–	–	–	–	–	–
Dropsy	4	11	7	7	20	23	25	23	30	21	11	6	1	1	–	1
Abscess	3	4	4	4	4	4	3	4	3	3	–	–	–	–	–	–
Ulcer	–	1	–	1	–	4	3	2	1	1	–	–	–	–	–	–
Fistula	2	3	–	–	3	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	3	1	–	2	4	8	8	8	9	3	1	2	–	–	–
Cancer	9	12	18	36	49	58	69	54	71	29	16	6	1	1	–	–
Gout	–	–	–	2	–	1	2	2	2	1	–	–	–	–	–	–
Scrofula	17	16	8	8	10	2	4	4	4	1	–	–	–	–	–	–
Tabes Mesenterica	6	3	2	1	–	1	–	2	2	–	–	–	–	–	–	–
Phthisis	437	292	239	227	188	129	109	60	40	14	5	–	–	–	–	1
Hyprocephalus	2	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	347	7	19	54	42	27	14	19	43	26	28	7	14
Apoplexy	712	16	10	9	12	4	7	7	18	8	12	17	11
Paralysis	847	1	–	–	1	–	1	–	2	5	3	7	10
Delirium Tremens	37	–	–	–	–	–	–	–	–	–	–	1	3
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	95	–	–	–	–	–	–	–	1	7	7	15	2
Tetanus	35	11	1	–	2	–	1	2	6	1	3	1	1
Insanity	10	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	530	200	76	93	89	29	12	10	21	–	–	–	–
Brain Disease	513	11	11	20	20	11	12	7	44	31	24	18	10
V. Pericarditis	38	–	1	–	–	–	–	–	2	3	2	3	4
Aneurism	63	–	–	–	–	–	–	–	–	–	1	1	2
Heart Disease	1618	7	5	3	1	1	1	3	16	15	46	40	53
VI. Laryngitis	91	8	2	12	11	4	5	3	12	2	1	5	3
Bronchitis	4216	465	371	671	630	240	102	48	99	21	20	26	31
Pleurisy	142	3	–	2	6	2	1	1	3	3	10	8	7
Pneumonia	1558	108	67	174	165	66	34	33	50	18	32	63	53
Asthma	217	–	1	1	1	–	–	–	2	1	1	1	2
Lung Disease	199	19	7	5	7	7	3	6	5	4	7	8	6
VII. Teething	425	3	21	175	206	18	2	–	–	–	–	–	–
Quinsey	31	7	1	2	6	1	1	1	2	2	–	1	3
Gastritis	91	10	7	1	6	2	3	–	4	3	3	2	3
Enteritis	444	115	72	48	36	17	10	2	13	8	11	6	9
Peritonitis	160	14	8	8	6	3	2	1	5	17	13	8	2
Ascites	24	1	–	–	–	–	–	1	2	1	1	1	1
Ulceration of Intestines	111	3	1	1	–	–	1	–	1	2	5	5	6
Hernia	54	5	2	1	–	–	–	–	–	–	–	2	2
Ileus	137	16	4	6	–	–	–	1	5	2	3	3	5
Intussusception	26	–	5	2	–	2	–	1	–	2	–	1	1
Stricture of Intestines	14	–	–	–	–	–	–	–	–	1	–	–	2
Stomach Disease	358	53	30	17	15	7	6	3	4	4	–	7	5
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	56	2	1	–	–	–	–	–	1	–	3	2	2
Jaundice	107	48	2	–	2	1	2	–	–	–	1	1	1
Liver Disease	365	12	4	3	3	4	2	1	5	4	8	8	11
Spleen Disease	12	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	51	–	1	1	2	–	3	1	6	4	4	3	4
Nephria	174	1	–	2	1	–	3	2	6	5	9	9	8
Addison's Disease	8	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	40	1	–	–	1	–	–	–	1	–	–	2	2
Diabetes	73	–	–	–	1	1	–	–	–	5	9	9	4
Stone	46	–	–	–	–	–	–	1	1	–	–	–	1
Cystitis	171	–	–	–	–	–	1	–	3	1	2	–	1
Stricture of Urethra	15	–	–	–	–	–	–	–	–	–	–	1	1
Kidney Disease	182	1	–	2	2	1	1	–	9	7	5	7	7
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	80	–	2	1	–	6	2	3	8	10	10	7	7
Rheumatism	82	–	–	–	–	–	1	–	3	3	5	–	6
Joint Disease	83	–	–	–	–	–	1	1	15	21	13	4	3
XI. Carbuncle	16	–	–	–	–	–	–	–	–	–	–	2	–
Phlegmon	9	–	–	1	1	–	–	–	1	1	–	–	–
Skin Disease	35	5	5	10	2	2	3	–	–	1	–	–	–
XVII. Intemperance	77	–	–	–	–	–	–	–	–	–	1	2	1
Privation	6	–	–	–	1	–	–	–	–	1	–	–	–
Want of Breast Milk	33	22	7	4	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	14	–	–	1	–	–	–	–	1	–	1	1	–
Poison	21	–	–	–	3	1	3	1	1	1	1	1	2
Poisoned Wounds	2	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	122	–	1	5	27	6	19	8	9	8	2	3	2
Hanging, etc.	37	–	–	–	–	–	–	–	–	1	2	2	1
Suffocation	94	29	20	3	2	2	–	–	2	–	3	2	3
Drowning	406	2	–	–	7	8	9	4	31	26	40	44	34
Fracture and Contusion	808	1	–	2	3	6	9	4	36	62	74	76	64
Gunshot Wounds	16	–	–	–	–	–	–	–	–	1	–	1	–
Cuts and Stabs	26	–	–	–	–	–	1	–	–	–	–	–	3
Other Violent Causes	72	10	2	–	2	–	–	1	5	14	6	4	2
Not Specified	1047	320	95	83	65	26	17	15	37	34	29	45	28

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	11	6	5	1	6	2	7	5	–	3	1	–	–	–	–	–
Apoplexy	21	24	33	39	38	49	73	92	79	69	45	12	4	1	–	2
Paralysis	20	21	29	38	56	58	92	119	160	114	75	30	3	–	1	1
Delirium Tremens	6	5	5	6	3	2	2	3	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	14	6	10	8	5	2	5	6	1	1	2	–	–	–	–
Tetanus	2	–	–	–	1	–	2	1	–	–	–	–	–	–	–	–
Insanity	1	1	–	2	2	–	1	2	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	25	32	31	24	43	29	21	38	31	24	10	5	1	–	–	–
Pericarditis	1	2	1	1	4	2	2	5	3	2	–	–	–	–	–	–
Aneurism	7	[illegible]	11	10	10	4	2	1	1	3	1	–	–	–	–	–
Heart Disease	75	8[illegible]	90	107	120	139	190	205	193	137	66	14	3	1	–	1
Laryngitis	1	3	6	1	3	3	3	1	–	2	–	–	–	–	–	–
Bronchitis	38	5[illegible]	83	123	145	178	205	189	176	147	91	44	11	2	1	1
Pleurisy	8	6	11	13	10	7	14	6	10	5	4	2	–	–	–	–
Pneumonia	59	68	65	88	71	66	75	76	54	43	19	9	2	–	–	–
Asthma	1	5	19	22	20	27	32	30	30	16	2	3	–	–	–	–
Lung Disease	3	7	15	14	17	16	20	10	6	3	4	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	2	3	2	4	7	2	6	4	7	6	2	1	1	–	–	–
Enteritis	7	11	9	8	10	11	12	5	11	11	1	1	–	–	–	–
Peritonitis	8	6	2	5	12	8	6	4	9	7	5	1	–	–	–	–
Ascites	–	1	2	–	1	1	4	2	–	5	–	–	–	–	–	–
Ulceration of Intestines	3	7	4	11	11	10	17	12	5	4	2	–	–	–	–	–
Hernia	2	3	1	4	2	5	3	5	5	9	2	1	–	–	–	–
Ileus	1	7	4	3	8	8	15	13	15	6	9	3	–	–	–	–
Intussusception	–	2	1	–	3	1	–	–	2	–	3	–	–	–	–	–
Stricture of Intestines	–	–	–	2	3	1	3	–	2	–	–	–	–	–	–	–
Stomach Disease	5	7	12	11	15	25	37	26	28	20	7	3	1	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	4	4	2	3	5	7	7	5	4	3	1	–	–	–	–	–
Jaundice	1	3	2	4	2	4	1	7	10	9	4	2	–	–	–	–
Liver Disease	12	27	32	35	28	30	39	39	35	17	4	1	1	–	–	–
Spleen Disease	2	2	1	–	–	–	1	1	2	1	1	–	–	–	–	–
Nephritis	1	1	1	2	2	3	2	2	3	2	2	1	–	–	–	–
Nephria	14	9	17	10	17	11	11	15	10	8	4	1	1	–	–	–
Addison's Disease	2	–	2	–	1	–	2	–	–	–	–	–	–	–	–	–
Ischuria	1	1	–	1	–	3	3	4	5	6	6	3	–	–	–	–
Diabetes	7	5	4	1	7	3	6	5	4	1	1	–	–	–	–	–
Stone	2	–	–	–	2	–	9	8	13	3	3	3	–	–	–	–
Cystitis	4	2	7	6	5	3	20	21	31	34	15	14	1	–	–	–
Stricture of Urethra	–	1	2	1	3	1	2	2	–	–	–	1	–	–	–	–
Kidney Disease	5	7	8	12	17	9	12	18	21	18	11	1	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	4	4	4	4	–	4	–	1	–	3	–	–	–	–	–	–
Rheumatism	3	3	1	2	5	8	11	7	13	8	2	1	–	–	–	–
Joint Disease	5	3	4	4	3	–	5	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	1	1	2	2	2	1	2	2	–	–	–	–	–	1
Phlegmon	–	2	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	2	–	3	1	1	–	–	–	–	–	–
Intemperance	8	11	11	12	14	5	5	2	1	1	1	–	–	–	–	2
Privation	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	3	–	2	1	1	1	1	–	–	–	–	–	–
Poison	1	2	–	1	1	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	1	3	4	3	4	1	3	5	2	1	–	–	–	–
Hanging, etc.	2	3	3	6	7	1	4	3	2	–	–	–	–	–	–	–
Suffocation	3	4	5	4	–	4	3	3	1	1	–	–	–	–	–	–
Drowning	31	36	25	26	19	14	13	9	9	2	2	–	–	–	–	15
Fracture and Contusion	58	74	59	56	61	45	29	39	20	17	9	2	1	–	–	1
Gunshot Wounds	1	1	1	2	1	3	2	–	2	–	1	–	–	–	–	–
Cuts and Stabs	2	–	7	2	3	1	2	2	1	–	2	–	–	–	–	–
Other Violent Causes	3	1	6	1	4	5	2	2	2	–	–	–	–	–	–	–
Not Specified	27	35	27	32	31	30	53	9	–	1	–	–	–	–	–	8

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	37885	3081	1247	2454	3067	1551	1011	729	1855	1130	1339	1424	1492
SPECIFIED CAUSES	36943	2821	1174	2387	3006	1508	991	702	1817	1100	1319	1401	1464
I. Zymotic Class	8036	350	341	748	1205	732	556	408	978	404	270	281	258
II. Diseases of Uncertain Seat	1500	13	3	9	12	7	2	4	17	12	12	9	36
III. Tubercular Class	6787	94	132	383	476	227	154	123	414	443	745	746	740
IV. Brain and Nervous System	2805	170	65	121	150	63	45	39	115	62	51	56	50
V. Organs of Circulation	1784	2	2	3	–	1	–	5	19	32	43	43	58
VI. Respiratory Organs	6044	410	352	743	752	337	169	78	143	65	63	71	77
VII. Organs of Digestion	2509	214	127	275	291	64	18	11	49	32	48	51	81
VIII. Urinary Organs	406	2	3	1	6	3	8	2	14	12	22	23	21
IX. Organs of Generation	611	–	–	–	–	–	–	–	–	5	32	80	106
X. Organs of Locomotion	221	–	1	2	–	3	2	2	15	17	17	13	5
XI. Skin, etc.	61	4	10	4	4	4	–	–	2	–	–	1	3
XII. Malformation	87	74	6	5	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	1588	1410	100	78	–	–	–	–	–	–	–	–	–
XIV. Atrophy	318	–	–	–	76	33	11	10	16	6	4	7	10
XV. Age	3489	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	70	11	4	1	–	3	–	–	3	–	–	1	2
XVII. Violent Deaths	627	67	28	14	33	30	26	20	32	10	12	19	17
I. Small Pox	693	39	45	18	10	16	15	13	93	102	58	70	58
Measles	1037	11	14	169	395	181	109	69	73	7	4	2	2
Scarlatina	1246	7	13	73	160	174	143	134	353	103	21	19	16
Diphtheria	479	8	4	36	71	71	61	50	118	26	9	1	5
Hooping Cough	831	41	64	196	229	111	83	41	64	1	–	–	–
Croup	476	9	13	52	136	86	79	39	59	3	–	–	–
Thrush	17	13	2	2	–	–	–	–	–	–	–	–	–
Diarrhœa	827	108	126	136	119	24	14	9	11	5	4	5	10
Dysentery	114	3	5	5	3	1	–	2	–	–	–	1	1
Cholera	44	3	3	11	5	4	2	–	1	1	–	1	2
Influenza	56	2	1	–	–	–	–	–	2	1	1	–	1
Purpura	23	1	–	2	–	–	1	1	5	2	2	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	8	1	–	–	2	3	–	1	1	–	–	–	–
Typhus	547	1	3	4	6	14	12	6	42	28	58	42	32
Enteric Fever	657	4	3	11	24	24	19	19	93	85	75	61	38
Relapsing Fever	211	–	2	7	11	6	4	9	19	14	10	13	13
Simple Continued Fever	66	1	–	1	6	2	3	2	9	2	7	4	3
Infantile Remittent	69	2	2	4	18	13	9	6	15	–	–	–	–
Metria	225	–	–	–	–	–	–	–	–	–	8	52	60
Rheumatic Fever	79	–	–	–	–	–	–	3	11	19	8	4	4
Erysipelas	184	57	9	5	1	1	–	2	4	4	5	4	3
Pyæmia	24	1	1	–	–	–	–	1	2	1	–	–	9
Syphilis	113	38	31	16	8	–	–	–	–	–	–	2	1
Noma	7	–	–	–	1	1	1	1	3	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	33	6	–	–	–	–	–	–	4	–	2	1	1
Dropsy	329	1	–	4	3	5	1	3	8	6	4	5	9
Abscess	53	4	1	2	3	1	–	1	3	2	1	1	3
Ulcer	29	1	1	2	2	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	67	1	–	1	4	1	–	–	1	3	1	–	1
Cancer	383	–	1	–	–	–	1	–	1	1	4	2	22
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	378	13	14	31	39	28	13	7	55	35	36	19	21
Tabes Mesenterica	456	29	29	65	118	52	24	15	49	35	10	11	8
Phthisis	4989	15	22	46	88	59	43	41	188	345	690	715	709
Hydrocephalus	964	37	67	241	231	88	74	60	122	28	9	1	2

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1243	1310	1221	1209	1286	1356	1718	1647	2026	1716	1482	841	321	95	14	20
SPECIFIED CAUSES	1221	1282	1200	1182	1246	1308	1664	1641	2026	1715	1482	841	321	95	14	15
Zymotic Class	197	205	148	147	136	113	136	100	130	97	60	29	5	1	–	1
Uncertain Seat	42	79	96	154	157	169	180	156	138	93	67	21	8	2	–	2
Tubercular Class	523	426	354	268	167	141	95	61	44	18	10	–	1	–	–	2
Brain, etc.	47	68	85	110	133	167	226	255	281	223	141	52	24	3	1	2
Heart, etc.	66	93	106	96	158	153	203	199	228	150	77	39	7	1	–	–
Respiratory Organs	107	145	173	176	236	269	363	348	393	268	212	78	13	1	–	2
Digestive Organs	58	94	77	109	126	148	194	143	147	88	37	20	2	3	–	2
Urinary Organs	36	15	29	31	23	30	25	33	26	20	15	5	–	1	–	–
Generative Organs	112	106	62	23	20	18	19	12	5	6	4	1	–	–	–	–
Locomotive Organs	5	4	13	9	11	14	28	18	18	11	8	3	2	–	–	–
Skin	5	4	2	–	–	3	1	5	3	5	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	6	14	15	21	39	50	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	148	284	580	705	838	581	256	82	13	2
Sudden Deaths	–	3	10	4	5	2	8	5	5	3	–	–	–	–	–	–
Violent Deaths	17	26	30	34	35	31	38	22	28	28	12	12	3	1	–	2
Small Pox	49	39	24	14	4	9	9	3	4	1	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	13	6	7	2	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	2	1	2	2	2	3	–	2	3	2	–	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	3	12	7	9	20	15	31	32	42	39	24	17	3	1	–	1
Dysentery	2	7	6	5	6	6	10	9	16	11	10	5	–	–	–	–
Cholera	2	–	–	–	1	–	2	1	3	2	–	–	–	–	–	–
Influenza	–	–	1	2	2	4	3	6	9	9	8	4	–	–	–	–
Purpura	–	–	3	1	–	2	1	1	–	1	–	–	–	–	–	–
Ague	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	31	36	31	60	42	28	24	12	19	13	2	–	1	–	–	–
Enteric Fever	27	26	24	29	22	19	14	10	15	6	8	1	–	–	–	–
Relapsing Fever	7	14	14	6	14	13	15	11	6	2	1	–	–	–	–	–
Simple Cont. Fever	1	3	3	2	2	2	6	2	4	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	43	45	14	3	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	3	4	3	7	2	3	1	–	1	1	–	–	–	–	–
Erysipelas	7	6	4	7	8	6	17	9	9	7	6	2	1	–	–	–
Pyæmia	1	3	1	–	1	2	–	1	–	–	–	–	–	–	–	–
Syphilis	3	4	3	1	3	1	–	–	–	2	–	–	–	–	–	–
Nurse	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	3	–	3	2	1	3	–	2	1	1	–	–	–	–
Dropsy	9	16	12	25	21	29	37	37	34	34	21	3	1	–	–	1
Abscess	3	2	4	3	3	3	8	–	2	1	2	–	–	–	–	–
Ulcer	–	–	1	3	3	2	4	5	3	1	–	1	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	2	4	2	3	3	2	5	12	8	3	3	–	–	–
Cancer	27	58	74	119	125	130	127	109	91	42	34	8	4	2	–	1
Gout	–	–	–	–	–	–	–	–	3	1	1	–	–	–	–	–
Scrofula	13	15	4	5	4	5	9	1	6	2	2	–	–	–	–	1
Tabes Mesenterica	3	2	2	–	1	–	–	1	1	–	1	–	–	–	–	–
Phthisis	505	408	347	263	162	136	86	59	37	16	7	–	1	–	–	1
Hydrocephalus	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	252	3	9	28	36	15	20	12	45	26	12	10	8
Apoplexy	708	9	7	19	14	7	1	4	17	7	12	6	12
Paralysis	902	–	–	2	3	1	2	2	1	3	5	5	5
Delirium Tremens	8	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	4	–	–	–	–	–	–	–	1	2	–	1	–
Epilepsy	117	–	–	1	1	–	–	–	–	3	9	15	12
Tetanus	13	4	–	2	1	–	–	–	–	1	1	–	1
Insanity	18	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	395	149	45	54	81	26	11	11	18	–	–	–	–
Brain Disease	388	5	4	15	14	14	11	10	33	20	11	19	12
V. Pericarditis	27	1	–	–	–	–	–	–	2	3	4	–	1
Aneurism	28	–	–	–	–	–	–	–	1	1	–	–	1
Heart Disease	1729	1	2	3	–	1	–	5	16	28	39	43	56
VI. Laryngitis	54	–	5	6	7	3	2	2	3	–	2	3	2
Bronchitis	4447	333	279	624	589	250	128	61	93	36	25	28	35
Pleurisy	108	1	2	7	3	1	4	–	3	4	6	7	3
Pneumonia	1097	71	64	102	149	79	30	15	40	19	21	27	30
Asthma	214	–	–	–	–	1	–	–	–	–	–	3	2
Lung Disease	124	5	2	4	4	3	5	–	4	6	9	3	5
VII. Teething	447	3	28	180	214	19	3	–	–	–	–	–	–
Quinsey	31	3	3	4	3	3	2	2	5	1	–	–	1
Gastritis	122	9	11	5	6	1	2	2	3	4	4	3	5
Enteritis	423	103	52	53	41	18	4	–	14	3	9	3	10
Peritonitis	212	12	3	3	6	5	–	2	8	8	14	16	27
Ascites	45	–	–	–	–	–	1	–	–	1	5	1	2
Ulceration of Intestines	127	–	1	2	–	2	–	1	5	3	4	7	11
Hernia	58	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	138	9	3	4	1	–	1	–	2	2	2	4	1
Intussusception	21	–	2	5	–	–	–	–	–	–	1	1	1
Stricture of Intestines	13	1	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	335	40	17	14	15	7	3	3	8	7	3	3	10
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	67	4	2	1	1	–	–	–	–	–	1	1	1
Jaundice	95	26	4	2	1	5	1	–	–	–	–	2	1
Liver Disease	363	4	1	2	2	4	1	1	4	3	4	8	10
Spleen Disease	11	–	–	–	1	–	–	–	–	–	–	1	1
VIII. Nephritis	35	–	–	–	1	1	3	–	4	1	1	1	1
Nephria	146	–	–	–	1	1	1	1	4	6	10	13	7
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	17	–	–	–	–	1	1	–	1	–	1	1	1
Diabetes	42	–	1	–	1	–	–	–	–	2	4	1	5
Stone	9	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	19	–	–	–	2	–	–	–	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	136	2	2	1	1	–	3	1	5	3	5	7	6
IX. Paramenia	29	–	–	–	–	–	–	–	–	4	10	3	6
Ovarian Dropsy	94	–	–	–	–	–	–	–	–	1	1	1	4
Childbirth	420	–	–	–	–	–	–	–	–	–	19	75	89
Organs of Generation	68	–	–	–	–	–	–	–	–	–	2	1	7
X. Bone Disease	35	–	1	1	–	2	2	–	2	1	4	3	2
Rheumatism	129	–	–	–	–	–	–	–	4	6	5	3	2
Joint Disease	57	–	–	1	–	1	–	2	9	10	8	7	1
XI. Carbuncle	12	–	1	–	–	1	–	–	–	–	–	–	–
Phlegmon	15	–	–	–	–	1	–	–	–	–	–	1	2
Skin Disease	34	4	9	4	4	2	–	–	2	–	–	1	1
XVII. Intemperance	53	–	–	–	–	–	–	–	–	–	–	1	1
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	35	21	12	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	8	–	1	–	–	–	–	–	–	–	–	–	–
Poison	20	–	1	–	1	–	1	1	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	130	–	1	4	15	16	16	12	14	1	2	2	–
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	73	38	12	4	2	2	–	–	1	–	1	–	1
Drowning	89	2	–	1	9	6	4	4	2	1	3	10	5
Fracture and Contusion	166	1	1	2	5	4	5	–	14	7	6	2	6
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	7	–	–	1	–	–	–	–	–	–	–	1	–
Other Violent Causes	27	5	–	–	1	2	–	3	1	1	–	3	2
Not Specified	942	260	73	67	61	43	20	27	38	30	20	23	28

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	4	4	4	5	2	2	2	1	–	1	–	–	–	–	–
Apoplexy	14	16	31	26	49	62	86	81	95	58	40	24	10	–	1	–
Paralysis	8	21	27	45	49	72	106	130	147	143	86	24	11	3	–	1
Delirium Tremens	1	1	1	2	1	–	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	7	11	3	8	9	3	5	5	11	7	4	2	–	–	–	1
Tetanus	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Insanity	2	1	–	4	1	1	3	3	1	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	12	14	19	21	18	26	21	34	26	15	9	2	3	–	–	–
Pericarditis	1	1	2	2	1	2	1	1	3	1	1	–	–	–	–	–
Aneurism	1	2	2	6	6	2	2	2	1	1	–	–	–	–	–	–
Heart Disease	64	90	102	88	151	149	200	196	224	148	76	39	7	1	–	–
Laryngitis	1	5	3	3	2	1	1	1	2	–	–	–	–	–	–	–
Bronchitis	55	64	95	124	149	193	262	265	296	205	178	65	13	1	–	1
Pleurisy	4	12	7	2	6	4	4	8	13	4	3	–	–	–	–	–
Pneumonia	37	44	44	32	45	35	52	42	52	33	24	9	–	–	–	1
Asthma	4	6	17	11	23	20	38	27	29	23	6	4	–	–	–	–
Lung Disease	6	14	7	4	11	16	6	5	1	3	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Gastritis	4	5	7	3	3	10	13	7	4	4	5	2	–	–	–	–
Enteritis	7	16	7	10	9	12	15	13	12	10	2	–	–	–	–	–
Peritonitis	15	18	10	10	13	11	9	7	6	4	3	1	1	–	–	–
Ascites	2	3	3	4	2	5	7	2	4	1	1	1	–	–	–	–
Ulceration of Intestines	6	7	5	9	14	10	16	4	12	5	2	1	–	–	–	–
Hernia	–	2	3	4	9	9	8	8	9	2	2	–	–	–	–	1
Ileus	3	6	5	14	8	6	10	15	21	9	4	5	–	3	–	–
Intussusception	–	1	–	2	1	4	2	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	2	1	3	1	2	1	–	–	–	–	–	–
Stomach Disease	4	9	9	20	20	28	33	28	23	22	6	3	–	–	–	–
Pancreas Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	6	5	3	11	9	8	4	4	2	1	–	–	–	–
Jaundice	1	3	2	3	6	4	5	6	10	5	6	2	–	–	–	–
Liver Disease	14	20	18	25	33	35	63	42	39	20	4	4	1	–	–	1
Spleen Disease	–	1	2	–	1	2	1	–	–	1	–	–	–	–	–	–
Nephritis	3	4	3	2	1	4	1	1	1	2	–	–	–	–	–	–
Nephria	14	4	9	16	6	10	10	15	9	5	2	1	–	1	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	1	–	1	–	1	–	3	1	2	2	–	–	–	–	–
Diabetes	4	3	5	1	1	5	4	2	2	–	1	–	–	–	–	–
Stone	1	–	–	1	–	–	1	1	2	1	1	1	–	–	–	–
Cystitis	1	–	1	1	2	1	2	4	1	1	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	3	10	9	13	9	7	7	10	9	8	2	–	–	–	–
Paramenia	2	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	9	2	9	12	14	8	13	10	5	3	1	1	–	–	–	–
Childbirth	91	95	44	6	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	10	7	9	3	5	10	6	2	–	3	3	–	–	–	–	–
Bone Disease	1	1	3	1	3	3	2	1	–	1	–	1	–	–	–	–
Rheumatism	3	–	8	5	6	10	22	17	18	9	7	2	2	–	–	–
Joint Disease	1	3	2	3	2	1	4	–	–	1	1	–	–	–	–	–
Carbuncle	2	1	1	–	–	1	–	2	1	1	1	–	–	–	–	–
Phlegmon	2	3	1	–	–	1	–	1	1	2	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	1	2	1	2	–	–	–	–	–	–
Intemperance	6	7	7	8	2	8	5	1	5	1	–	1	–	–	–	–
Privation	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	1	–	2	1	–	1	–	1	–	–	–	–
Poison	2	1	1	1	2	1	4	1	1	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	2	3	6	3	4	1	5	8	3	5	–	1	–	–
Hanging, etc.	–	1	2	2	4	2	1	1	1	–	1	–	–	–	–	–
Suffocation	–	–	–	3	4	2	1	–	2	–	–	–	–	–	–	–
Drowning	3	4	9	4	5	2	8	1	2	2	–	–	–	–	–	2
Fracture and Contusion	4	6	7	8	10	10	11	14	12	15	8	5	3	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	2	1	–	2	1	2	–	–	–	–	–	–	–	–
Not Specified	22	28	21	27	40	48	54	6	–	1	–	–	–	–	–	5

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	31426	3059	1275	2657	3428	1676	1038	720	1760	813	1032	1167	1162
Specified Causes	31119	2942	1255	2631	3409	1666	1034	714	1748	808	1028	1163	1154
I. Zymotic Class	7647	380	365	801	1383	775	523	385	838	280	208	239	237
II. Diseases of Uncertain Seat	866	17	3	9	11	7	4	6	18	13	11	9	27
III. Tubercular Class	5782	87	147	409	497	261	185	142	450	300	534	570	532
IV. Brain and Nervous System	2401	226	79	148	167	75	45	43	116	43	38	54	33
V. Organs of Circulation	1315	2	4	4	–	1	–	3	10	22	36	33	58
VI. Respiratory Organs	6324	497	410	887	952	431	202	98	170	48	61	89	93
VII. Organs of Digestion	1881	218	109	262	294	50	27	9	41	30	33	36	50
VIII. Urinary Organs	420	2	3	5	3	3	6	3	19	10	21	26	21
IX. Organs of Generation	234	–	–	–	–	–	–	–	–	3	14	28	38
X. Organs of Locomotion	164	–	1	1	–	3	4	2	20	17	16	11	8
XI. Skin, etc.	40	5	7	4	–	3	3	–	–	1	–	1	–
XII. Malformation	75	62	8	5	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	1525	1366	79	80	–	–	–	–	–	–	–	–	–
XIV. Atrophy	235	–	–	–	70	33	11	8	17	9	3	4	1
XV. Age	1164	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	87	7	4	3	2	3	1	–	3	–	–	3	1
XVII. Violent Deaths	959	73	36	13	30	21	23	15	46	32	53	60	55
I. Small Pox	886	38	57	24	12	20	22	22	143	110	58	95	107
Measles	1408	10	22	241	559	257	142	78	93	2	1	–	1
Scarlatina	917	8	15	49	135	149	117	111	244	50	13	5	13
Diphtheria	351	6	9	19	72	52	40	36	74	15	8	4	3
Hooping Cough	879	41	56	198	272	133	74	48	55	1	–	1	–
Croup	394	8	6	49	121	70	58	36	43	3	–	–	–
Thrush	20	12	3	3	1	–	1	–	–	–	–	–	–
Diarrhœa	769	143	131	152	126	28	10	6	13	2	1	9	7
Dysentery	59	–	6	3	2	3	–	–	1	–	–	–	3
Cholera	32	2	3	6	6	2	–	–	–	–	–	–	1
Influenza	20	–	–	–	–	–	–	–	2	1	1	2	1
Purpura	24	1	1	1	2	–	1	1	4	4	–	–	–
Ague	3	–	–	–	–	–	–	–	–	–	–	–	–
Worms	5	–	–	–	1	2	1	–	1	–	–	–	–
Typhus	616	1	2	5	7	9	8	5	41	15	59	47	37
Enteric Fever	418	3	3	6	20	22	23	22	69	46	40	33	21
Relapsing Fever	325	2	5	13	17	10	9	10	20	18	14	17	14
Simple Continued Fever	47	1	–	3	6	3	4	3	9	2	2	1	1
Infantile Remittent	60	1	2	6	14	11	10	4	12	–	–	–	–
Metria	60	–	–	–	–	–	–	–	–	–	4	19	15
Rheumatic Fever	39	–	–	–	–	–	–	1	8	8	3	1	4
Erysipelas	148	46	11	3	1	1	1	–	3	1	4	3	3
Pyæmia	11	–	–	1	–	–	1	–	–	2	–	–	2
Syphilis	138	57	33	19	8	2	–	–	–	–	–	2	4
Noma	6	–	–	–	–	1	–	2	3	–	–	–	–
Hydrophobia	3	–	–	–	1	–	1	–	–	–	–	–	–
II. Hæmorrhage	31	5	2	–	2	–	–	–	2	–	1	1	1
Dropsy	182	3	–	2	1	4	3	4	12	5	4	3	5
Abscess	63	5	1	4	5	3	–	1	3	4	2	3	3
Ulcer	21	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	11	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	52	3	–	1	2	–	–	–	1	2	–	–	–
Cancer	501	–	–	1	–	–	1	1	–	2	3	2	16
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	372	12	17	36	43	41	24	8	61	29	33	15	13
Tabes Mesenterica	496	36	34	62	119	52	37	21	72	28	10	9	4
Phthisis	3879	9	21	47	82	53	48	49	192	225	484	544	513
Hydrocephalus	1035	30	75	264	253	115	76	64	125	18	7	2	2

CAUSES OF DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	1084	1213	1103	1125	1193	1051	1246	1056	1064	699	474	224	75	20	2	10
SPECIFIED CAUSES	1076	1204	1093	1115	1184	1042	1231	1056	1064	699	474	224	75	20	2	8
Zymotic Class	181	184	140	138	154	96	117	74	74	37	20	14	2	–	–	2
Uncertain Seat	26	56	58	92	105	97	90	79	66	37	15	7	2	1	–	–
Tubercular Class	420	373	271	232	143	95	69	34	21	5	5	–	–	–	–	–
Brain, etc.	64	70	81	111	117	148	177	183	181	111	54	27	7	2	1	–
Heart, etc.	72	107	105	108	139	117	141	131	117	65	27	8	4	–	–	1
Respiratory Organs	125	164	217	234	286	286	340	279	223	123	78	23	6	1	–	1
Digestive Organs	41	78	62	74	92	91	104	70	57	36	10	5	2	–	–	–
Urinary Organs	35	20	37	30	31	21	30	33	29	15	13	4	–	–	–	–
Generative Organs	43	46	23	8	10	9	4	7	–	1	–	–	–	–	–	–
Locomotive Organs	6	6	6	7	7	5	18	11	8	3	3	–	–	–	–	1
Skin	3	3	1	–	–	3	1	5	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	3	7	8	11	27	23	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	88	118	264	249	243	134	52	15	1	–
Sudden Deaths	2	6	15	6	7	6	8	6	2	2	–	–	–	–	–	–
Violent Deaths	55	84	69	64	66	45	44	26	22	15	6	2	–	1	–	3
Small Pox	71	48	22	16	6	4	5	3	2	1	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	4	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	2	1	3	1	3	–	1	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	8	8	5	22	8	20	12	19	13	12	11	1	–	–	–
Dysentery	2	3	4	6	4	2	6	3	8	1	1	1	–	–	–	–
Cholera	2	–	1	–	–	1	2	1	2	3	–	–	–	–	–	–
Influenza	1	–	–	–	1	3	2	–	3	2	1	–	–	–	–	–
Purpura	1	–	3	–	–	1	1	1	1	1	–	–	–	–	–	–
Ague	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	42	61	54	69	62	30	26	13	14	8	1	–	–	–	–	–
Enteric Fever	22	11	11	8	12	15	9	12	7	2	1	–	–	–	–	–
Relapsing Fever	13	17	22	20	27	20	27	17	10	1	2	–	–	–	–	–
Simple Cont. Fever	–	2	1	1	3	1	2	1	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	20	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	2	2	1	4	2	1	–	–	–	–	–	–	–	–	1
Erysipelas	6	5	6	5	8	3	14	9	6	5	2	1	1	–	–	–
Pyæmia	1	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–
Syphilis	3	4	2	3	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	3	4	1	1	2	–	2	–	1	1	–	–	–	–	–
Dropsy	6	10	6	17	18	11	24	20	11	8	5	–	–	–	–	–
Abscess	2	4	5	4	3	3	4	1	2	1	–	–	–	–	–	–
Ulcer	–	1	1	3	2	5	2	2	1	1	–	–	–	–	–	–
Fistula	2	3	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	2	–	2	3	5	5	4	6	8	2	3	2	–	–	–
Cancer	13	33	42	63	75	71	55	50	44	17	7	4	–	1	–	–
Gout	–	–	–	2	–	–	–	–	2	1	–	–	–	–	–	–
Scrofula	7	10	2	6	4	2	3	3	2	1	–	–	–	–	–	–
Tabes Mesenterica	3	2	2	1	1	1	–	1	1	–	–	–	–	–	–	–
Phthisis	409	359	267	224	138	92	66	30	18	4	5	–	–	–	–	–
Hydrocephalus	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			1	2	3	4	5	10	15	20	25	30
		3	6	12										
IV. Cephalitis	247	2	9	38	39	20	11	17	44	16	10	7	5
Apoplexy	546	18	8	16	10	7	4	6	19	5	6	13	9
Paralysis	629	–	–	1	2	–	–	1	–	2	2	8	6
Delirium Tremens	18	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	4	–	–	–	–	–	–	–	2	1	–	1	–
Epilepsy	72	–	–	–	–	–	–	–	1	3	5	10	3
Tetanus	15	6	–	1	2	–	–	–	2	–	–	1	–
Insanity	16	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	493	194	57	74	98	35	13	9	13	–	–	–	–
Brain Disease	361	6	5	18	16	13	17	10	35	16	14	14	9
V. Pericarditis	17	1	–	–	–	–	–	–	2	3	1	–	1
Aneurism	50	–	–	–	–	–	–	–	–	–	–	–	2
Heart Disease	1248	1	4	4	–	1	–	3	8	19	35	33	55
VI. Laryngitis	61	5	3	7	7	4	4	2	5	–	2	6	2
Bronchitis	4572	384	333	706	731	329	148	65	111	28	23	24	35
Pleurisy	80	–	1	3	3	1	3	1	1	1	5	6	6
Pneumonia	1318	94	66	167	201	90	39	25	48	16	22	43	44
Asthma	126	–	–	–	1	–	–	–	1	1	1	2	1
Lung Disease	167	14	7	4	9	7	8	5	4	2	8	8	5
VII. Teething	476	2	21	194	234	21	4	–	–	–	–	–	–
Quinsey	16	4	2	1	3	–	–	1	4	1	–	–	–
Gastritis	56	7	7	3	3	1	2	1	3	3	–	1	1
Enteritis	319	93	35	31	29	13	9	1	10	4	9	2	5
Peritonitis	141	8	3	2	4	2	2	–	4	9	13	10	18
Ascites	22	–	–	–	–	–	1	–	–	1	–	2	1
Ulceration of Intestines	70	1	1	–	–	–	–	1	2	2	2	3	5
Hernia	53	3	2	1	–	–	–	–	–	–	–	3	2
Ileus	76	14	5	4	1	–	–	–	4	–	3	1	1
Intussusception	9	–	–	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	8	1	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	257	50	25	20	17	6	6	3	7	5	2	4	7
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	36	5	2	–	–	–	–	–	1	–	–	2	–
Jaundice	64	26	3	2	–	4	–	–	–	–	–	1	–
Liver Disease	272	4	3	3	3	3	3	2	6	4	3	7	9
Spleen Disease	6	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	34	–	–	1	–	–	–	–	6	2	2	3	1
Nephria	118	–	–	1	1	1	3	2	5	3	9	11	7
Addison's Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	16	–	–	–	–	–	–	–	1	–	–	2	1
Diabetes	32	–	1	–	–	1	–	–	–	–	3	5	2
Stone	14	–	–	–	–	–	–	1	–	–	–	–	1
Cystitis	50	–	–	–	1	–	1	–	1	–	1	–	1
Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	146	2	2	3	1	1	2	–	6	5	6	5	7
IX. Paramenia	8	–	–	–	–	–	–	–	–	3	1	–	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	1	–	2
Childbirth	170	–	–	–	–	–	–	–	–	–	10	28	34
Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	–	–
X. Bone Disease	40	–	1	1	–	3	2	1	5	4	4	5	2
Rheumatism	67	–	–	–	–	–	1	–	3	3	4	2	4
Joint Disease	57	–	–	–	–	–	1	1	12	10	8	4	2
XI. Carbuncle	9	–	1	–	–	–	–	–	–	–	–	1	–
Phlegmon	8	–	–	–	–	1	–	–	–	1	–	–	–
Skin Disease	23	5	6	4	–	2	3	–	–	–	–	–	–
XVII. Intemperance	81	–	–	–	–	–	–	–	–	–	1	3	1
Privation	4	–	–	–	1	–	–	–	–	1	–	–	–
Want of Breast Milk	54	34	17	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	1	1	–	–	–	–	–	–	–	–	–
Poison	26	–	1	–	4	1	2	2	–	1	–	1	2
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	90	–	–	4	16	9	13	10	6	1	2	2	1
Hanging, etc.	18	–	–	–	–	–	–	–	–	–	1	1	–
Suffocation	82	31	17	3	2	3	–	–	1	–	2	1	2
Drowning	134	1	–	–	–	1	–	–	14	6	6	9	11
Fracture and Contusion	413	–	–	2	6	5	8	–	21	20	38	39	35
Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	8	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	42	7	–	–	1	2	–	3	4	3	3	4	1
Not Specified	307	117	20	26	19	10	4	6	12	5	4	4	8

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	8	4	4	3	3	2	3	2	–	–	–	–	–	–	–	–
Apoplexy	17	21	25	25	36	60	65	55	50	33	20	13	4	–	1	–
Paralysis	13	13	28	43	45	58	89	98	105	69	29	12	3	2	–	–
Delirium Tremens	4	5	3	3	1	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	10	3	8	5	4	5	4	5	1	1	1	–	–	–	–
Tetanus	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Insanity	3	1	–	5	2	–	1	2	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	16	16	18	24	23	24	14	20	20	8	4	1	–	–	–	–
Pericarditis	2	2	2	–	–	–	1	1	1	–	–	–	–	–	–	–
Aneurism	6	5	9	9	13	2	2	1	–	1	–	–	–	–	–	–
Heart Disease	64	100	94	99	126	115	138	129	116	64	27	8	4	–	–	1
Laryngitis	1	1	4	1	5	–	1	–	1	–	–	–	–	–	–	–
Bronchitis	62	79	120	155	183	208	244	220	187	107	65	18	5	1	–	1
Pleurisy	4	7	8	3	8	7	6	2	1	1	2	–	–	–	–	–
Pneumonia	52	60	55	54	62	37	50	40	28	10	9	5	1	–	–	–
Asthma	1	5	19	12	17	21	23	12	4	4	1	–	–	–	–	–
Lung Disease	5	12	11	9	11	13	16	5	2	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	4	2	3	2	2	4	3	–	1	–	1	–	–	–	–
Enteritis	6	12	10	4	5	11	11	9	5	5	–	–	–	–	–	–
Peritonitis	7	9	8	5	11	9	4	3	4	3	2	–	1	–	–	–
Ascites	1	2	3	1	2	2	4	–	–	2	–	–	–	–	–	–
Ulceration of Intestines	3	5	4	7	9	7	9	5	4	–	–	–	–	–	–	–
Hernia	2	2	1	4	5	9	5	5	5	2	2	–	–	–	–	–
Ileus	2	5	–	5	6	6	4	3	9	2	1	–	–	–	–	–
Intussusception	–	1	–	1	2	1	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	2	–	2	–	1	–	–	–	–	–	–	–
Stomach Disease	2	6	5	9	17	15	18	10	9	9	2	2	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	4	3	4	3	5	1	1	2	–	–	–	–	–	–
Jaundice	–	3	2	4	2	2	–	5	5	2	1	2	–	–	–	–
Liver Disease	13	25	22	28	25	24	37	25	13	8	2	–	–	–	–	–
Spleen Disease	1	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	3	4	3	3	–	3	1	–	2	–	–	–	–	–	–	–
Nephria	13	8	10	9	6	7	8	7	4	1	2	–	–	–	–	–
Addison's Disease	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	2	–	1	–	4	3	–	1	–	–	–	–	–
Diabetes	6	2	3	–	3	3	1	2	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	–	3	2	3	–	1	1	–	–	–	–
Cystitis	1	1	4	3	4	2	6	7	7	6	3	1	–	–	–	–
Stricture of Urethra	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Kidney Disease	10	5	14	12	15	5	9	10	10	8	6	2	–	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	2	2	5	7	5	4	5	–	1	–	–	–	–	–	–
Childbirth	38	40	19	–	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	3	2	2	2	4	–	2	–	–	–	–	–	–	–	–
Bone Disease	2	1	2	3	1	1	1	1	–	–	–	–	–	–	–	–
Rheumatism	2	2	2	1	3	4	13	10	8	2	3	–	–	–	–	–
Joint Disease	2	3	2	3	3	–	4	–	–	1	–	–	–	–	–	1
Carbuncle	1	1	1	–	–	2	1	1	–	–	–	–	–	–	–	–
Phlegmon	2	2	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–
Intemperance	11	12	14	10	11	4	5	2	4	–	1	1	–	–	–	1
Privation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	3	1	1	3	1	1	–	2	–	–	–	–	–	–	–
Fractured Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	6	–	2	5	1	3	–	2	3	1	–	–	1	–	–
Hanging, etc.	–	3	2	3	3	–	4	1	–	–	–	–	–	–	–	–
Suffocation	2	2	3	4	3	1	2	1	2	–	–	–	–	–	–	–
Drowning	10	17	12	15	10	9	6	3	2	1	–	–	–	–	–	1
Fracture and Contusion	27	39	34	26	28	26	18	16	8	11	4	1	–	–	–	1
Gunshot Wounds	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	2	2	–	2	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	1	–	2	1	1	3	2	–	–	–	–	–	–	–
Not specified	8	9	10	10	9	9	15	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	15478	1720	683	1376	1740	838	536	348	888	395	511	591	534
SPECIFIED CAUSES	15317	1655	674	1364	1727	835	535	348	884	391	507	591	527
I. Zymotic Class	3742	202	182	406	691	376	255	178	391	124	93	129	124
II. Diseases of Uncertain Seat	335	10	2	4	5	4	4	4	8	9	5	5	9
III. Tubercular Class	2777	47	82	209	247	146	109	69	247	141	243	264	211
IV. Brain and Nervous System	1260	128	54	87	93	41	22	23	61	20	28	29	14
V. Organs of Circulation	642	1	3	2	–	1	–	1	6	6	16	12	31
VI. Respiratory Organs	3217	305	225	458	500	216	94	57	88	23	34	55	54
VII. Organs of Digestion	884	119	59	137	136	24	21	4	14	17	15	19	18
VIII. Urinary Organs	252	1	–	4	2	2	4	2	13	7	10	14	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	93	–	–	–	–	2	3	2	14	11	11	5	6
XI. Skin, etc.	20	3	1	3	–	1	3	–	–	1	–	1	–
XII. Malformation	45	38	5	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	844	760	45	39	–	–	–	–	–	–	–	–	–
XIV. Atrophy	91	–	–	–	34	14	7	3	7	4	2	1	–
XV. Age	386	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	46	3	2	3	2	1	1	–	–	–	–	2	–
XVII. Violent Deaths	683	38	14	10	17	7	12	5	35	28	50	55	50
I. Small Pox	480	15	25	14	5	7	13	9	83	50	28	60	69
Measles	713	5	11	133	291	127	73	26	43	2	–	–	–
Scarlatina	478	7	9	26	75	80	59	64	121	23	4	2	5
Diphtheria	146	2	7	10	33	22	14	15	27	4	4	4	1
Hooping Cough	388	20	28	83	125	60	30	20	21	–	–	1	–
Croup	194	6	2	25	54	35	31	23	17	1	–	–	–
Thrush	14	8	2	2	1	–	1	–	–	–	–	–	–
Diarrhœa	375	80	62	79	71	15	3	2	6	2	1	5	2
Dysentery	29	–	4	2	1	2	–	–	1	–	–	–	3
Cholera	15	–	2	3	3	1	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	–	–	–	–	2	–
Purpura	14	–	1	–	2	–	1	–	1	2	–	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	–	1	–	–	–	–
Typhus	328	1	1	3	4	3	2	3	23	8	29	27	23
Enteric Fever	191	1	3	1	9	10	14	11	29	17	17	18	8
Relapsing Fever	156	2	3	6	7	4	5	2	8	10	7	6	7
Simple Continued Fever	19	1	–	2	1	1	1	1	4	2	–	1	–
Infantile Remittent	25	1	2	4	5	5	5	1	2	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	13	–	–	–	–	–	–	–	3	1	–	1	2
Erysipelas	69	17	7	2	–	1	1	–	1	1	3	1	1
Pyæmia	7	–	–	1	–	–	1	–	–	1	–	–	–
Syphilis	73	36	13	10	3	2	–	–	–	–	–	1	3
Noma	2	–	–	–	–	1	–	1	–	–	–	–	–
Hydrophobia	2	–	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	18	3	2	–	2	–	–	–	–	–	1	1	1
Dropsy	88	2	–	1	–	2	3	3	8	4	2	1	2
Abscess	38	2	–	2	3	2	–	–	–	3	1	2	1
Ulcer	8	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	11	–	–	–	–	–	–	–	–	–	1	–	2
Mortification	22	2	–	–	–	–	–	–	–	1	–	–	–
Cancer	146	–	–	1	–	–	1	1	–	1	–	1	3
Gout	4	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	205	6	8	19	20	22	15	5	29	22	17	11	6
Tabes Mesenterica	261	19	21	31	47	26	24	16	47	10	6	4	1
Phthisis	1730	3	10	24	37	25	28	20	94	97	217	248	203
Hydrocephalus	581	19	43	135	143	73	42	28	77	12	3	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	550	563	518	562	602	488	562	494	443	263	159	79	18	7	1	9
SPECIFIED CAUSES	547	559	512	555	597	485	552	494	443	263	159	79	18	7	1	8
Zymotic Class	92	80	72	75	84	45	53	36	28	15	4	4	1	–	–	2
Uncertain Seat	14	24	17	24	41	33	32	33	27	16	3	1	–	1	–	–
Tubercular Class	195	166	114	103	79	45	31	19	8	1	1	–	–	–	–	–
Brain, etc.	46	39	36	54	61	69	81	90	88	55	27	13	1	–	–	–
Heart, etc.	49	51	49	69	69	58	63	66	49	27	8	3	1	–	–	1
Respiratory Organs	64	76	108	127	139	146	162	132	76	41	23	11	1	1	–	1
Digestive Organs	23	31	30	32	40	34	41	26	22	13	6	2	1	–	–	–
Urinary Organs	14	11	21	14	24	11	23	24	21	10	7	3	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	4	5	5	4	4	4	6	2	4	–	–	–	–	–	–	1
Skin	–	2	–	–	–	1	1	3	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	1	4	9	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	29	38	106	77	75	42	13	5	1	–
Sudden Deaths	2	4	5	2	3	5	3	5	1	2	–	–	–	–	–	–
Violent Deaths	43	70	54	47	44	30	27	20	13	6	5	–	–	–	–	3
Small Pox	44	25	9	12	6	3	1	2	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	4	2	1	11	4	6	2	5	5	3	3	1	–	–	–
Dysentery	2	–	1	2	3	1	4	1	2	–	–	–	–	–	–	–
Cholera	–	–	1	–	–	1	1	–	1	2	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
Purpura	1	–	3	–	–	1	–	–	1	1	–	–	–	–	–	–
Ague	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	32	35	33	36	16	12	6	6	3	–	–	–	–	–	–
Enteric Fever	11	6	6	4	4	5	4	8	4	1	–	–	–	–	–	–
Relapsing Fever	6	5	9	16	16	9	14	8	4	1	1	–	–	–	–	–
Simple Cont. Fever	–	1	1	–	1	1	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–	1
Erysipelas	2	2	3	3	4	–	8	6	4	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	1	1	1	–	–	–	1	–	–	–	–
Syphilis	1	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	2	1	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	3	5	3	2	9	6	9	8	7	6	2	–	–	–	–	–
Abscess	2	4	3	2	3	3	1	1	2	1	–	–	–	–	–	–
Ulcer	–	1	–	1	–	3	–	1	–	1	–	–	–	–	–	–
Fistula	2	3	–	–	3	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	2	–	–	2	3	4	3	3	2	–	–	–	–	–	–
Cancer	5	7	9	16	24	18	18	19	14	5	1	1	–	1	–	–
Gout	–	–	–	2	–	–	–	–	1	1	–	–	–	–	–	–
Scrofula	5	8	2	3	3	–	1	2	–	1	–	–	–	–	–	–
Tabes Mesenterica	3	1	1	1	–	1	–	1	1	–	–	–	–	–	–	–
Phthisis	186	155	111	58	76	44	30	16	7	–	1	–	–	–	–	–
Hydrocephalus	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	139	2	6	27	21	13	3	11	21	5	8	3	3
Apoplexy	277	12	5	6	5	3	4	4	11	3	3	9	4
Paralysis	301	–	–	–	1	–	–	–	–	1	–	4	4
Delirium Tremens	13	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	35	–	–	–	–	–	–	–	1	3	3	5	–
Tetanus	11	4	–	–	2	–	–	–	2	–	–	1	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	279	106	39	42	54	21	6	3	8	–	–	–	–
Brain Disease	199	4	4	12	10	4	9	5	17	8	14	7	2
V. Pericarditis	7	–	–	–	–	–	–	–	2	1	–	–	–
Aneurism	35	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	600	1	3	2	–	1	–	1	4	5	16	12	30
VI. Laryngitis	41	5	–	4	5	3	3	2	5	–	1	3	2
Bronchitis	2193	232	184	353	374	166	67	32	53	10	12	10	14
Pleurisy	45	–	–	–	1	1	1	1	–	1	3	2	5
Pneumonia	769	57	36	100	113	41	20	17	26	9	15	33	30
Asthma	67	–	–	–	1	–	–	–	1	1	1	1	–
Lung Disease	102	11	5	1	6	5	3	5	3	2	2	6	3
VII. Teething	227	1	6	101	107	10	2	–	–	–	–	–	–
Quinsey	9	4	1	1	1	–	–	–	1	1	–	–	–
Gastritis	23	3	3	1	2	1	2	–	–	1	–	1	–
Enteritis	159	48	21	15	13	9	8	1	4	4	5	2	3
Peritonitis	54	4	3	2	2	1	2	–	1	5	5	3	1
Ascites	7	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	31	1	–	–	–	–	–	–	–	1	1	1	3
Hernia	26	3	2	1	–	–	–	–	–	–	–	2	2
Ileus	34	9	3	2	–	–	–	–	2	–	2	–	1
Intussusception	3	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestine	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	130	26	17	12	10	1	5	2	3	1	–	1	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	1	1	–	–	–	–	–	1	–	–	2	–
Jaundice	28	17	–	–	–	1	–	–	–	–	–	1	–
Liver Disease	130	2	2	2	1	1	2	1	2	3	2	5	5
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	16	–	–	1	–	–	–	–	3	2	2	2	1
Nephria	65	–	–	1	1	–	2	1	3	2	4	5	3
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	–	–	–	–	1	–	–	2	–
Diabetes	18	–	–	–	–	1	–	–	–	–	2	5	–
Stone	12	–	–	–	–	–	–	1	–	–	–	–	1
Cystitis	46	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Urethra	6	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	75	1	–	2	1	1	1	–	5	3	2	–	4
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	30	–	–	–	–	2	1	1	4	4	4	4	2
Rheumatism	27	–	–	–	–	–	1	–	1	1	2	–	3
Joint Disease	36	–	–	–	–	–	1	1	9	6	5	1	1
XI. Carbuncle	3	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	4	–	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	13	3	1	3	–	1	3	–	–	–	–	–	–
XVII. Intemperance	47	–	–	–	–	–	–	–	–	–	1	2	–
Privation	2	–	–	–	1	–	–	–	–	1	–	–	–
Want of Breast Milk	26	18	5	3	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	13	–	–	–	3	1	1	1	–	1	–	1	1
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	39	–	–	3	8	2	7	3	3	1	2	1	1
Hanging, etc.	12	–	–	–	–	–	–	–	–	–	1	1	–
Suffocation	46	15	9	2	1	1	–	–	1	–	1	1	2
Drowning	116	–	–	–	–	–	–	–	14	6	6	8	10
Fracture and Contusion	339	–	–	1	3	3	4	–	14	17	36	39	33
Gunshot Wounds	4	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	6	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	31	5	–	–	1	–	–	1	3	2	3	2	1
Not Specified	161	65	9	12	13	3	1	–	4	4	4	–	7

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	6	2	2	1	–	1	2	2	–	–	–	–	–	–	–	–
Apoplexy	16	10	11	14	14	27	28	31	21	20	12	3	1	–	–	–
Paralysis	9	6	10	20	27	26	43	42	57	29	13	9	–	–	–	–
Delirium Tremens	3	4	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	7	1	4	2	2	1	2	3	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Insanity	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	10	9	10	12	16	13	7	10	7	6	2	1	–	–	–	–
Pericarditis	1	1	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Aneurism	5	4	9	6	8	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	43	46	40	63	61	57	61	66	48	27	8	3	1	–	–	1
Laryngitis	–	1	3	–	3	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	8	32	54	75	82	95	104	96	58	35	17	8	–	1	–	1
Pleurisy	4	2	5	3	5	4	5	–	1	–	1	–	–	–	–	–
Pneumonia	30	34	32	36	34	29	26	26	13	5	3	3	1	–	–	–
Asthma	1	3	7	6	9	11	14	7	2	1	1	–	–	–	–	–
Lung Disease	1	4	7	7	6	7	12	3	2	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	1	1	–	3	–	–	–	–	–	–	–	–	–
Enteritis	4	3	5	2	2	3	2	1	1	3	–	–	–	–	–	–
Peritonitis	4	1	1	1	3	4	3	1	3	2	2	–	–	–	–	–
Ascites	–	–	–	–	1	1	2	–	–	2	–	–	–	–	–	–
Ulceration of Intestines	1	2	2	2	4	3	7	3	–	–	–	–	–	–	–	–
Hernia	2	–	1	3	1	2	1	2	2	–	2	–	–	–	–	–
Ileus	–	2	–	1	2	3	2	2	3	–	–	–	–	–	–	–
Intussusception	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	5	4	3	9	8	6	3	4	3	1	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	2	3	1	2	–	–	–	–	–	–	–	–	–
Jaundice	–	1	1	2	1	–	–	1	1	1	–	1	–	–	–	–
Liver Disease	7	13	13	15	10	9	13	13	6	2	1	–	–	–	–	–
Spleen Disease	1	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	1	1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Nephria	5	6	7	3	6	5	5	5	1	–	–	–	–	–	–	–
Addison's Disease	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	1	–	2	2	–	1	–	–	–	–	–
Diabetes	3	1	1	–	3	–	1	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	3	2	2	–	1	1	–	–	–	–
Cystitis	1	1	4	3	4	1	6	7	7	6	3	1	–	–	–	–
Stricture of Urethra	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Kidney Disease	2	2	7	6	8	4	5	6	8	4	2	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–		–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	1	2	2	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	1	–	2	3	4	2	4	–	–	–	–	–	–	–
Joint Disease	1	2	2	2	2	–	2	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Intemperance	6	8	7	5	10	–	3	2	1	–	1	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	2	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	–	1	2	–	–	–	2	–	1	–	–	–	–	–
Hanging, etc.	–	2	1	2	1	–	3	1	–	–	–	–	–	–	–	–
Suffocation	2	2	3	2	–	–	2	1	1	–	–	–	–	–	–	–
Drowning	8	15	9	14	8	8	4	3	2	–	–	–	–	–	–	1
Fracture and Contusion	24	37	31	21	20	10	11	11	4	6	3	–	–	–	–	1
Gunshot Wounds	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	2	1	–	1	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	1	1	–	2	1	1	2	2	–	–	–	–	–	–	–
Not Specified	3	4	5	7	5	3	10	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	15948	1339	592	1281	1688	838	502	372	872	418	521	576	628
SPECIFIED CAUSES	15802	1287	581	1267	1682	831	499	366	864	417	521	572	627
I. Zymotic Class	3905	178	183	395	692	399	268	207	447	156	115	110	113
II. Diseases of Uncertain Seat	531	7	1	5	6	3	–	2	10	4	6	4	18
III. Tubercular Class	3005	40	65	200	250	115	76	73	203	159	291	306	321
IV. Brain and Nervous System	1141	98	25	61	74	34	23	20	55	23	10	25	19
V. Organs of Circulation	673	1	1	2	–	–	–	2	4	16	20	21	27
VI. Respiratory Organs	3107	192	185	429	452	215	108	41	82	25	27	34	39
VII. Organs of Digestion	997	99	50	125	158	26	6	5	27	13	18	17	32
VIII. Urinary Organs	168	1	3	1	1	1	2	1	6	3	11	12	11
IX. Organs of Generation	234	–	–	–	–	–	–	–	–	3	14	28	38
X. Organs of Locomotion	71	–	1	1	–	1	1	–	6	6	5	6	2
XI. Skin, etc.	20	2	6	1	–	2	–	–	–	–	–	–	–
XII. Malformation	30	24	3	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	681	606	34	41	–	–	–	–	–	–	–	–	–
XIV. Atrophy	144	–	–	–	36	19	4	5	10	5	1	3	1
XV. Age	778	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	41	4	2	–	–	2	–	–	3	–	–	1	1
XVII. Violent Deaths	276	35	22	3	13	14	11	10	11	4	3	5	5
I. Small Pox	406	23	32	10	7	13	9	13	60	60	30	35	38
Measles	695	5	11	108	268	130	69	52	50	–	1	–	1
Scarlatina	439	1	6	23	60	69	58	47	123	27	9	3	8
Diphtheria	205	4	2	9	39	30	26	21	47	11	4	–	2
Hooping Cough	491	21	28	115	147	73	44	28	34	1	–	–	–
Croup	200	2	4	24	67	35	27	13	26	2	–	–	–
Thrush	6	4	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa	394	63	69	73	55	13	7	4	7	–	–	4	5
Dysentery	30	–	2	1	1	1	–	–	–	–	–	–	–
Cholera	17	2	1	3	3	1	–	–	–	–	–	–	1
Influenza	13	–	–	–	–	–	–	–	2	1	1	–	1
Purpura	10	1	–	1	–	–	–	1	3	2	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	1	2	–	–	–	–	–	–	–
Typhus	288	–	1	2	3	6	6	2	18	7	30	20	14
Enteric Fever	227	2	–	5	11	12	9	11	40	29	23	15	13
Relapsing Fever	169	–	2	7	10	6	4	8	12	8	7	11	7
Simple Continued Fever	28	–	–	1	5	2	3	2	5	–	2	–	1
Infantile Remittent	35	–	–	2	9	6	5	3	10	–	–	–	–
Metria	69	–	–	–	–	–	–	–	–	–	4	19	15
Rheumatic Fever	26	–	–	–	–	–	–	1	5	7	3	–	2
Erysipelas	79	29	4	1	1	–	–	–	2	–	1	2	2
Pyæmia	4	–	–	–	–	–	–	–	–	1	–	–	2
Syphilis	65	21	20	9	5	–	–	–	–	–	–	1	1
Noma	4	–	–	–	–	–	–	1	3	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	13	2	–	–	–	–	–	–	2	–	–	–	–
Dropsy	94	1	–	1	1	2	–	1	4	1	2	2	3
Abscess	25	3	1	2	2	1	–	1	3	1	1	1	2
Ulcer	13	–	–	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	30	1	–	1	2	–	–	–	1	1	–	–	–
Cancer	355	–	–	–	–	–	–	–	–	1	3	1	13
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	167	6	9	17	23	19	9	3	32	7	16	4	7
Tabes Mesenterica	235	17	13	31	72	26	13	5	25	18	4	5	3
Phthisis	2149	6	11	23	45	28	20	29	98	128	267	296	310
Hydrocephalus	454	11	32	129	110	42	34	36	48	6	4	1	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	534	650	585	563	591	563	684	562	621	436	315	145	57	13	1	1
SPECIFIED CAUSES	529	645	581	560	587	557	679	562	621	436	315	145	57	13	1	–
Zymotic Class	89	104	68	63	70	51	64	38	46	22	16	10	1	–	–	–
Uncertain Seat	12	32	41	68	64	64	58	46	39	21	12	6	2	–	–	–
Tubercular Class	225	207	157	129	64	50	38	15	13	4	4	–	–	–	–	–
Brain, etc.	18	31	45	57	56	79	96	93	93	56	27	14	6	2	1	–
Heart, etc.	23	56	56	39	70	59	78	65	68	38	19	5	3	–	–	–
Respiratory Organs	61	88	109	107	147	140	178	147	147	82	55	12	5	–	–	–
Digestive Organs	18	47	32	42	52	57	63	44	35	23	4	3	1	–	–	–
Urinary Organs	21	9	16	16	7	10	7	9	8	5	6	1	–	–	–	–
Generative Organs	43	46	23	8	10	9	4	7	–	1	–	–	–	–	–	–
Locomotive Organs	2	1	1	3	3	1	12	9	4	3	3	–	–	–	–	–
Skin	3	1	1	–	–	2	–	2	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	7	7	7	18	19	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	59	80	158	172	168	92	39	10	–	–
Sudden Deaths	–	2	10	4	4	1	5	1	1	–	–	–	–	–	–	–
Violent Deaths	12	14	15	17	22	15	17	6	9	9	1	2	–	1	–	–
Small Pox	27	23	13	4	–	1	4	1	2	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	3	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	1	2	1	3	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	4	6	4	11	4	14	10	14	8	9	8	–	–	–	–
Dysentery	–	3	3	4	1	1	2	2	6	1	1	1	–	–	–	–
Cholera	2	–	–	–	–	–	1	1	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	1	2	–	–	2	2	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	20	29	19	36	26	14	14	7	8	5	1	–	–	–	–	–
Enteric Fever	11	5	5	4	8	10	5	4	3	1	1	–	–	–	–	–
Relapsing Fever	7	12	13	4	11	11	13	9	6	–	1	–	–	–	–	–
Simple Cont. Fever	–	1	–	1	2	–	2	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	8	20	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	1	3	1	1	–	–	–	–	–	–	–	–	–
Erysipelas	4	3	3	2	4	3	6	3	2	3	2	1	1	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	2	–	1	2	–	1	–	1	1	–	–	–	–	–
Dropsy	3	5	3	15	9	5	15	12	4	2	3	–	–	–	–	–
Abscess	–	–	2	2	–	–	3	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	2	2	2	2	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	2	1	2	1	1	3	6	2	3	2	–	–	–
Cancer	8	26	33	47	51	53	37	31	30	12	6	3	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	2	2	–	3	1	2	2	1	2	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	223	204	156	126	62	48	36	14	11	4	4	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	108	–	3	11	18	7	8	6	23	11	2	4	2
Apoplexy	269	6	3	10	5	4	–	2	8	2	3	4	5
Paralysis	328	–	–	1	1	–	–	1	–	1	2	4	2
Delirium Tremens	5	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	3	–	–	–	–	–	–	–	1	1	–	1	–
Epilepsy	37	–	–	–	–	–	–	–	–	–	2	5	3
Tetanus	4	2	–	1	–	–	–	–	–	–	–	–	–
Insanity	11	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	214	88	18	32	44	14	7	6	5	–	–	–	–
Brain Disease	162	2	1	6	6	9	8	5	18	8	–	7	7
V. Pericarditis	10	1	–	–	–	–	–	–	–	2	1	–	1
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	648	–	1	2	–	–	–	2	4	14	19	21	25
VI. Laryngitis	20	–	3	3	2	1	1	–	–	–	1	3	–
Bronchitis	2379	152	149	353	357	163	81	33	58	18	11	14	21
Pleurisy	35	–	1	3	2	–	2	–	1	–	2	4	1
Pneumonia	549	37	30	67	88	49	19	8	22	7	7	10	14
Asthma	59	–	–	–	–	–	–	–	–	–	–	1	1
Lung Disease	65	3	2	3	3	2	5	–	1	–	6	2	2
VII. Teething	249	1	15	93	127	11	2	–	–	–	–	–	–
Quinsey	7	–	1	–	2	–	–	1	3	–	–	–	–
Gastritis	33	4	4	2	1	–	–	1	3	2	–	–	1
Enteritis	160	45	14	16	16	4	1	–	6	–	4	–	2
Peritonitis	87	4	–	–	2	1	–	–	3	4	8	7	17
Ascites	15	–	–	–	–	–	1	–	–	1	–	1	1
Ulceration of Intestines	39	–	1	–	–	–	–	1	2	1	1	2	2
Hernia	27	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	42	5	2	2	1	–	–	–	2	–	1	1	–
Intussusception	6	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	6	1	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	127	24	8	8	7	5	1	1	4	4	2	3	4
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	19	4	1	–	–	–	–	–	–	–	–	–	–
Jaundice	36	9	3	2	–	3	–	–	–	–	–	–	–
Liver Disease	142	2	1	1	2	2	1	1	4	1	1	2	4
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	18	–	–	–	–	–	–	–	3	–	–	1	–
Nephria	53	–	–	–	–	1	1	1	2	1	5	6	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	5	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	14	–	1	–	–	–	–	–	–	–	1	–	2
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	1	–	–	–	–	–	1	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	71	1	2	1	–	–	1	–	1	2	4	5	3
IX. Paramenia	8	–	–	–	–	–	–	–	–	3	1	–	2
Ovarian Dropsy	38	–	–	–	–	–	–	–	–	–	1	–	2
Childbirth	170	–	–	–	–	–	–	–	–	–	10	28	34
Organs of Generation	18	–	–	–	–	–	–	–	–	–	2	–	–
X. Bone Disease	10	–	1	1	–	1	1	–	1	–	–	1	–
Rheumatism	40	–	–	–	–	–	–	–	2	2	2	2	1
Joint Disease	21	–	–	–	–	–	–	–	3	4	3	3	1
XI. Carbuncle	6	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	4	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	10	2	5	1	–	1	–	–	–	–	–	–	–
XVII. Intemperance	34	–	–	–	–	–	–	–	–	–	–	1	1
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	28	16	12	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	13	–	1	–	1	–	1	1	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	51	–	–	1	8	7	6	7	3	–	–	1	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	36	16	8	1	1	2	–	–	–	–	1	–	–
Drowning	18	1	–	–	–	1	–	–	–	–	–	1	1
Fracture and Contusion	74	–	–	1	3	2	4	–	7	3	2	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	11	2	–	–	–	2	–	2	1	1	–	2	–
Not Specified	146	52	11	14	6	7	3	6	8	1	–	4	1

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	2	2	3	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	11	14	11	22	33	37	24	29	13	8	10	3	–	1	–
Paralysis	4	7	18	23	18	32	46	56	48	40	16	3	3	2	–	–
Delirium Tremens	1	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	3	2	4	3	2	4	2	2	1	1	1	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	4	1	–	1	1	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	7	8	12	7	11	7	10	13	2	2	–	–	–	–	–
Pericarditis	1	1	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	1	1	–	3	5	1	1	1	–	1	–	–	–	–	–	–
Heart Disease	21	54	54	36	65	58	77	63	68	37	19	5	3	–	–	–
Laryngitis	1	–	1	1	2	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	34	47	66	80	101	113	140	124	129	72	48	10	5	–	–	–
Pleurisy	–	5	3	–	3	3	1	2	–	1	1	–	–	–	–	–
Pneumonia	22	26	23	18	28	8	24	14	15	5	6	2	–	–	–	–
Asthma	–	2	12	6	8	10	9	5	2	3	–	–	–	–	–	–
Lung Disease	4	8	4	2	5	6	4	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	1	2	1	2	1	3	–	1	–	1	–	–	–	–
Enteritis	2	9	5	2	3	8	9	8	4	2	–	–	–	–	–	–
Peritonitis	3	8	7	4	8	5	1	2	1	1	–	–	1	–	–	–
Ascites	1	2	3	1	1	1	2	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	3	2	5	5	4	2	2	4	–	–	–	–	–	–	–
Hernia	–	2	–	1	4	7	4	3	3	2	–	–	–	–	–	–
Ileus	2	3	–	4	4	3	2	1	6	2	1	–	–	–	–	–
Intussusception	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	1	–	2	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	1	6	8	7	12	7	5	6	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	3	1	1	2	3	1	1	2	–	–	–	–	–	–
Jaundice	–	2	1	2	1	2	–	4	4	1	1	1	–	–	–	–
Liver Disease	6	12	9	13	15	15	24	12	7	6	1	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	3	3	2	–	3	–	–	1	–	–	–	–	–	–	–
Nephria	8	2	3	6	–	2	3	2	3	1	2	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	2	1	–	–	–	–	–	–	–
Diabetes	3	1	2	–	–	3	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	3	7	6	7	1	4	4	2	4	4	1	–	–	–	–
Paramenia	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	4	2	2	5	7	5	4	5	–	1	–	–	–	–	–	–
Childbirth	38	40	19	–	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	3	2	2	2	4	–	2	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	1	1	1	9	8	4	2	3	–	–	–	–	–
Joint Disease	1	1	–	1	1	–	2	–	–	1	–	–	–	–	–	–
Carbuncle	1	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	5	4	7	5	1	4	2	–	3	–	–	1	–	–	–	–
Privation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	1	2	1	1	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	4	–	1	3	1	3	–	–	3	–	–	–	1	–	–
Hanging, etc.	–	1	1	1	2	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	2	3	1	–	–	1	–	–	–	–	–	–	–
Drowning	2	2	3	1	2	1	2	–	–	1	–	–	–	–	–	–
Fracture and Contusion	3	2	3	5	8	6	7	5	4	5	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	5	5	4	3	4	6	5	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	8071	791	338	623	768	351	210	147	368	251	319	298	280
Specified Causes	7908	761	313	606	757	346	208	142	366	243	316	292	279
I. Zymotic Class	1611	97	77	179	261	155	103	78	160	70	55	57	47
II. Diseases of Uncertain Seat	243	2	1	2	8	1	6	1	5	1	2	1	3
III. Tubercular Class	1606	32	50	112	160	71	39	23	102	104	179	146	125
IV. Brain and Nervous System	672	36	20	42	32	14	13	9	23	16	15	13	10
V. Organs of Circulation	381	–	–	–	1	–	–	2	5	9	11	10	12
VI. Respiratory Organs	1399	112	90	198	214	72	30	20	35	16	10	22	28
VII. Organs of Digestion	518	51	35	49	61	19	4	2	13	5	8	7	19
VIII. Urinary Organs	89	–	–	–	2	–	2	1	3	5	7	7	4
IX. Organs of Generation	62	–	–	–	–	–	–	–	–	–	3	13	9
X. Organs of Locomotion	46	–	1	1	–	2	2	1	3	6	6	2	1
XI. Skin, etc.	13	1	–	1	–	1	–	–	1	1	–	1	–
XII. Malformation	26	22	3	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	442	394	32	16	–	–	–	–	–	–	–	–	–
XIV. Atrophy	61	–	–	–	13	8	3	2	2	–	–	–	2
XV. Age	510	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	14	2	–	2	–	–	–	–	1	–	1	–	1
XVII. Violent Deaths	215	12	4	3	5	3	6	3	13	10	19	13	18
I. Small Pox	143	14	8	3	2	3	2	–	17	17	17	24	10
Measles	173	3	1	27	75	26	20	10	11	–	–	–	–
Scarlatina	214	1	2	15	27	35	26	30	54	13	3	1	1
Diphtheria	85	4	–	10	14	20	6	10	15	4	–	–	2
Hooping Cough	187	13	21	38	56	26	13	6	13	1	–	–	–
Croup	129	4	3	19	35	30	20	12	6	–	–	–	–
Thrush	5	4	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	205	33	32	46	32	2	3	2	5	–	2	1	1
Dysentery	31	1	–	4	4	–	–	–	–	–	–	2	1
Cholera	11	1	–	4	1	–	–	–	1	–	–	1	–
Influenza	7	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	9	–	–	1	1	–	1	–	3	–	–	–	1
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	–	–	–	–	1	–	1	1	–	–	–	–
Typhus	117	2	2	1	1	4	3	–	9	7	10	11	9
Enteric Fever	119	–	1	3	4	7	7	3	13	15	14	8	9
Relapsing Fever	32	–	–	–	2	–	–	1	7	4	2	–	4
Simple Continued Fever	9	–	–	–	1	–	–	–	2	–	2	1	–
Infantile Remittent	5	–	–	–	–	–	1	3	1	–	–	–	–
Metria	28	–	–	–	–	–	–	–	–	–	2	4	8
Rheumatic Fever	17	–	–	–	–	–	–	–	1	5	3	3	–
Erysipelas	45	8	1	3	–	1	–	–	–	3	–	–	–
Pyæmia	6	–	–	–	1	–	–	–	–	1	–	–	1
Syphilis	29	9	6	5	3	–	1	–	–	–	–	1	–
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	9	–	–	–	–	1	–	–	1	–	1	–	–
Dropsy	82	–	–	2	6	–	5	1	4	1	–	–	1
Abscess	11	1	1	–	–	–	–	–	–	–	–	1	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	1	–	–	2	–	–	–	–	–	1	–	–
Cancer	123	–	–	–	–	–	1	–	–	–	–	–	2
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	73	2	2	3	9	6	1	4	8	11	12	3	–
Tabes Mesenterica	139	6	7	24	35	17	8	6	16	6	2	3	4
Phthisis	1092	8	14	15	21	20	14	6	40	84	164	140	121
Hydrocephalus	302	16	27	70	95	28	16	7	38	3	1	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	282	272	267	280	300	270	354	325	345	271	207	102	30	14	2	6
Specified Causes	277	264	261	271	293	263	350	325	345	271	207	102	30	14	2	4
Zymotic Class	31	26	33	27	29	25	32	16	21	20	8	2	–	2	–	–
Uncertain Seat	9	12	13	29	20	25	35	26	22	14	3	2	–	–	–	–
Tubercular Class	125	81	65	59	52	29	19	16	12	4	1	–	–	–	–	–
Brain, etc.	22	30	35	36	45	35	47	52	57	41	17	9	2	–	–	1
Heart, etc.	18	27	27	20	33	33	50	44	34	26	16	3	–	–	–	–
Respiratory Organs	22	37	43	51	48	59	69	70	70	38	29	13	2	–	–	1
Digestive Organs	14	15	17	16	34	27	45	22	30	14	8	2	–	–	–	1
Urinary Organs	1	1	6	7	7	5	9	6	8	3	3	2	–	–	–	–
Generative Organs	13	14	4	–	1	1	1	1	–	1	1	–	–	–	–	–
Locomotive Organs	3	3	4	1	3	2	2	–	2	1	–	–	–	–	–	–
Skin	1	–	–	1	–	2	1	1	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	2	2	4	13	9	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	33	64	79	105	121	67	26	12	2	1
Sudden Deaths	–	–	–	2	1	1	–	–	3	–	–	–	–	–	–	–
Violent Deaths	17	16	12	18	7	10	7	7	7	3	–	2	–	–	–	–
Small Pox	9	3	2	5	2	2	1	1	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	2	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	4	4	2	4	5	9	10	3	1	–	1	–	–
Dysentery	1	1	3	–	2	2	3	2	1	2	1	1	–	–	–	–
Cholera	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	2	2	–	–	1	–	–
Purpura	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	3	15	7	6	5	8	2	3	–	1	–	–	–	–	–
Enteric Fever	2	5	5	4	5	5	4	2	2	1	–	–	–	–	–	–
Relapsing Fever	–	1	–	1	1	2	3	1	–	3	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	2	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	2	2	1	2	2	4	6	3	4	2	1	–	–	–	–	–
Pyæmia	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	–	–	–	1	1	1	–	–	–	–	–	–
Dropsy	4	4	3	4	4	9	12	9	7	4	2	–	–	–	–	–
Abscess	2	–	1	–	1	1	2	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	1	–	–	1	2	1	–	1	–	–	–	–
Cancer	3	7	8	22	13	14	21	13	10	7	1	1	–	–	–	–
Gout	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Scrofula	3	3	3	–	1	–	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	120	76	61	59	51	29	17	16	11	4	1	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	59	2	2	12	10	5	5	3	8	3	2	1	2
Apoplexy	154	1	2	2	3	1	1	1	3	2	5	2	2
Paralysis	204	–	–	1	–	–	1	–	1	1	1	–	2
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	29	–	–	1	–	–	–	–	–	–	1	6	2
Tetanus	3	–	–	–	–	–	1	–	–	–	2	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	93	31	14	20	14	4	4	3	3	–	–	–	–
Brain Disease	121	2	2	6	5	4	1	2	8	10	4	4	2
V. Pericarditis	7	–	–	–	–	–	–	–	1	–	2	–	1
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	367	–	–	–	1	–	–	2	4	9	9	10	10
VI. Laryngitis	17	–	1	4	2	1	–	–	1	–	–	–	2
Bronchitis	975	87	71	163	175	53	23	13	21	9	3	10	10
Pleurisy	29	–	1	1	1	1	–	–	2	–	1	–	2
Pneumonia	300	23	17	28	34	17	7	7	10	5	6	11	9
Asthma	50	–	–	1	–	–	–	–	–	–	–	–	1
Lung Disease	28	2	–	1	2	–	–	–	1	2	–	1	4
VII. Teething	64	1	1	24	35	2	1	–	–	–	–	–	–
Quinsey	9	1	1	–	3	1	1	–	1	–	–	–	–
Gastritis	21	4	–	–	4	–	–	–	–	–	–	1	2
Enteritis	97	13	20	17	8	9	2	–	3	–	1	–	3
Peritonitis	42	5	2	–	5	1	–	1	3	3	3	2	1
Ascites	8	1	–	–	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	23	1	–	–	–	1	–	–	–	–	1	–	4
Hernia	8	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	23	3	–	1	–	–	–	–	–	–	–	1	–
Intussusception	8	–	1	2	–	1	–	–	–	–	–	1	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	83	17	10	4	4	3	–	1	2	1	–	2	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	14	–	–	–	1	–	–	–	–	–	–	–	1
Jaundice	21	4	–	–	–	1	–	–	–	–	1	–	–
Liver Disease	88	1	–	1	1	–	–	–	3	1	2	–	3
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	10	–	–	–	1	–	2	1	–	2	3	–	–
Nephria	22	–	–	–	–	–	–	–	1	1	1	3	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	7	–	–	–	–	–	–	–	–	–	–	1	1
Diabetes	8	–	–	–	–	–	–	–	–	–	2	1	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	1	1	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	27	–	–	–	1	–	–	–	1	1	1	2	1
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	44	–	–	–	–	–	–	–	–	–	–	13	8
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	14	–	1	–	–	2	2	–	–	2	1	–	1
Rheumatism	17	–	–	–	–	–	–	–	–	3	1	–	–
Joint Disease	15	–	–	1	–	–	–	1	3	1	4	2	–
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	9	1	–	1	–	1	–	–	1	1	–	–	–
XVII. Intemperance	6	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	2	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	1	1	–
Poison	6	–	–	–	–	–	1	–	–	–	1	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	21	–	2	1	2	2	1	1	2	2	–	–	1
Hanging, etc.	7	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	14	8	1	1	1	–	–	–	1	–	1	–	–
Drowning	44	1	–	–	1	1	3	1	3	3	5	3	6
Fracture and Contusion	96	–	–	–	1	–	1	1	7	4	11	9	8
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	6	1	–	–	–	–	–	–	–	1	–	–	1
Not Specified	163	30	25	17	11	5	2	5	2	8	3	6	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	6	7	12	8	11	13	16	21	12	13	4	4	1	–	–	1
Paralysis	5	10	11	15	20	11	20	24	39	23	13	5	1	–	–	–
Delirium Tremens	2	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	5	3	3	2	–	2	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	2	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	7	9	7	10	10	6	7	4	4	–	–	–	–	–	–
Pericarditis	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	–	1	1	–	–	–	–	2	–	–	–	–	–	–
Heart Disease	18	24	27	18	32	33	50	43	34	24	16	3	–	–	–	–
Laryngitis	–	2	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Bronchitis	7	13	15	26	34	35	45	53	46	27	23	11	2	–	–	–
Pleurisy	1	1	2	5	2	2	3	–	–	2	2	–	–	–	–	–
Pneumonia	12	17	20	12	9	14	11	10	11	5	3	1	–	–	–	1
Asthma	–	2	2	7	1	3	10	5	12	4	1	1	–	–	–	–
Lung Disease	2	2	2	1	2	4	–	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	2	1	–	1	1	1	2	–	–	–	–	–
Enteritis	2	–	2	1	1	4	4	2	5	–	–	–	–	–	–	–
Peritonitis	2	3	1	1	3	2	3	–	–	1	–	–	–	–	–	–
Ascites	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	1	1	2	2	2	4	1	1	–	–	–	–	–
Hernia	–	3	–	–	2	1	–	–	1	1	–	–	–	–	–	–
Ileus	1	1	1	2	4	–	4	1	–	1	2	1	–	–	–	–
Intussusception	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	2	1	1	3	6	2	12	3	5	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	2	–	–	3	2	1	–	–	–	–	–	–	–	–
Jaundice	–	2	1	–	1	–	2	2	1	3	3	–	–	–	–	–
Liver Disease	1	2	7	8	11	8	14	8	12	3	–	1	–	–	–	1
Spleen Disease	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	4	2	3	–	4	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	2	–	1	–	–	2	–	–	–	–	–
Diabetes	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	3	1	1	1	1	2	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	3	2	3	2	3	5	1	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	1	1	1	–	1	1	–	–	–	–	–
Childbirth	9	11	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	2	–	2	1	2	–	2	1	–	–	–	–	–	–
Joint Disease	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–
Intemperance	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	1	–	1	2	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	1	2	1	1	–	–	2	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	4	3	3	–	–	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	6	11	6	9	4	4	1	6	3	2	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Not Specified	5	8	6	9	7	7	4	–	–	–	–	–	–	–	–	2

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4003	450	189	346	382	184	96	75	175	101	155	153	113
SPECIFIED CAUSES	3907	433	173	334	376	182	95	73	175	97	153	147	113
I. Zymotic Class	768	56	37	96	129	81	46	36	66	22	24	30	19
II. Diseases of Uncertain Seat	82	1	1	–	4	1	4	1	4	–	1	1	–
III. Tubercular Class	752	16	30	64	84	39	20	15	48	36	78	70	43
IV. Brain and Nervous System	367	21	12	26	14	9	8	6	15	9	7	4	7
V. Organs of Circulation	188	–	–	–	1	–	–	1	2	5	6	6	3
VI. Respiratory Organs	722	61	48	115	105	36	8	10	19	7	5	16	12
VII. Organs of Digestion	259	29	17	24	28	7	–	–	8	2	5	3	11
VIII. Urinary Organs	57	–	–	–	1	–	1	1	1	3	5	3	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	24	–	1	–	–	2	1	–	1	2	4	1	–
XI. Skin, etc.	5	1	–	–	–	–	–	–	–	1	–	–	–
XII. Malformation	15	12	3	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	263	233	22	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	28	–	–	–	7	5	2	1	1	–	–	–	–
XV. Age	201	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	1	–	1	–	–	–	–	1	–	1	–	–
XVII. Violent Deaths	166	2	2	–	3	2	5	2	9	10	17	13	16
I. Small Pox	72	8	6	1	1	2	1	–	7	6	8	13	6
Measles	77	1	1	15	33	12	7	2	6	–	–	–	–
Scarlatina	101	1	1	8	14	13	15	18	25	1	2	1	–
Diphtheria	42	2	–	5	8	10	2	6	6	3	–	–	–
Hooping Cough	85	7	7	19	26	15	4	3	3	1	–	–	–
Croup	75	3	2	12	23	19	9	3	4	–	–	–	–
Thrush	3	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	102	22	15	25	15	2	1	–	2	–	–	1	–
Dysentery	14	1	–	1	2	–	–	–	–	–	–	2	1
Cholera	7	1	–	2	1	–	–	–	1	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	1	–	–	–	–
Purpura	5	–	–	–	1	–	–	–	1	–	–	–	1
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	1	–	1	–	–	–	–	–
Typhus	57	2	1	1	–	2	1	–	3	2	3	7	4
Enteric Fever	59	–	1	2	–	5	4	3	5	4	7	3	6
Relapsing Fever	12	–	–	–	1	–	–	–	1	2	2	–	1
Simple Continued Fever	5	–	–	–	–	–	–	–	1	–	1	–	–
Infantile Remittent	1	–	–	–	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	9	–	–	–	–	–	–	–	–	2	1	3	–
Erysipelas	19	2	1	2	–	–	–	–	–	–	–	–	–
Pyæmia	3	–	–	–	1	–	–	–	–	1	–	–	–
Syphilis	13	4	2	3	1	–	1	–	–	–	–	–	–
Noma	1	–	–	–	1	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	8	–	–	–	–	1	–	–	1	–	1	–	–
Dropsy	35	–	–	–	4	–	4	1	3	–	–	–	–
Abscess	5	–	1	–	–	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	28	–	–	–	–	–	–	–	–	–	–	–	–
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	43	2	1	2	7	3	–	3	1	10	7	3	–
Tabes Mesenterica	76	4	4	13	20	7	7	4	10	3	–	–	2
Phthisis	469	5	10	6	5	8	6	4	21	23	71	67	41
Hydrocephalus	164	5	15	43	52	21	7	4	16	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	128	129	133	143	171	130	177	154	161	113	87	40	9	5	1	3
SPECIFIED CAUSES	125	124	127	139	168	127	174	154	161	113	87	40	9	5	1	2
Zymotic Class	12	9	15	12	19	13	18	5	12	5	4	–	–	2	–	–
Uncertain Seat	1	1	–	6	10	12	13	7	8	4	2	–	–	–	–	–
Tubercular Class	53	28	26	32	28	15	13	8	4	1	1	–	–	–	–	–
Brain, etc.	15	20	25	19	25	14	23	30	30	17	5	4	1	–	–	1
Heart, etc.	9	16	12	8	19	14	25	25	18	11	6	1	–	–	–	–
Respiratory Organs	11	20	23	29	27	31	38	28	32	21	12	8	–	–	–	–
Digestive Organs	5	11	10	8	18	13	24	13	11	6	4	2	–	–	–	–
Urinary Organs	1	1	4	6	5	2	5	5	6	2	1	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	3	1	1	2	1	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	1	7	3	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	10	27	32	44	52	23	8	3	1	1
Sudden Deaths	–	–	–	2	1	1	–	–	2	–	–	–	–	–	–	–
Violent Deaths	15	14	11	14	7	7	4	6	6	1	–	–	–	–	–	–
Small Pox	3	3	–	3	1	1	1	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	2	2	1	3	–	5	2	1	–	–	1	–	–
Dysentery	–	1	1	–	1	–	1	2	–	–	1	–	–	–	–	–
Cholera	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–
Purpura	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	1	9	2	5	3	3	–	2	–	–	–	–	–	–	–
Enteric Fever	1	1	2	1	4	4	3	1	2	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	1	2	3	1	2	1	1	–	–	–	–	–
Pyæmia	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	2	–	–	–	–	1	1	–	–	–	–	–	–
Dropsy	1	–	–	1	2	5	5	2	3	2	2	–	–	–	–	–
Abscess	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	–	–	–	3	7	5	8	3	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	51	26	24	32	28	15	12	8	4	1	1	–	–	–	–	–
Hydrocephalus	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	35	1	1	8	4	4	2	3	4	2	1	1	2
Apoplexy	81	–	1	1	2	–	1	1	2	1	2	1	1
Paralysis	106	–	–	–	–	–	–	–	1	–	1	–	2
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	10	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	2	–	–	–	–	–	1	–	–	–	1	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	56	18	8	17	4	2	3	2	2	–	–	–	–
Brain Disease	70	2	2	–	4	3	1	–	6	6	2	1	2
V. Pericarditis	3	–	–	–	–	–	–	–	–	–	–	–	1
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	178	–	–	–	1	–	–	1	2	5	6	6	1
VI. Laryngitis	9	–	–	2	2	1	–	–	1	–	–	–	1
Bronchitis	482	48	41	93	90	23	7	5	11	4	2	5	4
Pleurisy	19	–	–	–	1	–	–	–	2	–	1	–	1
Pneumonia	171	12	7	18	11	12	1	5	5	2	2	10	5
Asthma	27	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	14	1	–	1	1	–	–	–	–	1	–	1	1
VII. Teething	25	–	–	10	14	1	–	–	–	–	–	–	–
Quinsey	4	1	–	–	3	–	–	–	–	–	–	–	–
Gastritis	9	1	–	–	2	–	–	–	–	–	–	–	1
Enteritis	48	7	11	10	5	2	–	–	2	–	1	–	–
Peritonitis	17	3	–	–	2	–	–	–	2	2	2	–	–
Ascites	6	1	–	–	–	–	–	–	1	–	–	–	1
Ulceration of Intestines	8	1	–	–	–	–	–	–	–	–	–	–	2
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	14	2	–	1	–	–	–	–	–	–	–	–	–
Intussusception	7	–	1	1	–	1	–	–	–	–	–	1	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	45	8	5	2	1	3	–	–	–	–	–	2	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	10	4	–	–	–	–	–	–	–	–	1	–	–
Liver Disease	51	1	–	–	1	–	–	–	3	–	1	–	3
Spleen Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	7	–	–	–	1	–	1	1	–	1	2	–	–
Nephria	10	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	6	–	–	–	–	–	–	–	–	–	2	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	12	–	–	–	–	–	–	–	1	1	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	16	–	–	–	–	–	–	–	–	1	1	2	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	10	–	1	–	–	2	1	–	–	1	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	9	–	–	–	–	–	–	–	1	1	4	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	1	–	–	–	–	–	–	–	1	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	–	–	1	1	–
Poison	5	–	–	–	–	–	1	–	–	–	1	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	13	–	1	–	2	1	1	1	–	2	–	–	1
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	–	–	1	–	–	–	1	–	1	–	–
Drowning	37	1	–	–	–	1	2	–	3	3	4	3	6
Fracture and Contusion	83	–	–	–	–	–	1	1	5	4	10	9	6
Gunshot Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	5	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	5	–	–	–	–	–	–	–	–	1	–	–	1
Not Specified	96	17	16	12	6	2	1	2	–	4	2	6	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the Year 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	2	3	9	6	4	5	8	14	8	5	1	1	1	–	–	1
Paralysis	5	9	9	7	12	4	10	12	17	10	4	3	–	–	–	–
Delirium Tremens	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	4	2	2	–	–	1	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	1	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	4	5	3	7	4	2	4	4	2	–	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	2	–	1	1	–	–	–	–	2	–	–	–	–	–	–
Heart Disease	9	13	12	7	18	14	25	24	18	9	6	1	–	–	–	–
Laryngitis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	8	7	11	20	14	22	18	19	13	9	6	–	–	–	–
Pleurisy	–	1	2	4	1	2	2	–	–	1	1	–	–	–	–	–
Pneumonia	8	11	10	9	5	11	9	6	6	4	1	1	–	–	–	–
Asthma	–	–	2	5	–	–	5	3	6	3	1	1	–	–	–	–
Lung Disease	1	–	1	–	1	3	–	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	2	–	–	1	–	–	1	–	–	–	–	–
Enteritis	–	–	1	–	–	2	3	1	3	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	3	1	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	1	1	1	–	–	1	–	–	–	–	–
Hernia	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	1	1	–	3	–	3	–	–	–	2	1	–	–	–	–
Intussusception	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	1	1	–	2	3	1	10	2	3	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	2	–	2	–	–	–	–	–	–
Liver Disease	–	2	6	5	7	5	7	4	4	1	–	1	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Nephritis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	3	1	2	–	1	–	–	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	3	1	1	1	1	2	–	–	–	–
Stricture of Urethra	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	–	–	1	3	1	1	1	2	3	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	1	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	2	1	–	–	–	2	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	5	3	2	2	–	–	–	1	1	–	–	–	–	–	–	–
Fracture and Contusion	6	10	6	8	4	4	1	5	2	1	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Not Specified	3	5	6	4	3	3	3	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	4068	341	149	277	386	167	114	72	193	150	164	145	167
SPECIFIED CAUSES	4001	328	140	272	381	164	113	69	191	146	163	145	166
I. Zymotic Class	843	41	40	83	132	74	57	42	94	48	31	27	28
II. Diseases of Uncertain Seat	161	1	–	2	4	–	2	–	1	1	1	–	3
III. Tubercular Class	854	16	20	48	76	32	19	8	54	68	101	76	82
IV. Brain and Nervous System	305	15	8	16	18	5	5	3	8	7	8	9	3
V. Organs of Circulation	193	–	–	–	–	–	–	1	3	4	5	4	9
VI. Respiratory Organs	677	51	42	83	109	36	22	10	16	9	5	6	16
VII. Organs of Digestion	250	22	18	25	33	12	4	2	5	3	3	4	8
VIII. Urinary Organs	32	–	–	–	1	–	1	–	2	2	2	4	2
IX. Organs of Generation	62	–	–	–	–	–	–	–	–	–	3	13	9
X. Organs of Locomotion	22	–	–	1	–	–	1	1	2	4	2	1	1
XI. Skin, etc.	8	–	–	1	–	1	–	–	1	–	–	1	–
XII. Malformation	11	10	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	179	161	10	8	–	–	–	–	–	–	–	–	–
XIV. Atrophy	33	–	–	–	6	3	1	1	1	–	–	–	2
XV. Age	309	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	1	–	1	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	49	10	2	3	2	1	1	1	4	–	2	–	2
I. Small Pox	71	6	2	2	1	1	1	–	10	11	9	11	4
Measles	96	2	–	12	42	14	13	8	5	–	–	–	–
Scarlatina	113	–	1	7	13	22	11	12	29	12	1	–	1
Diphtheria	43	2	–	5	6	10	4	4	9	1	–	–	2
Hooping Cough	102	6	14	19	30	11	9	3	10	–	–	–	–
Croup	54	1	1	7	12	11	11	9	2	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	103	11	17	21	17	–	2	2	3	–	2	–	1
Dysentery	17	–	–	3	2	–	–	–	–	–	–	–	–
Cholera	4	–	–	2	–	–	–	–	–	–	–	1	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	1	–	–	1	–	2	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	60	–	1	–	1	2	2	–	6	5	7	4	5
Enteric Fever	60	–	–	1	4	2	3	–	8	11	7	5	3
Relapsing Fever	20	–	–	–	1	–	–	1	6	2	–	–	3
Simple Continued Fever	4	–	–	–	1	–	–	–	1	–	1	1	–
Infantile Remittent	4	–	–	–	–	–	–	3	1	–	–	–	–
Metria	28	–	–	–	–	–	–	–	–	–	2	4	8
Rheumatic Fever	8	–	–	–	–	–	–	–	1	3	2	–	–
Erysipelas	26	6	–	1	–	1	–	–	–	3	–	–	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	16	5	4	2	2	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	47	–	–	2	2	–	1	–	1	1	–	–	1
Abscess	6	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	9	–	–	–	2	–	–	–	–	–	1	–	–
Cancer	15	–	–	–	–	–	1	–	–	–	–	–	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	30	–	1	1	2	3	1	1	7	1	5	–	–
Tabes Mesenterica	63	2	3	11	15	10	1	2	6	3	2	3	2
Phthisis	623	3	4	9	16	12	8	2	19	61	93	73	80
Hydrocephalus	138	11	12	27	43	7	9	3	22	3	1	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	154	143	134	137	129	140	177	171	184	158	120	62	21	9	1	3
SPECIFIED CAUSES	152	140	134	132	125	136	176	171	184	158	120	62	21	9	1	2
Zymotic Class	19	17	18	15	10	12	14	11	9	15	4	2	–	–	–	–
Uncertain Seat	8	11	13	23	10	13	22	19	14	10	1	2	–	–	–	–
Tubercular Class	72	53	39	27	24	14	6	8	8	3	–	–	–	–	–	–
Brain, etc.	7	10	10	17	20	21	24	22	27	24	12	5	1	–	–	–
Heart, etc.	9	11	15	12	14	19	25	19	16	15	10	2	–	–	–	–
Respiratory Organs	11	17	20	22	21	28	31	42	38	17	17	5	2	–	–	1
Digestive Organs	9	4	7	8	16	14	21	9	19	8	4	–	–	–	–	1
Urinary Organs	–	–	2	1	2	3	4	1	2	1	2	–	–	–	–	–
Generative Organs	13	14	4	–	1	1	1	1	–	1	1	–	–	–	–	–
Locomotive Organs	–	–	3	–	1	1	2	–	2	–	–	–	–	–	–	–
Skin	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	1	2	3	6	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	23	37	47	61	69	44	18	9	1	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	2	2	1	4	–	3	3	1	1	2	–	2	–	–	–	–
Small Pox	6	–	2	2	1	1	–	–	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	2	2	1	1	5	4	8	2	1	–	–	–	–
Dysentery	1	–	2	–	1	2	2	–	1	2	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	–	–	–	–	1	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	2	6	5	1	2	5	2	1	–	1	–	–	–	–	–
Enteric Fever	1	4	3	3	1	1	1	1	–	1	–	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	2	1	1	–	2	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	6	6	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	–	2	1	2	3	2	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	3	4	3	3	2	4	7	7	4	2	–	–	–	–	–	–
Abscess	2	–	1	–	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	1	–	–	–	1	1	–	1	–	–	–	–
Cancer	3	7	8	19	6	9	13	10	8	7	1	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	2	2	–	1	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	69	50	37	27	23	14	5	8	7	3	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	24	1	1	4	6	1	3	–	4	1	1	–	–
Apoplexy	73	1	1	1	1	1	–	–	1	1	3	1	1
Paralysis	98	–	–	1	–	–	1	–	–	1	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	19	–	–	1	–	–	–	–	–	–	1	5	2
Tetanus	1	–	–	–	–	–	–	–	–	–	1	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	37	13	6	3	10	2	1	1	1	–	–	–	–
Brain Disease	51	–	–	6	1	1	–	2	2	4	2	3	–
V. Pericarditis	4	–	–	–	–	–	–	–	1	–	2	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	189	–	–	–	–	–	–	1	2	4	3	4	9
VI. Laryngitis	8	–	1	2	–	–	–	–	–	–	–	–	1
Bronchitis	493	39	30	70	85	30	16	8	10	5	1	5	6
Pleurisy	10	–	1	1	–	1	–	–	–	–	–	–	1
Pneumonia	129	11	10	10	23	5	6	2	5	3	4	1	4
Asthma	23	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	14	1	–	–	1	–	–	–	1	1	–	–	3
VII. Teething	39	1	1	14	21	1	1	–	–	–	–	–	–
Quinsey	5	–	1	–	–	1	1	–	1	–	–	–	–
Gastritis	12	3	–	–	2	–	–	–	–	–	–	1	1
Enteritis	49	6	9	7	3	7	2	–	1	–	–	–	3
Peritonitis	25	2	2	–	3	1	–	1	1	1	1	2	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	15	–	–	–	–	1	–	–	–	–	1	–	2
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	9	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	38	9	5	2	3	–	–	1	2	1	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	7	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	11	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	37	–	–	1	–	–	–	–	–	1	1	–	–
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	1	–	–	1	1	–	–
Nephria	12	–	–	–	–	–	–	–	1	1	1	3	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	11	–	–	–	1	–	–	–	1	–	–	–	1
IX. Paramenia	4	–	–	–	–	–	–	–	–	–	3	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	1
Childbirth	44	–	–	–	–	–	–	–	–	–	–	13	8
Organs of Generation	6	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	–	–	1	–	–	1	1	–	1
Rheumatism	12	–	–	–	–	–	–	–	–	3	1	–	–
Joint Disease	6	–	–	1	–	–	–	1	2	–	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	6	–	–	1	–	1	–	–	1	–	–	–	–
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	1	1	–	1	–	–	2	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	8	1	1	–	–	–	–	–	–	–	–	–
Drowning	7	–	–	–	1	–	1	1	–	–	1	–	–
Fracture and Contusion	13	–	–	–	1	–	–	–	2	–	1	–	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	–	–	–	–	–	–	–	–	–	–	–
Not Specified	67	13	9	5	5	3	1	3	2	4	1	–	1

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	4	4	3	2	7	8	8	7	4	8	3	3	–	–	–	–
Paralysis	–	1	2	8	8	7	10	12	22	13	9	2	1	–	–	–
Delirium Tremens	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	1	1	1	2	–	1	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	3	4	4	3	6	4	3	–	2	–	–	–	–	–	–
Pericarditis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	11	15	11	14	19	25	19	16	15	10	2	–	–	–	–
Laryngitis	–	2	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	5	5	8	15	14	21	23	35	27	14	14	5	2	–	–	–
Pleurisy	1	–	–	1	1	–	1	–	–	1	1	–	–	–	–	–
Pneumonia	4	6	10	3	4	3	2	4	5	1	2	–	–	–	–	1
Asthma	–	2	–	2	1	3	5	2	6	1	–	–	–	–	–	–
Lung Disease	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
Enteritis	2	–	1	1	1	2	1	1	2	–	–	–	–	–	–	–
Peritonitis	2	3	1	–	–	1	3	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	1	1	1	1	4	1	–	–	–	–	–	–
Hernia	–	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–
Ileus	1	–	–	2	1	–	1	1	–	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	1	3	1	2	1	2	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–
Jaundice	–	1	1	–	1	–	2	–	1	1	3	–	–	–	–	–
Liver Disease	1	–	1	3	4	3	7	4	8	2	–	–	–	–	–	1
Spleen Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	1	–	3	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	1	–	–	–	–	2	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	1	2	1	1	2	1	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	1	1	1	–	1	1	–	–	–	–	–
Childbirth	9	11	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	1	1	2	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–
Intemperance	1	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	1	–	–	–	1	1	1	–	2	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	3	–	5	4	4	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	16200	1595	642	1111	1198	612	440	317	912	581	600	622	589
Specified Causes	15756	1463	602	1078	1168	597	431	308	894	563	593	611	577
I. Zymotic Class	3357	167	136	329	437	311	271	171	470	163	117	101	90
II. Diseases of Uncertain Seat	554	2	3	2	5	4	–	5	11	9	2	5	9
III. Tubercular Class	2958	49	66	183	214	110	65	59	196	218	305	347	311
IV. Brain and Nervous System	1297	68	43	62	66	20	15	17	66	42	30	20	26
V. Organs of Circulation	799	6	3	–	–	1	–	1	16	10	21	20	20
VI. Respiratory Organs	2414	215	182	309	254	94	48	31	64	25	23	33	32
VII. Organs of Digestion	1130	112	80	137	130	27	9	4	17	21	27	25	28
VIII. Urinary Organs	259	2	–	–	5	–	5	2	13	10	13	8	13
IX. Organs of Generation	125	–	–	–	–	–	–	–	–	2	9	14	22
X. Organs of Locomotion	90	–	–	1	–	2	–	1	6	17	11	4	1
XI. Skin, etc.	29	2	6	5	4	–	–	–	1	–	–	1	–
XII. Malformation	68	59	4	3	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	856	753	64	39	–	–	–	–	–	–	–	–	–
XIV. Atrophy	115	–	–	–	30	14	5	6	4	2	1	3	3
XV. Age	1150	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	31	6	2	–	–	1	–	–	–	1	1	1	–
XVII. Violent Deaths	524	22	13	8	22	12	13	11	30	43	33	29	22
I. Small Pox	209	16	18	8	4	3	6	–	20	29	19	21	14
Measles	277	7	9	59	108	40	23	11	16	3	–	1	–
Scarlatina	835	6	11	54	95	123	114	90	258	50	10	7	4
Diphtheria	187	3	1	17	35	29	25	20	35	7	3	1	1
Hooping Cough	220	17	15	60	58	26	27	6	11	–	–	–	–
Croup	227	4	8	26	52	47	37	19	34	–	–	–	–
Thrush	7	5	1	–	1	–	–	–	–	–	–	–	–
Diarrhœa	384	60	49	76	54	12	9	4	2	4	2	–	1
Dysentery	46	1	3	3	–	1	2	–	–	–	–	2	–
Cholera	34	2	3	8	4	1	3	–	3	1	1	–	2
Influenza	32	3	1	1	–	–	–	–	–	1	–	–	1
Purpura	10	–	–	–	–	–	–	–	1	1	3	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	1	–	–	1	–	–	1	–	–	–	–	–
Typhus	215	1	–	3	4	8	8	3	16	14	20	17	16
Enteric Fever	384	2	2	3	8	14	14	13	54	45	48	32	27
Relapsing Fever	28	–	–	1	1	–	–	–	2	4	3	3	1
Simple Continued Fever	21	1	–	–	–	–	–	–	5	–	2	–	–
Infantile Remittent	34	4	1	3	10	6	3	2	5	–	–	–	–
Metria	58	–	–	–	–	–	–	–	–	–	–	13	18
Rheumatic Fever	31	–	–	–	–	1	–	1	5	4	3	1	1
Erysipelas	68	19	5	3	–	–	–	1	1	–	3	2	1
Pyæmia	11	1	–	–	–	–	–	–	2	–	–	1	3
Syphilis	36	14	9	4	2	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	14	–	–	–	–	–	–	1	1	–	–	–	1
Dropsy	133	–	–	–	1	3	–	3	7	5	1	4	2
Abscess	22	–	2	1	3	–	–	1	1	–	–	–	1
Ulcer	7	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	26	1	–	–	–	1	–	–	–	3	–	–	–
Cancer	350	–	1	–	–	–	–	–	2	1	1	1	5
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	192	4	4	16	21	7	6	4	21	33	13	17	12
Tabes Mesenterica	211	19	17	28	54	23	11	9	21	15	5	3	1
Phthisis	2056	8	11	21	41	26	15	18	81	141	281	325	296
Hydrocephalus	499	18	34	118	98	54	33	28	73	29	6	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	485	453	447	488	511	591	688	723	898	702	559	294	111	21	4	6
SPECIFIED CAUSES	474	435	436	477	496	571	666	721	898	702	559	294	111	21	4	[illegible]
Zymotic Class	68	70	49	64	55	44	45	48	61	43	32	14	1	–	–	–
Uncertain Seat	15	28	32	47	50	69	61	59	61	37	23	7	5	1	–	2
Tubercular Class	209	122	137	98	85	69	47	27	20	11	6	–	1	–	–	3
Brain, etc.	24	27	23	42	55	61	93	137	140	114	75	23	6	1	–	1
Heart, etc.	31	29	36	41	58	76	104	104	112	62	31	13	4	–	–	–
Respiratory Organs	30	45	60	76	89	110	146	142	163	119	81	37	4	1	1	–
Digestive Organs	20	51	34	46	39	63	67	58	61	44	18	10	1	1	–	–
Urinary Organs	18	6	9	14	14	16	15	28	27	21	13	7	–	–	–	–
Generative Organs	23	22	12	6	3	3	4	1	1	2	–	1	–	–	–	–
Locomotive Organs	2	2	7	–	3	6	7	7	6	4	1	2	–	–	–	–
Skin	–	1	2	–	–	2	–	–	2	3	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	4	4	6	6	9	18	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	50	89	228	226	272	178	87	17	3	–
Sudden Deaths	–	2	1	3	1	3	1	3	4	1	–	–	–	–	–	–
Violent Deaths	30	26	28	34	35	31	26	18	12	15	7	2	2	–	–	–
Small Pox	12	17	5	7	1	4	3	2	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	2	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	2	2	3	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	2	6	1	4	7	10	7	17	25	14	11	6	1	–	–	–
Dysentery	1	3	1	1	3	2	3	3	5	4	5	3	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	1	3	1	–	–	–	–	–
Influenza	–	–	–	1	–	–	5	7	2	4	3	3	–	–	–	–
Purpura	1	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	8	8	20	17	10	9	5	8	6	1	–	–	–	–	–
Enteric Fever	16	16	18	20	12	10	5	4	9	6	5	1	–	–	–	–
Relapsing Fever	1	1	1	3	3	1	1	1	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	2	1	2	1	2	2	2	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	8	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	2	2	1	4	1	2	1	1	–	1	–	–	–	–	–
Erysipelas	1	2	1	2	3	2	5	2	7	2	5	1	–	–	–	–
Pyæmia	–	1	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	2	1	–	1	–	1	–	–	–	–	–	–
Nævus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	3	–	–	1	1	2	–	1	–	1	–	–	–	–
Dropsy	2	9	5	4	6	16	11	17	14	14	6	2	–	–	–	1
Abscess	1	1	2	2	1	1	3	1	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	1	–	–	–	1	3	2	2	5	3	–	3	–	–	–
Cancer	10	15	22	41	43	49	42	35	43	17	14	4	2	1	–	1
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	3	11	3	1	6	–	2	1	3	1	2	–	–	–	–	1
Tabes Mesenterica	1	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–
Phthisis	204	109	132	97	79	69	45	24	17	10	3	–	1	–	–	2
Hydrocephalus	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	135	2	9	16	18	4	8	5	20	16	10	5	2
Apoplexy	327	3	1	9	7	2	2	3	8	7	5	2	6
Paralysis	385	–	–	–	1	–	–	1	2	2	1	2	2
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	36	–	–	–	1	–	–	–	–	3	5	3	4
Tetanus	12	2	–	1	–	–	–	1	3	–	2	–	2
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	177	57	28	29	33	9	3	3	15	–	–	–	–
Brain Disease	211	4	5	7	6	5	2	4	18	14	7	7	9
V. Pericarditis	19	–	–	–	–	–	–	–	1	3	1	1	2
Aneurism	16	–	–	–	–	–	–	–	1	–	1	–	–
Heart Disease	764	6	3	–	–	1	–	1	14	7	19	19	18
VI. Laryngitis	41	2	–	4	6	2	2	2	4	1	–	1	–
Bronchitis	1656	176	151	249	193	68	37	16	36	7	5	11	8
Pleurisy	62	–	–	2	4	–	1	–	3	4	4	3	1
Pneumonia	507	34	29	52	51	22	8	12	17	9	10	16	19
Asthma	93	–	1	–	–	1	–	–	1	–	–	1	2
Lung Disease	55	3	1	2	–	1	–	1	3	4	4	1	2
VII. Teething	209	1	17	86	94	11	–	–	–	–	–	–	–
Quinsey	16	1	1	4	2	2	1	–	–	1	–	1	–
Gastritis	53	6	3	1	3	–	3	1	–	2	1	1	1
Enteritis	222	59	43	29	20	6	1	–	7	5	8	3	5
Peritonitis	80	5	1	6	2	1	–	1	4	6	7	4	5
Ascites	17	–	–	–	–	–	–	1	–	–	4	–	–
Ulceration of Intestines	64	1	1	2	–	1	1	–	3	3	2	1	4
Hernia	16	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	61	4	1	2	–	–	1	–	1	1	–	3	2
Intussusception	13	–	2	2	–	–	–	–	–	1	1	1	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	121	8	8	4	6	2	1	1	2	1	1	1	4
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	32	1	1	1	–	–	–	–	–	–	2	–	–
Jaundice	47	19	1	–	2	1	1	–	–	–	–	2	1
Liver Disease	169	6	1	–	1	3	–	–	–	1	1	7	5
Spleen Disease	5	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	15	–	–	–	1	–	2	–	3	–	–	–	3
Nephria	86	1	–	–	1	–	1	1	4	5	6	4	5
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	12	–	–	–	–	–	–	–	1	–	1	–	1
Diabetes	23	–	–	–	2	–	–	–	–	4	3	–	2
Stone	8	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	45	–	–	–	1	–	–	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	1	–
Kidney Disease	64	1	–	–	–	–	2	1	4	1	2	3	1
IX. Paramenia	8	–	–	–	–	–	–	–	–	1	5	1	1
Ovarian Dropsy	18	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth	86	–	–	–	–	–	–	–	–	–	4	13	20
Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	–	1
X. Bone Disease	22	–	–	1	–	1	–	–	1	3	4	2	1
Rheumatism	37	–	–	–	–	–	–	–	–	2	3	–	–
Joint Disease	31	–	–	–	–	1	–	1	5	12	4	2	–
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	6	–	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	18	2	6	4	3	–	–	–	–	–	–	–	–
XVII. Intemperance	25	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	4	1	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	5	–	–	–	–	–	–	–	1	–	–	–	–
Poison	4	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	66	–	–	4	14	5	6	5	7	4	1	1	–
Hanging, etc.	12	–	–	–	–	–	–	–	–	1	1	–	–
Suffocation	46	16	11	1	–	1	–	–	1	–	–	–	–
Drowning	102	–	–	1	7	4	5	4	8	5	15	9	8
Fracture and Contusion	222	–	1	1	–	2	2	1	10	25	14	16	11
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	7	–	–	–	–	–	–	–	–	–	–	1	1
Other Violent Causes	25	2	–	–	1	–	–	1	2	7	2	2	2
Not Specified	444	132	40	33	30	15	9	9	18	18	7	11	12

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	4	3	1	–	3	1	3	1	1	2	1	–	–	–	–	–
Apoplexy	8	5	8	18	17	16	37	50	47	30	26	6	2	1	–	1
Paralysis	2	7	9	13	17	32	44	54	72	67	41	14	2	–	–	–
Delirium Tremens	–	1	–	1	2	–	1	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	–	1	3	–	–	3	4	3	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	2	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	6	7	5	9	13	11	8	26	15	12	6	3	2	–	–	–
Pericarditis	–	–	–	2	1	2	1	2	2	–	1	–	–	–	–	–
Aneurism	1	–	4	3	2	1	1	–	1	1	–	–	–	–	–	–
Heart Disease	30	29	32	36	55	73	102	102	109	61	30	13	4	–	–	–
Laryngitis	–	3	3	3	–	2	2	1	1	2	–	–	–	–	–	–
Bronchitis	12	18	27	36	48	70	87	92	116	90	64	33	4	1	1	–
Pleurisy	3	5	3	4	5	2	5	6	5	1	1	–	–	–	–	–
Pneumonia	14	15	16	22	20	22	28	24	30	19	15	3	–	–	–	–
Asthma	–	1	7	8	9	11	17	16	9	7	1	1	–	–	–	–
Lung Disease	1	3	4	3	7	3	7	3	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	1	2	1	2	3	5	2	6	5	2	1	–	–	–	–
Enteritis	3	8	3	2	5	1	4	1	4	5	–	–	–	–	–	–
Peritonitis	7	7	1	4	3	4	3	1	3	2	2	1	–	–	–	–
Ascites	–	2	–	2	–	1	2	1	–	2	1	1	–	–	–	–
Ulceration of Intestines	3	6	1	5	6	4	6	5	4	2	2	1	–	–	–	–
Hernia	–	–	–	2	–	2	2	4	2	2	–	1	–	–	–	–
Ileus	–	4	5	3	1	4	6	5	8	4	2	3	–	1	–	–
Intussusception	–	–	1	1	–	2	–	–	1	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–
Stomach Disease	2	5	4	7	4	17	10	13	8	7	4	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	2	2	3	3	5	4	4	3	–	–	–	–	–	–
Jaundice	–	–	1	1	2	4	3	3	3	2	1	–	–	–	–	–
Liver Disease	4	15	13	16	13	15	20	18	17	9	2	1	1	–	–	–
Spleen Disease	–	–	1	–	–	1	–	–	–	1	1	–	–	–	–	–
Nephritis	–	–	–	1	–	2	–	2	–	1	–	–	–	–	–	–
Nephria	7	2	5	8	7	6	5	9	5	3	–	1	–	–	–	–
Addison's Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	2	–	–	3	3	1	–	–	–	–
Diabetes	2	1	1	1	–	–	2	2	4	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	–
Cystitis	3	–	1	2	2	1	4	5	9	8	5	3	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	5	3	1	2	5	7	2	8	7	4	4	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	2	4	3	1	3	1	1	1	–	1	–	–	–	–
Childbirth	17	21	9	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	6	1	1	–	–	2	1	–	–	1	–	–	–	–	–	–
Bone Disease	1	1	2	–	1	1	–	–	–	2	–	1	–	–	–	–
Rheumatism	–	–	3	–	2	5	6	7	6	2	–	1	–	–	–	–
Joint Disease	1	1	2	–	–	–	1	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–	–
Intemperance	2	4	2	5	5	3	2	–	–	2	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	3	2	4	1	1	3	4	–	–	–	–	–	–
Hanging, etc.	1	1	–	1	3	2	1	1	–	–	–	–	–	–	–	–
Suffocation	1	2	2	3	1	3	1	2	–	1	–	–	–	–	–	–
Drowning	6	5	6	2	5	2	7	–	3	–	–	–	–	–	–	–
Fracture and Contusion	20	12	12	18	17	15	12	9	5	8	7	2	2	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	–	2	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	3	–	–	2	–	1	–	–	–	–	–	–	–	–
Not Specified	11	18	11	11	15	20	22	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7913	916	364	601	608	295	227	155	469	275	299	287	259
SPECIFIED CAUSES	7688	849	343	582	593	293	222	154	460	268	296	280	254
I. Zymotic Class	1604	93	65	169	214	158	148	86	228	61	61	85	37
II. Diseases of Uncertain Seat	191	1	3	1	3	2	–	3	7	3	1	2	2
III. Tubercular Class	1409	32	43	107	112	62	26	34	102	89	131	161	129
IV. Brain and Nervous System	666	41	29	34	27	12	8	6	31	25	19	12	11
V. Organs of Circulation	377	6	2	–	–	–	–	–	7	4	11	12	12
VI. Respiratory Organs	1278	132	109	178	136	41	25	15	41	10	14	14	21
VII. Organs of Digestion	548	71	42	61	73	11	3	1	6	12	15	9	11
VIII. Urinary Organs	170	1	–	–	2	–	2	1	8	7	7	4	10
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	43	–	–	1	–	1	–	–	5	14	5	1	1
XI. Skin, etc.	17	1	2	4	2	–	–	–	1	–	–	1	–
XII. Malformation	43	38	3	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	477	421	34	22	–	–	–	–	–	–	–	–	–
XIV. Atrophy	43	–	–	–	12	4	3	3	1	1	–	–	1
XV. Age	412	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	16	1	2	–	–	–	–	–	–	1	1	1	–
XVII. Violent Deaths	394	11	9	3	12	2	7	5	23	41	31	28	19
I. Small Pox	97	9	10	4	3	2	2	–	9	11	11	9	7
Measles	132	5	6	23	51	19	10	7	11	–	–	–	–
Scarlatina	448	4	6	29	50	74	69	43	138	19	7	2	2
Diphtheria	93	2	1	8	23	14	11	12	9	4	3	1	–
Hooping Cough	94	10	6	28	25	10	11	2	2	–	–	–	–
Croup	107	2	3	15	24	21	18	10	14	–	–	–	–
Thrush	3	2	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	200	39	24	47	23	5	6	3	2	–	1	–	–
Dysentery	21	–	1	2	–	1	2	–	–	–	–	1	–
Cholera	18	1	1	4	3	–	1	–	2	–	1	–	1
Influenza	16	2	1	1	–	–	–	–	–	1	–	–	1
Purpura	6	–	–	–	–	–	–	–	1	1	1	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	107	–	–	1	3	3	5	–	5	4	11	10	10
Enteric Fever	167	1	–	2	4	8	11	7	24	18	20	8	15
Relapsing Fever	17	–	–	1	1	–	–	–	1	2	1	2	1
Simple Continued Fever	7	1	–	–	–	–	–	–	3	–	1	–	–
Infantile Remittent	14	3	–	2	2	–	2	2	3	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	14	–	–	–	–	1	–	–	3	1	3	–	–
Erysipelas	21	6	2	1	–	–	–	–	–	–	1	1	–
Pyæmia	5	–	–	–	–	–	–	–	1	–	–	1	–
Syphilis	14	6	4	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	–	–	–	–	–	–	1	–	–	–	–	1
Dropsy	52	–	–	–	1	2	–	1	4	1	–	2	–
Abscess	11	–	2	1	2	–	–	1	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	1	–	–	–	–	–	–	–	1	–	–	–
Cancer	106	–	1	–	–	–	–	–	2	1	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	89	2	2	9	9	3	3	2	11	15	4	10	6
Tabes Mesenterica	117	15	9	14	31	12	4	3	16	7	2	2	–
Phthisis	921	3	9	15	24	16	4	10	34	53	121	147	121
Hydrocephalus	282	12	23	69	48	31	15	19	41	14	4	2	2

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	214	204	204	245	254	292	317	337	396	312	225	110	38	5	2	3
SPECIFIED CAUSES	208	194	197	236	245	284	304	335	396	312	225	110	38	5	2	3
Zymotic Class	22	27	21	29	20	21	18	25	31	17	14	4	–	–	–	–
Uncertain Seat	2	10	10	11	13	22	23	21	25	13	6	4	2	–	–	1
Tubercular Class	96	46	55	45	46	37	28	13	8	5	1	–	–	–	–	1
Brain, etc.	12	14	10	23	29	34	40	69	71	58	35	12	2	1	–	1
Heart, etc.	13	17	19	20	23	35	50	52	48	29	11	4	2	–	–	–
Respiratory Organs	15	25	33	52	51	58	72	65	68	57	27	14	3	1	1	–
Digestive Organs	5	25	16	18	18	30	30	25	29	26	9	2	–	–	–	–
Urinary Organs	10	6	4	6	10	10	10	18	19	18	12	5	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	1	2	–	1	2	1	1	3	2	–	–	–	–	–	–
Skin	–	–	1	–	–	2	–	–	1	2	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	1	2	1	4	8	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	31	84	77	107	65	28	3	1	–
Sudden Deaths	–	1	1	3	–	2	–	1	2	–	–	–	–	–	–	–
Violent Deaths	29	21	23	28	30	23	16	14	7	8	3	–	1	–	–	–
Small Pox	3	9	1	3	–	3	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	2	–	2	1	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	2	–	2	3	3	2	11	13	5	6	2	–	–	–	–
Dysentery	–	–	1	1	2	1	2	–	2	2	2	1	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	2	1	–	–	–	–	–
Influenza	–	–	–	1	–	–	3	3	–	2	–	1	–	–	–	–
Purpura	1	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	6	7	11	5	3	5	3	4	2	1	–	–	–	–	–
Enteric Fever	7	6	8	7	3	6	1	3	4	2	2	–	–	–	–	–
Relapsing Fever	1	–	–	2	2	1	–	1	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	–	2	1	–	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	2	2	1	5	–	2	–	–	–	–	–
Pyæmia	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	2	–	–	1	1	1	–	1	–	–	–	–	–	–
Dropsy	–	5	2	1	4	4	5	8	6	2	1	2	–	–	–	1
Abscess	–	–	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	1	1	2	1	–	–	2	–	–	–
Cancer	1	3	5	9	9	16	14	10	17	9	5	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	3	3	1	4	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phthisis	94	42	51	44	42	37	38	11	8	5	1	–	–	–	–	1
Hydrocephalus	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	75	1	8	7	9	4	4	1	8	8	8	1	1
Apoplexy	151	2	–	2	1	1	1	1	3	4	2	2	2
Paralysis	184	–	–	–	–	–	–	–	1	2	–	2	1
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	1	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	13	–	–	–	–	–	–	–	–	1	4	2	1
Tetanus	10	2	–	–	–	–	–	1	3	–	2	–	1
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	98	34	17	20	15	3	2	1	6	–	–	–	–
Brain Disease	125	2	4	5	2	4	1	2	10	10	3	4	4
V. Pericarditis	12	–	–	–	–	–	–	–	–	2	1	1	2
Aneurism	9	–	–	–	–	–	–	–	–	–	1	–	–
Heart Disease	356	6	2	–	–	–	–	–	7	2	9	11	10
VI. Laryngitis	25	2	–	4	3	–	1	1	3	1	–	1	–
Bronchitis	841	106	93	138	102	34	17	5	22	3	2	4	5
Pleurisy	33	–	–	1	3	–	–	–	1	1	2	1	1
Pneumonia	299	22	14	34	28	7	7	8	12	4	7	7	11
Asthma	46	–	1	–	–	–	–	–	1	–	–	–	2
Lung Disease	34	2	1	1	–	–	–	1	2	1	3	1	2
VII. Teething	108	1	7	42	54	4	–	–	–	–	–	–	–
Quinsey	5	1	–	–	1	1	–	–	–	–	–	1	–
Gastritis	21	4	–	–	1	–	1	–	–	1	1	1	–
Enteritis	114	33	23	11	10	4	1	–	3	3	5	1	3
Peritonitis	32	2	1	3	2	–	–	–	1	5	3	2	1
Ascites	6	–	–	–	–	–	–	1	–	–	1	–	–
Ulceration of Intestines	31	1	1	1	–	–	1	–	1	1	2	–	1
Hernia	10	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	29	3	–	1	–	–	–	–	1	–	–	1	2
Intussusception	7	–	2	1	–	–	–	–	–	1	–	–	–
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Stomach Disease	56	6	6	2	3	1	–	–	–	1	–	1	1
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	17	1	–	–	–	–	–	–	–	–	2	–	–
Jaundice	29	13	1	–	1	–	–	–	–	–	–	–	–
Liver Disease	78	5	1	–	1	1	–	–	–	–	1	2	2
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	–	1	–	1	–	2	–	–	–	3
Nephria	48	1	–	–	–	–	1	1	3	3	4	2	3
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	1
Ischuria	9	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	15	–	–	–	1	–	–	–	–	3	1	–	1
Stone	8	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	39	–	–	–	–	–	–	–	–	–	1	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	1	–
Kidney Disease	36	–	–	–	–	–	–	–	2	1	1	1	1
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	15	–	–	1	–	1	–	–	1	3	3	1	1
Rheumatism	12	–	–	–	–	–	–	–	–	2	1	–	–
Joint Disease	16	–	–	–	–	–	–	–	4	9	1	–	–
XI. Carbuncle	5	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	3	–	–	1	1	–	–	–	1	–	–	–	–
Skin Disease	9	1	2	3	1	–	–	–	–	–	–	–	–
XVII. Intemperance	16	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	1	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	3	–	–	–	–	–	–	–	1	–	–	–	–
Poison	2	–	–	–	–	–	–	–	1	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	–	2	9	1	2	1	2	3	–	1	–
Hanging, etc.	9	–	–	–	–	–	–	–	–	1	1	–	–
Suffocation	30	7	8	1	–	1	–	–	–	–	–	–	–
Drowning	83	–	–	–	3	–	3	3	8	5	15	9	7
Fracture and Contusion	190	–	–	–	–	–	2	1	9	24	13	16	11
Gunshot Wounds	2	–	–	–	–	–	–	–	–	1	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	17	2	–	–	–	–	–	–	2	7	2	2	–
Not Specified	225	67	21	19	15	2	5	1	9	7	3	7	5

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	2	1	–	3	1	2	1	–	2	–	–	–	–	–	–
Apoplexy	2	4	3	10	7	9	14	25	20	16	15	3	–	1	–	1
Paralysis	2	2	4	7	6	18	17	25	40	34	16	6	1	–	–	–
Delirium Tremens	–	1	–	1	2	–	1	1	1	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	5	2	4	10	6	6	14	9	6	4	3	1	–	–	–
Pericarditis	–	–	–	1	1	1	–	2	1	–	–	–	–	–	–	–
Aneurism	1	–	2	1	1	1	–	–	1	1	–	–	–	–	–	–
Heart Disease	12	17	17	18	21	33	50	50	46	28	11	4	2	–	–	–
Laryngitis	–	1	2	1	–	1	1	1	–	2	–	–	–	–	–	–
Bronchitis	4	11	12	20	27	37	39	37	49	38	19	12	3	1	1	–
Pleurisy	2	2	1	3	3	1	5	4	–	1	1	–	–	–	–	–
Pneumonia	9	10	10	19	13	10	17	15	12	14	7	2	–	–	–	–
Asthma	–	1	6	6	3	8	5	6	5	2	–	–	–	–	–	–
Lung Disease	–	–	2	3	5	1	5	2	2	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	2	1	1	–	3	4	–	–	–	–	–	–
Enteritis	1	5	2	1	3	–	2	–	–	3	–	–	–	–	–	–
Peritonitis	1	3	–	1	–	1	1	–	3	1	–	1	–	–	–	–
Ascites	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Ulceration of Intestines	–	3	1	3	2	3	3	4	2	–	1	–	–	–	–	–
Hernia	–	–	–	–	–	2	1	2	1	2	–	1	–	–	–	–
Ileus	–	3	2	1	–	2	4	2	3	2	2	–	–	–	–	–
Intussusception	–	–	1	–	–	–	–	–	1	–	1	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	2	2	7	5	7	3	5	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	–	2	1	3	2	3	2	–	–	–	–	–	–
Jaundice	–	–	1	1	–	3	1	2	3	2	1	–	–	–	–	–
Liver Disease	2	8	8	8	7	8	7	6	7	3	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Nephritis	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Nephria	4	2	1	3	5	3	3	4	2	3	–	–	–	–	–	–
Addison's Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	2	–	–	2	3	1	–	–	–	–
Diabetes	2	1	1	–	–	–	1	1	2	–	1	–	–	–	–	–
Stone	–	–	–	–	–	–	–	2	2	2	–	1	–	–	–	–
Cystitis	2	–	1	2	1	1	4	3	9	7	5	3	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	3	–	–	4	4	–	7	4	4	3	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	2	1	1	3	1	–	–	–	–	–	–
Joint Disease	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	1	–	–	1	1	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Intemperance	2	1	2	3	4	2	1	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Poison	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	2	2	2	1	1	1	3	–	–	–	–	–	–
Hanging, etc.	1	1	–	1	1	1	1	1	–	–	–	–	–	–	–	–
Suffocation	1	2	2	2	–	3	–	2	–	1	–	–	–	–	–	–
Drowning	6	5	4	1	5	2	5	–	2	–	–	–	–	–	–	–
Fracture and Contusion	19	12	12	17	17	12	8	7	3	3	3	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Not Specified	6	10	7	9	9	8	13	2	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8287	679	278	510	590	317	213	162	443	306	301	335	330
SPECIFIED CAUSES	8068	614	259	496	575	304	209	154	434	295	297	331	323
I. Zymotic Class	1753	74	71	160	223	153	123	85	242	102	56	66	53
II. Diseases of Uncertain Seat	363	1	–	1	2	2	–	2	4	6	1	3	7
III. Tubercular Class	1549	17	23	76	102	48	39	25	94	129	174	186	182
IV. Brain and Nervous System	631	27	14	28	39	8	7	11	35	17	11	8	15
V. Organs of Circulation	422	–	1	–	–	1	–	1	9	6	10	8	8
VI. Respiratory Organs	1136	83	73	131	118	53	23	16	23	15	9	19	11
VII. Organs of Digestion	582	41	38	76	57	16	6	3	11	9	12	16	17
VIII. Urinary Organs	89	1	–	–	3	–	3	1	5	3	6	4	3
IX. Organs of Generation	125	–	–	–	–	–	–	–	–	2	9	14	22
X. Organs of Locomotion	47	–	–	–	–	1	–	1	1	3	6	3	–
XI. Skin, etc.	12	1	4	1	2	–	–	–	–	–	–	–	–
XII. Malformation	25	21	1	1	1	1	–	–	–	–	–	–	–
XIII. Premature Debility	379	332	30	17	–	–	–	–	–	–	–	–	–
XIV. Atrophy	72	–	–	–	18	10	2	3	3	1	1	3	2
XV. Age	738	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	15	5	–	–	–	1	–	–	–	–	–	–	–
XVII. Violent Deaths	130	11	4	5	10	10	6	6	7	2	2	1	3
I. Small Pox	112	7	8	4	1	1	4	–	11	18	8	12	7
Measles	145	2	3	36	57	21	13	4	5	3	–	1	–
Scarlatina	387	2	5	25	45	49	45	47	120	31	3	5	2
Diphtheria	94	1	–	9	12	15	14	3	26	3	–	–	1
Hooping Cough	126	7	9	32	33	16	16	4	9	–	–	–	–
Croup	120	2	5	11	28	26	19	9	20	–	–	–	–
Thrush	4	3	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	184	21	25	29	31	7	3	1	–	4	1	–	1
Dysentery	25	1	2	1	–	–	–	–	–	–	–	1	–
Cholera	16	1	2	4	1	1	2	–	1	1	–	–	1
Influenza	16	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	–	–	2	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	3	1	–	–	1	–	–	1	–	–	–	–	–
Typhus	108	1	–	2	1	5	3	3	11	10	9	7	6
Enteric Fever	217	1	2	1	4	6	3	6	30	27	28	24	12
Relapsing Fever	11	–	–	–	–	–	–	–	1	2	2	1	–
Simple Continued Fever	14	–	–	–	–	–	–	–	2	–	1	–	–
Infantile Remittent	20	1	1	1	8	6	1	–	2	–	–	–	–
Metria	58	–	–	–	–	–	–	–	–	–	–	13	18
Rheumatic Fever	17	–	–	–	–	–	–	1	2	3	–	1	1
Erysipelas	44	13	3	2	–	–	–	1	1	–	2	1	1
Pyæmia	6	1	–	–	–	–	–	–	1	–	–	–	3
Syphilis	22	8	5	3	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	81	–	–	–	–	1	–	2	3	4	1	2	2
Abscess	11	–	–	–	1	–	–	–	–	–	–	–	1
Ulcer	5	1	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	16	–	–	–	–	1	–	–	–	2	–	–	–
Cancer	244	–	–	–	–	–	–	–	–	–	–	1	4
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	103	2	2	7	12	4	3	2	10	18	9	7	6
Tabes Mesenterica	94	4	8	14	28	11	7	6	5	8	3	1	1
Phthisis	1135	5	2	6	17	10	11	8	47	88	160	178	175
Hydrocephalus	217	6	11	49	50	23	18	9	32	15	2	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	271	249	243	243	257	299	371	386	502	390	334	184	73	16	2	3
SPECIFIED CAUSES	266	241	239	241	251	287	362	386	502	390	334	184	73	16	2	3
Zymotic Class	46	43	28	35	35	23	27	23	30	26	18	10	1	–	–	–
Uncertain Seat	13	18	22	36	37	47	38	38	36	24	17	3	3	1	–	1
Tubercular Class	113	76	82	53	39	32	19	14	12	6	5	–	1	–	–	2
Brain, etc.	12	13	13	19	26	27	53	68	69	56	40	11	4	–	–	–
Heart, etc.	18	12	17	21	35	41	54	52	64	33	20	9	2	–	–	–
Respiratory Organs	15	20	27	24	38	52	74	77	95	62	54	23	1	–	–	–
Digestive Organs	15	26	18	28	21	33	37	33	32	18	9	8	1	1	–	–
Urinary Organs	8	–	5	8	4	6	5	10	8	3	1	2	–	–	–	–
Generative Organs	23	22	12	6	3	3	4	1	1	2	–	1	–	–	–	–
Locomotive Organs	–	1	5	–	2	4	6	6	3	2	1	2	–	–	–	–
Skin	–	1	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	4	5	5	10	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	34	58	144	149	165	113	59	14	2	–
Sudden Deaths	–	1	–	–	1	1	1	2	2	1	–	–	–	–	–	–
Violent Deaths	1	5	5	6	5	8	10	4	5	7	4	2	1	–	–	–
Small Pox	9	8	4	4	1	1	3	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	4	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	–	–	–	1	–	–	2	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	1	2	4	7	5	6	12	9	5	4	1	–	–	–
Dysentery	1	3	–	–	1	1	1	3	3	2	3	2	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	2	4	2	2	3	2	–	–	–	–
Purpura	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	1	9	12	7	4	2	4	4	–	–	–	–	–	–
Enteric Fever	9	10	10	13	9	4	4	1	5	4	3	1	–	–	–	–
Relapsing Fever	–	1	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	2	1	1	–	2	2	2	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	15	8	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	1	1	2	–	2	1	–	–	1	–	–	–	–	–
Erysipelas	1	1	1	2	3	–	3	1	2	2	3	1	–	–	–	–
Pyæmia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	1	1	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	1	–	–	–	–	1	–	–	–	1	–	–	–	–
Dropsy	2	4	3	3	2	12	6	9	8	12	5	–	–	–	–	–
Abscess	1	1	1	1	1	1	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	1	2	1	–	4	3	–	1	–	–	–
Cancer	9	12	17	32	34	33	28	25	26	8	9	2	2	1	–	1
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	2	8	–	–	2	–	2	–	3	1	2	–	–	–	–	1
Tabes Mesenterica	1	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Phthisis	110	67	81	53	37	32	17	13	9	5	2	–	1	–	–	1
Hydrocephalus	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	60	1	1	9	9	–	4	4	12	8	2	4	1
Apoplexy	176	1	1	7	6	1	1	2	5	3	3	–	4
Paralysis	201	–	–	–	1	–	–	1	1	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	23	–	–	–	1	–	–	–	–	2	1	1	3
Tetanus	2	–	–	1	–	–	–	–	–	–	–	–	1
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	79	23	11	9	18	6	1	2	9	–	–	–	–
Brain Disease	86	2	1	2	4	1	1	2	8	4	4	3	5
V. Pericarditis	7	–	–	–	–	–	–	–	1	1	–	–	–
Aneurism	7	–	–	–	–	–	–	–	1	–	–	–	–
Heart Disease	408	–	1	–	–	1	–	1	7	5	10	8	8
VI. Laryngitis	16	–	–	–	3	2	1	1	1	–	–	–	–
Bronchitis	815	70	58	111	91	34	20	11	14	4	3	7	3
Pleurisy	29	–	–	1	1	–	1	–	2	3	2	2	–
Pneumonia	208	12	15	18	23	15	1	4	5	5	3	9	8
Asthma	47	–	–	–	–	1	–	–	–	–	–	1	–
Lung Disease	21	1	–	1	–	1	–	–	1	3	1	–	–
VII. Teething	101	–	10	44	40	7	–	–	–	–	–	–	–
Quinsey	11	–	1	4	1	1	1	–	–	1	–	–	–
Gastritis	32	2	3	1	2	–	2	1	–	1	–	–	1
Enteritis	108	26	20	18	10	2	–	–	4	2	3	2	2
Peritonitis	48	3	–	3	–	1	–	1	3	1	4	2	4
Ascites	11	–	–	–	–	–	–	–	–	–	3	–	–
Ulceration of Intestines	33	–	–	1	–	1	–	–	2	2	–	1	3
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	32	1	1	1	–	–	1	–	–	1	–	2	–
Intussusception	6	–	–	1	–	–	–	–	–	–	1	1	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	65	2	2	2	3	1	1	1	2	–	1	–	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	1	1	–	–	–	–	–	–	–	–	–
Jaundice	18	6	–	–	1	1	1	–	–	–	–	2	1
Liver Disease	91	1	–	–	–	2	–	–	–	1	–	5	3
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
VIII. Nephritis	4	–	–	–	–	–	1	–	1	–	–	–	–
Nephria	38	–	–	–	1	–	–	–	1	2	2	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	1	–	1	–	–
Diabetes	10	–	–	–	1	–	–	–	–	1	2	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	6	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	1	–	–	–	–	2	1	2	–	1	2	–
IX. Paramenia	8	–	–	–	–	–	–	–	–	1	5	1	1
Ovarian Dropsy	18	–	–	–	–	–	–	–	–	1	–	–	–
Childbirth	86	–	–	–	–	–	–	–	–	–	4	13	20
Organs of Generation	13	–	–	–	–	–	–	–	–	–	–	–	1
X. Bone Disease	7	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	25	–	–	–	–	–	–	–	–	–	2	–	–
Joint Disease	15	–	–	–	–	1	–	1	1	3	3	2	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	3	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	9	1	4	1	2	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	2	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	2	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	33	–	–	2	5	4	4	4	5	1	1	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	16	9	3	–	–	–	–	–	1	–	–	–	–
Drowning	19	–	–	1	4	4	2	1	–	–	–	–	1
Fracture and Contusion	32	–	1	1	–	2	–	–	1	1	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	1	–
Other Violent Causes	8	–	–	–	1	–	–	1	–	–	–	–	2
Not Specified	219	65	19	14	15	13	4	8	9	11	4	4	7

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–
Apoplexy	6	1	5	8	10	7	23	25	27	14	11	3	2	–	–	–
Paralysis	–	5	5	6	11	14	27	29	32	33	25	8	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	3	–	–	2	–	–	1	3	3	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	1	–	–	–	1	–	1	–	–	1	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	2	3	5	3	5	2	12	6	6	2	–	1	–	–	–
Pericarditis	–	–	–	1	–	1	1	–	1	–	1	–	–	–	–	–
Aneurism	–	–	2	2	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	18	12	15	18	34	40	52	52	63	33	19	9	2	–	–	–
Laryngitis	–	2	1	2	–	1	1	–	1	–	–	–	–	–	–	–
Bronchitis	8	7	15	16	21	33	48	55	67	52	45	21	1	–	–	–
Pleurisy	1	3	2	1	2	1	–	2	5	–	–	–	–	–	–	–
Pneumonia	5	5	6	3	7	12	11	9	18	5	8	1	–	–	–	–
Asthma	–	–	1	2	6	3	12	10	4	5	1	1	–	–	–	–
Lung Disease	1	3	2	–	2	2	2	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	1	1	2	–	–	2	4	2	3	1	2	1	–	–	–	–
Enteritis	2	3	1	1	2	1	2	1	4	2	–	–	–	–	–	–
Peritonitis	6	4	1	3	3	3	2	1	–	1	2	–	–	–	–	–
Ascites	–	1	–	2	–	1	1	1	–	–	1	1	–	–	–	–
Ulceration of Intestines	3	3	–	2	4	1	3	1	2	2	1	1	–	–	–	–
Hernia	–	–	–	2	–	–	1	2	1	–	–	–	–	–	–	–
Ileus	–	1	3	2	1	2	2	3	5	2	–	3	–	1	–	–
Intussusception	–	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	5	3	5	2	10	5	6	5	2	2	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	2	1	2	2	2	1	1	–	–	–	–	–	–
Jaundice	–	–	–	–	2	1	2	1	–	–	–	–	–	–	–	–
Liver Disease	2	7	5	8	6	7	13	12	10	6	1	1	1	–	–	–
Spleen Disease	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Nephria	3	–	4	5	2	3	2	5	3	–	–	1	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lschuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	1	–	–	1	1	2	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	1	2	1	3	2	1	3	–	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	2	4	3	1	3	1	1	1	–	1	–	–	–	–
Childbirth	17	21	9	2	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	6	1	1	–	–	2	1	–	–	1	–	–	–	–	–	–
Bone Disease	–	–	1	–	1	1	–	–	–	1	–	1	–	–	–	–
Rheumatism	–	–	3	–	1	3	5	6	3	1	–	1	–	–	–	–
Joint Disease	–	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Intemperance	–	3	–	2	1	1	1	–	–	1	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	1	–	2	–	–	2	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–
Drowning	–	–	2	1	–	–	2	–	1	–	–	–	–	–	–	–
Fracture and Contusion	1	–	–	1	–	3	4	2	2	5	4	2	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Not Specified	5	8	4	2	6	12	9	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	17180	1529	491	762	775	426	319	239	690	466	637	718	592
Specified Causes	16406	1315	417	708	729	392	303	224	660	443	615	683	573
I. Zymotic Class	2766	144	96	212	303	208	178	139	371	169	129	123	84
II. Diseases of Uncertain Seat	678	8	2	3	3	4	3	1	5	4	4	4	12
III. Tubercular Class	2463	37	51	112	93	55	35	28	119	133	287	348	269
IV. Brain and Nervous System	1469	80	39	43	47	22	19	14	45	33	42	28	30
V. Organs of Circulation	960	1	1	2	–	–	1	2	5	8	24	23	24
VI. Respiratory Organs	2167	180	109	208	146	56	33	20	43	23	37	35	19
VII. Organs of Digestion	1272	119	60	84	83	21	5	7	20	20	26	27	35
VIII. Urinary Organs	369	1	–	1	3	2	3	–	5	9	10	13	12
IX. Organs of Generation	169	–	–	–	–	–	–	–	–	–	6	25	35
X. Organs of Locomotion	141	–	1	–	–	2	–	2	12	10	11	6	11
XI. Skin, etc.	39	1	2	5	3	2	–	–	1	–	–	–	3
XII. Malformation	62	51	6	3	–	–	–	1	1	–	–	–	–
XIII. Premature Debility	740	667	43	30	–	–	–	–	–	–	–	–	–
XIV. Atrophy	113	–	–	–	27	5	4	3	7	2	4	1	6
XV. Age	2358	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	23	2	3	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	617	24	4	5	21	15	22	7	26	32	35	50	33
I. Small Pox	193	10	6	4	2	1	1	1	18	24	22	21	15
Measles	174	4	6	32	55	24	18	10	15	7	1	–	1
Scarlatina	601	6	4	36	83	65	67	59	173	56	20	12	6
Diphtheria	242	4	2	19	28	30	27	24	68	16	7	4	1
Hooping Cough	181	21	21	47	32	24	17	8	10	–	–	–	–
Croup	195	14	3	16	49	43	29	18	21	2	–	–	–
Thrush	11	9	–	1	–	1	–	–	–	–	–	–	–
Diarrhœa	283	32	31	33	33	9	2	3	1	1	1	2	3
Dysentery	74	5	5	2	2	–	2	3	–	1	1	1	1
Cholera	18	–	3	3	1	2	–	–	–	–	–	–	1
Influenza	37	3	2	–	–	–	–	1	1	–	–	–	–
Purpura	7	–	–	–	–	–	–	–	1	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	2	–	–	–	–	1	–	–	–	1	–	–	–
Typhus	147	–	1	5	2	1	1	2	15	11	20	22	10
Enteric Fever	300	1	1	6	8	4	6	4	36	30	41	33	17
Relapsing Fever	23	–	–	–	–	–	–	–	–	5	2	1	2
Simple Continued Fever	30	1	–	–	–	–	1	1	1	3	4	4	3
Infantile Remittent	24	3	1	5	4	2	6	–	3	–	–	–	–
Metria	66	–	–	–	–	–	–	–	–	–	2	16	19
Rheumatic Fever	44	–	–	–	–	–	–	1	6	8	5	4	2
Erysipelas	72	19	3	1	2	–	–	3	1	2	3	1	–
Pyæmia	15	–	1	–	–	–	–	1	1	1	–	–	3
Syphilis	24	12	6	2	1	–	–	–	–	–	–	1	–
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	26	7	–	–	–	–	–	–	1	1	2	1	2
Dropsy	155	–	–	1	1	4	2	1	1	2	1	2	3
Abscess	23	1	–	2	1	–	–	–	–	1	–	1	–
Ulcer	10	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	34	–	–	–	1	–	1	–	–	–	–	–	1
Cancer	424	–	1	–	–	–	–	–	3	–	1	–	6
Gout	5	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	163	6	3	8	4	3	3	5	19	17	13	14	18
Tabes Mesenterica	118	10	9	20	17	10	6	4	20	7	3	3	3
Phthisis	1896	2	11	15	20	13	8	5	40	100	266	331	247
Hydrocephalus	286	19	28	69	52	29	18	14	40	9	5	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	491	460	467	488	566	614	871	931	1266	1269	1096	661	239	68	17	32
Specified Causes	480	436	455	468	537	587	823	919	1266	1268	1096	661	239	68	17	24
Zymotic Class	61	64	55	46	39	50	63	50	72	56	35	12	5	1	–	1
Uncertain Seat	14	21	25	35	53	66	102	79	93	67	51	15	2	2	–	–
Tubercular Class	211	147	125	113	80	74	63	40	30	11	2	–	–	–	–	–
Brain, etc.	24	30	44	38	70	62	105	141	174	157	121	41	17	–	1	2
Heart, etc.	27	27	37	44	58	70	97	126	152	133	66	29	1	2	–	–
Respiratory Organs	35	43	49	72	76	101	145	148	191	191	132	60	13	1	–	1
Digestive Organs	30	27	31	55	70	75	110	108	121	82	37	14	2	2	–	1
Urinary Organs	18	14	18	12	23	21	35	37	44	46	25	14	2	1	–	–
Generative Organs	25	21	21	6	6	5	9	3	3	2	2	–	–	–	–	–
Locomotive Organs	6	2	5	7	3	13	14	7	10	12	4	1	2	–	–	–
Skin	1	2	–	–	2	–	2	4	4	5	1	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	5	7	8	14	19	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	49	140	343	484	607	466	193	59	16	1
Sudden Deaths	1	1	–	–	1	2	3	5	3	2	–	–	–	–	–	–
Violent Deaths	26	32	38	32	42	29	26	31	26	20	13	9	2	–	–	17
Small Pox	16	13	11	7	5	6	6	2	2	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	5	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	2	–	–	–	1	–	2	2	1	–	–	–	–	–
Hooping Cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	3	3	4	10	15	19	20	25	16	6	4	1	–	1
Dysentery	–	1	1	1	3	2	9	6	8	10	7	3	–	–	–	–
Cholera	–	–	–	–	3	–	2	1	2	–	–	–	–	–	–	–
Influenza	–	–	1	2	1	3	–	2	6	9	4	2	–	–	–	–
Purpura	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	7	7	6	10	4	7	5	2	7	–	1	–	1	–	–	–
Enteric Fever	8	16	9	13	11	15	12	8	14	4	3	–	–	–	–	–
Relapsing Fever	2	1	–	1	4	1	2	1	1	–	–	–	–	–	–	–
Simple Continued Fever	1	–	3	–	–	–	2	2	3	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	10	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	6	2	3	1	3	1	–	–	1	1	–	–	–	–	–	–
Erysipelas	1	2	1	3	1	2	8	6	6	3	3	1	–	–	–	–
Pyæmia	–	2	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	2	2	–	1	2	–	2	1	–	2	–	–	–	–	–	–
Dropsy	1	3	4	5	9	12	14	13	26	26	17	5	1	1	–	–
Abscess	1	1	–	1	2	2	2	2	2	2	2	–	–	–	–	–
Ulcer	–	–	–	–	–	–	3	2	2	1	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	2	1	–	1	3	3	3	7	6	5	–	–	–	–
Cancer	10	15	19	27	40	51	76	56	60	28	25	4	1	1	–	–
Gout	–	–	–	–	–	–	2	1	–	1	1	–	–	–	–	–
Scrofula	14	7	4	6	3	5	5	1	4	1	–	–	–	–	–	–
Tabes Mesenterica	3	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	192	140	119	107	77	69	58	39	25	10	2	–	–	–	–	–
Hydrocephalus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	151	3	8	16	11	11	10	5	16	16	17	3	13
Apoplexy	382	3	5	1	6	1	1	1	4	1	8	6	5
Paralysis	192	1	–	–	1	1	2	–	–	3	4	2	4
Delirium Tremens	14	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	66	–	–	–	–	–	–	–	–	4	4	8	5
Tetanus	13	4	1	–	1	–	–	1	1	2	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	154	65	22	22	22	6	3	6	8	–	–	–	–
Brain Disease	196	4	3	4	6	3	3	1	16	7	9	9	2
V. Pericarditis	20	–	1	–	–	–	–	–	–	–	2	2	1
Aneurism	16	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	924	1	–	2	–	–	1	2	5	8	22	20	23
VI. Laryngitis	26	1	3	3	3	–	1	1	5	1	1	1	1
Bronchitis	1377	146	88	173	115	37	21	15	23	12	14	9	10
Pleurisy	63	–	–	1	–	1	1	–	–	2	5	4	–
Pneumonia	501	28	17	29	28	16	10	4	14	7	13	19	8
Asthma	136	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	64	5	1	2	–	2	–	–	1	1	4	1	–
VII. Teething	116	2	10	47	54	3	–	–	–	–	–	–	–
Quinsey	19	4	–	1	1	1	–	2	2	1	–	–	3
Gastritis	70	2	8	1	2	1	–	–	4	1	5	2	4
Enteritis	215	53	26	22	20	6	2	1	7	2	1	4	6
Peritonitis	102	7	5	3	1	4	–	1	2	7	4	8	5
Ascites	17	–	–	–	–	–	–	–	1	1	2	–	1
Ulceration of Intestines	73	–	–	1	–	–	–	–	1	–	4	7	3
Hernia	34	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	105	3	1	3	–	–	–	1	2	3	2	1	3
Intussusception	16	–	4	2	–	1	–	1	–	–	–	–	2
Stricture of Intestines	11	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	209	17	3	3	3	3	2	1	1	3	–	2	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	38	–	–	–	–	–	–	–	–	–	2	1	2
Jaundice	62	25	2	–	1	–	1	–	–	–	–	–	1
Liver Disease	177	5	1	1	–	2	–	–	–	1	6	2	3
Spleen Disease	7	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	26	–	–	–	1	1	2	–	1	1	–	1	1
Nephria	92	–	–	1	–	–	–	–	–	2	3	4	2
Addison's Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	18	1	–	–	1	1	1	–	–	–	–	–	–
Diabetes	49	–	–	–	–	–	–	–	–	3	5	4	4
Stone	22	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	79	–	–	–	–	–	–	–	1	–	1	–	1
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	75	–	–	–	1	–	–	–	3	3	1	4	4
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	1	2	3
Ovarian Dropsy	28	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	104	–	–	–	–	–	–	–	–	–	5	21	25
Organs of Generation	29	–	–	–	–	–	–	–	–	–	–	1	6
X. Bone Disease	35	–	1	–	–	2	–	2	4	2	4	2	5
Rheumatism	72	–	–	–	–	–	–	–	4	1	2	1	4
Joint Disease	34	–	–	–	–	–	–	–	4	7	5	3	2
XI. Carbuncle	12	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	8	–	–	–	–	–	–	–	–	–	–	–	2
Skin Disease	19	1	2	5	3	1	–	–	1	–	–	–	1
XVII. Intemperance	18	–	–	–	–	–	–	–	–	–	–	–	1
Privation	3	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	4	3	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	11	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	65	–	–	–	10	4	13	2	7	2	1	1	–
Hanging, etc.	16	–	–	–	–	–	–	–	–	–	–	1	2
Suffocation	25	12	3	2	1	–	–	–	–	–	1	1	2
Drowning	198	2	–	–	8	8	4	3	7	9	16	33	13
Fracture and Contusion	228	2	–	1	1	3	3	2	12	18	16	13	15
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	13	–	–	1	–	–	1	–	–	–	–	–	–
Other Violent Causes	24	5	1	–	1	–	–	–	–	3	1	1	–
Not Specified	774	214	74	54	46	34	16	15	30	23	22	35	19

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the Year 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	4	1	4	1	2	4	–	1	1	–	–	–	–	–
Apoplexy	4	7	19	13	23	22	40	46	61	51	34	13	7	–	–	–
Paralysis	7	10	7	10	20	24	44	67	88	91	74	22	8	–	1	1
Delirium Tremens	1	–	3	3	1	1	3	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	5	3	6	7	4	–	3	7	1	4	3	–	–	–	1
Tetanus	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	8	6	8	5	15	10	14	19	18	13	8	3	2	–	–	–
Pericarditis	–	–	1	–	4	2	1	2	2	2	–	–	–	–	–	–
Aneurism	1	4	–	3	–	2	1	2	1	–	1	–	–	–	–	–
Heart Disease	26	23	36	41	54	66	95	122	149	131	65	29	1	2	–	–
Laryngitis	1	2	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	10	11	16	29	28	55	84	80	112	121	108	46	12	1	–	1
Pleurisy	4	5	5	3	1	–	4	6	14	4	2	1	–	–	–	–
Pneumonia	16	18	17	29	25	27	36	40	36	40	15	8	1	–	–	–
Asthma	3	3	6	6	15	10	17	18	27	22	3	5	–	–	–	–
Lung Disease	1	4	5	5	7	8	3	4	2	4	4	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	–	–	–	1	–	1	–	–	–	–	–
Gastritis	1	2	4	3	2	4	8	5	3	3	3	1	1	–	–	–
Enteritis	3	7	1	8	6	6	6	6	9	10	2	1	–	–	–	–
Peritonitis	7	4	–	5	8	4	4	6	7	5	4	1	–	–	–	–
Ascites	1	–	–	1	1	2	2	–	3	2	–	–	–	–	–	–
Ulceration of Intestines	2	3	2	6	8	7	16	3	4	5	1	–	–	–	–	–
Hernia	–	–	3	2	4	2	4	4	6	5	2	–	–	–	–	1
Ileus	1	2	3	6	3	4	10	18	19	7	7	4	–	2	–	–
Intussusception	–	–	–	–	2	1	–	–	1	–	2	–	–	–	–	–
Stricture of Intestines	–	–	–	2	2	–	2	1	2	1	–	–	–	–	–	–
Stomach Disease	3	3	10	12	18	17	25	27	24	22	5	3	–	–	–	–
Pancreas Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	2	–	2	1	8	4	7	3	2	2	1	–	–	–	–
Jaundice	2	1	–	1	2	2	1	3	10	6	4	–	–	–	–	–
Liver Disease	8	2	7	6	11	18	26	27	29	14	4	3	1	–	–	–
Spleen Disease	1	1	1	–	–	–	2	1	–	–	–	–	–	–	–	–
Nephritis	1	1	1	–	2	2	2	1	2	3	2	1	–	–	–	–
Nephria	7	3	7	7	7	8	4	13	10	8	4	1	1	–	–	–
Addison's Disease	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–
Ischuria	–	2	–	–	–	1	1	2	3	2	2	1	–	–	–	–
Diabetes	3	4	4	1	3	5	7	3	1	1	1	–	–	–	–	–
Stone	3	–	–	–	1	–	4	4	6	1	1	2	–	–	–	–
Cystitis	1	1	3	1	1	1	9	10	13	20	7	8	1	–	–	–
Stricture of Urethra	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	3	2	2	3	7	3	6	4	9	11	8	–	–	1	–	–
Paramenia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	5	3	3	1	5	3	3	–	–	–	–	–	–	–
Childbirth	21	20	11	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	5	1	3	4	4	–	–	2	2	–	–	–	–	–
Bone Disease	2	1	2	1	–	4	–	1	–	2	–	–	–	–	–	–
Rheumatism	2	–	2	3	2	8	10	6	10	10	4	1	2	–	–	–
Joint Disease	2	1	1	3	1	1	4	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	1	2	2	2	1	–	–	–	–	1
Phlegmon	–	2	–	–	–	–	–	1	–	3	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	1	2	–	–	–	–	–	–	–
Intemperance	–	2	2	3	–	4	2	1	2	–	–	–	–	–	–	1
Privation	1	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	2	–	2	1	1	1	2	–	1	–	–	–	–
Poison	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	2	–	3	–	2	–	3	5	3	6	–	–	–	–
Hanging, etc.	1	–	2	2	4	–	–	2	1	–	1	–	–	–	–	–
Suffocation	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–
Drowning	11	11	12	10	9	4	8	6	3	3	2	–	–	–	–	16
Fracture and Contusion	9	18	13	9	22	10	9	20	14	9	5	2	2	–	–	–
Gunshot Wounds	1	–	1	1	1	2	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	2	2	–	1	1	–	–	2	–	–	–	–	–
Other Violent Causes	–	1	3	2	1	4	1	–	–	–	–	–	–	–	–	–
Not Specified	11	24	12	20	29	27	48	12	–	1	–	–	–	–	–	8

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8527	871	278	405	404	212	152	124	366	233	309	374	265
SPECIFIED CAUSES	8114	754	234	376	381	196	146	117	347	218	297	350	255
I. Zymotic Class	1340	89	53	113	156	108	79	69	186	73	69	51	24
II. Diseases of Uncertain Seat	271	4	–	2	3	2	3	1	3	3	1	2	4
III. Tubercular Class	1171	16	28	54	48	23	15	12	59	51	114	180	130
IV. Brain and Nervous System	785	51	22	27	29	8	9	9	29	23	21	16	18
V. Organs of Circulation	486	–	1	1	–	–	1	1	2	3	16	14	11
VI. Respiratory Organs	1125	98	61	110	75	25	18	9	21	9	17	23	12
VII. Organs of Digestion	662	68	40	41	43	12	3	6	14	14	13	13	13
VIII. Urinary Organs	261	1	–	1	2	–	1	–	4	5	7	10	7
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	75	–	1	–	–	1	–	2	6	6	7	3	9
XI. Skin, etc.	18	–	2	4	1	1	–	–	–	–	–	–	–
XII. Malformation	41	32	4	3	–	–	–	1	1	–	–	–	–
XIII. Premature Debility	416	381	17	18	–	–	–	–	–	–	–	–	–
XIV. Atrophy	47	–	–	–	11	4	1	2	5	2	2	–	1
XV. Age	946	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	13	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	457	13	4	2	13	12	16	5	17	29	30	38	26
I. Small Pox	92	7	3	2	1	–	–	1	6	11	12	9	8
Measles	88	2	6	19	32	9	5	5	4	4	1	–	–
Scarlatina	300	2	3	19	42	31	38	31	93	23	12	2	2
Diphtheria	114	3	–	7	14	16	10	9	35	6	2	3	1
Hooping-cough	91	15	11	24	16	15	6	2	1	–	–	–	–
Croup	103	10	1	7	22	29	11	11	11	1	–	–	–
Thrush	6	5	–	–	–	1	–	–	–	–	–	–	–
Diarrhœa	145	19	16	21	17	5	–	2	–	–	–	1	–
Dysentery	33	3	4	2	2	–	2	1	–	1	1	1	–
Cholera	11	–	3	1	–	–	–	–	–	–	–	–	1
Influenza	17	3	1	–	–	–	–	1	1	–	–	–	–
Purpura	4	–	–	–	–	–	–	–	1	1	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	1	–	–	–	–	–	–	–	–	1	–	–	–
Typhus Fever	74	–	–	5	1	–	1	1	9	5	10	14	3
Enteric Fever	152	–	–	2	3	1	2	2	11	12	25	17	7
Relapsing Fever	13	–	–	–	–	–	–	–	–	3	1	–	–
Simple Continued Fever	11	–	–	–	–	–	1	1	–	1	2	1	1
Infantile Remittent	14	2	–	4	3	1	3	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	16	–	–	–	–	–	–	–	3	2	2	1	1
Erysipelas	37	10	1	–	2	–	–	2	–	1	1	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	14	8	4	–	1	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	11	3	–	–	–	–	–	–	–	1	–	–	1
Dropsy	66	–	–	–	1	2	2	1	1	2	1	1	–
Abscess	12	1	–	2	1	–	–	–	–	–	–	1	–
Ulcer	3	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	22	–	–	–	1	–	1	–	–	–	–	–	–
Cancer	153	–	–	–	–	–	–	–	2	–	–	–	3
Gout	3	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	92	1	1	3	3	1	3	4	13	9	7	6	10
Tabes Mesenterica	56	4	5	11	9	5	3	2	7	2	2	1	1
Phthisis	889	1	6	7	11	4	4	3	19	34	102	173	119
Hydrocephalus	134	10	16	33	25	13	5	3	20	6	3	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	240	214	226	252	286	295	432	466	622	623	470	257	101	21	8	21
SPECIFIED CAUSES	232	199	220	243	273	286	412	460	622	623	470	257	101	21	8	16
Zymotic Class	24	24	22	18	20	23	34	22	32	28	16	5	2	–	–	–
Uncertain Seat	5	3	6	12	11	25	43	32	48	33	16	6	2	1	–	–
Tubercular Class	106	64	50	55	42	34	37	22	22	7	2	–	–	–	–	–
Brain, etc.	14	19	27	23	40	27	55	72	85	74	62	20	4	–	1	–
Heart, etc.	12	13	20	20	21	37	53	66	77	72	38	6	–	1	–	–
Respiratory Organs	18	23	33	51	47	58	73	79	89	93	52	23	8	–	–	–
Digestive Orgaus	14	14	15	26	37	36	46	55	64	46	21	6	2	–	–	–
Urinary Organs	11	8	12	7	13	10	26	25	38	38	20	12	2	1	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	1	1	3	1	5	8	4	4	7	2	1	–	–	–	–
Skin	–	–	–	–	2	–	1	2	2	2	–	–	–	–	–	1
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	5	3	4	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	17	56	145	213	234	175	81	18	7	–
Sudden Deaths	1	1	–	–	1	2	1	3	2	–	–	–	–	–	–	–
Violent Deaths	24	27	29	25	34	24	18	22	14	10	7	3	–	–	–	15
Small Pox	9	5	6	3	3	–	4	1	1	–	–	–	–	–	–	–
Measles	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	2	2	1	–	–	–	1	–	1	–	1	–	–	–	–	–
Hooping-cough	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	1	3	2	1	7	4	8	11	12	10	2	2	–	–	–
Dysentery	–	–	–	–	1	–	4	2	2	4	1	2	–	–	–	–
Cholera	–	–	–	–	2	–	2	1	1	–	–	–	–	–	–	–
Influenza	–	–	1	–	–	1	–	–	3	5	1	–	–	–	–	–
Purpura	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	4	2	3	2	2	5	1	1	–	1	–	–	–	–	–
Enteric Fever	2	9	3	5	7	11	8	4	7	4	–	–	–	–	–	–
Relapsing Fever	2	1	–	–	2	1	2	–	1	–	–	–	–	–	–	–
Simple Continued Fever	–	–	1	–	–	–	–	2	–	1	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	1	1	1	1	–	–	–	1	–	–	–	–	–	–	–
Erysipelas	–	1	1	2	1	1	3	3	3	2	2	1	–	–	–	–
Pyæmia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Dropsy	–	–	1	3	3	6	6	5	10	10	6	3	1	1	–	–
Abscess	1	–	–	1	–	–	1	2	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	1	3	3	2	6	3	1	–	–	–	–
Cancer	3	2	4	7	8	18	29	18	34	15	7	2	1	–	–	–
Gout	–	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–
Scrofula	10	4	2	4	3	2	2	1	3	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	94	60	47	51	39	32	35	21	18	7	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	94	2	4	12	8	6	5	3	10	11	10	1	8
Apoplexy	198	2	4	–	4	–	1	1	2	–	5	5	3
Paralysis	236	1	–	–	–	–	1	–	–	2	2	1	3
Delirium Tremens	12	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	32	–	–	–	–	–	–	–	–	3	–	4	1
Tetanus	10	3	1	–	–	–	–	1	1	1	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	90	40	12	12	14	2	1	4	5	–	–	–	–
Brain Disease	113	3	1	3	3	–	1	–	11	6	4	5	2
V. Pericarditis	14	–	1	–	–	–	–	–	–	–	1	2	1
Aneurism	11	–	–	–	–	–	–	–	–	–	–	1	–
Heart Disease	461	–	–	1	–	–	1	1	2	3	15	11	10
VI. Laryngitis	16	1	2	2	1	–	1	–	3	1	–	1	–
Bronchitis	664	75	49	84	61	16	11	6	12	4	4	7	6
Pleurisy	34	–	–	–	–	1	–	–	–	1	3	3	–
Pneumonia	301	17	9	22	13	6	6	3	6	3	8	12	6
Asthma	65	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	45	5	1	2	–	2	–	–	–	–	2	–	–
VII. Teething	64	1	8	21	31	3	–	–	–	–	–	–	–
Quinsey	11	1	–	1	1	–	–	1	1	1	–	–	2
Gastritis	32	2	4	–	1	–	–	–	4	–	2	–	2
Enteritis	116	27	17	12	8	2	1	1	4	1	–	3	3
Peritonitis	53	4	4	3	–	2	–	1	1	5	3	3	–
Ascites	3	–	–	–	–	–	–	–	1	1	–	–	–
Ulceration of Intestines	36	–	–	–	–	–	–	–	–	–	2	3	–
Hernia	13	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	55	2	1	2	–	–	–	1	2	2	1	1	2
Intussusception	9	–	2	–	–	1	–	1	–	–	–	–	1
Stricture of Intestines	8	–	–	–	–	–	–	–	–	1	–	–	–
Stomach Disease	115	12	2	1	1	2	1	1	1	2	–	2	–
Pancreas	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	15	–	–	–	–	–	–	–	–	–	1	–	1
Jaundice	34	14	1	–	1	–	1	–	–	–	–	–	1
Liver Disease	94	4	1	1	–	2	–	–	–	1	4	1	1
Spleen Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	16	–	–	–	–	–	1	–	1	1	–	1	–
Nephria	50	–	–	1	–	–	–	–	–	–	1	2	1
Addison's Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	14	1	–	–	1	–	–	–	–	–	–	–	–
Diabetes	32	–	–	–	–	–	–	–	–	2	4	3	3
Stone	18	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	72	–	–	–	–	–	–	–	1	–	1	–	1
Stricture of Urethra	5	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	51	–	–	–	1	–	–	–	2	2	1	4	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	23	–	1	–	–	1	–	2	3	2	2	1	4
Rheumatism	32	–	–	–	–	–	–	–	2	–	2	–	3
Joint Disease	20	–	–	–	–	–	–	–	1	4	3	2	2
XI. Carbuncle	7	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	10	–	2	4	1	1	–	–	–	–	–	–	–
XVII. Intemperance	13	–	–	–	–	–	–	–	–	–	–	–	1
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Milk	2	1	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	7	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	36	–	–	–	8	2	9	2	4	2	–	1	–
Hanging, etc.	10	–	–	–	–	–	–	–	–	–	–	1	1
Suffocation	14	7	3	–	–	–	–	–	–	–	1	1	1
Drowning	153	1	–	–	4	7	3	1	5	8	14	24	10
Fracture and Contusion	184	1	–	1	–	3	2	2	8	16	14	11	13
Gunshot Wounds	7	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	11	–	–	–	–	–	1	–	–	–	–	–	–
Other Violent Causes	17	3	1	–	1	–	–	–	–	3	1	–	–
Not Specified	413	117	44	29	23	16	6	7	19	15	12	24	10

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of Scotland, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	2	–	2	–	2	2	–	1	1	–	–	–	–	–
Apoplexy	1	7	10	9	13	8	23	22	27	28	16	5	2	–	–	–
Paralysis	3	4	5	3	9	9	21	36	45	36	40	12	2	–	1	–
Delirium Tremens	1	–	3	3	1	1	1	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	3	3	5	3	–	1	2	1	1	2	–	–	–	–
Tetanus	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	4	4	5	10	6	6	10	11	8	4	1	–	–	–	–
Pericarditis	–	–	1	–	3	1	1	2	–	1	–	–	–	–	–	–
Aneurism	1	3	–	2	–	1	1	1	–	–	1	–	–	–	–	–
Heart Disease	11	10	19	18	18	35	51	63	77	71	37	6	–	1	–	–
Laryngitis	1	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Bronchitis	3	6	10	17	15	32	38	38	45	59	41	18	7	–	–	–
Pleurisy	2	1	3	3	1	–	2	2	7	3	1	1	–	–	–	–
Pneumonia	11	11	12	22	19	16	22	26	22	19	7	2	1	–	–	–
Asthma	–	1	3	5	7	6	7	11	14	9	–	2	–	–	–	–
Lung Disease	1	3	5	4	5	3	3	2	1	3	3	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	1	–	2	1	1	1	3	3	2	1	1	1	–	–	–
Enteritis	2	3	1	2	4	6	3	3	7	4	1	1	–	–	–	–
Peritonitis	3	2	–	2	6	2	2	2	2	3	3	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulcer. of Intestines	1	2	1	5	5	3	6	3	2	3	–	–	–	–	–	–
Hernia	–	–	–	1	1	1	1	1	2	5	–	–	–	–	–	–
Ileus	1	1	1	1	1	3	5	8	9	4	5	2	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	1	–	2	–	–	–	–	–
Stricture of Intestines	–	–	–	2	2	–	2	–	1	–	–	–	–	–	–	–
Stomach Disease	2	1	7	4	11	8	13	14	15	11	2	2	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	–	1	–	3	2	3	1	1	1	–	–	–	–	–
Jaundice	1	1	–	–	–	1	–	2	5	3	3	–	–	–	–	–
Liver Disease	3	1	5	5	4	8	10	15	16	9	2	–	1	–	–	–
Spleen Disease	1	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Nephritis	–	–	1	–	1	1	1	1	2	2	2	1	–	–	–	–
Nephria	4	1	6	3	4	3	2	5	7	4	4	1	1	–	–	–
Addison's Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	1	–	–	–	1	1	1	3	2	2	1	–	–	–	–
Diabetes	2	2	2	1	2	3	4	3	1	1	–	–	–	–	–	–
Stone	2	–	–	–	1	–	3	3	6	1	1	1	–	–	–	–
Cystitis	1	1	2	–	–	1	7	9	13	20	6	8	1	–	–	–
Stricture of Urethra	–	1	1	–	1	1	1	–	–	–	–	–	–	–	–	–
Kidney Disease	2	2	–	3	3	–	6	3	6	8	5	–	–	1	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Disease of Uterus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	1	–	–	1	–	2	–	1	–	2	–	–	–	–	–	–
Rheumatism	–	–	–	1	1	3	5	3	4	5	2	1	–	–	–	–
Joint Disease	2	1	1	1	–	–	3	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	2	–	1	1	1	1	–	–	–	–	–	1
Phlegmon	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Intemperance	–	2	2	3	–	3	1	–	–	–	–	–	–	–	–	1
Privation	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Want of Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	1	1	–	2	1	–	1	1	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns, etc.	1	–	1	–	–	–	2	–	–	2	1	1	–	–	–	–
Hanging, etc.	1	–	1	1	4	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	10	10	9	9	6	3	4	5	2	2	2	–	–	–	–	14
Fracture and Contusion	9	15	9	8	20	9	9	15	10	5	2	2	–	–	–	–
Gunshot Wounds	1	–	1	1	1	2	–	–	1	–	–	–	–	–	–	–
Cuts and Stabs	1	–	2	1	2	–	1	1	–	–	2	–	–	–	–	–
Other Violent Causes	–	–	3	1	1	3	–	–	–	–	–	–	–	–	–	–
Not specified	8	15	6	9	13	9	20	6	–	–	–	–	–	–	–	5

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	8653	658	213	357	371	214	167	115	324	233	328	344	327
SPECIFIED CAUSES	8292	561	183	332	348	196	157	107	313	225	318	333	318
I. Zymotic Class	1426	55	43	99	147	100	99	70	185	96	60	72	60
II. Diseases of Uncertain Seat	407	4	2	1	–	2	–	–	2	1	3	2	8
III. Tubercular Class	1292	21	23	58	45	32	20	16	60	82	173	168	139
IV. Brain and Nervous System	684	29	17	16	18	14	10	5	16	10	21	12	12
V. Organs of Circulation	474	1	–	1	–	–	–	1	3	5	8	9	13
VI. Respiratory Organs	1042	82	48	98	71	31	15	11	22	14	20	12	7
VII. Organs of Digestion	610	51	20	43	40	9	2	1	6	6	13	14	22
VIII. Urinary Organs	108	–	–	–	1	2	2	–	1	4	3	3	5
IX. Organs of Generation	169	–	–	–	–	–	–	–	–	–	6	25	35
X. Organs of Locomotion	66	–	–	–	–	1	–	–	6	4	4	3	2
XI. Skin, etc.	21	1	–	1	2	1	–	–	1	–	–	–	3
XII. Malformation	21	19	2	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	324	286	26	12	–	–	–	–	–	–	–	–	–
XIV. Atrophy	66	–	–	–	16	1	3	1	2	–	2	1	5
XV. Age	1412	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	10	1	2	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	160	11	–	3	8	3	6	2	9	3	5	12	7
I. Small Pox	101	3	3	2	1	1	1	–	12	13	10	12	7
Measles	86	2	–	13	23	15	13	5	11	3	–	–	1
Scarlatina	301	4	1	17	41	34	29	28	80	33	8	10	4
Diphtheria	128	1	2	12	14	14	17	15	33	10	5	1	–
Hooping Cough	90	6	10	23	16	9	11	6	9	–	–	–	–
Croup	92	4	2	9	27	14	18	7	10	1	–	–	–
Thrush	5	4	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	138	13	15	12	16	4	2	1	1	1	1	1	3
Dysentery	41	2	1	–	–	–	–	2	–	–	–	–	1
Cholera	7	–	–	2	1	2	–	–	–	–	–	–	–
Influenza	20	–	1	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	1	–	–	–	–	–	–	–
Typhus	73	–	1	–	1	1	–	1	6	6	10	8	7
Enteric Fever	148	1	1	4	5	3	4	2	15	18	16	16	10
Relapsing Fever	10	–	–	–	–	–	–	–	–	2	1	1	2
Simple Continued Fever	19	1	–	–	–	–	–	–	1	2	2	3	2
Infantile Remittent	10	1	1	1	1	1	3	–	2	–	–	–	–
Metria	66	–	–	–	–	–	–	–	–	–	2	16	19
Rheumatic Fever	28	–	–	–	–	–	–	1	3	6	3	3	1
Erysipelas	35	9	2	1	–	–	–	1	1	1	2	1	–
Pyæmia	11	–	1	–	–	–	–	1	1	–	–	–	3
Syphilis	10	4	2	2	–	–	–	–	–	–	–	–	–
Noma	3	–	–	–	1	1	1	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	15	4	–	–	–	–	–	–	1	–	2	1	1
Dropsy	89	–	–	1	–	2	–	–	–	–	–	1	3
Abscess	11	–	–	–	–	–	–	–	–	1	–	–	–
Ulcer	7	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	12	–	–	–	–	–	–	–	–	–	–	–	1
Cancer	271	–	1	–	–	–	–	–	1	–	1	–	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	71	5	2	5	1	2	–	1	6	8	6	8	8
Tabes Mesenterica	62	6	4	9	8	5	3	2	13	5	1	2	2
Phthisis	1007	1	5	8	2	9	4	2	21	66	164	158	128
Hydrocephalus	152	9	12	36	27	16	13	11	20	3	2	–	1

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	251	246	241	236	280	319	439	465	644	646	626	404	138	47	9	11
SPECIFIED CAUSES	248	237	235	225	264	301	411	459	644	645	626	404	138	47	9	8
Zymotic Class	37	40	33	28	19	27	29	28	40	28	19	2	3	1	–	1
Uncertain Seat	9	18	19	23	42	41	59	47	45	34	35	9	–	1	–	–
Tubercular Class	105	83	75	58	38	40	26	18	8	4	–	–	–	–	–	–
Brain, etc.	10	11	17	15	30	35	50	69	89	83	59	21	13	–	–	2
Heart, etc.	15	14	17	24	37	33	44	60	75	61	28	23	1	1	–	–
Respiratory Organs	17	20	16	21	29	43	72	69	102	98	80	37	5	1	–	1
Digestive Organs	16	13	16	29	33	39	64	53	57	36	16	8	–	2	–	1
Urinary Organs	7	6	6	5	10	11	9	12	6	8	5	2	–	–	–	–
Generative Organs	25	21	21	6	6	5	9	3	3	2	2	–	–	–	–	–
Locomotive Organs	3	1	4	4	2	8	6	3	6	5	2	–	2	–	–	–
Skin	1	2	–	–	–	–	1	2	2	3	1	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	3	2	5	10	14	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	32	84	198	271	373	291	112	41	9	1
Sudden Deaths	–	–	–	–	–	–	2	2	1	2	–	–	–	–	–	–
Violent Deaths	2	5	9	7	8	5	8	9	12	10	6	6	2	–	–	2
Small Pox	7	8	5	4	2	6	2	1	1	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	5	3	3	1	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	1	2	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	3	–	1	3	3	11	11	9	13	6	4	2	1	–	1
Dysentery	–	1	1	1	2	2	5	4	6	6	6	1	–	–	–	–
Cholera	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	2	1	2	–	2	3	4	3	2	–	–	–	–
Purpura	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	3	4	7	2	5	–	1	6	–	–	–	1	–	–	–
Enteric Fever	6	7	6	8	4	4	4	4	7	–	3	–	–	–	–	–
Relapsing Fever	–	–	–	1	2	–	–	1	–	–	–	–	–	–	–	–
Simple Continued Fever	1	–	2	–	–	–	2	–	3	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mania	10	11	6	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	1	2	–	2	1	–	–	–	1	–	–	–	–	–	–
Erysipelas	1	1	–	1	–	1	5	3	3	1	1	–	–	–	–	–
Pyæmia	–	2	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Dropsy	1	3	3	2	6	6	8	8	16	16	11	2	–	–	–	–
Abscess	–	1	–	–	2	2	1	–	1	1	2	–	–	–	–	–
Ulcer	–	–	–	–	–	–	2	1	1	1	–	1	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	1	–	–	–	–	1	1	3	4	–	–	–	–
Cancer	7	13	15	20	32	33	47	38	26	13	18	2	–	1	–	–
Gout	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–
Scrofula	4	3	2	2	–	3	3	–	1	1	–	–	–	–	–	–
Tabes Mesenterica	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	98	80	72	56	38	37	23	18	7	3	–	–	–	–	–	–
Hydrocephalus	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		2	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	57	1	4	4	3	5	5	2	6	5	7	2	5
Apoplexy	184	1	1	1	2	1	–	–	2	1	3	1	2
Paralysis	256	–	–	–	1	1	1	–	–	1	2	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	34	–	–	–	–	–	–	–	–	1	4	4	4
Tetanus	3	1	–	–	1	–	–	–	–	1	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	64	25	10	10	8	4	2	2	3	–	–	–	–
Brain Disease	83	1	2	1	3	3	2	1	5	1	5	4	–
V. Pericarditis	6	–	–	–	–	–	–	–	–	–	1	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	463	1	–	1	–	–	–	1	3	5	7	9	13
VI. Laryngitis	10	–	1	1	2	–	–	1	2	–	1	–	1
Bronchitis	713	71	39	89	54	21	10	9	11	8	10	2	4
Pleurisy	29	–	–	1	–	–	1	–	–	1	2	1	–
Pneumonia	200	11	8	7	15	10	4	1	8	4	5	7	2
Asthma	71	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	19	–	–	–	–	–	–	–	1	1	2	1	–
VII. Teething	52	1	2	26	23	–	–	–	–	–	–	–	–
Quinsey	8	3	–	–	–	1	–	1	1	–	–	–	1
Gastritis	38	–	4	1	1	1	–	–	–	1	3	2	2
Enteritis	99	26	9	10	12	4	1	–	3	1	1	1	3
Peritonitis	49	3	1	–	1	2	–	–	1	2	1	5	5
Ascites	14	–	–	–	–	–	–	–	–	–	2	–	1
Ulceration of Intestines	37	–	–	1	–	–	–	–	1	–	2	4	3
Hernia	21	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	50	1	–	1	–	–	–	–	–	1	1	–	1
Intussusception	7	–	2	2	–	–	–	–	–	–	–	–	1
Stricture of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	94	5	1	2	2	1	1	–	–	1	–	–	2
Pancreas Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	23	–	–	–	–	–	–	–	–	–	1	1	1
Jaundice	28	11	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	83	1	–	–	–	–	–	–	–	–	2	1	2
Spleen Disease	3	–	–	–	1	–	–	–	–	–	–	–	–
VIII. Nephritis	10	–	–	–	1	1	1	–	–	–	–	–	1
Nephria	42	–	–	–	–	–	–	–	–	2	2	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	1	1	–	–	–	–	–	–
Diabetes	16	–	–	–	–	–	–	–	–	1	1	1	1
Stone	4	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	7	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	24	–	–	–	–	–	–	–	1	1	–	–	2
IX. Paramenia	8	–	–	–	–	–	–	–	–	–	1	2	3
Ovarian Dropsy	28	–	–	–	–	–	–	–	–	–	–	1	1
Childbirth	104	–	–	–	–	–	–	–	–	–	5	21	25
Organs of Generation	29	–	–	–	–	–	–	–	–	–	–	1	6
X. Bone Disease	12	–	–	–	–	1	–	–	1	–	2	1	1
Rheumatism	40	–	–	–	–	–	–	–	2	1	–	1	1
Joint Disease	14	–	–	–	–	–	–	–	3	3	2	1	–
XI. Carbuncle	5	–	–	–	–	1	–	–	–	–	–	–	–
Phlegmon	7	–	–	–	–	–	–	–	–	–	–	–	2
Skin Disease	9	1	–	1	2	–	–	–	1	–	–	–	1
XVII. Intemperance	5	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	4	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	29	–	–	–	2	2	4	–	3	–	1	–	–
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	1
Suffocation	11	5	–	2	1	–	–	–	–	–	–	–	1
Drowning	45	1	–	–	4	1	1	2	2	1	2	9	3
Fracture and Contusion	44	1	–	–	1	–	1	–	4	2	2	2	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	2	–	–	–	–	–	–	–	–	–	1	–
Not Specified	161	97	30	25	23	18	10	8	11	8	10	11	9

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	2	1	2	1	–	2	–	–	–	–	–	–	–	–
Apoplexy	3	–	9	4	10	14	17	24	34	23	18	8	5	–	–	–
Paralysis	4	6	2	7	11	15	23	31	43	55	34	10	6	–	–	1
Delirium Tremens	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	–	3	2	1	–	2	5	–	3	1	–	–	–	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	2	4	–	5	4	8	9	7	5	4	2	2	–	–	–
Pericarditis	–	–	–	–	1	1	–	–	2	1	–	–	–	–	–	–
Aneurism	–	1	–	1	–	1	–	1	1	–	–	–	–	–	–	–
Heart Disease	15	13	17	23	36	31	44	59	72	60	28	23	1	1	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	7	5	6	12	13	23	46	42	67	62	67	28	5	1	–	1
Pleurisy	2	4	2	–	–	–	2	4	7	1	1	–	–	–	–	–
Pneumonia	5	7	5	7	6	11	14	14	14	21	8	6	–	–	–	–
Asthma	3	2	3	1	8	4	10	7	13	13	3	3	–	–	–	–
Lung Disease	–	1	–	1	2	5	–	2	1	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gastritis	1	1	4	1	1	3	7	2	–	1	2	–	–	–	–	–
Enteritis	1	4	–	6	2	–	3	3	2	6	1	–	–	–	–	–
Peritonitis	4	2	–	3	2	2	2	4	5	2	1	1	–	–	–	–
Ascites	1	–	–	1	1	2	2	–	3	1	–	–	–	–	–	–
Ulceration of Intestines	1	1	1	1	3	4	10	–	2	2	1	–	–	–	–	–
Hernia	–	–	3	1	3	1	3	3	4	–	2	–	–	–	–	1
Ileus	–	1	2	5	2	1	5	10	10	3	2	2	–	2	–	–
Intussusception	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Stomach Disease	1	2	3	8	7	9	12	13	9	11	3	1	–	–	–	–
Pancreas Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	1	–	1	1	5	2	4	2	1	1	1	–	–	–	–
Jaundice	1	–	–	1	2	1	1	1	5	3	1	–	–	–	–	–
Liver Disease	5	1	2	1	7	10	16	12	13	5	2	3	–	–	–	–
Spleen Disease	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephritis	1	1	–	–	1	1	1	–	–	1	–	–	–	–	–	–
Nephria	3	2	1	4	3	5	2	8	3	4	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Ischuria	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	1	2	2	–	1	2	3	–	–	–	1	–	–	–	–	–
Stone	1	–	–	–	–	–	1	1	–	–	–	1	–	–	–	–
Cystitis	–	–	1	1	1	–	2	1	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	2	–	4	3	–	1	3	3	3	–	–	–	–	–
Paramenia	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	3	–	5	3	3	1	5	3	3	–	–	–	–	–	–	–
Childbirth	21	20	11	1	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	5	1	3	4	4	–	–	2	2	–	–	–	–	–
Bone Disease	1	1	2	–	–	2	–	–	–	–	–	–	–	–	–	–
Rheumatism	2	–	2	2	1	5	5	3	6	5	2	–	2	–	–	–
Joint Disease	–	–	–	2	1	1	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	1	1	1	1	–	–	–	–	–
Phlegmon	–	2	–	–	–	–	–	1	–	2	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–
Privation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	1	–	–	–	1	–	1	–	1	–	–	–	–
Poison	1	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	1	–	3	–	–	–	3	3	2	5	–	–	–	–
Hanging, etc.	–	–	1	1	–	–	–	1	1	–	1	–	–	–	–	–
Suffocation	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Drowning	1	1	3	1	3	1	4	1	1	1	–	–	–	–	–	2
Fracture and Contusion	–	3	4	1	2	1	–	5	4	4	3	–	2	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	1	–	1	–	1	1	–	–	–	–	–	–	–	–	–
Not Specified	3	9	6	11	1[illegible]	1[illegible]	28	6	–	1	–	–	–	–	–	3

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1835	163	34	64	58	35	26	18	49	41	63	79	71
SPECIFIED CAUSES	1534	76	25	44	38	30	20	11	36	31	50	67	55
I. Zymotic Class	236	10	7	24	22	18	12	6	24	5	17	11	10
II. Diseases of Uncertain Seat	70	–	–	–	–	1	–	–	1	–	2	–	–
III. Tubercular Class	202	2	5	5	3	1	1	2	5	7	20	38	26
IV. Brain and Nervous System	93	6	1	2	4	3	–	1	1	6	3	7	2
V. Organs of Circulation	48	–	–	–	–	–	–	–	1	1	–	1	3
VI. Respiratory Organs	163	9	9	6	6	3	1	–	2	2	3	3	7
VII. Organs of Digestion	124	3	1	7	3	2	2	–	–	2	2	3	3
VIII. Urinary Organs	29	–	1	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	25	–	–	–	–	–	–	–	–	1	1	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	46	46	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	–	–	1	–	–	–	–	–	–
XV. Age	423	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Death	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	46	–	1	–	–	2	3	2	2	7	2	3	2
I. Small Pox	11	–	–	–	–	–	–	–	–	1	2	1	4
Measles	25	–	–	2	7	2	1	–	3	1	4	2	2
Scarlatina	19	–	–	2	2	2	–	1	4	2	1	1	1
Diphtheria	15	1	–	2	–	3	–	2	5	1	–	–	–
Hooping Cough	37	3	4	10	7	5	3	1	3	–	–	–	–
Croup	25	4	1	6	4	1	5	1	3	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	21	1	1	2	1	3	1	1	1	–	–	–	–
Dysentery	5	–	1	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	9	1	–	–	–	–	–	–	2	–	–	–	–
Purpura	5	–	–	–	–	–	–	–	–	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	–	–	1	–	2	–	2	4	1
Enteric Fever	13	–	–	–	–	1	–	–	–	–	4	1	–
Relapsing Fever	3	–	–	–	–	–	1	–	–	–	1	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	2	–	1
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	31	–	–	–	–	–	–	–	–	–	2	–	–
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	34	–	–	–	–	1	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	10	–	–	1	1	1	–	–	–	2	–	–	–
Tabes Mesenterica	3	–	1	–	–	–	–	–	1	1	–	–	–
Phthisis	179	1	1	2	1	–	–	1	4	3	20	38	26
Hydrocephalus	10	1	3	2	1	–	1	1	–	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	60	45	41	54	54	60	87	115	150	158	150	91	44	17	4	4
Specified Causes	46	41	32	45	43	45	69	114	150	157	150	91	44	17	4	3
Zymotic Class	8	3	5	8	6	4	7	4	8	12	5	–	–	–	–	–
Uncertain Seat	–	1	2	5	7	8	4	10	12	5	5	3	3	–	–	1
Tubercular Class	20	16	7	3	5	6	10	10	7	2	1	–	–	–	–	–
Brain, etc.	2	4	1	3	3	6	4	7	7	11	6	1	–	1	–	1
Heart, etc.	1	–	3	1	4	2	5	5	10	6	4	–	1	–	–	–
Respiratory Organs	5	3	3	4	3	10	12	21	22	13	12	3	1	–	–	–
Digestive Organs	–	7	7	9	9	6	19	8	13	10	6	2	–	–	–	–
Urinary Organs	–	–	–	1	2	–	3	4	5	7	3	2	–	1	–	–
Generative Organs	8	3	2	3	–	–	1	–	1	–	1	–	–	–	–	–
Locomotive Organs	–	1	–	4	3	–	3	1	5	2	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	2	1	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	40	56	87	102	79	39	15	4	1
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	2	3	2	2	–	1	–	3	4	2	3	–	–	–	–	–
Small Pox	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	4	2	4	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	1	3	1	–	–	–	–	–	–
Purpura	–	–	–	1	1	–	1	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	1	1	4	3	3	3	1	1	5	–	–	–	–	–	–
Enteric Fever	–	–	1	1	–	–	1	2	–	1	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	2	4	4	1	1	6	3	2	2	1	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	2	3	3	2	9	5	2	3	1	2	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	3	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	16	7	3	5	6	9	10	6	2	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	7	1	–	–	–	2	–	1	–	1	1	1	–
Apoplexy	11	–	1	–	–	–	–	–	1	–	–	–	1
Paralysis	39	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	3	–
Tetanus	5	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	2	–	2	3	1	–	–	–	–	–	–	–
Brain Disease	12	–	–	–	1	–	–	–	–	4	1	3	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	44	–	–	–	–	–	–	–	1	–	–	1	3
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	88	5	7	4	5	3	1	–	1	1	–	–	3
Pleurisy	16	4	–	2	1	–	–	–	–	–	1	2	1
Pneumonia	29	–	2	–	–	–	–	–	1	–	2	1	3
Asthma	26	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	9	–	–	–	–	–	–	–	–	1	–	–	–
Teething	7	–	–	4	3	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	1	–	–	–	–	–	1
Gastritis	13	–	–	1	–	1	–	–	–	1	1	–	–
Enteritis	14	–	–	2	–	1	–	–	–	–	1	–	–
Peritonitis	7	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	8	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	1	–	–	–	–	–	–	–	–	–	1	–
Intussusception.	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	23	1	1	–	–	–	–	–	–	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	22	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	4	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	10	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	4	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	18	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	10	–	–	–	–	2	2	2	1	–	–	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	1	–	1	4	1	–	1
Fracture and Contusion	15	–	–	–	–	–	–	–	–	2	1	1	1
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	–	–	–	–	–	–	1	–	–	–
Not Specified	[illegible]01	87	9	20	20	5	[illegible]	7	1[illegible]	10	1[illegible]	12	1[illegible]

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	60	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	1	1	4	–	1	–	–	–	–	–
Paralysis	1	2	1	2	3	5	1	6	3	7	4	1	–	1	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	3	1	4	1	5	5	9	5	4	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	–	1	1	3	7	9	11	7	9	1	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	3	1	–	1	–	–	–	–
Pneumonia	2	2	1	3	–	1	2	4	1	2	1	1	–	–	–	–
Asthma	1	–	2	–	1	2	3	6	7	2	2	–	–	–	–	–
Lung Disease	–	–	–	–	1	4	–	2	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	1	–	2	2	2	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	3	2	1	2	–	–	1	1	–	–	–	–	–
Peritonitis	–	1	2	–	–	–	1	1	1	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	1	1	–	–	1	1	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	1	–	1	2	–	1	1	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	2	5	1	5	2	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	1	1	1	2	–	–	–	–
Liver Disease	–	3	1	2	1	–	5	3	3	3	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	3	1	3	1	2	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	2	2	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kidney Disease	–	–	–	1	1	–	–	–	–	3	1	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	6	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	3	2	–	2	1	5	2	2	1	–	–	–	–
Joint Disease	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	3	1	–	–	1	–	–	2	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	2	–	–	–	2	2	2	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	14	4	9	9	11	15	18	1	–	1	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		2	3	12									
ALL CAUSES	906	99	19	35	26	20	11	10	26	18	38	55	31
SPECIFIED CAUSES	754	45	14	24	18	17	7	5	21	14	30	47	25
I. Zymotic Class	127	8	3	13	11	12	3	2	14	3	9	5	6
II. Diseases of Uncertain Seat	32	–	–	–	–	1	–	–	1	–	1	–	–
III. Tubercular Class	115	2	4	4	–	1	1	1	2	2	14	28	10
IV. Brain and Nervous System	49	5	–	2	3	1	–	1	–	1	2	5	1
V. Organs of Circulation	26	–	–	–	–	–	–	–	1	–	–	–	2
VI. Respiratory Organs	81	7	5	4	4	1	–	–	2	–	1	3	3
VII. Organs of Digestion	63	2	–	1	–	1	2	–	–	1	–	3	1
VIII. Urinary Organs	20	–	1	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	10	–	–	–	–	–	–	–	–	1	1	1	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	21	21	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	–	–	–	–	–	–	–
XV. Age	171	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	34	–	1	–	–	–	1	1	1	6	2	2	2
I. Small Pox	8	–	–	–	–	–	–	–	–	1	1	1	2
Measles	10	–	–	2	2	1	–	–	1	–	1	1	2
Scarlatina	13	–	–	1	1	2	–	1	3	2	1	–	–
Diphtheria	6	1	–	1	–	1	–	–	2	–	–	–	–
Hooping Cough	15	2	1	3	4	3	–	1	1	–	–	–	–
Croup	15	4	–	5	2	1	1	–	2	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	13	1	1	1	1	3	1	–	1	–	–	–	–
Dysentery	4	–	1	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	5	–	–	–	–	–	–	–	2	–	–	–	–
Purpura	3	–	–	–	–	–	–	–	–	–	–	1	–
Ague	1	–	–	–	–	–	–	–	–	–	–	1	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	16	–	–	–	–	–	–	–	1	–	–	1	1
Enteric Fever	8	–	–	–	–	–	–	–	–	–	3	–	–
Relapsing Fever	2	–	–	–	–	–	1	–	–	–	1	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	4	–	–	–	–	–	–	–	–	–	2	–	1
Erysipelas	3	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	13	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	1	–	–	–	–	–	–	–	1	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	16	–	–	–	–	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	3	–	–	–	–	1	–	–	–	1	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	1	–	–	–	–
Phthisis	0 4	1	1	2	–	–	–	1	1	1	14	28	10
Hydrocephalus	7	1	3	2	–	–	1	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	27	23	23	24	25	25	40	52	75	72	63	45	12	7	3	2
SPECIFIED CAUSES	20	22	21	21	24	18	33	51	75	71	63	45	12	7	3	1
Zymotic Class	2	2	4	2	4	4	5	4	3	6	2	–	–	–	–	–
Uncertain Seat	–	1	1	1	3	4	1	4	8	1	3	2	–	–	–	–
Tubercular Class	12	9	6	2	3	1	4	4	4	1	–	–	–	–	–	–
Brain, etc.	2	1	1	1	2	1	1	4	4	7	3	–	–	–	–	1
Heart, etc.	–	–	2	1	2	1	3	2	5	3	4	–	–	–	–	–
Respiratory Organs	2	3	2	2	2	4	4	8	11	4	6	2	1	–	–	–
Digestive Organs	–	3	3	7	5	1	10	4	9	7	2	1	–	–	–	–
Urinary Organs	–	–	–	–	2	–	3	3	3	4	2	2	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	–	–	1	1	2	1	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	15	23	35	39	38	11	7	3	–
Sudden Deaths	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Violent Deaths	2	3	2	2	–	1	–	1	3	2	2	–	–	–	–	–
Small Pox	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	1	1	2	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	1	–	1	2	3	2	1	1	1	–	–	–	–	–	–
Enteric Fever	–	–	1	–	–	–	1	2	–	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	2	2	–	–	4	1	–	1	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	1	–	4	4	–	3	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	9	6	2	3	1	4	4	3	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		2	3	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	4	1	–	–	–	–	–	1	–	–	1	1	–
Apoplexy	5	–	–	–	–	–	–	–	–	–	–	–	1
Paralysis	20	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	–	3	–
Tetanus	2	2	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	7	2	–	2	2	1	–	–	–	–	–	–	–
Brain Disease	6	–	–	–	1	–	–	–	–	1	1	1	–
V. Pericarditis	2	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	23	–	–	–	–	–	–	–	1	–	–	–	2
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	36	4	4	3	3	1	–	–	1	–	–	–	2
Pleurisy	11	3	–	1	1	–	–	–	–	–	1	2	–
Pneumonia	18	–	1	–	–	–	–	–	1	–	–	1	1
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	1	–	–	1	–	–	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	1	–	–	–	–	–	1
Gastritis	6	–	–	–	–	1	–	–	–	1	–	–	–
Enteritis	7	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	4	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	–	–	–	1	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	12	1	–	–	–	–	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	–	–	–	–	–	1	–	–	–	–	–	–
Liver Disease	12	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	7	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	1	1	–
Rheumatism	6	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	–	1	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	17	–	–	–	–	–	1	–	1	4	1	–	1
Fracture and Contusion	12	–	–	–	–	–	–	–	–	1	1	1	1
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	1	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	1	–	–	–	–	–	–	1	–	–	–
Not Specified	152	54	5	11	8	3	4	5	5	4	8	8	6

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	–	–	3	–	1	–	–	–	–	–
Paralysis	1	–	1	1	2	1	1	4	1	5	2	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Aneurism	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	–	2	1	2	–	3	2	4	2	4	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	1	–	–	1	–	2	–	5	2	5	–	1	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	2	–	–	1	–	–	–	–
Pneumonia	1	2	1	2	–	–	1	3	1	1	1	1	–	–	–	–
Asthma	–	–	1	–	1	2	1	3	3	1	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	1	–	1	–	1	–	–	–	–	–	–	–
Enteritis	–	–	–	3	1	–	2	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	3	–	3	1	2	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	1	–	–	–	1	1	–	1	–	–	–	–
Liver Disease	–	3	–	2	–	–	2	1	2	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Lithuria	–	–	–	–	–	–	–	–	–	2	–	1	–	–	–	–
Diabetes	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	3	1	2	–	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Kidney Disease	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	2	1	–	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	3	1	–	–	1	–	–	2	–	–	–	–	–	–	–
Fracture and Contusion	–	–	1	2	–	–	–	1	1	2	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	1	2	3	1	7	7	1	–	1	–	–	–	–	–	1

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER.											
		MONTHS.											
		2	3	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	929	64	15	29	32	15	15	[illegible]	23	23	25	[illegible]4	40
SPECIFIED CAUSES	780	31	11	20	20	13	13	6	15	17	20	20	30
I. Zymotic Class	109	2	4	11	11	6	9	4	10	2	8	6	4
II. Diseases of Uncertain Seat	38	–	–	–	–	–	–	–	–	–	1	–	–
III. Tubercular Class	87	–	1	1	3	–	–	1	3	5	6	10	16
IV. Brain and Nervous System	44	1	1	–	1	2	–	–	1	5	1	2	1
V. Organs of Circulation	22	–	–	–	–	–	–	–	–	1	–	1	1
VI. Respiratory Organs	82	2	4	2	2	2	1	–	–	2	2	–	4
VII. Organs of Digestion	61	1	1	6	3	1	–	–	–	1	2	–	2
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	–	–	–	–
IX. Organs of Generation	21	–	–	–	–	–	–	–	–	–	–	–	2
X. Organs of Locomotion	15	–	–	–	–	–	–	–	–	–	–	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	25	25	–	–	–	–	–	–	–	–	–	–	–
XIV. Atrophy	3	–	–	–	–	–	1	–	–	–	–	–	–
XV. Age	252	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	12	–	–	–	–	2	2	1	1	1	–	1	–
I. Small Pox	3	–	–	–	–	–	–	–	–	–	1	–	2
Measles	15	–	–	–	5	1	1	–	2	1	3	1	–
Scarlatina	6	–	–	1	1	–	–	–	1	–	–	1	1
Diphtheria	9	–	–	1	–	2	–	2	3	1	–	–	–
Hooping Cough	22	1	3	7	3	2	3	–	2	–	–	–	–
Croup	10	–	1	1	2	–	4	1	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	8	–	–	1	–	–	–	1	–	–	–	–	–
Dysentery	1	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	1	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	18	–	–	–	–	–	1	–	1	–	2	3	–
Enteric Fever	5	–	–	–	–	1	–	–	–	–	1	1	–
Relapsing Fever	1	–	–	–	–	–	–	–	–	–	–	–	1
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	18	–	–	–	–	–	–	–	–	–	1	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	18	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	1	1	–	–	–	–	1	–	–	–
Tabes Mesenterica	2	–	1	–	–	–	–	–	–	1	–	–	–
Phthisis	75	–	–	–	1	–	–	–	3	2	6	10	16
Hydrocephalus	3	–	–	–	1	–	–	1	–	1	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	33	22	18	30	29	35	47	63	75	86	87	46	32	10	1	2
SPECIFIED CAUSES	26	19	11	24	19	27	36	63	75	86	87	46	32	10	1	2
Zymotic Class	6	1	1	6	2	–	2	–	5	6	3	–	–	–	–	–
Uncertain Seat	–	–	1	4	4	4	3	6	4	4	2	1	3	–	–	1
Tubercular Class	8	7	1	1	2	5	6	6	3	1	1	–	–	–	–	–
Brain, etc.	–	3	–	2	1	5	3	3	3	4	3	1	–	1	–	–
Heart, etc.	1	–	1	–	2	1	2	3	5	3	–	–	1	–	–	–
Respiratory Organs	3	–	1	2	1	6	8	13	11	9	6	1	–	–	–	–
Digestive Organs	–	4	4	2	4	5	9	4	4	3	4	1	–	–	–	–
Urinary Organs	–	–	–	1	–	–	–	1	2	3	1	–	–	1	–	–
Generative Organs	8	3	2	3	–	–	1	–	1	–	1	–	–	–	–	–
Locomotive Organs	–	1	–	2	3	–	2	–	3	1	2	1	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	–	25	33	52	63	41	28	8	1	1
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	–	–	3	1	2	–	–	–	–	–
Dysentery	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–
Purpura	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	–	1	3	1	–	1	–	–	4	–	–	–	–	–	–
Enteric Fever	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	2	2	2	1	1	2	2	2	1	1	–	–	1
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	–	–	1	1	2	2	2	5	1	2	–	–	2	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	5	7	1	1	2	5	5	6	3	1	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	MONTHS.			AGE UNDER								
		2	3	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	–	–	–	2	–	–	–	1	–	–	–
Apoplexy	6	–	1	–	–	–	–	–	1	–	–	–	–
Paralysis	19	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	3	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	1	–	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	8	–	–	–	–	–	–	–	–	3	–	2	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	1	–	–	–
Heart Disease	21	–	–	–	–	–	–	–	–	–	–	1	1
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	47	1	3	1	2	2	1	–	–	1	–	–	1
Pleurisy	5	1	–	1	–	–	–	–	–	–	–	–	1
Pneumonia	11	–	1	–	–	–	–	–	–	–	2	–	2
Asthma	14	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	5	–	–	–	–	–	–	–	–	1	–	–	–
VII. Teething	6	–	–	3	3	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	7	–	–	1	–	–	–	–	–	–	1	–	–
Enteritis	7	–	–	2	–	1	–	–	–	–	1	–	–
Peritonitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	3	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	–	1	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	16	–	–	–	–	–	–	–	–	–	–	–	2
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	12	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	7	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	9	–	–	–	–	2	2	1	1	–	–	1	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	–	1	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	149	33	4	9	12	2	2	2	8	6	5	1	10

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER.															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	1	–	–	1	1	1	–	–	–	–	–	–	–
Paralysis	–	2	–	1	1	4	–	2	2	2	2	1	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Tetanus	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	1	–	1	–	2	1	2	3	5	3	–	–	1	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	–	–	1	–	3	5	9	6	5	4	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Pneumonia	1	–	–	1	–	1	1	1	–	1	–	–	–	–	–	–
Asthma	1	–	1	–	–	–	2	3	4	1	2	–	–	–	–	–
Lung Disease	–	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Peritonitis	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	–	–	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	1	–	–	1	2	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–
Liver Disease	–	–	1	–	1	–	3	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–
Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Childbirth	6	3	2	3	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	2	2	–	1	–	3	1	2	1	–	–	–	–
Joint Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	3	7	6	10	8	11	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	15790	1460	636	1512	2086	969	604	387	860	383	527	617	551
Specified Causes	15638	1395	629	1504	2078	962	603	386	858	381	524	613	547
I. Zymotic Class	3561	155	157	411	798	407	275	183	315	85	71	103	88
II. Diseases of Uncertain Seat	341	8	1	2	7	1	2	1	9	7	7	4	16
III. Tubercular Class	3177	50	73	233	286	153	111	91	276	184	312	325	275
IV. Brain and Nervous System	1050	98	36	77	101	43	24	26	72	20	15	17	13
V. Organs of Circulation	531	1	2	3	–	–	–	2	4	7	12	19	31
VI. Respiratory Organs	3731	241	233	556	640	290	148	65	103	32	39	60	46
VII. Organs of Digestion	994	129	60	163	185	31	19	3	22	16	15	18	19
VIII. Urinary Organs	176	1	1	3	1	2	4	1	6	4	12	13	10
IX. Organs of Generation	102	–	–	–	–	–	–	–	–	1	7	10	19
X. Organs of Locomotion	73	–	–	1	–	2	–	1	10	7	9	5	4
XI. Skin, etc.	20	5	3	–	–	–	1	–	–	1	–	1	–
XII. Malformation	30	26	2	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	736	646	47	43	–	–	–	–	–	–	–	–	–
XIV. Atrophy	133	–	–	–	41	23	7	5	14	2	–	2	–
XV. Age	457	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	55	4	2	2	1	2	–	–	2	–	–	3	1
XVII. Violent Deaths	471	31	12	8	18	8	12	8	25	15	25	33	25
I. Small Pox	184	13	22	9	3	2	3	7	25	18	8	24	22
Measles	934	5	15	146	371	175	102	58	59	1	1	–	–
Scarlatina	319	4	6	22	51	50	42	31	33	17	3	2	7
Diphtheria	116	1	4	8	26	19	14	11	26	2	1	–	1
Hooping Cough	516	26	32	100	174	84	46	24	30	–	–	–	–
Croup	188	1	4	27	57	32	29	19	19	–	–	–	–
Thrush	6	3	1	1	–	–	1	–	–	–	–	–	–
Diarrhœa	334	56	48	65	63	16	6	5	8	1	–	9	3
Dysentery	20	–	2	1	1	1	–	–	–	–	–	–	–
Cholera	12	1	2	3	4	1	–	–	–	–	–	–	–
Influenza	10	–	–	–	–	–	–	–	2	–	–	–	–
Purpura	4	–	–	1	–	–	–	–	–	2	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	4	–	–	–	–	2	1	–	1	–	–	–	–
Typhus	284	–	–	4	3	–	3	2	16	9	26	22	22
Enteric Fever	180	2	2	4	13	11	12	11	22	18	14	17	8
Relapsing Fever	241	2	4	12	16	9	8	9	13	9	10	14	11
Simple Continued Fever	29	1	–	1	5	1	2	2	4	2	1	1	1
Infantile Remittent	24	–	2	2	6	3	5	3	3	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	4	10	6
Rheumatic Fever	12	–	–	–	–	–	–	–	2	3	–	–	2
Erysipelas	49	18	1	–	1	–	–	–	–	1	3	2	–
Pyæmia	5	–	–	1	–	–	–	–	–	2	–	–	1
Syphilis	53	22	12	4	3	1	–	–	–	–	–	2	4
Noma	3	–	–	–	–	–	–	1	2	–	–	–	–
Hydrophobia	3	–	–	–	1	–	1	–	–	–	–	–	–
II. Hæmorrhage	18	4	1	–	–	–	–	–	1	–	1	1	1
Dropsy	76	1	–	–	1	–	2	–	5	5	4	1	3
Abscess	27	2	–	1	4	1	–	–	2	1	1	1	–
Ulcer	3	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	13	–	–	–	2	–	–	–	1	–	–	–	–
Cancer	198	–	–	1	–	–	–	1	–	1	1	1	10
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	198	5	11	15	22	25	11	6	39	16	18	9	6
Tabes Mesenterica	305	20	17	42	74	35	23	14	47	16	8	1	–
Phthisis	2138	8	10	32	61	39	33	32	126	144	284	315	269
Hydrocephalus	536	17	35	144	129	54	44	39	64	8	2	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	497	586	553	574	586	502	563	429	416	242	154	61	26	6	2	1
Specified Causes	495	579	548	568	579	496	556	429	416	242	154	61	26	6	2	1
Zymotic Class	63	68	69	54	77	49	56	28	31	9	6	3	–	–	–	–
Uncertain Seat	11	27	21	42	43	37	37	21	23	9	4	–	–	1	–	–
Tubercular Class	196	174	136	125	67	49	34	13	10	2	2	–	–	–	–	–
Brain, etc.	25	37	37	40	50	65	69	71	59	29	17	5	2	1	1	–
Heart, etc.	28	54	43	50	63	43	51	42	44	19	9	2	2	–	–	–
Respiratory Organs	77	99	138	150	156	161	182	138	92	50	24	8	3	–	–	–
Digestive Organs	20	36	28	40	52	37	39	24	22	10	5	1	–	–	–	–
Urinary Organs	16	9	13	19	10	11	12	12	9	2	4	1	–	–	–	–
Generative Organs	22	19	12	4	3	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	3	5	1	2	3	2	8	4	4	1	1	–	–	–	–	–
Skin	1	2	–	–	–	1	1	4	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	2	7	18	7	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	41	53	114	103	81	41	19	4	1	–
Sudden Deaths	1	2	9	6	6	4	4	4	1	1	–	–	–	–	–	–
Violent Deaths	30	44	39	29	31	28	20	14	7	7	1	–	–	–	–	1
Small Pox	15	2	6	1	1	2	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	4	4	2	9	4	9	4	8	4	2	3	–	–	–	–
Dysentery	–	1	1	3	4	1	1	–	3	–	1	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	1	3	1	–	1	–	1	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	22	38	33	26	28	14	12	4	6	3	1	–	–	–	–	–
Enteric Fever	10	6	2	3	5	9	3	5	3	–	–	–	–	–	–	–
Relapsing Fever	7	11	15	14	23	15	20	12	6	1	–	–	–	–	–	–
Simple Continued Fever	–	2	–	1	2	–	2	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malaria	1	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	1	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	2	2	3	1	2	1	5	2	3	1	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	2	3	1	1	1	–	–	–	–	–	–	–	–	–	–
Dropsy	4	3	2	9	3	7	10	7	3	3	3	–	–	–	–	–
Abscess	–	2	3	2	3	1	2	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	2	2	1	1	2	–	–	–	–	–	–
Cancer	6	18	13	29	33	25	23	13	17	4	1	–	–	1	–	–
Gout	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	4	3	–	3	2	1	2	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	1	1	1	–	1	1	–	–	–	–	–	–	–
Phthisis	190	171	135	121	64	47	32	12	9	2	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	133	1	7	15	26	12	6	11	26	8	4	3	1
Apoplexy	237	7	3	10	8	6	2	4	9	2	4	3	3
Paralysis	219	–	–	–	–	–	–	–	–	1	1	2	3
Delirium Tremens	9	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	2	–	–	–	–	–	–	–	1	1	–	–	–
Epilepsy	24	–	–	–	–	–	–	–	1	2	2	2	1
Tetanus	5	1	–	–	1	–	–	–	2	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	238	85	22	42	55	16	5	5	8	–	–	–	–
Brain Disease	182	4	4	10	11	9	11	6	25	6	3	7	5
V. Pericarditis	9	–	–	–	–	–	–	–	1	1	–	–	1
Aneurism	17	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	505	1	2	3	–	–	–	2	3	6	12	19	29
VI. Laryngitis	28	3	3	4	1	1	3	–	2	–	–	6	–
Bronchitis	2726	188	183	439	489	223	110	46	74	20	18	16	22
Pleurisy	30	–	–	1	2	1	–	–	–	1	2	4	4
Pneumonia	774	48	45	110	138	59	28	15	22	9	14	26	17
Asthma	67	–	–	–	1	–	–	–	1	1	–	1	–
Lung Disease	106	2	2	2	9	6	7	4	4	1	5	7	3
VII. Teething	278	2	8	116	140	12	–	–	–	–	–	–	–
Quinsey	10	2	1	1	3	–	–	1	1	1	–	–	–
Gastritis	37	6	6	2	3	1	2	–	2	3	–	–	1
Enteritis	180	51	14	24	21	7	7	1	7	3	2	1	1
Peritonitis	55	2	1	1	2	1	–	–	2	4	5	4	8
Ascites	5	–	–	–	–	–	1	–	–	–	–	1	–
Ulceration of Intestines	17	–	1	–	–	–	–	–	1	1	–	–	2
Hernia	23	1	1	1	–	–	–	–	–	–	–	2	–
Ileus	31	9	5	1	–	–	–	–	1	–	2	1	1
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	4	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	160	39	21	15	13	6	6	–	4	2	2	2	3
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	21	3	1	–	–	–	–	–	–	–	–	2	–
Jaundice	25	11	–	1	–	2	–	–	–	–	–	1	–
Liver Disease	143	3	1	1	3	2	3	1	4	2	3	4	3
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	19	–	–	1	–	–	–	–	2	2	1	2	1
Nephria	40	–	–	–	–	1	1	–	1	–	5	4	4
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	11	–	–	–	–	–	–	–	1	–	–	1	1
Diabetes	15	–	1	–	–	–	–	–	–	–	2	3	1
Stone	6	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	22	–	–	–	1	–	1	–	1	–	1	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	59	1	–	2	–	1	2	–	1	2	3	3	3
IX. Paramenia	2	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	14	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	82	–	–	–	–	–	–	–	–	–	7	10	19
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	15	–	–	1	–	2	–	1	1	1	3	2	–
Rheumatism	29	–	–	–	–	–	–	–	1	–	4	1	2
Joint Disease	29	–	–	–	–	–	–	–	8	6	2	2	2
XI. Carbuncle	4	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	5	–	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	11	5	3	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	45	–	–	–	–	–	–	–	–	–	1	2	1
Privation	1	–	–	–	–	–	–	–	–	1	–	–	–
Want of Breast Milk	29	21	7	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	13	–	1	–	3	–	2	1	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	48	–	–	4	9	4	5	5	3	–	2	1	1
Hanging, etc.	6	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	30	8	4	1	–	1	–	–	1	–	1	1	1
Drowning	68	1	–	–	–	–	–	–	8	1	–	5	7
Fracture and Contusion	208	–	–	2	5	2	5	–	11	11	21	21	14
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	4	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	19	1	–	–	1	1	–	2	2	2	–	3	–
Not Specified	152	65	7	8	8	7	1	1	[illegible]	2	3	4	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	3	3	1	2	1	2	1	–	–	–	–	–	–	–	–	–
Apoplexy	8	12	13	8	17	27	28	23	18	8	9	2	2	–	1	–
Paralysis	3	5	13	16	20	24	30	39	33	19	6	3	–	1	–	–
Delirium Tremens	3	3	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	4	2	2	1	1	2	1	2	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	7	10	6	12	9	11	8	8	6	2	2	–	–	–	–	–
Pericarditis	1	2	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Aneurism	1	2	3	3	5	1	–	1	–	–	–	–	–	–	–	–
Heart Disease	26	50	39	47	58	42	51	40	43	19	9	2	2	–	–	–
Laryngitis	–	–	3	–	2	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	41	51	79	107	107	111	141	109	82	43	18	6	3	–	–	–
Pleurisy	1	5	3	1	1	1	2	–	–	–	1	–	–	–	–	–
Pneumonia	30	34	32	10	29	27	22	21	9	4	3	2	–	–	–	–
Asthma	1	3	14	9	10	11	8	4	–	2	1	–	–	–	–	–
Lung Disease	4	6	7	3	7	11	9	4	1	1	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	3	–	1	2	–	1	1	–	–	–	1	–	–	–	–
Enteritis	2	5	6	2	5	5	8	6	1	1	–	–	–	–	–	–
Peritonitis	4	3	2	3	6	2	2	1	1	–	1	–	–	–	–	–
Ascites	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	2	2	2	3	1	–	–	–	–	–	–	–	–
Hernia	–	2	–	2	4	3	1	–	4	–	2	–	–	–	–	–
Ileus	–	3	–	3	1	1	1	1	1	–	–	–	–	–	–	–
Intussusception	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Stomach Disease	2	2	5	7	9	7	6	3	3	2	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	3	2	2	3	–	1	2	–	–	–	–	–	–
Jaundice	–	–	1	2	1	1	–	2	1	2	–	–	–	–	–	–
Liver Disease	9	14	10	14	18	14	12	9	9	3	1	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	4	1	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephria	4	1	4	6	–	4	2	2	–	–	1	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	1	–	1	–	2	3	–	–	–	–	–	–	–
Diabetes	4	1	1	–	–	–	–	2	–	–	–	–	–	–	–	–
Stone	–	–	–	1	1	–	1	–	1	–	1	–	–	–	–	–
Cystitis	1	1	2	2	1	2	4	2	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	4	2	5	7	6	2	5	3	3	1	2	1	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	–	3	2	2	2	1	–	–	–	–	–	–	–	–
Childbirth	19	16	11	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	–	1	2	7	3	4	–	1	–	–	–	–	–
Joint Disease	2	2	1	1	1	–	1	–	–	1	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Phlegmon	1	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Intemperance	7	6	8	5	5	3	4	1	1	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	1	–	1	1	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	5	–	–	4	–	1	–	1	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	2	1	–	3	–	–	–	–	–	–	–	–	–
Suffocation	2	1	3	2	1	–	2	1	–	–	–	–	–	–	–	–
Drowning	3	12	6	7	5	6	2	2	2	–	–	–	–	–	–	1
Fracture and Contusion	15	18	19	12	12	16	8	8	2	6	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	1	–	2	–	–	2	–	–	–	–	–	–	–	–
Not Specified	2	7	5	6	7	6	7	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7887	824	350	781	1070	478	308	186	424	194	256	294	259
SPECIFIED CAUSES	7808	791	346	775	1062	478	308	186	424	193	253	294	255
I. Zymotic Class	1759	85	79	197	404	203	130	78	139	41	34	55	48
II. Diseases of Uncertain Seat	130	3	1	1	2	1	2	1	4	4	3	3	6
III. Tubercular Class	1503	28	43	119	144	81	64	49	150	90	139	131	114
IV. Brain and Nervous System	567	56	26	46	55	24	12	13	36	10	10	8	4
V. Organs of Circulation	255	1	2	1	–	–	–	1	2	–	4	6	18
VI. Respiratory Organs	1943	158	120	294	343	143	71	35	52	14	21	37	27
VII. Organs of Digestion	477	68	39	83	83	11	15	1	7	10	7	11	8
VIII. Urinary Organs	106	–	–	2	–	1	3	1	5	4	4	7	5
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	46	–	–	–	–	2	–	1	7	6	6	3	3
XI. Skin, etc.	11	3	1	–	–	–	1	–	–	1	–	1	–
XII. Malformation	17	14	2	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	409	357	28	24	–	–	–	–	–	–	–	–	–
XIV. Atrophy	52	–	–	–	19	10	4	2	5	–	–	1	–
XV. Age	160	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	26	2	1	2	1	–	–	–	–	–	–	2	–
XVII. Violent Deaths	347	16	4	5	11	2	6	4	17	13	25	29	22
I. Small Pox	115	4	10	5	2	1	1	2	14	11	5	20	18
Measles	480	4	6	76	201	90	52	20	29	1	–	–	–
Scarlatina	158	3	5	10	28	26	21	17	39	6	1	1	1
Diphtheria	45	–	3	4	12	8	5	3	8	–	–	–	1
Hooping Cough	233	13	14	42	82	41	20	10	11	–	–	–	–
Croup	90	1	1	14	26	16	15	12	5	–	–	–	–
Thrush	5	2	1	1	–	–	1	–	–	–	–	–	–
Diarrhœa	165	37	27	30	33	7	1	2	4	1	–	5	1
Dysentery	10	–	2	1	–	1	–	–	–	–	–	–	–
Cholera	5	–	1	1	1	1	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	1	–	1	–	–	–	–
Typhus	159	–	–	2	1	–	–	2	8	4	14	12	13
Enteric Fever	88	1	2	1	6	6	6	5	12	8	6	9	5
Relapsing Fever	122	2	2	5	6	4	5	2	4	4	6	6	6
Simple Continued Fever	10	1	–	–	1	–	–	1	2	2	–	1	–
Infantile Remittent	11	–	2	1	3	1	2	1	1	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	3	–	–	–	–	–	–	–	1	1	–	–	–
Erysipelas	21	6	–	–	–	–	–	–	–	1	2	–	–
Pyæmia	3	–	–	1	–	–	–	–	–	1	–	–	–
Syphilis	26	11	3	3	1	1	–	–	–	–	–	1	3
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	2	–	–	–	1	–	–	–	–	–	–	–	–
II. Hæmorrhage	10	2	1	–	–	–	–	–	–	–	1	1	1
Dropsy	38	–	–	–	–	–	2	–	4	4	2	–	1
Abscess	13	–	–	–	2	1	–	–	–	–	–	1	–
Ulcer	2	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	4	–	–	–	–	–	–	–	–	–	–	–	2
Mortification	6	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	56	–	–	1	–	–	–	1	–	–	–	1	2
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	114	3	7	7	13	13	7	4	21	13	9	6	1
Tabes Mesenterica	163	12	11	20	27	17	15	11	30	8	5	–	–
Phthisis	937	3	7	19	30	20	20	15	64	63	124	125	113
Hydrocephalus	289	10	18	73	74	31	22	19	35	6	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	247	272	268	294	319	247	256	209	180	90	54	18	6	1	1	1
SPECIFIED CAUSES	246	270	264	290	316	245	252	209	180	90	54	18	6	1	1	1
Zymotic Class	38	30	39	31	47	22	27	14	13	4	1	–	–	–	–	–
Uncertain Seat	6	10	5	11	21	11	11	9	8	4	2	–	–	1	–	–
Tubercular Class	81	71	51	53	39	27	16	7	5	–	1	–	–	–	–	–
Brain, etc.	17	21	21	20	27	34	29	39	31	15	9	3	1	–	–	–
Heart, etc.	18	26	18	35	29	25	21	18	17	8	3	1	1	–	–	–
Respiratory Organs	41	47	70	84	87	85	87	69	28	18	11	1	–	–	–	–
Digestive Organs	11	16	14	20	23	11	15	8	10	3	3	–	–	–	–	–
Urinary Organs	9	5	10	7	8	6	9	10	7	2	1	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	5	1	2	2	1	3	1	1	–	–	–	–	–	–	–
Skin	–	1	–	–	–	–	1	2	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	3	7	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	16	17	54	33	22	13	4	–	1	–
Sudden Deaths	1	–	3	2	2	3	3	3	–	1	–	–	–	–	–	–
Violent Deaths	22	38	32	22	24	19	14	12	6	2	1	–	–	–	–	1
Small Pox	13	2	4	1	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	5	2	4	–	2	1	1	–	–	–	–	–
Dysentery	–	–	–	1	3	1	1	–	–	–	–	–	–	–	–	–
Cholera	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	13	17	22	12	19	7	7	2	3	1	–	–	–	–	–	–
Enteric Fever	5	2	2	1	1	3	1	4	2	–	–	–	–	–	–	–
Relapsing Fever	3	4	7	13	15	7	10	6	4	1	–	–	–	–	–	–
Simple Continued Fever	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Matria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	1	2	–	2	1	2	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Syphilis	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Numa	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	1	3	4	5	4	2	1	2	–	–	–	–	–
Abscess	–	2	1	1	3	1	–	–	1	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	1	–	1	1	–	2	–	–	–	–	–	–
Cancer	3	4	3	7	13	5	5	4	5	1	–	–	–	1	–	–
Gout	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	3	3	–	1	2	–	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	2	–	1	1	–	1	–	1	1	–	–	–	–	–	–	–
Phthisis	76	68	50	51	37	26	15	6	4	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	76	1	5	11	15	7	1	8	11	3	4	2	1
Apoplexy	130	6	2	3	3	3	2	3	7	1	2	2	–
Paralysis	108	–	–	–	–	–	–	–	–	–	–	1	2
Delirium Tremens	7	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	15	–	–	–	–	–	–	–	1	2	1	1	–
Tetanus	4	1	–	–	1	–	–	–	2	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	134	45	15	26	28	12	4	–	4	–	–	–	–
Brain Disease	92	3	4	6	8	2	5	2	10	4	3	2	1
V. Pericarditis	3	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	11	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	241	1	2	1	–	–	–	1	1	–	4	6	18
VI. Laryngitis	17	3	–	1	1	1	2	–	2	–	–	3	–
Bronchitis	1331	123	93	220	250	111	50	22	34	7	9	8	10
Pleurisy	17	–	–	–	1	1	–	–	–	1	1	1	4
Pneumonia	473	30	25	72	84	25	16	9	12	4	10	18	11
Asthma	40	–	–	–	1	–	–	–	1	1	–	1	–
Lung Disease	65	2	2	1	6	5	3	4	3	1	1	6	2
VII. Teething	126	1	3	57	61	4	–	–	–	–	–	–	–
Quinsey	6	2	1	1	1	–	–	–	–	1	–	–	–
Gastritis	16	3	3	1	2	1	2	–	–	1	–	–	–
Enteritis	89	26	9	12	10	5	6	1	3	3	1	1	1
Peritonitis	25	1	1	1	1	–	–	–	1	3	3	1	1
Ascites	2	–	–	–	–	–	–	–	–	–	–	1	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	9	1	1	1	–	–	–	–	–	–	–	1	–
Ileus	14	4	3	1	–	–	–	–	–	–	1	–	1
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	90	21	16	9	7	1	5	–	2	–	–	1	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	10	1	1	–	–	–	–	–	–	–	–	2	–
Jaundice	11	6	–	–	–	–	–	–	–	–	–	1	–
Liver Disease	69	2	1	–	1	–	2	–	1	2	2	3	2
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	8	–	–	1	–	–	–	–	1	2	1	1	1
Nephria	22	–	–	–	–	–	1	–	1	–	1	2	2
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Lithuria	8	–	–	–	–	–	–	–	1	–	–	1	–
Diabetes	10	–	–	–	–	–	–	–	–	–	1	3	–
Stone	4	–	–	–	–	–	–	1	–	–	–	–	–
Cystitis	19	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Urethra	3	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	31	–	–	1	–	1	1	–	1	2	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	12	–	–	–	–	2	–	1	1	1	3	2	–
Rheumatism	14	–	–	–	–	–	–	–	–	–	2	–	2
Joint Disease	21	–	–	–	–	–	–	–	6	5	1	1	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	1	–
Phlegmon	3	–	–	–	–	–	–	–	–	1	–	–	–
Skin Disease	6	3	1	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	32	–	–	–	–	–	–	–	–	–	1	2	–
Privation	1	–	–	–	–	–	–	–	–	1	–	–	–
Want of Breast Milk	14	11	2	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	7	–	–	–	3	–	1	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	25	–	–	3	5	–	4	3	2	–	2	–	1
Hanging, etc.	5	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	20	4	2	–	–	–	–	–	1	–	1	1	1
Drowning	58	–	–	–	–	–	–	–	8	1	–	4	6
Fracture and Contusion	171	–	–	1	2	2	1	–	5	10	21	21	13
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	12	1	–	–	1	–	–	1	1	1	–	1	–
Not Specified	79	33	4	6	8	–	–	–	–	1	3	–	4

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	2	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Apoplexy	7	5	7	6	9	14	13	17	9	4	4	–	1	–	–	–
Paralysis	2	3	6	6	13	12	13	17	17	10	3	3	–	–	–	–
Delirium Tremens	2	3	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	3	1	1	1	1	1	–	2	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	5	4	6	4	6	2	5	3	1	2	–	–	–	–	–
Pericarditis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Aneurism	1	1	3	2	4	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	17	24	15	33	25	25	21	18	16	8	3	1	1	–	–	–
Laryngitis	–	–	2	–	2	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	18	22	37	54	55	52	60	48	24	15	8	1	–	–	–	–
Pleurisy	1	2	3	1	–	–	1	–	–	–	–	–	–	–	–	–
Pneumonia	20	18	19	21	21	23	13	16	3	2	1	–	–	–	–	–
Asthma	1	2	6	5	6	5	7	2	–	1	1	–	–	–	–	–
Lung Disease	1	3	3	3	3	5	6	3	1	–	1	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	1	2	1	2	1	2	1	–	–	–	–	–	–	–	–
Peritonitis	3	1	–	1	2	–	2	1	1	–	1	–	–	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	1	1	–	–	–	1	–	2	–	–	–	–	–
Ileus	–	1	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Stomach Disease	1	2	4	3	5	5	2	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	2	2	–	2	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	2	–	–	–	1	–	1	–	–	–	–	–	–
Liver Disease	5	9	7	8	7	4	5	3	4	1	–	–	–	–	–	–
Spleen Disease	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	4	2	–	2	2	2	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	1	–	2	2	–	–	–	–	–	–	–
Diabetes	3	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–	–
Cystitis	1	1	2	2	1	1	4	2	2	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	2	–	–	1	–	–	–	–	–	–	–	–
Kidney Disease	1	1	3	3	4	2	2	2	3	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	2	–	–	1	1	2	1	1	–	–	–	–	–	–	–
Joint Disease	1	2	1	1	1	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	5	5	5	3	5	–	3	1	1	–	1	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	2	–	–	2	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	2	–	–	3	–	–	–	–	–	–	–	–	–
Suffocation	2	1	3	1	–	–	2	1	–	–	–	–	–	–	–	–
Drowning	2	10	4	7	5	5	1	2	2	–	–	–	–	–	–	1
Fracture and Contusion	12	18	18	9	10	13	5	7	1	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	1	1	–	2	–	–	1	–	–	–	–	–	–	–	–
Not Specified	1	2	4	4	3	2	4	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	7903	636	286	731	1016	491	296	201	436	189	271	323	292
SPECIFIED CAUSES	7830	604	283	729	1016	484	295	200	434	188	271	319	292
I. Zymotic Class	1802	70	78	214	394	204	145	105	176	44	37	48	40
II. Diseases of Uncertain Seat	211	5	–	1	5	–	–	–	5	3	4	1	10
III. Tubercular Class	1674	22	30	114	142	72	47	42	126	94	173	194	161
IV. Brain and Nervous System	483	42	10	31	46	19	12	13	36	10	5	9	9
V. Organs of Circulation	276	–	–	2	–	–	–	1	2	7	8	13	13
VI. Respiratory Organs	1788	88	113	262	297	147	77	30	51	18	18	23	19
VII. Organs of Digestion	517	61	21	80	102	20	4	2	15	6	8	7	11
VIII. Urinary Organs	70	1	1	1	1	1	1	–	1	–	8	6	5
IX. Organs of Generation	102	–	–	–	–	–	–	–	–	1	7	10	19
X. Organs of Locomotion	27	–	–	1	–	–	–	–	3	1	3	2	1
XI. Skin, etc.	9	2	2	–	–	–	–	–	–	–	–	–	–
XII. Malformation	13	12	–	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	327	289	19	19	–	–	–	–	–	–	–	–	–
XIV. Atrophy	81	–	–	–	22	13	3	3	9	2	–	1	–
XV. Age	297	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	29	2	1	–	–	2	–	–	2	–	–	1	1
XVIII. Violent Deaths	124	15	8	3	7	6	6	4	8	2	–	4	3
I. Small Pox	69	9	12	4	1	1	2	5	11	7	3	4	4
Measles	454	1	9	70	170	85	50	38	30	–	1	–	–
Scarlatina	161	1	1	12	23	24	21	14	44	11	2	1	6
Diphtheria	71	1	1	4	14	11	9	8	18	2	1	–	–
Hooping Cough	283	13	18	58	92	43	26	14	19	–	–	–	–
Croup	98	–	3	13	31	16	14	7	14	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	169	19	21	35	30	9	5	3	4	–	–	4	2
Dysentery	10	–	–	–	1	–	–	–	–	–	–	–	–
Cholera	7	1	1	2	3	–	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	–	2	–	–	–	–
Purpura	2	–	–	1	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	2	–	–	–	–	–	–	–
Typhus	125	–	–	2	2	–	3	–	8	5	12	10	9
Enteric Fever	92	1	–	3	7	5	6	6	10	10	8	8	3
Relapsing Fever	119	–	2	7	10	5	3	7	9	5	4	8	5
Simple Continued Fever	19	–	–	1	4	1	2	1	2	–	1	–	1
Infantile Remittent	13	–	–	1	3	2	3	2	2	–	–	–	–
Metria	31	–	–	–	–	–	–	–	–	–	4	10	6
Rheumatic Fever	9	–	–	–	–	–	–	–	1	2	–	–	2
Erysipelas	28	12	1	–	1	–	–	–	–	–	1	2	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	1
Syphilis	27	11	9	1	2	–	–	–	–	–	–	1	1
Noma	2	–	–	–	–	–	–	–	2	–	–	–	–
Hydrophobia	1	–	–	–	–	–	1	–	–	–	–	–	–
II. Hæmorrhage	8	2	–	–	–	–	–	–	1	–	–	–	–
Dropsy	38	1	–	–	1	–	–	–	1	1	2	1	2
Abscess	14	2	–	1	2	–	–	–	2	1	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	7	–	–	–	2	–	–	–	1	–	–	–	–
Cancer	142	–	–	–	–	–	–	–	–	1	1	–	8
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	84	2	4	8	9	12	4	2	18	3	9	3	5
Tabes Mesenterica	142	8	6	22	47	18	8	3	17	8	3	1	–
Phthisis	1201	5	3	13	31	19	13	17	62	81	160	190	156
Hydrocephalus	247	7	17	71	55	23	22	20	29	2	1	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	250	314	285	280	267	255	307	220	236	152	100	43	20	5	1	–
SPECIFIED CAUSES	249	309	284	278	263	251	304	220	236	152	100	43	20	5	1	–
Zymotic Class	25	38	30	23	30	27	29	14	18	5	5	3	–	–	–	–
Uncertain Seat	5	17	16	31	22	26	26	12	15	5	2	–	–	–	–	–
Tubercular Class	115	103	85	72	28	22	18	6	5	2	1	–	–	–	–	–
Brain, etc.	8	16	16	20	23	31	40	32	28	14	8	2	1	1	1	–
Heart, etc.	10	28	25	15	34	18	30	24	27	11	6	1	1	–	–	–
Respiratory Organs	36	52	68	66	69	76	95	69	64	32	13	7	3	–	–	–
Digestive Organs	9	20	14	20	29	26	24	16	12	7	2	1	–	–	–	–
Urinary Organs	7	4	3	12	2	5	3	2	2	–	3	1	–	–	–	–
Generative Organs	22	19	12	4	3	2	2	1	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	1	1	5	3	3	1	1	–	–	–	–	–
Skin	1	1	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	2	3	2	4	11	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	25	36	60	70	59	28	15	4	–	–
Sudden Deaths	–	2	6	4	4	1	1	1	1	–	–	–	–	–	–	–
Violent Deaths	8	6	7	7	7	9	6	2	1	5	–	–	–	–	–	–
Small Pox	2	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	3	3	2	4	2	5	4	6	3	1	3	–	–	–	–
Dysentery	–	1	1	2	1	–	–	–	3	–	1	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	1	2	–	–	1	–	1	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	11	11	14	9	7	5	2	3	2	1	–	–	–	–	–
Enteric Fever	5	4	–	2	4	6	2	1	1	–	–	–	–	–	–	–
Relapsing Fever	4	7	8	1	8	8	10	6	2	–	–	–	–	–	–	–
Simple Continued Fever	–	1	–	1	2	–	2	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	9	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	2	–	–	1	3	1	1	–	1	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	2	–	1	1	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	2	8	–	3	5	3	1	2	1	–	–	–	–	–
Abscess	–	–	2	1	–	–	2	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–	–
Cancer	3	14	10	22	20	20	18	9	12	3	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Phthisis	114	103	85	70	27	21	17	6	5	2	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	57	–	2	4	11	5	5	3	15	5	–	1	–
Apoplexy	107	1	1	7	5	3	–	1	2	1	2	1	3
Paralysis	111	–	–	–	–	–	–	–	–	1	1	1	1
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	1	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	1	1
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	1	–	–
Convulsions	104	40	7	16	27	4	1	5	4	–	–	–	–
Brain Disease	90	1	–	4	3	7	6	4	15	2	–	5	4
V. Pericarditis	6	–	–	–	–	–	–	–	–	1	–	–	1
Aneurism	6	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	264	–	–	2	–	–	–	1	2	6	8	13	11
VI. Laryngitis	11	–	3	3	–	–	1	–	–	–	–	3	–
Bronchitis	1395	65	90	219	239	112	60	24	40	13	9	8	12
Pleurisy	13	–	–	1	1	–	–	–	–	–	1	3	–
Pneumonia	301	18	20	38	54	34	12	6	10	5	4	8	6
Asthma	27	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	41	–	–	1	3	1	4	–	1	–	4	1	1
VII. Teething	152	1	5	59	79	8	–	–	–	–	–	–	–
Quinsey	4	–	–	–	2	–	–	1	1	–	–	–	–
Gastritis	21	3	3	1	1	–	–	–	2	2	–	–	1
Enteritis	91	25	5	12	11	2	1	–	4	–	1	–	–
Peritonitis	30	1	–	–	1	1	–	–	1	1	2	3	7
Ascites	3	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	11	–	1	–	–	–	–	–	1	1	–	–	1
Hernia	14	–	–	–	–	–	–	–	–	–	–	1	–
Ileus	17	5	2	–	–	–	–	–	1	–	1	1	–
Intussusception	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	–	–	–	–	–	–	–	–	–	1	–	–
Stomach Disease	70	18	5	6	6	5	1	–	2	2	2	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	11	2	–	–	–	–	–	–	–	–	–	–	–
Jaundice	14	5	–	1	–	2	–	–	–	–	–	–	–
Liver Disease	74	1	–	1	2	2	1	1	3	–	1	1	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	11	–	–	–	–	–	–	–	1	–	–	1	–
Nephria	18	–	–	–	–	1	–	–	–	–	4	2	2
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	5	–	1	–	–	–	–	–	–	–	1	–	1
Stone	2	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	1	–	–	–	–	–	1	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	28	1	–	1	–	–	1	–	–	–	2	3	1
IX. Paramenia	2	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	14	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	82	–	–	–	–	–	–	–	–	–	7	10	19
Organs of Generation	4	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	16	–	–	–	–	–	–	–	1	–	2	1	–
Joint Disease	8	–	–	–	–	–	–	–	2	1	1	1	1
XI. Carbuncle	2	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	2	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	2	2	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	13	–	–	–	–	–	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	15	10	5	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	6	–	1	–	–	–	1	1	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	23	–	–	1	4	4	1	2	1	–	–	1	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	4	2	1	–	1	–	–	–	–	–	–	–
Drowning	10	1	–	–	–	–	–	–	–	–	–	1	1
Fracture and Contusion	37	–	–	1	3	–	4	–	6	1	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	2	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	7	–	–	–	–	1	–	1	1	1	–	2	–
Not Specified	73	32	3	2	–	7	1	1	2	1	–	4	–

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	1	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	7	6	2	8	13	15	6	9	4	5	2	1	–	1	–
Paralysis	1	2	7	10	7	12	17	22	16	9	3	–	–	1	–	–
Delirium Tremens	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	1	1	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	5	2	6	5	5	6	3	3	1	–	–	–	–	–	–
Pericarditis	1	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	1	1	–	1	–	–	–	–	–	–	–	–
Heart Disease	9	26	24	14	33	17	30	22	27	11	6	1	1	–	–	–
Laryngitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	23	29	42	53	52	59	81	61	58	28	10	5	3	–	–	–
Pleurisy	–	3	–	–	1	1	1	–	–	–	1	–	–	–	–	–
Pneumonia	10	16	13	9	8	4	9	5	6	2	2	2	–	–	–	–
Asthma	–	1	8	4	4	6	1	2	–	1	–	–	–	–	–	–
Lung Disease	3	3	4	–	4	6	3	1	–	1	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	2	–	1	1	–	1	1	–	–	–	1	–	–	–	–
Enteritis	1	4	4	1	3	4	6	5	1	1	–	–	–	–	–	–
Peritonitis	1	2	2	2	4	2	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	1	1	1	1	–	–	–	–	–	–	–	–
Hernia	–	2	–	1	3	3	1	–	3	–	–	–	–	–	–	–
Ileus	–	2	–	2	1	1	1	–	–	–	–	–	–	–	–	–
Intussusception	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	1	–	1	4	4	2	4	2	1	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	2	1	–	2	1	–	1	2	–	–	–	–	–	–
Jaundice	–	–	1	–	1	1	–	1	1	1	–	–	–	–	–	–
Liver Disease	4	5	3	6	11	10	7	6	5	2	1	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	3	1	2	–	2	–	–	–	–	–	–	–	–	–	–
Nephria	2	–	–	4	–	2	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Stone	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	1	2	4	2	–	3	1	–	–	2	1	–	–	–	–
Paramenia	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	2	2	–	3	2	2	2	1	–	–	–	–	–	–	–	–
Childbirth	19	16	11	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	5	2	3	–	1	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Carbuncle	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	2	1	3	2	–	3	1	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	3	–	–	2	–	1	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	2	2	–	–	1	1	–	–	–	–	–	–	–	–	–
Fracture and Contusion	3	–	1	3	2	3	3	1	1	4	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Not Specified	1	5	1	2	4	4	3	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	2613	242	118	241	352	161	81	52	112	71	105	78	91
Specified Causes	2561	233	111	233	349	158	81	51	111	70	104	77	90
I. Zymotic Class	574	39	22	74	121	76	39	30	39	13	10	17	17
II. Diseases of Uncertain Seat	70	1	1	–	3	1	2	–	1	1	1	–	2
III. Tubercular Class	567	16	20	47	77	30	19	8	35	34	62	41	40
IV. Brain and Nervous System	196	10	11	15	17	2	4	1	6	3	4	1	3
V. Organs of Circulation	74	–	–	–	–	–	–	1	3	1	3	2	1
VI. Respiratory Organs	517	37	32	71	98	36	13	8	15	10	5	6	11
VII. Organs of Digestion	145	14	12	18	28	8	1	2	5	1	2	1	1
VIII. Urinary Organs	19	–	–	–	–	–	–	–	–	2	3	1	3
IX. Organs of Generation	20	–	–	–	–	–	–	–	–	–	2	5	2
X. Organs of Locomotion	14	–	1	–	–	2	–	1	1	1	1	–	–
XI. Skin, etc.	3	–	–	–	–	–	–	–	1	–	–	1	–
XII. Malformation	10	10	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	120	103	12	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	24	–	–	–	3	3	1	–	–	–	–	–	1
XV. Age	135	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	–	–	1	–	–	–	–	1	–	–	–	1
XVII. Violent Deaths	67	3	–	2	2	–	2	–	4	4	11	2	8
I. Small Pox	18	3	–	1	1	1	–	–	3	–	1	5	2
Measles	113	2	1	20	49	17	14	7	3	–	–	–	–
Scarlatina	40	–	–	5	7	10	4	3	7	2	–	1	–
Diphtheria	50	2	–	5	11	14	3	6	7	2	–	–	–
Hooping Cough	74	4	4	20	22	13	5	2	4	–	–	–	–
Croup	49	2	1	6	9	16	6	6	3	–	–	–	–
Thrush	3	3	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	69	12	13	13	14	–	2	2	1	–	1	–	–
Dysentery	9	1	–	–	2	–	–	–	–	–	–	1	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	1	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	2	–	–	–	–	–	–	1	1	–	–	–	–
Typhus	45	1	–	–	–	–	–	–	2	2	3	4	3
Enteric Fever	37	–	1	2	1	4	3	2	2	3	3	2	4
Relapsing Fever	19	–	–	–	2	–	–	–	3	1	–	–	4
Simple Continued Fever	5	–	–	–	1	–	–	–	1	–	1	1	–
Infantile Remittent	3	–	–	–	–	–	1	1	1	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	1	2
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	11	5	–	–	–	1	–	–	–	2	–	–	–
Pyæmia	2	–	–	–	–	–	–	–	–	1	–	–	1
Syphilis	11	4	2	2	1	–	1	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	1	–	–	1	–	–	–	–
Dropsy	30	–	–	–	2	–	1	–	–	1	–	–	1
Abscess	5	1	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	1	–	–	–	–	–	1	–	–
Cancer	25	–	–	–	–	–	1	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	32	1	2	1	7	3	–	1	2	5	4	–	–
Tabes Mesenterica	49	2	2	5	17	8	5	1	6	–	–	1	–
Phthisis	358	3	4	10	11	10	5	3	15	29	58	40	40
Hydrocephalus	128	10	12	31	42	9	9	3	12	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.															
	AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	97	107	99	82	84	76	93	86	66	52	36	24	5	–	–	2
Specified Causes	95	104	96	81	80	75	92	86	66	52	36	24	5	–	–	1
Zymotic Class	9	10	13	6	7	9	12	6	1	3	1	–	–	–	–	–
Uncertain Seat	4	4	4	7	4	6	12	7	1	7	1	–	–	–	–	–
Tubercular Class	41	27	25	20	12	6	2	1	4	–	–	–	–	–	–	–
Brain, etc.	14	16	17	14	12	10	8	10	7	5	1	4	1	–	–	–
Heart, etc.	3	10	3	4	6	5	16	6	7	2	–	1	–	–	–	–
Respiratory Organs	8	23	16	13	22	23	17	22	15	7	7	2	–	–	–	–
Digestive Organs	5	3	7	5	5	6	9	3	5	1	2	–	–	–	–	1
Urinary Organs	–	1	2	–	2	1	–	1	1	–	–	–	–	–	–	–
Generative Organs	5	2	2	–	1	–	–	–	–	–	1	–	–	–	–	–
Locomotive Organs	1	–	2	–	–	1	2	–	–	1	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	2	7	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	12	30	23	26	23	17	4	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	5	7	4	5	2	2	2	–	1	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	2	1	3	–	1	1	–	–	–	–	–
Dysentery	1	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	2	8	2	4	3	4	1	1	–	–	–	–	–	–	–
Enteric Fever	1	1	2	1	1	1	2	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	1	–	1	1	1	3	1	–	1	–	–	–	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	2	2	2	2	–	4	6	3	–	3	1	–	–	–	–	–
Abscess	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
Cancer	1	1	1	5	4	1	5	3	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	2	1	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	39	25	22	20	12	6	2	1	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	20	1	1	4	6	–	1	1	3	–	–	–	–
Apoplexy	48	1	–	1	2	1	1	–	1	1	1	–	2
Paralysis	49	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	–	1	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	7	9	9	9	1	2	–	1	–	–	–	–
Brain Disease	32	1	1	1	–	–	–	–	–	2	2	–	–
V. Pericarditis	2	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	69	–	–	–	–	–	–	1	2	1	3	2	–
VI. Laryngitis	4	–	–	1	–	1	–	–	–	–	–	–	1
Bronchitis	338	26	22	53	78	21	11	2	8	5	2	3	5
Pleurisy	9	–	1	–	1	1	–	–	–	–	–	–	–
Pneumonia	141	9	9	16	18	13	2	6	6	4	3	3	3
Asthma	13	–	–	1	–	–	–	–	–	–	–	–	1
Lung Disease	12	2	–	–	1	–	–	–	1	1	–	–	1
VII. Teething	22	–	–	8	13	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	7	–	–	–	3	–	–	–	–	–	–	–	–
Enteritis	39	2	8	7	5	5	1	–	3	–	–	–	–
Peritonitis	10	–	–	–	1	–	–	1	1	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	30	9	4	3	3	2	–	1	1	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	–	–	–	1	–	–	–	–	–	–	–	1
Jaundice	4	1	–	–	–	–	–	–	–	–	1	–	–
Liver Disease	15	1	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	7	–	–	–	–	–	–	–	–	–	2	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	–	1	1	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	–	5	2
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	1	–	–	2	–	–	–	–	–	–	–
Rheumatism	7	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	–	1	1	1	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	1	1	–	–	–	1	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	2	–	–	1	–	–	–	1	–	1	–	–
Drowning	18	1	–	–	–	–	2	–	–	2	5	–	2
Fracture and Contusion	29	–	–	–	–	–	–	–	2	2	4	2	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	52	9	7	8	3	3	–	1	1	1	1	1	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	5	5	5	2	2	5	2	6	1	2	–	1	1	–	–	–
Paralysis	2	6	6	6	7	3	3	3	6	2	1	3	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	2	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	2	5	4	3	2	2	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	3	9	3	4	6	5	16	5	7	1	–	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	6	6	5	18	15	11	18	9	6	5	2	–	–	–	–
Pleurisy	–	1	1	–	1	2	–	–	–	–	1	–	–	–	–	–
Pneumonia	6	11	7	5	2	5	3	4	5	1	–	–	–	–	–	–
Asthma	–	2	1	3	–	–	3	–	1	–	1	–	–	–	–	–
Lung Disease	1	2	1	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Enteritis	1	–	1	–	–	2	3	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Ileus	–	–	–	2	1	–	–	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	1	–	–	2	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	4	1	2	1	2	–	1	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	1	–	1	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	2	–	–	1	2	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	4	2	4	2	1	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	3	3	1	4	1	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1313	133	65	128	165	90	40	24	55	31	51	41	33
SPECIFIED CAUSES	1277	127	60	123	162	89	40	24	55	30	50	40	33
I. Zymotic Class	272	19	10	36	51	43	17	11	19	6	4	11	7
II. Diseases of Uncertain Seat	22	–	1	–	2	1	–	–	1	–	–	–	–
III. Tubercular Class	250	8	11	24	41	16	15	5	16	10	26	18	9
IV. Brain and Nervous System	106	5	5	14	7	–	2	1	4	1	–	–	1
V. Organs of Circulation	48	–	–	–	–	–	–	1	1	1	2	2	1
VI. Respiratory Organs	263	20	17	37	42	21	4	6	8	4	2	5	5
VII. Organs of Digestion	80	8	6	9	16	4	–	–	2	1	2	1	1
VIII. Urinary Organs	15	–	–	–	–	–	–	–	–	2	3	1	2
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	8	–	1	–	–	2	–	–	1	1	1	–	–
XI. Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	6	6	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	72	60	9	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	10	–	–	–	1	2	1	–	–	–	–	–	–
XV. Age	67	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	4	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	53	1	–	–	2	–	1	–	2	4	10	2	7
I. Small Pox	10	1	–	–	–	1	–	–	2	–	–	3	2
Measles	50	1	1	12	19	9	4	2	2	–	–	–	–
Scarlatina	20	–	–	3	3	4	3	1	5	–	–	1	–
Diphtheria	25	1	–	3	6	6	1	3	3	2	–	–	–
Hooping Cough	30	1	1	8	9	8	1	1	1	–	–	–	–
Croup	30	2	1	4	6	11	3	1	2	–	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	26	6	6	4	6	–	1	–	–	–	–	–	–
Dysentery	4	1	–	–	–	–	–	–	–	–	–	1	1
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	1	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	1	–	–	–	–	–
Typhus	27	1	–	–	–	–	–	–	–	1	1	3	2
Enteric Fever	24	–	1	2	–	4	2	2	2	1	2	2	1
Relapsing Fever	8	–	–	–	1	–	–	–	1	1	–	–	1
Simple Continued Fever	2	–	–	–	–	–	–	–	–	–	1	–	–
Infantile Remittent	1	–	–	–	–	–	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	1	–
Erysipelas	3	2	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	1	–	–	–
Syphilis	2	1	–	–	–	–	1	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	–	–	–	1	–	–	1	–	–	–	–
Dropsy	9	–	–	–	2	–	–	–	–	–	–	–	–
Abscess	2	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	5	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	21	1	1	1	5	3	–	1	–	5	2	–	–
Tabes Mesenterica	32	1	1	4	11	4	5	1	5	–	–	–	–
Phthisis	131	3	2	3	1	4	5	1	7	5	24	18	9
Hydrocephalus	66	3	7	16	24	5	5	2	4	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	42	46	54	45	55	38	49	38	32	22	19	13	3	–	–	1
SPECIFIED CAUSES	40	44	51	44	53	37	48	38	32	22	19	13	3	–	–	–
Zymotic Class	6	2	8	3	7	3	7	–	1	–	1	–	–	–	–	–
Uncertain Seat	–	1	–	1	3	4	3	1	1	2	1	–	–	–	–	–
Tubercular Class	10	6	10	10	7	4	2	1	1	–	–	–	–	–	–	–
Brain, etc.	9	10	12	6	6	4	4	7	3	1	–	3	1	–	–	–
Heart, etc.	3	4	3	1	3	3	13	3	5	2	–	–	–	–	–	–
Respiratory Organs	4	12	9	11	14	11	8	8	7	2	5	1	–	–	–	–
Digestive Organs	2	2	5	3	4	5	5	1	1	1	1	–	–	–	–	–
Urinary Organs	–	1	1	1	2	–	–	1	1	–	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Skin	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	5	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	16	11	13	11	9	2	–	–	–
Sudden Deaths	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	5	6	3	5	2	2	1	–	–	–	–	–	–	–	–	–
Small Pox	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	1	4	–	4	2	2	–	1	–	–	–	–	–	–	–
Enteric Fever	–	–	2	1	1	–	1	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Dropsy	–	–	–	–	–	3	2	–	–	1	1	–	–	–	–	–
Abscess	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Cancer	–	–	–	1	3	–	1	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	9	6	9	10	7	4	2	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	4	3	–	–	1	1	–	–	–	–
Apoplexy	24	–	–	1	1	–	1	–	1	–	–	–	1
Paralysis	34	–	–	–	–	–	–	–	1	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	22	4	4	9	3	–	1	–	1	–	–	–	–
Brain Disease	13	1	1	–	–	–	–	–	–	1	–	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	44	–	–	–	–	–	–	1	1	1	2	2	–
VI. Laryngitis	2	–	–	–	–	1	–	–	–	–	–	–	1
Bronchitis	163	13	13	27	35	11	4	2	4	1	1	2	2
Pleurisy	6	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	80	6	4	9	5	9	–	4	4	2	1	3	1
Asthma	6	–	–	1	–	–	–	–	–	–	–	–	–
Lung Disease	6	1	–	–	1	–	–	–	–	1	–	–	1
VII. Teething	11	–	–	2	8	1	–	–	–	–	–	–	–
Quinsey	1	–	–	–	1	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	2	–	–	–	–	–	–	–	–
Enteritis	21	1	4	5	3	1	–	–	2	–	–	–	–
Peritonitis	6	–	–	–	–	–	–	–	–	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	1	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	4	2	2	1	2	–	–	–	–	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	1
Jaundice	3	1	–	–	–	–	–	–	–	–	1	–	–
Liver Disease	11	1	–	–	1	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	–	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	1
Diabetes	5	–	–	–	–	–	–	–	–	–	2	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	1	1	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	1	–	–	2	–	–	–	–	–	–	–
Rheumatism	2	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	1	1	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	–	–	–	–	–	–	–	1	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	–	–	–	–	–	–	–	1
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	4	–	–	–	1	–	–	–	1	–	1	–	–
Drowning	14	1	–	–	–	–	1	–	–	2	4	–	2
Fracture and Contusion	26	–	–	–	–	–	–	–	1	2	4	2	3
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	36	6	5	5	3	1	–	–	–	1	1	1	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	2	2	5	2	–	1	2	4	–	–	–	–	1	–	–	–
Paralysis	2	6	5	3	4	2	1	3	3	1	–	3	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	4	–	2	1	2	1	–	–	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Aneurism	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	3	3	3	1	3	3	13	2	5	1	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	4	4	5	11	4	4	5	4	2	4	1	–	–	–	–
Pleurisy	–	1	1	–	1	2	–	–	–	–	–	–	–	–	–	–
Pneumonia	4	7	3	4	1	4	3	3	3	–	–	–	–	–	–	–
Asthma	–	–	1	2	–	–	1	–	–	–	1	–	–	–	–	–
Lung Disease	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	2	3	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	1	–	–	1	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	1	4	1	1	1	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Drowning	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	4	2	4	2	1	–	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	2	2	3	1	2	1	1	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1300	109	53	113	187	71	41	28	57	40	54	37	58
SPECIFIED CAUSES	1284	106	51	110	187	69	41	27	56	40	54	37	57
I. Zymotic Class	302	20	12	38	70	33	22	19	20	7	6	6	10
II. Diseases of Uncertain Seat	48	1	–	–	1	–	2	–	–	1	1	–	2
III. Tubercular Class	317	8	9	23	36	14	4	3	19	24	36	23	31
IV. Brain and Nervous System	90	5	6	1	10	2	2	–	2	2	4	1	2
V. Organs of Circulation	26	–	–	–	–	–	–	–	2	–	1	–	–
VI. Respiratory Organs	254	17	15	34	56	15	9	2	7	6	3	1	6
VII. Organs of Digestion	65	6	6	9	12	4	1	2	3	–	–	–	–
VIII. Urinary Organs	4	–	–	–	–	–	–	–	–	–	–	–	1
IX. Organs of Generation	20	–	–	–	–	–	–	–	–	–	2	5	2
X. Organs of Locomotion	6	–	–	–	–	–	–	1	–	–	–	–	–
XI. Skin, etc.	2	–	–	–	–	–	–	–	1	–	–	1	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	48	43	3	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	2	1	–	–	–	–	–	–	1
XV. Age	68	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	1	–	–	–	–	–	–	–	–	1
XVII. Violent Deaths	14	2	–	2	–	–	1	–	2	–	1	–	1
I. Small Pox	8	2	–	1	1	–	–	–	1	–	1	2	–
Measles	63	1	–	8	30	8	10	5	1	–	–	–	–
Scarlatina	20	–	–	2	4	1	1	2	2	2	–	–	–
Diphtheria	25	1	–	2	5	8	2	3	4	–	–	–	–
Hooping Cough	44	3	3	12	13	5	4	1	3	–	–	–	–
Croup	19	–	–	2	3	5	3	5	1	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	43	6	7	9	8	–	1	2	1	–	1	–	–
Dysentery	5	–	–	–	2	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	–	–	–	–	1	–	–	–	–
Typhus	18	–	–	–	–	–	–	–	2	1	2	1	1
Enteric Fever	13	–	–	–	1	–	1	–	–	2	1	–	3
Relapsing Fever	11	–	–	–	1	–	–	–	2	–	–	–	3
Simple Continued Fever	3	–	–	–	1	–	–	–	1	–	–	1	–
Infantile Remittent	2	–	–	–	–	–	–	1	1	–	–	–	–
Metria	7	–	–	–	–	–	–	–	–	–	1	1	2
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	3	–	–	–	1	–	–	–	2	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	9	3	2	2	1	–	–	–	–	–	–	1	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	21	–	–	–	–	–	1	–	–	1	–	–	1
Abscess	3	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	1	–	–	–	–	–	1	–	–
Cancer	20	–	–	–	–	–	1	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	1	–	2	–	–	–	2	–	2	–	–
Tabes Mesenterica	17	1	1	1	6	4	–	–	1	–	–	1	–
Phthisis	227	–	2	7	10	6	–	2	8	24	34	22	31
Hydrocephalus	62	7	5	15	18	4	4	1	8	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	55	61	45	37	29	38	44	48	34	30	17	11	2	–	–	1
SPECIFIED CAUSES	55	60	45	37	27	38	44	48	34	30	17	11	2	–	–	1
Zymotic Class	3	8	5	3	–	6	5	6	–	3	–	–	–	–	–	–
Uncertain Seat	4	3	4	6	1	2	9	6	–	5	–	–	–	–	–	–
Tubercular Class	31	21	15	10	5	2	–	–	3	–	–	–	–	–	–	–
Brain, etc.	5	6	5	8	6	6	4	3	4	4	1	1	–	–	–	–
Heart, etc.	–	6	–	3	3	2	3	3	2	–	–	1	–	–	–	–
Respiratory Organs	4	11	7	2	8	12	9	14	8	5	2	1	–	–	–	–
Digestive Organs	3	1	2	2	1	1	4	2	4	–	1	–	–	–	–	1
Urinary Organs	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Generative Organs	5	2	2	–	1	–	–	–	–	–	1	–	–	–	–	–
Locomotive Organs	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	2	2	4	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	14	12	13	12	8	2	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	1	–	–	1	1	–	1	–	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	–	1	1	3	–	1	–	–	–	–	–	–
Dysentery	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	1	4	2	–	1	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	1	1	1	–	1	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Miasia	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	2	2	2	–	1	4	3	–	2	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cancer	1	1	1	4	1	1	4	3	–	2	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Phthisis	30	19	13	10	5	2	–	–	2	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	1	1	–	3	–	1	–	2	–	–	–	–
Apoplexy	24	1	–	–	1	1	–	–	–	1	1	–	1
Paralysis	15	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	1	1	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	16	3	5	–	6	1	1	–	–	–	–	–	–
Brain Disease	19	–	–	1	–	–	–	–	–	1	2	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	25	–	–	–	–	–	–	–	1	–	1	–	–
VI. Laryngitis	2	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	175	13	9	26	43	10	7	–	4	4	1	1	3
Pleurisy	3	–	1	–	–	1	–	–	–	–	–	–	–
Pneumonia	61	3	5	7	13	4	2	2	2	2	2	–	2
Asthma	7	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	6	1	–	–	–	–	–	–	1	–	–	–	–
VII. Teething	11	–	–	6	5	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	18	1	4	2	2	4	1	–	1	–	–	–	–
Peritonitis	4	–	–	–	1	–	–	1	1	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	2	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	5	2	1	2	–	–	1	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	4	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	1
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	–	2	–	–
Ovarian Dropsy	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	13	–	–	–	–	–	–	–	–	–	–	5	2
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	1	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	1	–
Skin Disease	1	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	–	–	1	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	1	–	–	–	–	1	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	2	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	1	–	–	–	1	–	–
Fracture and Contusion	3	–	–	–	–	–	–	–	1	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	16	3	2	3	–	2	–	1	1	–	–	–	1

CAUSES of DEATH in the SUBURBAN DISTRICTS of BARONY and GOVAN, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	3	3	–	–	2	4	–	2	1	2	–	1	–	–	–	–
Paralysis	–	–	1	3	3	1	2	–	3	1	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	2	3	3	1	1	2	1	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	–	6	–	3	3	2	3	3	2	–	–	1	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	2	2	–	7	11	7	13	5	4	1	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	2	4	4	1	1	1	–	1	2	1	–	–	–	–	–	–
Asthma	–	2	–	1	–	–	2	–	1	–	–	–	–	–	–	–
Lung Disease	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Enteritis	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Peritonitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	1	–	–	–	1	–	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	2	–	–	1	2	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	5447	472	203	364	506	235	173	129	311	136	174	180	239
Specified Causes	5427	470	202	363	503	234	173	129	309	135	174	180	238
I. Zymotic Class	1494	72	66	127	241	143	108	85	208	69	55	44	52
II. Diseases of Uncertain Seat	209	3	1	1	1	2	1	2	3	–	1	1	3
III. Tubercular Class	864	7	30	63	86	29	25	16	40	26	63	82	104
IV. Brain and Nervous System	491	41	8	24	25	10	14	7	13	8	10	8	9
V. Organs of Circulation	331	1	1	–	–	–	–	–	2	6	13	7	11
VI. Respiratory Organs	941	94	58	118	119	38	15	14	20	6	8	6	19
VII. Organs of Digestion	261	29	13	12	22	4	2	1	6	4	7	7	12
VIII. Urinary Organs	112	–	1	1	1	–	2	1	7	4	3	3	4
IX. Organs of Generation	42	–	–	–	–	–	–	–	–	–	2	7	8
X. Organs of Locomotion	37	–	–	–	–	–	2	–	4	5	2	4	1
XI. Skin, etc.	6	–	1	1	–	1	1	–	–	–	–	–	–
XII. Malformation	22	16	3	3	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	218	198	9	11	–	–	–	–	–	–	–	–	–
XIV. Atrophy	22	–	–	–	5	4	–	1	–	2	1	1	1
XV. Age	196	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	176	9	10	2	3	3	3	2	6	5	9	10	14
I. Small Pox	173	5	11	1	1	2	5	2	15	18	8	21	30
Measles	252	–	2	55	109	35	20	10	20	1	–	–	–
Scarlatina	331	3	4	14	36	53	40	44	95	27	9	1	3
Diphtheria	162	3	4	8	26	20	20	19	36	6	5	4	2
Hooping Cough	48	1	5	10	21	7	–	1	3	–	–	–	–
Croup	74	1	1	6	24	13	12	7	8	2	–	–	–
Thrush	4	4	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	98	19	21	18	13	3	2	–	–	–	1	–	–
Dysentery	8	–	2	–	–	–	–	–	–	–	–	–	1
Cholera	5	–	1	1	1	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–	–
Purpura	3	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	105	–	–	–	1	2	1	1	10	2	15	9	5
Enteric Fever	79	–	–	1	2	2	2	1	12	10	10	5	6
Relapsing Fever	13	–	–	1	1	1	1	–	1	2	1	–	–
Simple Continued Fever	6	–	–	1	–	1	1	–	1	–	1	–	–
Infantile Remittent	12	1	–	2	2	2	3	–	2	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	4
Rheumatic Fever	13	–	–	–	–	–	–	–	4	–	3	1	1
Erysipelas	47	19	3	2	–	1	1	–	–	–	1	1	–
Pyæmia	3	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	43	16	12	7	4	–	–	–	–	–	–	–	–
Noma	2	–	–	–	–	1	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	7	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	17	1	–	–	–	1	–	1	3	–	–	–	–
Abscess	7	1	–	1	–	1	–	1	–	–	–	–	–
Ulcer	6	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	13	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	152	–	–	–	–	–	1	–	–	–	–	1	3
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	48	1	1	6	9	6	2	–	4	1	5	2	2
Tabes Mesenterica	80	2	10	10	22	7	6	4	9	4	2	2	1
Phthisis	565	–	3	4	6	–	3	5	14	20	55	77	99
Hydrocephalus	171	4	16	43	49	16	14	7	13	1	1	1	2

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	209	249	205	203	206	206	232	220	237	164	108	63	17	6	–	–
Specified Causes	208	248	204	202	205	205	230	220	237	164	108	63	17	6	–	–
Zymotic Class	33	41	22	24	22	18	17	17	11	6	4	7	2	–	–	–
Uncertain Seat	4	14	14	27	23	27	16	25	15	15	5	4	1	–	–	–
Tubercular Class	78	79	47	32	24	14	9	5	4	–	1	–	–	–	–	–
Brain, etc.	22	15	16	27	20	31	33	41	49	33	16	10	1	–	–	–
Heart, etc.	17	24	28	25	27	34	41	33	29	22	7	3	–	–	–	–
Respiratory Organs	16	29	27	31	47	46	60	52	56	29	20	10	3	–	–	–
Digestive Organs	9	14	15	14	13	17	22	12	12	9	4	–	1	–	–	–
Urinary Organs	9	7	14	6	8	5	5	12	10	5	4	–	–	–	–	–
Generative Organs	8	7	4	–	3	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	3	1	3	2	2	1	2	3	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	3	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	15	41	43	44	28	9	5	–	–
Sudden Deaths	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Violent Deaths	9	15	11	14	16	7	11	3	8	1	3	1	–	1	–	–
Small Pox	19	19	6	6	1	1	1	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	2	–	2	1	2	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	3	1	4	2	3	–	2	4	1	–	–	–
Dysentery	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	11	6	13	7	7	3	2	2	3	–	–	–	–	–	–
Enteric Fever	5	1	4	2	2	3	3	4	2	2	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	2	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	1	1	–	4	–	3	3	2	1	1	1	1	–	–	–
Pyæmia	1	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Syphilis	–	1	2	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	–	1	–	1	1	–	–	–	–	–
Dropsy	–	–	1	3	1	1	1	2	1	1	–	–	–	–	–	–
Abscess	–	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Fistula	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	2	–	–	–	1	2	4	–	1	1	–	–	–
Cancer	3	8	12	19	19	25	13	21	11	9	4	3	–	–	–	–
Gout	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	4	–	1	1	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	76	73	46	30	23	13	8	5	4	–	1	–	–	–	–	–
Hydrocephalus	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	53	1	1	13	9	3	5	3	5	3	4	1	2
Apoplexy	114	5	–	1	–	1	2	–	2	–	1	–	1
Paralysis	144	–	–	1	2	–	–	–	–	–	–	2	1
Delirium Tremens	4	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	21	–	–	–	–	–	–	–	–	–	1	3	1
Tetanus	3	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	9	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	72	31	7	8	13	4	5	2	2	–	–	–	–
Brain Disease	71	1	–	1	1	2	2	2	4	5	4	2	3
V. Pericarditis	4	1	–	–	–	–	–	–	–	1	1	–	–
Aneurism	20	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	307	–	1	–	–	–	–	–	2	5	12	7	11
VI. Laryngitis	14	–	–	2	2	2	–	1	1	–	1	–	1
Bronchitis	595	63	40	91	84	22	7	8	10	3	1	1	3
Pleurisy	31	–	–	–	1	–	3	1	1	–	1	1	2
Pneumonia	241	24	14	23	32	13	4	4	8	2	1	4	11
Asthma	17	–	–	–	–	–	–	–	–	–	1	–	1
Lung Disease	43	7	4	2	–	1	1	–	–	1	3	–	1
VII. Teething	23	–	1	5	15	2	–	–	–	–	–	–	–
Quinsey	4	1	–	–	–	–	–	–	3	–	–	–	–
Gastritis	3	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	36	8	9	2	3	2	1	–	1	–	–	–	–
Peritonitis	42	3	–	–	1	–	1	–	1	2	7	3	5
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	22	1	–	–	–	–	–	–	–	–	–	1	2
Hernia	9	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	16	3	–	1	–	–	–	–	–	–	–	–	–
Intussusception	4	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	38	5	1	2	3	–	–	–	–	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	6	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	4	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	43	–	1	1	–	–	–	1	1	1	–	1	4
Spleen Disease	2	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	8	–	–	–	–	–	–	–	3	–	1	–	–
Nephria	48	–	–	1	–	–	2	1	3	3	1	2	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	3	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	4	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	27	–	1	–	1	–	–	–	1	1	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	32	–	–	–	–	–	–	–	–	–	2	7	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	15	–	–	–	–	–	1	–	2	3	1	2	1
Rheumatism	14	–	–	–	–	–	–	–	1	2	–	1	–
Joint Disease	8	–	–	–	–	–	1	–	1	–	1	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	5	–	1	1	–	1	1	–	–	–	–	–	–
XVII. Intemperance	19	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	13	6	7	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	6	–	–	–	–	1	–	1	–	1	–	1	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	14	–	–	–	2	1	2	1	1	1	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	12	3	2	2	1	–	–	–	–	–	–	–	–
Drowning	5	–	–	–	–	–	–	–	2	–	–	–	–
Fracture and Contusion	92	–	–	–	–	1	1	3	3	3	7	9	12
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	5	–	–	–	–	–	–	–	–	–	2	–	–
Not Specified	20	2	1	1	3	1	–	–	2	1	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	5	3	5	9	7	15	12	12	14	6	7	5	1	–	–	–
Paralysis	6	4	6	10	6	7	17	23	25	23	7	4	–	–	–	–
Delirium Tremens	1	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	2	4	–	3	–	3	1	1	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	3	1	–	2	1	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	5	1	5	1	5	6	2	5	8	4	1	1	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	3	2	5	4	5	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	13	22	23	21	22	34	40	33	29	22	7	3	–	–	–	–
Laryngitis	1	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	10	12	11	20	34	34	42	45	24	18	8	2	–	–	–
Pleurisy	3	1	1	1	3	5	4	1	1	1	–	–	–	–	–	–
Pneumonia	9	13	10	13	17	4	12	8	8	2	2	2	1	–	–	–
Asthma	–	–	1	1	2	3	5	–	1	2	–	–	–	–	–	–
Lung Disease	1	5	2	5	3	–	5	1	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	2	1	2	–	1	2	1	–	–	–	–	–	–	–	–
Peritonitis	2	4	3	1	–	2	1	1	1	2	1	–	1	–	–	–
Ascites	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	3	2	3	3	2	2	2	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	1	2	1	1	1	–	–	–	–	–	–
Ileus	1	–	–	1	1	2	–	–	5	1	1	–	–	–	–	–
Intussusception	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	2	5	1	7	2	2	4	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	–	1	2	–	–	–	–	–	–	–	–	–
Jaundice	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	2	4	5	5	2	4	5	3	1	1	1	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	2	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	6	5	4	3	5	2	3	2	3	1	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Cystitis	–	–	1	1	1	–	–	5	3	3	2	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	2	6	1	1	1	–	3	2	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	7	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	1	–	1	1	1	3	2	–	–	–	–	–	–	–
Joint Disease	–	1	1	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	2	1	5	2	4	1	1	–	2	–	–	1	–	–	–	–
Privation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	1	–	1	1	1	–	–	1	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	10	4	7	9	5	6	3	4	–	2	–	–	–	–	–
Gunshot Wounds	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Not Specified	1	1	1	1	1	1	2	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2682	261	102	190	266	120	80	69	166	63	91	106	108
SPECIFIED CAUSES	2671	260	102	189	264	119	80	69	166	62	91	106	107
I. Zymotic Class	733	40	33	70	116	70	48	46	99	30	22	30	26
II. Diseases of Uncertain Seat	74	3	1	–	1	–	1	1	2	–	1	–	1
III. Tubercular Class	457	4	17	28	44	18	15	7	28	9	34	48	42
IV. Brain and Nervous System	262	22	5	13	16	6	6	3	11	3	7	5	4
V. Organs of Circulation	156	–	–	–	–	–	–	–	1	3	9	4	4
VI. Respiratory Organs	467	48	34	59	69	18	3	9	12	3	5	3	12
VII. Organs of Digestion	115	18	6	9	14	2	2	1	2	2	1	2	4
VIII. Urinary Organs	66	–	–	1	1	–	1	1	3	3	1	2	1
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	21	–	–	–	–	–	1	–	2	3	2	2	1
XI. Skin, etc.	3	–	–	1	–	–	1	–	–	–	–	–	–
XII. Malformation	14	12	1	1	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	118	109	4	5	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	2	3	–	–	–	1	1	–	–
XV. Age	57	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	117	4	1	2	1	2	2	1	6	5	8	10	12
I. Small Pox	82	–	5	1	–	–	2	1	8	4	2	13	18
Measles	137	–	1	39	57	18	10	4	7	1	–	–	–
Scarlatina	170	3	2	6	18	28	18	24	51	14	3	1	1
Diphtheria	70	1	3	5	12	8	6	10	15	2	2	4	–
Hooping Cough	24	1	3	2	10	4	–	1	3	–	–	–	–
Croup	36	1	1	2	8	7	5	6	5	1	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	48	11	7	8	7	2	1	–	–	–	1	–	–
Dysentery	2	–	1	–	–	–	–	–	–	–	–	–	1
Cholera	4	–	1	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	53	–	–	–	–	–	1	–	5	1	8	6	3
Enteric Fever	36	–	–	–	1	–	2	–	4	4	4	4	2
Relapsing Fever	5	–	–	1	1	–	–	–	–	2	1	–	–
Simple Continued Fever	3	–	–	1	–	–	1	–	–	–	–	–	–
Infantile Remittent	4	1	–	1	–	1	1	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	5	–	–	–	–	–	–	–	1	–	–	1	1
Erysipelas	25	8	3	1	–	1	1	–	–	–	1	1	–
Pyæmia	2	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	23	12	6	2	1	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	1	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	4	–	1	–	1	–	–	–	–	–	–	–	–
Dropsy	11	1	–	–	–	–	–	1	2	–	–	–	–
Abscess	3	1	–	–	–	–	–	–	–	–	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	5	–	–	–	–	–	–	–	–	–	1	–	–
Mortification	3	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	45	–	–	–	–	–	1	–	–	–	–	–	1
Gout	2	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	26	–	1	1	4	3	1	–	2	1	4	1	2
Tabes Mesenterica	40	1	6	5	9	3	4	3	7	1	1	–	–
Phthisis	286	–	–	1	1	–	2	2	7	7	28	46	39
Hydrocephalus	105	3	10	21	30	12	8	2	12	–	1	1	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	125	120	105	97	101	94	99	93	93	66	39	24	2	2	–	–
SPECIFIED CAUSES	124	119	105	96	100	94	99	93	93	66	39	24	2	2	–	–
Zymotic Class	17	16	13	13	12	9	6	6	5	2	–	3	1	–	–	–
Uncertain Seat	3	6	5	6	7	10	5	12	5	3	–	1	–	–	–	–
Tubercular Class	52	39	26	16	18	5	4	3	–	–	–	–	–	–	–	–
Brain, etc.	15	9	7	14	10	12	19	19	19	20	11	6	–	–	–	–
Heart, etc.	11	12	15	13	13	14	18	17	10	9	2	1	–	–	–	–
Respiratory Organs	8	12	14	19	19	26	29	17	23	11	5	8	1	–	–	–
Digestive Organs	4	5	9	2	5	8	7	4	3	2	3	–	–	–	–	–
Urinary Organs	5	5	6	3	7	3	3	8	7	3	2	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	2	–	3	1	1	1	–	–	2	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	3	15	15	14	5	–	2	–	–
Sudden Deaths	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Violent Deaths	7	15	7	9	8	4	5	2	4	–	2	–	–	–	–	–
Small Pox	10	9	2	5	1	1	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	2	1	2	1	1	–	–	2	1	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	3	4	5	6	5	3	1	–	1	1	–	–	–	–	–	–
Enteric Fever	3	1	3	1	1	1	1	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	2	–	2	2	2	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	1	–	–	–	–	–	1	–	–	–	–
Syphilis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	1	1	–	1	1	1	1	1	–	–	–	–	–	–
Abscess	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cancer	2	–	3	4	5	9	4	10	3	2	–	1	–	–	–	–
Gout	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Scrofula	1	3	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	50	34	26	14	17	5	4	3	–	–	–	–	–	–	–	–
Hydrocephalus	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	27	1	–	9	4	3	2	1	4	–	2	–	1
Apoplexy	58	2	–	–	–	–	2	–	2	–	–	–	1
Paralysis	73	–	–	–	1	–	–	–	–	–	–	2	–
Delirium Tremens	3	–	–	–	–	–	–	–	–	–	–	–	1
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	9	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	3	3	–	–	–	–	–	–	–	–	–	–	–
Insanity	4	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	40	16	5	3	10	2	1	1	2	–	–	–	–
Brain Disease	45	–	–	1	1	1	1	1	3	3	4	2	1
V. Pericarditis	2	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	139	–	–	–	–	–	–	–	1	2	9	4	4
VI. Laryngitis	10	–	–	2	1	1	–	1	1	–	1	–	1
Bronchitis	283	31	24	43	55	13	1	3	7	1	1	–	1
Pleurisy	17	–	–	–	–	–	1	1	–	–	–	–	1
Pneumonia	121	12	7	14	13	4	1	4	4	1	1	3	8
Asthma	9	–	–	–	–	–	–	–	–	–	1	–	–
Lung Disease	27	5	3	–	–	–	–	–	–	1	1	–	1
VII. Teething	14	–	–	3	10	1	–	–	–	–	–	–	–
Quinsey	2	1	–	–	–	–	–	–	1	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	21	6	6	2	1	1	1	–	–	–	–	–	–
Peritonitis	11	2	–	–	1	–	1	–	–	1	1	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	9	1	–	–	–	–	–	–	–	–	–	–	1
Hernia	5	1	–	–	–	–	–	–	–	–	–	1	–
Ileus	6	3	–	1	–	–	–	–	–	–	–	–	–
Intussusception	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	17	2	–	2	2	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	2	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	20	–	–	1	–	–	–	1	1	1	–	1	3
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	4	–	–	–	–	–	–	–	2	–	1	–	–
Nephria	27	–	–	1	–	–	1	1	1	2	–	1	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	2	–	–	–	–	–	–	–	–	–	–	1	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	3	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	16	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	2	–	–	–	–	–	–	–	–	–	–	–	1
Kidney Disease	9	–	–	–	1	–	–	–	–	1	–	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	12	–	–	–	–	–	–	–	1	3	1	2	1
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	4	–	–	–	–	–	1	–	1	–	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	–	1	–	–	1	–	–	–	–	–	–
XVII. Intemperance	7	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	3	3	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	5	–	–	–	–	1	–	1	–	1	–	1	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	6	–	–	–	1	–	1	–	1	1	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	1	1	2	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	2	–	–	–	–
Fracture and Contusion	76	–	–	–	–	1	1	–	3	3	6	9	11
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	3	–	–	–	–	–	–	–	–	–	–	–	1
Other Violent Causes	5	–	–	–	–	–	–	–	–	–	2	–	–
Not Specified	11	1	–	1	2	1	–	–	–	1	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	5	3	2	4	1	5	7	5	5	6	6	2	–	–	–	–
Paralysis	4	1	2	5	4	2	10	11	12	11	5	3	–	–	–	–
Delirium Tremens	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	3	–	2	–	1	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	3	1	3	1	4	4	2	3	2	3	–	1	–	–	–	–
Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	2	5	3	2	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	8	10	10	10	11	14	17	17	10	9	2	1	–	–	–	–
Laryngitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	3	7	6	8	17	12	14	15	10	4	6	–	–	–	–
Pleurisy	3	–	–	1	1	4	4	–	1	–	–	–	–	–	–	–
Pneumonia	4	8	3	7	4	3	6	3	6	1	1	2	1	–	–	–
Asthma	–	–	1	1	2	2	2	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	2	4	3	–	5	–	1	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	–	1	–	–	1	1	1	–	–	–	–	–
Ascites	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	2	–	1	1	2	1	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	3	–	3	1	1	1	1	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	1	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	3	1	–	1	1	2	–	–	1	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	4	2	1	5	2	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Cystitis	–	–	1	1	1	–	–	5	3	3	2	–	–	–	–	–
Stricture of Urethra	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	1	1	–	–	1	–	1	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	2	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	1	1	–	–	2	–	–	–	–	–	–	–
Joint Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intemperance	–	1	2	1	3	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	6	10	4	6	4	4	3	2	2	–	1	–	–	–	–	–
Gunshot Wounds	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Not Specified	1	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	2765	211	101	174	240	115	93	60	145	73	83	74	131
SPECIFIED CAUSES	2756	210	100	174	239	115	93	60	143	73	83	74	131
I. Zymotic Class	761	32	33	57	125	73	60	39	109	39	33	14	26
II. Diseases of Uncertain Seat	135	–	–	1	–	2	–	1	1	–	–	1	2
III. Tubercular Class	407	3	13	35	42	11	10	9	12	17	29	34	62
IV. Brain and Nervous System	229	19	3	11	9	4	8	4	2	5	3	3	5
V. Organs of Circulation	175	1	1	–	–	–	–	–	1	3	4	3	7
VI. Respiratory Organs	474	46	24	59	50	20	12	5	8	3	3	3	7
VII. Organs of Digestion	146	11	7	3	8	2	–	–	4	2	6	5	8
VIII. Urinary Organs	46	–	1	–	–	–	1	–	4	1	2	1	3
IX. Organs of Generation	42	–	–	–	–	–	–	–	–	–	2	7	8
X. Organs of Locomotion	16	–	–	–	–	–	1	–	2	2	–	2	–
XI. Skin, etc.	3	–	1	–	–	1	–	–	–	–	–	–	–
XII. Malformation	8	4	2	2	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	100	89	5	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	3	1	–	1	–	1	–	1	1
XV. Age	139	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	59	5	9	–	2	1	1	1	–	–	1	–	2
I. Small Pox	91	5	6	–	1	2	3	1	7	14	6	8	12
Measles	115	–	1	16	52	17	10	6	13	–	–	–	–
Scarlatina	161	–	2	8	18	25	22	20	44	13	6	–	2
Diphtheria	92	2	1	3	14	12	14	9	21	4	3	–	2
Hooping Cough	24	–	2	8	11	3	–	–	–	–	–	–	–
Croup	38	–	–	4	16	6	7	1	3	1	–	–	–
Thrush	2	2	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	50	8	14	10	6	1	1	–	–	–	–	–	–
Dysentery	6	–	1	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	1	–	–
Purpura	2	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	52	–	–	–	1	2	–	1	5	1	7	3	2
Enteric Fever	43	–	–	1	1	2	–	1	8	6	6	1	4
Relapsing Fever	8	–	–	–	–	1	1	–	1	–	–	–	–
Simple Continued Fever	3	–	–	–	–	1	–	–	1	–	1	–	–
Infantile Remittent	8	–	–	1	2	1	–	–	2	–	–	–	–
Metria	12	–	–	–	–	–	–	–	–	–	–	2	4
Rheumatic Fever	8	–	–	–	–	–	–	–	3	–	3	–	–
Erysipelas	22	11	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	20	4	6	5	3	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	–	1	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	3	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	–	–	1	–	–	–	–
Abscess	4	–	–	1	–	1	–	1	–	–	–	–	–
Ulcer	5	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	107	–	–	–	–	–	–	–	–	–	–	1	2
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	1	–	5	5	3	1	–	2	–	1	1	–
Tabes Mesenterica	40	1	4	5	13	4	2	1	2	3	1	2	1
Phthisis	279	–	3	3	5	–	1	3	7	13	27	31	60
Hydrocephalus	66	1	6	22	19	4	6	5	1	1	–	–	1

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	84	129	100	106	105	112	133	127	144	98	69	39	15	4	–	–
SPECIFIED CAUSES	84	129	99	106	105	111	131	127	144	98	69	39	15	4	–	–
Zymotic Class	16	25	9	11	10	9	11	11	6	4	4	4	1	–	–	–
Uncertain Seat	1	8	9	21	16	17	11	13	10	12	5	3	1	–	–	–
Tubercular Class	26	40	21	16	6	9	5	2	4	–	1	–	–	–	–	–
Brain, etc.	7	6	9	13	10	19	14	22	30	13	5	4	1	–	–	–
Heart, etc.	6	12	13	12	14	20	23	16	19	13	5	2	–	–	–	–
Respiratory Organs	8	17	13	12	28	20	31	35	33	18	15	2	2	–	–	–
Digestive Organs	5	9	6	12	8	9	15	8	9	7	1	–	1	–	–	–
Urinary Organs	4	2	8	3	1	2	2	4	3	2	2	–	–	–	–	–
Generative Organs	8	7	4	–	3	2	1	–	–	–	–	–	–	–	–	–
Locomotive Organs	1	1	–	1	1	–	2	3	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	2	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	8	12	26	28	30	23	9	3	–	–
Sudden Deaths	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Violent Deaths	2	–	4	5	8	3	6	1	4	1	1	1	–	1	–	–
Small Pox	9	10	4	1	–	–	1	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	1	1	–	2	1	2	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	–	1	–	2	1	2	–	2	2	–	–	–	–
Dysentery	–	–	–	–	–	–	1	2	1	–	–	1	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	7	1	7	2	4	2	2	1	2	–	–	–	–	–	–
Enteric Fever	2	–	1	1	1	2	2	2	1	1	–	–	–	–	–	–
Relapsing Fever	–	–	1	–	1	–	1	1	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	–	2	–	1	1	–	1	1	1	1	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	1	1	–	–	–	–	–
Dropsy	–	–	–	2	1	–	–	1	–	–	–	–	–	–	–	–
Abscess	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	2	–	–	–	–	2	4	–	1	1	–	–	–
Cancer	1	8	9	15	14	16	9	11	8	7	4	2	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	26	39	20	16	6	8	4	2	4	–	1	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	26	–	1	4	5	–	3	2	1	3	2	1	1
Apoplexy	56	3	–	1	–	1	–	–	–	–	1	–	–
Paralysis	71	–	–	1	1	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	12	–	–	–	–	–	–	–	–	–	–	2	1
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	5	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	32	15	2	5	3	2	4	1	–	–	–	–	–
Brain Disease	26	1	–	–	–	1	1	1	1	2	–	–	2
V. Pericarditis	2	1	–	–	–	–	–	–	–	–	1	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	168	–	1	–	–	–	–	–	1	3	3	3	7
VI. Laryngitis	4	–	–	–	1	1	–	–	–	–	–	–	–
Bronchitis	312	32	16	48	29	9	6	5	3	2	–	1	2
Pleurisy	14	–	–	–	1	–	2	–	1	–	1	1	1
Pneumonia	120	12	7	9	19	9	3	–	4	1	–	1	3
Asthma	8	–	–	–	–	–	–	–	–	–	–	–	1
Lung Disease	16	2	1	2	–	1	1	–	–	–	2	–	–
VII. Teething	9	–	1	2	5	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	–	2	–	–	–	–
Gastritis	2	1	–	–	–	–	–	–	–	–	–	–	–
Enteritis	15	2	3	–	2	1	–	–	1	–	–	–	–
Peritonitis	31	1	–	–	–	–	–	–	1	1	6	3	5
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	13	–	–	–	–	–	–	–	–	–	–	1	1
Hernia	4	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	10	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	3	–	–	1	–	–	–	–	–	–	–	–	–
Stricture of Intestines	2	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	21	3	1	–	1	–	–	–	–	1	–	1	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	2	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	23	–	1	–	–	–	–	–	–	–	–	–	1
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	1
VIII. Nephritis	4	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	21	–	–	–	–	–	1	–	2	1	1	1	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	18	–	1	–	–	–	–	–	1	–	1	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	8	–	–	–	–	–	–	–	–	–	–	–	2
Childbirth	32	–	–	–	–	–	–	–	–	–	2	7	6
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	–
Rheumatism	9	–	–	–	–	–	–	–	1	2	–	1	–
Joint Disease	4	–	–	–	–	–	–	–	–	–	–	1	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	1	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	12	–	–	–	–	–	–	–	–	–	–	–	–
Privation	2	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	10	3	7	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	1	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	1
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	1	1	1	1	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	2	1	–	1	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	16	–	–	–	–	–	–	–	–	–	1	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	9	1	1	–	1	–	–	–	2	–	–	–	–

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	3	5	6	10	5	7	9	–	1	3	1	–	–	–
Paralysis	2	3	4	5	2	5	7	12	13	12	2	1	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	1	1	–	1	–	2	1	1	1	–	1	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	1	–	–	1	–	1	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	–	2	–	1	2	–	2	6	1	1	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	12	13	11	11	20	23	16	19	13	5	2	–	–	–	–
Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	1	7	5	5	12	17	22	28	30	14	14	2	2	–	–	–
Pleurisy	–	1	1	–	2	1	–	1	–	1	–	–	–	–	–	–
Pneumonia	5	5	7	6	13	1	6	5	2	1	1	–	–	–	–	–
Asthma	–	–	–	–	–	1	3	–	1	2	–	–	–	–	–	–
Lung Disease	1	4	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Enteritis	1	1	–	1	–	–	2	1	–	–	–	–	–	–	–	–
Peritonitis	1	4	3	1	–	1	1	1	–	1	–	–	1	–	–	–
Ascites	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	1	2	2	2	–	1	2	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	2	1	–	1	–	–	–	–	–	–
Ileus	1	–	–	1	1	–	–	–	5	1	1	–	–	–	–	–
Intussusception	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Stricture of Intestines	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	2	2	1	4	1	1	3	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	2	2	4	2	3	4	1	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	1	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	3	1	2	2	–	–	2	1	2	1	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	5	1	1	–	–	2	–	1	2	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	1	–	3	–	1	–	–	–	–	–	–	–	–	–
Childbirth	7	7	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	1	3	–	–	–	–	–	–	–	–
Joint Disease	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	2	–	3	1	1	1	1	–	2	–	–	1	–	–	–	–
Privation	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	1	–	–	1	–	–	–	1	–	–
Hanging, etc.	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	1	5	1	3	1	2	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	1	–	–	1	2	–	–	–	–	–	–	–	–	–

CAUSES OF DEATH in DUNDEE, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	3336	418	165	260	239	140	82	68	201	111	130	138	130
Specified Causes	3315	410	163	258	239	139	82	63	201	111	130	138	130
I. Zymotic Class	1035	80	64	114	110	51	43	34	138	62	54	49	50
II. Diseases of Uncertain Seat	104	–	1	3	1	–	–	1	3	5	1	1	2
III. Tubercular Class	511	5	12	29	36	31	16	14	30	24	53	58	40
IV. Brain and Nervous System	252	35	14	17	12	6	2	2	8	3	3	11	2
V. Organs of Circulation	135	–	–	–	–	–	–	1	–	3	1	3	10
VI. Respiratory Organs	570	56	48	62	54	40	18	7	14	3	5	4	15
VII. Organs of Digestion	146	13	8	26	18	3	–	–	3	4	3	3	4
VIII. Urinary Organs	24	–	–	1	–	–	–	–	–	1	2	3	–
IX. Organs of Generation	25	–	–	–	–	–	–	–	–	–	3	2	1
X. Organs of Locomotion	14	–	–	–	–	–	2	–	2	–	3	–	1
XI. Skin, etc.	2	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	13	12	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	211	194	11	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	19	–	–	–	5	3	–	–	–	1	–	–	–
XV. Age	152	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	9	1	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	93	14	4	–	3	4	1	4	2	5	2	4	5
I. Small Pox	376	17	15	8	8	12	10	11	81	55	32	37	34
Measles	13	1	–	1	6	3	1	–	1	–	–	–	–
Scarlatina	23	–	–	1	5	5	4	3	3	–	–	–	1
Diphtheria	13	–	1	1	6	1	2	–	–	–	2	–	–
Hooping Cough	169	7	10	51	45	13	16	15	12	–	–	–	–
Croup	26	3	1	3	8	3	3	–	5	–	–	–	–
Thrush	2	1	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	166	38	30	40	25	6	–	–	5	1	–	–	1
Dysentery	15	–	1	2	–	1	–	–	1	–	–	–	–
Cholera	3	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	5	–	–	–	–	–	1	–	2	–	–	–	–
Ague	2	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	72	–	–	1	–	–	2	–	4	–	9	4	6
Enteric Fever	69	–	1	1	4	4	3	3	17	3	10	4	4
Relapsing Fever	32	–	1	–	–	–	–	1	4	2	1	2	3
Simple Continued Fever	4	–	–	–	–	–	1	–	1	–	–	–	–
Infantile Remittent	7	–	–	1	2	3	–	–	1	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	4	–	–	–	–	–	–	1	1	1	–	–	–
Erysipelas	13	4	2	–	–	–	–	–	–	–	–	–	1
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	13	9	2	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	32	–	–	–	–	–	–	1	2	–	–	1	–
Abscess	8	–	1	2	–	–	–	–	1	2	–	–	1
Ulcer	2	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	10	–	–	1	–	–	–	–	–	2	–	–	–
Cancer	50	–	–	–	–	–	–	–	–	1	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	19	–	1	2	3	2	3	1	2	1	2	–	1
Tabes Mesenterica	30	3	2	3	8	5	1	2	3	2	–	1	–
Phthisis	357	–	–	3	3	6	6	5	9	18	50	56	39
Hydrocephalus	105	2	9	21	22	18	6	6	16	3	1	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	126	123	115	120	142	121	148	108	113	66	40	18	10	4	–	–
Specified Causes	125	123	115	120	141	121	147	108	113	66	40	18	10	4	–	–
Zymotic Class	43	30	20	26	20	13	13	8	9	4	–	–	–	–	–	–
Uncertain Seat	2	7	7	4	15	11	16	11	8	3	1	–	1	–	–	–
Tubercular Class	47	33	20	26	18	10	8	1	–	–	–	–	–	–	–	–
Brain, etc.	3	6	8	15	15	23	21	12	15	11	3	4	1	–	–	–
Heart, etc.	10	7	14	10	11	8	17	17	14	6	3	–	–	–	–	–
Respiratory Organs	11	19	23	23	35	35	43	23	16	7	7	1	–	1	–	–
Digestive Organs	2	4	7	5	8	11	8	9	4	3	–	–	–	–	–	–
Urinary Organs	1	1	1	–	6	–	2	–	3	2	1	–	–	–	–	–
Generative Organs	2	7	3	–	2	2	1	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	–	–	2	1	–	1	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	2	6	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	14	21	42	28	24	12	8	3	–	–
Sudden Deaths	–	1	3	–	–	1	1	1	–	–	–	–	–	–	–	–
Violent Deaths	3	8	8	8	9	1	1	2	2	1	1	1	–	–	–	–
Small Pox	24	16	4	6	2	–	2	1	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	1	2	5	1	2	2	3	3	–	–	–	–	–	–
Dysentery	–	1	2	3	–	1	–	1	2	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	5	10	3	10	8	4	4	1	1	–	–	–	–	–	–	–
Enteric Fever	3	1	3	1	3	2	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	4	1	3	3	1	1	2	–	3	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nævus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	1	3	1	1	7	1	6	4	3	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Nævus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	1	1	–	1	–	1	–	–	–
Cancer	1	4	6	3	7	7	8	6	4	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	47	33	20	26	17	10	8	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	15	–	–	2	–	–	–	1	4	–	–	2	1
Apoplexy	67	2	2	3	1	–	–	–	1	1	–	5	1
Paralysis	69	–	–	–	–	–	–	–	–	–	1	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	8	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	77	33	12	12	11	6	1	1	1	–	–	–	–
Brain Disease	24	–	–	–	–	–	1	–	2	2	1	2	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	132	–	–	–	–	–	–	1	–	3	1	3	10
VI. Laryngitis	6	1	–	–	1	–	–	–	1	–	–	–	1
Bronchitis	437	52	46	53	46	32	14	5	8	2	2	1	6
Pleurisy	6	–	1	–	–	–	–	–	–	–	2	–	–
Pneumonia	95	2	1	9	7	8	4	1	5	1	1	3	8
Asthma	23	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	1	–	–	–	–	–	1	–	–	–	–	–
VII. Teething	43	–	2	24	17	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	6	–	1	1	–	–	–	–	–	–	–	–	–
Enteritis	16	7	2	1	–	–	–	–	1	–	2	–	1
Peritonitis	13	2	1	–	–	1	–	–	–	2	–	–	2
Ascites	6	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	8	–	–	–	–	–	–	–	–	1	1	1	–
Hernia	6	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	8	–	–	–	1	–	–	–	2	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	11	2	–	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	2	1	–	–	2	–	–	–	–	–	–	–
Liver Disease	18	–	1	–	–	–	–	–	–	–	–	2	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	8	–	–	–	–	–	–	–	–	–	1	3	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	9	–	–	1	–	–	–	–	–	1	1	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	14	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	2	–	–
X. Bone Disease	4	–	–	–	–	–	1	–	1	–	–	–	1
Rheumatism	5	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	5	–	–	–	–	–	–	–	1	–	3	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	9	–	–	–	2	1	1	3	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	21	13	4	–	1	2	–	–	–	–	–	–	1
Drowning	20	–	–	–	–	–	–	–	1	3	–	–	1
Fracture and Contusion	34	–	–	–	–	1	–	–	–	2	2	4	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	–	–	–	–	–	–	1	1	–	–	–	–
Not Specified	21	8	2	2	–	1	–	5	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	1	–	1	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	1	4	3	5	9	11	4	5	5	1	2	–	–	–	–
Paralysis	–	1	2	5	5	11	9	7	9	5	1	2	1	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	1	2	–	–	–	1	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	1	6	2	3	–	1	–	–	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	9	7	13	9	11	8	17	17	14	6	3	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	5	10	16	16	24	27	34	15	9	5	7	1	–	1	–	–
Pleurisy	–	–	2	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	6	7	2	6	6	2	6	2	6	2	–	–	–	–	–	–
Asthma	–	1	3	1	4	5	3	6	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	2	–	–	–	1	–	–	–	–	–	–
Ascites	–	1	1	1	–	1	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	2	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	4	1	1	–	–	–	–	–	–	–	–
Ileus	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	2	2	2	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–
Liver Disease	–	2	3	1	2	–	3	3	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	1	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	2	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	2	–	2	–	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Childbirth	2	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	3	5	4	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	5	4	2	3	1	1	1	2	1	1	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
ALL CAUSES	1580	235	84	118	116	71	46	30	108	56	65	68	60
SPECIFIED CAUSES	1571	231	83	118	116	70	46	30	108	56	65	68	60
I. Zymotic Class	499	40	27	55	54	24	23	17	72	29	24	22	24
II. Diseases of Uncertain Seat	34	–	–	2	1	–	–	1	1	4	–	–	–
III. Tubercular Class	241	1	5	15	22	17	12	4	18	10	27	28	17
IV. Brain and Nervous System	124	18	9	9	5	2	–	2	5	1	2	7	1
V. Organs of Circulation	59	–	–	–	–	–	–	–	–	2	1	1	4
VI. Respiratory Organs	277	32	32	23	27	22	9	6	6	2	4	3	8
VII. Organs of Digestion	60	7	3	10	4	2	–	–	3	2	1	2	–
VIII. Urinary Organs	15	–	–	1	–	–	–	–	–	–	2	1	–
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	7	–	–	–	–	–	2	–	1	–	2	–	1
XI. Skin, etc.	1	–	–	–	–	1	–	–	–	–	–	–	–
XII. Malformation	8	7	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	126	118	5	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	4	–	–	–	1	1	–	–	–	1	–	–	–
XV. Age	49	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	6	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	61	7	1	–	2	1	–	–	2	5	2	4	5
I. Small Pox	197	10	6	4	3	3	7	6	50	26	17	17	17
Measles	5	–	–	–	4	1	–	–	–	–	–	–	–
Scarlatina	15	–	–	1	2	4	2	3	2	–	–	–	1
Diphtheria	7	–	1	–	3	–	1	–	–	–	2	–	–
Hooping Cough	68	2	6	22	19	4	7	7	1	–	–	–	–
Croup	16	1	–	3	5	3	2	–	2	–	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	80	17	11	22	16	4	–	–	2	1	–	–	–
Dysentery	6	–	–	1	–	1	–	–	1	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	3	–	–	–	–	–	1	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	38	–	–	1	–	–	1	–	3	–	3	2	5
Enteric Fever	26	–	1	–	2	2	2	1	5	–	2	3	–
Relapsing Fever	14	–	1	–	–	–	–	–	4	2	–	–	1
Simple Continued Fever	3	–	–	–	–	–	–	–	1	–	–	–	–
Infantile Remittent	3	–	–	1	–	2	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	2	–	–	–	–	–	–	–	1	–	–	–	–
Erysipelas	5	2	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	7	7	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	11	–	–	–	–	–	–	1	1	–	–	–	–
Abscess	5	–	–	2	–	–	–	–	–	2	–	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	–	–	–	–	–	–	1	–	–	–
Cancer	11	–	–	–	–	–	–	–	–	1	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	1	1	1	3	–	–	1	–	–	–
Tabes Mesenterica	14	1	–	2	4	3	1	1	2	–	–	–	–
Phthisis	157	–	–	1	1	2	3	1	5	8	26	28	17
Hydrocephalus	63	–	5	11	16	11	5	2	11	1	1	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	59	51	45	57	65	47	62	51	39	23	11	8	3	2	–	–
SPECIFIED CAUSES	58	51	45	57	64	47	61	51	39	23	11	8	3	2	–	–
Zymotic Class	20	14	10	11	10	6	7	6	2	2	–	–	–	–	–	–
Uncertain Seat	1	3	1	1	4	2	6	2	3	2	–	–	–	–	–	–
Tubercular Class	19	7	10	11	10	5	3	–	–	–	–	–	–	–	–	–
Brain, etc.	3	4	2	8	6	11	7	7	9	3	–	3	–	–	–	–
Heart, etc.	6	4	7	4	6	3	10	5	4	2	–	–	–	–	–	–
Respiratory Organs	4	9	7	13	13	14	19	13	5	2	2	1	–	1	–	–
Digestive Organs	2	2	1	2	3	4	3	5	2	2	–	–	–	–	–	–
Urinary Organs	–	–	–	–	6	–	1	–	3	1	–	–	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	3	11	10	9	8	4	3	1	–	–
Sudden Deaths	–	1	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Violent Deaths	3	7	5	7	6	–	1	1	1	–	1	–	–	–	–	–
Small Pox	15	7	2	3	2	–	1	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	1	–	2	–	–	1	1	2	–	–	–	–	–	–
Dysentery	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	1	5	3	5	4	2	2	1	–	–	–	–	–	–	–	–
Enteric Fever	1	1	1	1	1	1	1	1	–	–	–	–	–	–	–	–
Relapsing Fever	2	1	1	–	–	1	1	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malaria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nausea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	2	–	–	2	1	–	1	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	–	1	–	–	–	–	–	–	–
Cancer	–	1	1	1	1	–	4	1	1	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	7	10	11	10	5	3	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.													
	ALL AGES.	AGE UNDER												
		MONTHS.												
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	10	–	–	2	–	–	–	1	2	–	–	1	1
Apoplexy	26	1	1	1	1	–	–	–	–	1	–	4	–
Paralysis	30	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	5	–	–	–	–	–	–	–	–	–	1	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	39	17	8	6	4	2	–	1	1	–	–	–	–
Brain Disease	13	–	–	–	–	–	–	–	2	–	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	58	–	–	–	–	–	–	–	–	2	1	1	4
VI. Laryngitis	5	1	–	–	1	–	–	–	1	–	–	–	1
Bronchitis	214	29	31	19	24	19	8	4	3	2	1	–	3
Pleurisy	3	–	–	–	–	–	–	–	–	–	2	–	–
Pneumonia	42	1	1	4	2	3	1	1	2	–	1	3	4
Asthma	11	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	2	1	–	–	–	–	–	1	–	–	–	–	–
VII. Teething	15	–	1	10	4	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	4	–	–	–	–	–	–	1	–	1	–	–
Peritonitis	7	1	1	–	–	1	–	–	–	1	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	1	–	1	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	2	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	1	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	11	–	1	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	1	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	1	–	–	–	–	–	–	1	–	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	–	1	–	1	–	–	–	1
Rheumatism	1	–	–	–	–	–	1	–	–	–	–	–	–
Joint Disease	3	–	–	–	–	–	–	–	–	–	2	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	1	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	1	–	–	–	–	–	–	–	–	–	–	–	1
Burns and Scalds	1	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	11	7	1	–	1	1	–	–	–	–	–	–	1
Drowning	18	–	–	–	–	–	–	–	1	3	–	–	1
Fracture and Contusion	26	–	–	–	–	–	–	–	–	2	2	4	2
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	1	–	–	–	–
Not Specified	9	4	1	–	–	1	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER 35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	1	–	4	4	2	2	2	–	1	–	–	–	–
Paralysis	–	1	1	4	3	6	2	4	6	1	–	2	–	–	–	–
Delirium Tremens	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	1	3	2	1	–	1	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	5	4	7	4	6	3	10	5	4	2	–	–	–	–	–	–
Laryngitis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	3	4	9	12	10	15	8	3	1	2	1	–	1	–	–
Pleurisy	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	4	2	4	–	1	2	1	2	1	–	–	–	–	–	–
Asthma	–	1	–	–	1	3	2	4	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Ileus	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Liver Disease	–	1	1	1	2	–	1	2	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	1	1	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	2	–	1	–	1	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	2	1	3	5	2	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	1	5	2	2	3	–	1	–	1	–	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	1	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1756	183	81	142	123	69	36	38	93	55	65	70	70
SPECIFIED CAUSES	1744	179	80	140	123	69	36	33	93	55	65	70	70
I. Zymotic Class	536	40	37	59	56	27	20	17	66	33	30	27	26
II. Diseases of Uncertain Seat	70	–	1	1	–	–	–	–	2	1	1	1	2
III. Tubercular Class	270	4	7	14	14	14	4	10	12	14	26	30	23
IV. Brain and Nervous System	128	17	5	8	7	4	2	–	3	2	1	4	1
V. Organs of Circulation	76	–	–	–	–	–	–	1	–	1	–	2	6
VI. Respiratory Organs	293	24	16	39	27	18	9	1	8	1	1	1	7
VII. Organs of Digestion	86	6	5	16	14	1	–	–	–	2	2	1	4
VIII. Urinary Organs	9	–	–	–	–	–	–	–	–	1	–	2	–
IX. Organs of Generation	25	–	–	–	–	–	–	–	–	–	3	2	1
X Organs of Locomotion	7	–	–	–	–	–	–	–	1	–	1	–	–
XI Skin, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	5	5	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	85	76	6	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	15	–	–	–	4	2	–	–	–	–	–	–	–
XV. Age	103	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	3	–	–	–	–	–	–	–	1	–	–	–	–
XVII. Violent Deaths	32	7	3	–	1	3	1	4	–	–	–	–	–
I. Small Pox	179	7	9	4	5	9	3	5	31	29	15	20	17
Measles	8	1	–	1	2	2	1	–	1	–	–	–	–
Scarlatina	8	–	–	–	3	1	2	–	1	–	–	–	–
Diphtheria	6	–	–	1	3	1	1	–	–	–	–	–	–
Hooping Cough	101	5	4	29	26	9	9	8	11	–	–	–	–
Croup	10	2	1	–	3	–	1	–	3	–	–	–	–
Thrush	1	–	–	1	–	–	–	–	–	–	–	–	–
Diarrhœa	86	21	19	18	9	2	–	–	3	–	–	–	1
Dysentery	9	–	1	1	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	–	–	–	–	2	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	1	–	–	–	1	–	–	–	–	–	–	–	–
Typhus	34	–	–	–	–	–	1	–	1	–	6	2	1
Enteric Fever	43	–	–	1	2	2	1	2	12	3	8	1	4
Relapsing Fever	18	–	–	–	–	–	–	1	–	–	1	2	2
Simple Continued Fever	1	–	–	–	–	–	1	–	–	–	–	–	–
Infantile Remittent	4	–	–	–	2	1	–	–	1	–	–	–	–
Metria	6	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	2	–	–	–	–	–	–	1	–	1	–	–	–
Erysipelas	8	2	1	–	–	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	2	2	2	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	21	–	–	–	–	–	–	–	1	–	–	1	–
Abscess	3	–	1	–	–	–	–	–	1	–	–	–	1
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	5	–	–	1	–	–	–	–	–	1	–	–	–
Cancer	39	–	–	–	–	–	–	–	–	–	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	12	–	1	1	2	1	–	1	2	–	2	–	1
Tabes Mesenterica	16	2	2	1	4	2	–	1	1	2	–	1	–
Phthisis	200	–	–	2	2	4	3	4	4	10	24	28	22
Hydrocephalus	42	2	4	10	6	7	1	4	5	2	–	1	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	67	72	70	63	77	74	86	57	74	43	29	10	7	2	–	–
SPECIFIED CAUSES	67	72	70	63	77	74	86	57	74	43	29	10	7	2	–	–
Zymotic Class	23	16	10	15	10	7	6	2	7	2	–	–	–	–	–	–
Uncertain Seat	1	4	6	3	11	9	10	9	5	1	1	–	1	–	–	–
Tubercular Class	28	26	10	15	8	5	5	1	–	–	–	–	–	–	–	–
Brain, etc.	–	2	6	7	9	12	14	5	6	8	3	1	1	–	–	–
Heart, etc.	4	3	7	6	5	5	7	12	10	4	3	–	–	–	–	–
Respiratory Organs	7	10	16	10	22	21	24	10	11	5	5	–	–	–	–	–
Digestive Organs	–	2	6	3	5	7	5	4	2	1	–	–	–	–	–	–
Urinary Organs	1	1	1	–	–	–	1	–	–	1	1	–	–	–	–	–
Generative Organs	2	7	3	–	2	2	1	2	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	2	–	–	1	1	–	1	–	–	–	–	–	–
Skin	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	1	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	11	10	32	19	16	8	5	2	–	–
Sudden Deaths	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	–	1	3	1	3	1	–	1	1	1	–	1	–	–	–	–
Small Pox	9	9	2	3	–	–	1	–	–	1	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	1	–	–	2	3	1	2	1	2	1	–	–	–	–	–	–
Dysentery	–	1	2	2	–	1	–	–	1	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	5	–	5	4	2	2	–	1	–	–	–	–	–	–	–
Enteric Fever	2	–	2	–	2	1	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	2	–	2	3	1	–	1	–	3	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	3	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nævus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	1	1	5	–	6	3	2	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	1	–	–	1	–	1	–	–	–
Cancer	1	3	5	2	6	7	4	5	3	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	28	26	10	15	7	5	5	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	–	–	–	–	2	–	–	1	–
Apoplexy	41	1	1	2	–	–	–	–	1	–	–	1	1
Paralysis	30	–	–	–	–	–	–	–	–	–	1	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	38	16	4	6	7	4	1	–	–	–	–	–	–
Brain Disease	11	–	–	–	–	–	1	–	–	2	–	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	74	–	–	–	–	–	–	1	–	1	–	2	6
VI. Laryngitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	223	23	15	34	22	13	6	1	5	–	1	1	3
Pleurisy	3	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	53	1	–	5	5	5	3	–	3	1	–	–	4
Asthma	12	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	28	–	1	14	13	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	5	–	1	1	–	–	–	–	–	–	–	–	–
Enteritis	9	3	2	1	–	–	–	–	–	–	1	–	1
Peritonitis	6	1	–	–	–	–	–	–	–	1	–	–	2
Ascites	5	–	–	–	–	–	–	–	–	–	–	–	1
Ulceration of Intestines	3	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	3	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	1	–	–	–	–	–	–	–	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	5	1	1	–	–	1	–	–	–	–	–	–	–
Liver Disease	7	–	–	–	–	–	–	–	–	–	–	1	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	–	–	–	–	2	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	1	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	1	–	–
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	14	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	5	–	–	–	–	–	–	–	–	–	2	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	1	–	1	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	2	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	8	–	–	–	1	1	1	3	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	10	6	3	–	–	1	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	8	–	–	–	–	1	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	1	–	–	–	–	–
Not Specified	12	4	1	2	–	–	–	5	–	–	–	–	–

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	1	4	2	5	5	7	2	3	3	1	1	–	–	–	–
Paralysis	–	–	1	1	2	5	7	3	3	4	1	–	1	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	1	–	3	–	2	–	–	–	–	1	–	–	–	–	–
Pericarditis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	4	3	6	5	5	5	7	12	10	4	3	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Bronchitis	3	7	12	7	12	17	19	7	6	4	5	–	–	–	–	–
Pleurisy	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Pneumonia	4	3	–	2	6	1	4	1	4	1	–	–	–	–	–	–
Asthma	–	–	3	1	3	2	1	2	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Peritonitis	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	1	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	1	–	1	1	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	1	1	2	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Liver Disease	–	1	2	–	–	–	2	1	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	1	1	1	2	–	–	–	–	–	–	–	–
Childbirth	2	6	3	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	1	–	–	1	1	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	2	–	–	1	–	1	1	1	–	1	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1997	201	84	141	163	95	54	27	90	59	58	66	77
Specified Causes	1987	199	83	141	163	95	54	27	90	58	58	66	76
I. Zymotic Class	455	21	25	55	72	52	36	16	45	25	3	12	18
II. Diseases of Uncertain Seat	74	1	–	1	1	1	1	–	–	1	1	1	2
III. Tubercular Class	367	4	8	25	28	13	7	4	25	19	29	31	36
IV. Brain and Nervous System	197	25	9	9	8	7	2	–	5	3	3	6	4
V. Organs of Circulation	116	–	–	–	–	–	–	–	1	2	5	1	2
VI. Respiratory Organs	284	23	21	31	32	17	4	4	7	3	4	7	3
VII. Organs of Digestion	143	11	10	17	15	2	1	2	2	2	6	2	4
VIII. Urinary Organs	49	1	1	–	–	–	–	–	1	–	3	1	4
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	3	3
X. Organs of Locomotion	10	–	–	–	–	1	–	–	–	1	–	1	–
XI. Skin, etc.	5	–	2	–	–	–	1	–	–	–	–	–	–
XII. Malformation	4	4	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	104	98	3	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	13	–	–	–	5	1	1	–	1	1	–	–	–
XV. Age	104	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	41	10	4	–	2	1	1	1	3	–	4	1	–
I. Small Pox	30	1	–	1	–	–	–	–	3	4	2	3	7
Measles	97	2	1	22	36	13	10	3	9	–	–	–	1
Scarlatina	52	–	–	1	11	11	6	5	14	1	–	–	–
Diphtheria	11	–	–	–	2	1	2	–	3	3	–	–	–
Hooping Cough	72	2	6	19	11	16	8	2	6	1	–	1	–
Croup	27	–	–	2	6	8	6	4	–	1	–	–	–
Thrush	5	4	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	46	5	11	6	4	–	1	–	–	–	–	–	2
Dysentery	6	–	1	–	1	1	–	–	–	–	–	–	1
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	7	–	–	–	–	–	–	–	–	1	–	2	1
Purpura	5	1	–	–	–	–	–	1	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	10	–	–	–	–	–	–	–	2	2	–	–	–
Enteric Fever	36	1	–	–	–	1	3	–	4	7	1	5	2
Relapsing Fever	3	–	–	–	–	–	–	–	1	1	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	2	–	–	–	1	–	–	–	1	–	–	–	–
Metria	9	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	6	–	–	–	–	–	–	–	1	3	–	–	–
Erysipelas	14	1	1	–	–	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	15	4	4	4	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	8	1	–	–	–	1	1	–	–	–	–	–	–
Abscess	8	–	–	–	–	–	–	–	–	1	–	1	1
Ulcer	9	–	–	1	1	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	6	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	41	–	–	–	–	–	–	–	–	–	1	–	1
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	29	–	–	3	–	3	1	–	5	3	3	3	3
Tabes Mesenterica	22	2	–	3	4	2	2	–	3	2	–	2	–
Phthisis	246	–	3	3	3	1	2	3	7	10	24	26	33
Hydrocephalus	70	2	5	16	21	7	2	1	10	4	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	75	74	64	58	71	67	85	103	94	86	58	33	14	–	–	–
Specified Causes	72	74	63	58	71	67	84	103	94	86	58	33	14	–	–	–
Zymotic Class	8	15	8	2	5	4	8	8	5	5	5	2	–	–	–	–
Uncertain Seat	3	5	5	8	7	9	4	9	6	5	3	–	–	–	–	–
Tubercular Class	29	28	22	14	13	9	5	10	5	1	2	–	–	–	–	–
Brain, etc.	6	4	7	11	6	8	12	16	17	14	7	5	3	–	–	–
Heart, etc.	3	9	6	11	20	9	10	14	12	5	2	2	2	–	–	–
Respiratory Organs	5	3	5	6	7	14	19	19	19	18	13	–	–	–	–	–
Digestive Organs	3	4	4	3	8	10	7	10	8	8	–	3	1	–	–	–
Urinary Organs	6	–	4	2	2	2	6	6	4	4	1	1	–	–	–	–
Generative Organs	4	3	1	–	1	–	–	2	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	4	1	–	1	–	–	–	–	–	–
Skin	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	7	6	17	22	24	20	8	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	3	2	–	–	1	–	2	2	1	2	1	–	–	–	–	–
Small Pox	2	3	2	–	–	1	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	2	1	–	2	–	3	1	2	–	4	2	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	2	1	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	–	–	1	1	–	2	–	–	–	–	–	–	–	–
Enteric Fever	–	2	2	1	1	1	2	1	1	–	1	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	1	1	–	1	2	3	–	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	–	–	–	2	–	–	1	–	–	–	–	–
Abscess	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	1	2	–	2	–	1	1	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	1	1	–	–	2	1	–	–	–	–	–
Cancer	2	3	3	4	6	5	3	5	5	2	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	–	1	–	2	–	–	–	1	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	29	25	22	12	13	9	5	9	4	1	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	17	–	–	3	3	2	–	–	3	1	1	–	–
Apoplexy	36	–	–	1	–	–	–	–	–	1	1	1	2
Paralysis	58	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	6	–	–	–	–	–	–	–	–	–	–	3	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	2	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	43	25	9	2	3	3	1	–	–	–	–	–	–
Brain Disease	33	–	–	3	2	2	1	–	2	1	1	1	1
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	7	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	108	–	–	–	–	–	–	–	1	2	5	1	1
VI. Laryngitis	6	–	–	–	1	1	1	1	1	–	1	–	–
Bronchitis	225	17	18	26	26	15	2	2	6	3	2	4	1
Pleurisy	2	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	42	6	2	5	5	1	1	1	–	–	1	2	2
Asthma	3	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	6	–	1	–	–	–	–	–	–	–	–	1	–
VII. Teething	32	–	6	15	14	2	1	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	4	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	18	1	–	–	–	–	–	–	1	–	4	–	2
Peritonitis	6	1	1	1	–	–	–	–	–	–	–	1	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	10	–	–	–	–	–	–	–	–	–	1	1	–
Hernia	4	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	11	1	–	–	–	–	–	–	1	–	1	–	–
Intussusception	2	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	15	–	2	1	1	–	–	2	–	–	–	–	2
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	9	6	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	19	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	7	–	–	–	–	–	–	–	–	–	1	–	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	–	–	–	–	–	1	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	4	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	30	1	1	–	–	–	–	–	1	–	1	1	2
IX. Paramenia	2	–	–	–	–	–	–	–	–	1	–	–	1
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	3	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	–	–	–	1	–	–	–	–	–	1	–
Rheumatism	6	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	3	–	2	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	3	–	–	–	1	1	–	1	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	7	3	4	–	–	–	–	–	–	–	–	–	–
Drowning	4	–	–	–	–	–	–	–	–	–	2	1	–
Fracture and Contusion	16	–	–	–	–	–	1	–	3	–	2	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	5	5	–	–	–	–	–	–	–	–	–	–	–
Not Specified	10	2	1	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	1	1	2	4	2	5	5	3	3	1	–	–	–
Paralysis	1	2	1	6	1	4	7	11	9	8	4	1	2	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	1	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	2	1	4	2	4	2	–	–	3	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	2	1	1	–	–	–	–	–	–	–	–	–
Heart Disease	3	8	6	10	18	8	8	14	12	5	2	2	2	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	1	2	4	6	12	12	15	17	18	11	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
Pneumonia	–	2	2	2	1	–	5	2	1	–	1	–	–	–	–	–
Asthma	–	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	2	2	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	1	1	–	1	–	–	–	–	–	–
Enteritis	1	–	1	–	–	2	–	2	1	3	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	1	1	2	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	3	1	–	–	3	1	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	1	–	1	–	–	–	2	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–
Liver Disease	1	–	2	2	–	2	4	4	1	2	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	2	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	2	2	2	1	2	3	1	4	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	3	1	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	–	–	1	–	1	2	–	2	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	911	115	40	71	75	43	29	10	42	22	29	29	37
SPECIFIED CAUSES	906	113	40	71	75	43	29	10	42	21	29	29	36
I. Zymotic Class	202	10	14	27	35	21	18	6	20	8	1	6	9
II. Diseases of Uncertain Seat	30	1	–	–	–	–	1	–	–	1	–	–	1
III. Tubercular Class	170	3	3	14	13	7	3	1	12	7	14	15	15
IV. Brain and Nervous System	103	15	7	6	3	3	2	–	2	2	3	4	3
V. Organs of Circulation	54	–	–	–	–	–	–	–	–	–	1	–	2
VI. Respiratory Organs	125	16	9	14	14	9	3	2	4	–	1	3	1
VII. Organs of Digestion	72	8	2	9	7	2	–	1	–	1	4	–	2
VIII. Urinary Organs	26	1	–	–	–	–	–	–	1	–	2	–	3
IX. Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Organs of Locomotion	4	–	–	–	–	–	–	–	–	1	–	–	–
XI. Skin, etc.	1	–	–	–	–	–	1	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	54	51	2	1	–	–	–	–	–	–	–	–	–
XIV. Atrophy	6	–	–	–	2	–	–	–	1	1	–	–	–
XV. Age	29	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	27	6	3	–	1	1	1	–	2	–	3	1	–
I. Small Pox	16	–	–	–	–	–	–	–	2	2	1	2	5
Measles	42	–	–	9	16	6	5	1	5	–	–	–	–
Scarlatina	32	–	–	1	7	6	4	3	8	1	–	–	–
Diphtheria	2	–	–	–	–	–	1	–	1	–	–	–	–
Hooping Cough	30	1	4	9	5	6	1	1	2	–	–	1	–
Croup	10	–	–	1	2	2	4	1	–	–	–	–	–
Thrush	4	3	1	–	–	–	–	–	–	–	–	–	–
Diarrhœa	19	3	5	4	3	–	1	–	–	–	–	–	1
Dysentery	4	–	1	–	1	–	–	–	–	–	–	–	1
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	3	–	–	–	–	–	–	–	–	–	–	2	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	6	–	–	–	–	–	–	–	1	1	–	–	–
Enteric Fever	14	–	–	–	–	–	2	–	1	4	–	1	1
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	1	–	–	–	1	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	–	1	–	–	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	9	3	2	3	–	1	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	2	1	–	–	–	–	1	–	–	–	–	–	–
Abscess	7	–	–	–	–	–	–	–	–	1	–	–	1
Ulcer	4	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	2	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	13	–	–	–	–	–	–	–	–	–	–	–	–
Gout	1	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	18	–	–	2	–	1	1	–	3	1	3	3	2
Tabes Mesenterica	10	1	–	2	1	1	–	–	2	–	–	2	–
Phthisis	103	–	–	1	2	–	1	1	2	2	11	10	13
Hydrocephalus	39	2	3	9	10	5	1	–	5	4	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—MALES.

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	31	33	23	35	32	34	38	46	41	27	14	11	4	–	–	–
SPECIFIED CAUSES	31	33	23	35	32	34	37	46	41	27	14	11	4	–	–	–
Zymotic Class	3	6	4	1	2	2	2	5	2	–	–	–	–	–	–	–
Uncertain Seat	1	3	1	4	2	5	3	3	2	2	–	–	–	–	–	–
Tubercular Class	12	12	9	10	6	4	1	6	3	–	–	–	–	–	–	–
Brain, etc.	4	2	1	5	5	5	7	7	8	6	3	–	–	–	–	–
Heart, etc.	3	4	3	7	10	4	4	8	6	1	–	1	–	–	–	–
Respiratory Organs	3	1	1	4	1	7	10	8	7	4	3	–	–	–	–	–
Digestive Organs	2	3	2	2	4	6	2	3	4	5	–	2	1	–	–	–
Urinary Organs	–	–	2	2	–	–	5	3	2	3	1	1	–	–	–	–
Generative Organs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	1	1	7	4	6	7	3	–	–	–
Sudden Deaths	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	–	–	1	–	1	1	–	2	1	–	–	–	–	–
Small Pox	–	1	1	–	–	1	–	1	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Dysentery	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Purpura	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	2	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	2	–	–	1	–	1	–	1	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	1	1	–	–	1	3	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	1	–	1	1	–	1	–	1	–	–	–	–	–	–	–	–
Ulcer	–	–	–	1	–	2	–	1	–	–	–	–	–	–	–	–
Fistula	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–
Cancer	–	2	–	2	2	1	2	1	2	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Scrofula	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	12	11	9	9	6	4	1	5	3	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	8	–	–	1	1	–	–	–	1	1	1	–	–
Apoplexy	20	–	–	1	–	–	–	–	–	–	1	1	2
Paralysis	24	–	–	–	–	–	–	–	–	–	–	–	1
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	2	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	28	15	7	1	2	2	1	–	–	–	–	–	–
Brain Disease	19	–	–	3	–	1	1	–	1	1	1	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	5	–	–	–	–	–	–	–	–	–	–	–	1
Heart Disease	48	–	–	–	–	–	–	–	–	–	1	–	1
VI. Laryngitis	4	–	–	–	–	1	1	1	1	–	–	–	–
Bronchitis	92	11	9	12	12	7	1	–	3	–	1	2	–
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	23	5	–	2	2	1	1	1	–	–	–	1	1
Asthma	2	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	16	–	–	8	6	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	11	1	–	–	–	–	–	–	–	–	2	–	1
Peritonitis	2	–	1	1	–	–	–	–	–	–	–	–	–
Ascites	2	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	1	–	–
Hernia	2	1	–	–	–	–	–	–	–	–	–	–	–
Ileus	6	1	–	–	–	–	–	–	–	–	1	–	–
Intussusception	2	–	–	–	–	–	–	–	–	1	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	7	–	1	–	1	–	–	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	6	5	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	10	–	–	–	–	–	–	–	–	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	3	–	–	–	–	–	–	–	–	–	1	–	1
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	1	–	–	–	–	–	–	–	–	–	1	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	3	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	17	1	–	–	–	–	–	–	1	–	–	–	2
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	1	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	1	–	–	–	–	–	1	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	1	–	–	–	1	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	1	–	–	–	–	1	–	–	–	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	2	3	–	–	–	–	–	–	–	–	–	–
Drowning	3	–	–	–	–	–	–	–	–	–	2	1	–
Fracture and Contusion	12	–	–	–	–	–	1	–	2	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	3	3	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	2	–	–	–	–	–	–	–	1	–	–	1

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—MALES. (*Continued.*)

DISEASES.	MALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
Apoplexy	1	1	1	1	1	2	1	1	1	3	2	–	–	–	–	–
Paralysis	1	–	–	1	1	2	6	3	6	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	1	–	2	3	1	–	–	1	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Aneurism	–	1	–	1	1	1	–	–	–	–	–	–	–	–	–	–
Heart Disease	3	3	3	6	9	3	3	8	6	1	–	1	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	3	–	–	2	–	5	6	6	6	4	2	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Pneumonia	–	1	1	2	1	–	3	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	1	–	1	–	–	1	–	–	1	3	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
Ulceration of Intestines	–	2	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
Intussusception	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	1	–	–	–	–	–	1	1	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Liver Disease	1	–	1	2	–	2	1	2	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	2	–	1	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	2	2	–	–	2	2	–	3	1	1	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	–	–	–	1	–	1	1	–	2	1	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1086	86	44	70	88	52	25	17	48	37	29	37	40
SPECIFIED CAUSES	1081	86	43	70	88	52	25	17	48	37	29	37	40
I. Zymotic Class	253	11	11	28	37	31	18	10	25	17	2	6	9
II. Diseases of Uncertain Seat	44	–	–	1	1	1	–	–	–	–	1	1	1
III. Tubercular Class	197	1	5	11	15	6	4	3	13	12	15	16	21
IV. Brain and Nervous System	94	10	2	3	5	4	–	–	3	1	–	2	1
V. Organs of Circulation	62	–	–	–	–	–	–	–	1	2	4	1	–
VI. Respiratory Organs	159	7	12	17	18	8	1	2	3	3	3	4	2
VII. Organs of Digestion	71	3	8	8	8	–	1	1	2	1	2	2	2
VIII. Urinary Organs	23	–	1	–	–	–	–	–	–	–	1	1	1
IX. Organs of Generation	19	–	–	–	–	–	–	–	–	1	–	3	3
X. Organs of Locomotion	6	–	–	–	–	1	–	–	–	–	–	1	–
XI. Skin, etc.	4	–	2	–	–	–	–	–	–	–	–	–	–
XII. Malformation	2	2	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	50	47	1	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	1	1	–	–	–	–	–	–
XV. Age	75	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	1	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	14	4	1	–	1	–	–	1	1	–	1	–	–
I. Small Pox	14	1	–	1	–	–	–	–	1	2	1	1	2
Measles	55	2	1	13	20	7	5	2	4	–	–	–	1
Scarlatina	20	–	–	–	4	5	2	2	6	–	–	–	–
Diphtheria	9	–	–	–	2	1	1	–	2	3	–	–	–
Hooping Cough	42	1	2	10	6	10	7	1	4	1	–	–	–
Croup	17	–	–	1	4	6	2	3	–	1	–	–	–
Thrush	1	1	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	27	2	6	2	1	–	–	–	–	–	–	–	1
Dysentery	2	–	–	–	–	1	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	4	–	–	–	–	–	–	–	–	1	–	–	1
Purpura	4	1	–	–	–	–	–	1	1	1	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	–	–	–	–	–	–	–	1	1	–	–	–
Enteric Fever	22	1	–	–	–	1	1	–	3	3	1	4	1
Relapsing Fever	3	–	–	–	–	–	–	–	1	1	–	–	–
Simple Continued Fever	1	–	–	–	–	–	–	1	–	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	–	1	–	–	–	–
Metria	9	–	–	–	–	–	–	–	–	–	–	1	3
Rheumatic Fever	5	–	–	–	–	–	–	–	1	3	–	–	–
Erysipelas	6	1	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	6	1	2	1	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	6	–	–	–	–	1	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	–	–	–	–	–	–	1	–
Ulcer	5	–	–	1	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	28	–	–	–	–	–	–	–	–	–	1	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	11	–	–	1	–	2	–	–	2	2	–	–	1
Tabes Mesenterica	12	1	–	1	3	1	2	–	1	2	–	–	–
Phthisis	143	–	3	2	1	1	1	2	5	8	13	16	20
Hydrocephalus	31	–	2	7	11	2	1	1	5	–	2	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—FEMALES.

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
ALL CAUSES	44	41	41	23	39	33	47	57	53	59	44	22	10	–	–	–
SPECIFIED CAUSES	41	41	40	23	39	33	47	57	53	59	44	22	10	–	–	–
Zymotic Class	5	9	4	1	3	2	6	3	3	5	5	2	–	–	–	–
Uncertain Seat	2	2	4	4	5	4	1	6	4	3	3	–	–	–	–	–
Tubercular Class	17	16	13	4	7	5	4	4	2	1	2	–	–	–	–	–
Brain, etc.	2	2	6	6	1	3	5	9	9	8	4	5	3	–	–	–
Heart, etc.	–	5	3	4	10	5	6	6	6	4	2	1	2	–	–	–
Respiratory Organs	2	2	4	2	6	7	9	11	12	14	10	–	–	–	–	–
Digestive Organs	1	1	2	1	4	4	5	7	4	3	–	1	–	–	–	–
Urinary Organs	6	–	2	–	2	2	1	3	2	1	–	–	–	–	–	–
Generative Organs	4	3	1	–	1	–	–	2	–	1	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–
Skin	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	6	5	10	18	18	13	5	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	1	–	–	–	–	1	1	1	–	–	–	–	–	–	–
Small Pox	2	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	1	–	1	–	3	1	2	–	4	2	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	2	1	–	1	1	1	–	–	1	–	–	–	–	–
Relapsing Fever	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	4	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	1	–	–	–	1	1	–	–	2	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	1	–	–	–	2	–	–	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	1	–	–	–	–	2	1	–	–	–	–	–
Cancer	2	1	3	2	4	4	1	4	3	1	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Tabes Mesenterica	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	17	14	13	3	7	5	4	4	1	1	2	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	9	–	–	2	2	2	–	–	2	–	–	–	–
Apoplexy	16	–	–	–	–	–	–	–	–	1	–	–	–
Paralysis	34	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	–	–	–	1	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	15	10	2	1	1	1	–	–	–	–	–	–	–
Brain Disease	14	–	–	–	2	1	–	–	1	–	–	–	1
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	60	–	–	–	–	–	–	–	1	2	4	1	–
VI. Laryngitis	2	–	–	–	1	–	–	–	–	–	1	–	–
Bronchitis	133	6	9	14	14	8	1	2	3	3	1	2	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	19	1	2	3	3	–	–	–	–	–	1	1	1
Asthma	1	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	–	1	–	–	–	–	–	–	–	–	1	–
VII. Teething	22	–	6	7	8	–	1	–	–	–	–	–	–
Quinsey	1	–	1	–	–	–	–	–	–	–	–	–	–
Gastritis	2	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	7	–	–	–	–	–	–	–	1	–	2	–	1
Peritonitis	4	1	–	–	–	–	–	–	–	–	–	1	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	–	–	–	–	1	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	5	–	–	–	–	–	–	–	1	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	1	1	–	–	–	1	–	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	1	–	–	–	–	–	–	–	–	–	–	–
Jaundice	3	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	9	–	–	–	–	–	–	–	–	1	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	4	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	3	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	1
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	13	–	1	–	–	–	–	–	–	–	1	1	–
IX. Paramenia	2	–	–	–	–	–	–	–	–	1	–	–	1
Ovarian Dropsy	5	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	11	–	–	–	–	–	–	–	–	–	–	8	2
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	2	–	–	–	–	1	–	–	–	–	–	1	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	1	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	2	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	2	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	–	1	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	2	1	1	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	4	–	–	–	–	–	–	–	1	–	1	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	2	–	–	–	–	–	–	–	–	–	–	–
Not Specified	5	–	1	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1871.—FEMALES. (*Continued.*)

DISEASES.	FEMALES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	–	–	3	1	4	2	1	3	1	–	–	–
Paralysis	–	2	1	5	–	2	1	8	3	6	3	1	2	–	–	–
Delirium Tremens	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	4	–	1	1	–	–	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–
Heart Disease	–	5	3	4	9	5	5	6	6	4	2	1	2	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	2	1	2	2	6	7	6	9	11	14	9	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pneumonia	–	1	1	–	–	–	2	1	1	–	1	–	–	–	–	–
Asthma	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
Enteritis	–	–	–	–	–	1	–	2	–	–	–	–	–	–	–	–
Peritonitis	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	1	–	1	1	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	–	–	1	1	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	–	–	1	–	–	–	1	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Liver Disease	–	–	1	–	–	–	3	2	1	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	1	1	1	–	–	–	–	–	–	–
Addison's Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	2	1	–	1	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	1	–	–	2	–	1	–	–	–	–	–	–
Childbirth	3	2	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	2	–	–	1	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1871.—BOTH SEXES.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
ALL CAUSES	1772	183	69	166	195	112	57	53	111	39	43	63	48
SPECIFIED CAUSES	1718	166	64	155	190	111	55	53	107	39	42	63	47
I. Zymotic Class	430	11	20	39	73	59	24	36	43	10	6	11	13
II. Diseases of Uncertain Seat	41	3	–	–	1	–	–	1	1	–	–	1	1
III. Tubercular Class	314	4	8	18	24	17	13	6	36	14	17	29	18
IV. Brain and Nervous System	123	11	1	14	9	3	2	2	5	3	3	5	2
V. Organs of Circulation	65	–	1	1	–	–	–	–	–	1	1	1	–
VI. Respiratory Organs	309	29	23	54	50	25	9	7	10	1	2	3	3
VII. Organs of Digestion	116	10	6	19	28	4	3	–	3	1	1	3	2
VIII. Urinary Organs	17	–	–	–	–	–	–	–	1	–	1	2	1
IX. Organs of Generation	14	–	–	–	–	–	–	–	–	1	1	2	1
X. Organs of Locomotion	15	–	1	–	–	–	–	–	2	3	1	1	–
XI. Skin, etc.	3	–	–	2	–	–	–	–	–	–	–	–	–
XII. Malformation	3	3	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	98	91	1	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	18	–	–	–	3	–	3	1	2	1	1	–	–
XV. Age	53	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	8	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	91	4	3	2	2	3	1	–	4	4	8	5	6
I. Small Pox	30	1	2	2	–	2	1	1	5	1	2	2	5
Measles	47	1	3	6	14	13	4	5	–	–	–	–	–
Scarlatina	106	–	5	8	20	20	10	18	18	3	–	2	2
Diphtheria	16	–	–	2	8	4	–	1	1	–	–	–	–
Hooping Cough	42	–	–	11	10	10	3	5	3	–	–	–	–
Croup	24	1	–	5	8	4	3	3	–	–	–	–	–
Thrush	1	–	–	–	1	–	–	–	–	–	–	–	–
Diarrhœa	31	3	7	3	6	1	1	–	–	–	–	–	–
Dysentery	6	–	–	–	–	–	–	–	–	–	–	–	1
Cholera	5	–	–	–	1	1	–	–	–	–	–	–	1
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	4	–	1	–	1	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	54	1	1	–	2	2	–	–	2	–	3	6	2
Enteric Fever	22	–	–	–	1	–	1	2	9	5	1	–	–
Relapsing Fever	11	–	–	–	–	–	–	–	–	1	–	–	–
Simple Continued Fever	3	–	–	–	1	–	–	–	2	–	–	–	–
Infantile Remittent	3	–	–	1	–	2	–	–	–	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	2	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	12	2	–	–	–	–	–	–	3	–	–	–	–
Pyæmia	1	–	–	–	–	–	1	–	–	–	–	–	–
Syphilis	4	2	1	1	–	–	–	–	–	–	–	–	–
Noma	1	–	–	–	–	–	–	1	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	1	–	–	–	–	–	–	–	–	–	–	–
Dropsy	15	–	–	–	–	–	–	1	1	–	–	–	–
Abscess	4	1	–	–	1	–	–	–	–	–	–	1	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	15	–	–	–	–	–	–	–	–	–	–	–	1
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	40	3	2	6	5	4	7	–	5	3	–	1	–
Tabes Mesenterica	13	1	–	1	2	2	1	1	4	–	–	1	–
Phthisis	215	–	2	4	7	3	2	2	17	10	17	27	18
Hydrocephalus	46	–	4	7	10	8	3	3	10	1	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	65	70	62	68	66	52	69	58	49	31	23	7	3	2	–	8
Specified Causes	64	70	60	66	66	51	69	58	49	31	23	7	3	2	–	7
Zymotic Class	11	14	5	16	7	7	8	3	6	5	1	–	–	–	–	2
Uncertain Seat	5	1	4	4	6	1	5	1	4	2	–	–	–	–	–	–
Tubercular Class	28	24	15	15	9	6	8	2	2	1	–	–	–	–	–	–
Brain, etc.	3	2	3	5	7	7	11	11	9	5	–	–	–	–	–	–
Heart, etc.	2	2	5	5	6	10	7	12	3	3	3	1	–	–	–	1
Respiratory Organs	6	5	9	7	18	5	10	16	8	3	4	1	–	–	–	1
Digestive Organs	–	5	4	1	3	9	7	3	2	1	–	1	–	–	–	–
Urinary Organs	–	–	2	2	1	1	3	1	–	–	1	1	–	–	–	–
Generative Organs	2	2	2	2	–	–	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	1	–	1	1	–	1	–	1	–	–	–	–	1
Skin	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	1	2	3	–	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	5	12	11	13	3	3	2	–	–
Sudden Deaths	1	2	3	–	1	–	1	–	–	–	–	–	–	–	–	–
Violent Deaths	6	11	6	6	5	4	4	3	2	–	–	–	–	–	–	2
Small Pox	2	2	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	1	–	1	1	2	–	–	2	2	1	–	–	–	–	–
Dysentery	2	1	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	6	3	11	3	4	3	–	1	–	–	–	–	–	–	–
Enteric Fever	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Relapsing Fever	1	1	1	1	1	1	1	3	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
Erysipelas	–	1	–	3	1	–	2	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	1	1	1	1	3	–	3	1	1	1	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Cancer	1	–	3	3	3	1	1	–	1	1	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	27	24	15	15	9	6	8	1	1	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
IV. Cephalitis	15	–	–	5	–	2	–	1	3	1	–	1	1
Apoplexy	19	2	–	–	–	–	–	–	–	1	–	2	–
Paralysis	36	–	–	–	–	–	–	–	–	1	–	–	–
Delirium Tremens	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	–	–	1
Tetanus	2	1	–	–	–	–	–	–	–	–	–	1	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	24	8	1	5	7	1	1	–	1	–	–	–	–
Brain Disease	22	–	–	4	2	–	1	1	1	–	3	1	–
V. Pericarditis	1	–	–	–	–	–	–	–	–	1	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	64	–	1	1	–	–	–	–	–	–	1	1	–
VI. Laryngitis	1	–	–	–	1	–	–	–	–	–	–	–	–
Bronchitis	233	23	21	43	42	22	8	4	5	–	–	–	–
Pleurisy	6	–	–	2	–	–	–	–	–	–	–	–	–
Pneumonia	61	6	2	9	7	3	1	3	5	1	2	3	2
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	4	–	–	–	–	–	–	–	–	–	–	–	1
VII. Teething	44	–	2	14	24	1	3	–	–	–	–	–	–
Quinsey	1	1	–	–	–	–	–	–	–	–	–	–	–
Gastritis	3	–	–	–	–	–	–	–	1	–	–	1	–
Enteritis	17	6	3	1	3	2	–	–	–	–	–	–	–
Peritonitis	10	–	–	–	1	–	–	–	–	–	1	1	–
Ascites	4	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	1	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	4	1	–	2	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	8	–	–	2	–	–	–	–	1	1	–	1	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	8	2	1	–	–	–	–	–	–	–	–	–	–
Liver Disease	14	–	–	–	–	1	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	3	–	–	–	–	–	–	–	–	–	–	1	–
Nephria	6	–	–	–	–	–	–	–	–	–	1	1	1
Addison's Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
Inchuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	1	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	4	–	–	–	–	–	–	–	1	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	1	–	–	–
Ovarian Dropsy	4	–	–	–	–	–	–	–	–	–	1	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	2	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	3	–	1	–	–	–	–	–	1	–	–	–	–
Rheumatism	3	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	9	–	–	–	–	–	–	–	1	3	1	1	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	2	–	–	2	–	–	–	–	–	–	–	–	–
XVII. Intemperance	9	–	–	–	–	–	–	–	–	–	–	1	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	6	1	3	2	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	4	–	–	–	1	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	–	1	–	–	–	–	–	–	–
Drowning, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	5	3	–	–	–	–	–	–	–	–	1	–	–
Drowning	19	–	–	–	–	1	–	–	1	–	2	2	1
Fracture and Contusion	36	–	–	–	1	–	1	–	3	3	4	1	4
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	8	–	–	–	–	1	–	–	–	1	1	1	1
Not Specified	54	17	5	11	5	1	2	–	4	–	1	–	1

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	1	–	2	2	1	4	1	2	–	–	–	–	–	–
Paralysis	2	–	1	2	4	4	8	5	6	3	–	–	–	–	–	–
Delirium Tremens	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	2	–	1	–	1	1	2	2	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	2	5	5	6	10	7	12	3	3	3	1	–	–	–	1
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	5	1	3	4	11	5	7	15	6	3	4	–	–	–	–	1
Pleurisy	–	–	–	1	3	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	2	5	–	4	–	1	1	2	–	–	1	–	–	–	–
Asthma	–	1	–	1	–	–	2	–	–	–	–	–	–	–	–	–
Lung Disease	–	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Enteritis	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	3	1	1	1	–	–	–	–	–	–	–
Ascites	–	–	1	–	–	–	3	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	1	–	–	1	1	–	–	1	–	–	–	–
Liver Disease	–	4	1	1	1	2	2	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cystitis	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	–	–	–	–	–	1	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	1	2	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	1	–	–	1	–	1	–	–	–	–	–
Joint Disease	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	3	–	–	2	–	–	–	1	–	–	–	–	–	–	1
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	1	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Drowning	4	2	2	1	–	–	2	1	–	–	–	–	–	–	–	–
Fracture and Contusion	1	4	4	3	1	3	1	1	–	–	–	–	–	–	–	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	1	–	1	1	–	–	–	–	–	–	–
Not Specified	1	–	2	2	–	1	–	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER 1											
		MONTHS.			2	3	4	5	10	15	20	25	30
		3	6	12									
All Causes	1453	133	44	104	117	60	32	27	86	36	44	52	59
Specified Causes	1414	116	40	100	115	60	31	27	83	36	44	52	59
I. Zymotic Class	284	12	11	29	42	27	12	12	29	6	6	9	3
II. Diseases of Uncertain Seat	54	2	–	1	–	2	–	1	–	–	–	1	3
III. Tubercular Class	277	3	5	18	18	11	9	7	26	24	30	25	32
IV. Brain and Nervous System	126	3	2	4	2	3	1	4	11	1	2	3	1
V. Organs of Circulation	54	–	–	–	–	–	–	–	2	–	2	2	2
VI. Respiratory Organs	231	22	6	28	31	10	5	–	6	–	1	4	4
VII. Organs of Digestion	125	18	10	14	20	4	–	1	3	2	–	2	5
VIII. Urinary Organs	15	–	–	–	–	1	–	–	1	1	–	1	1
IX. Organs of Generation	18	–	–	–	–	–	–	–	–	–	1	2	4
X. Organs of Locomotion	8	–	–	–	–	–	–	1	1	–	–	–	1
XI. Skin, etc.	2	–	1	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	1	–	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	61	51	4	6	–	–	–	–	–	–	–	–	–
XIV. Atrophy	14	–	–	–	2	1	–	1	–	2	–	–	–
XV. Age	107	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	2	1	1	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	35	3	–	–	–	1	4	–	4	–	2	3	3
I. Small Pox	3	–	–	2	–	–	–	–	1	–	–	–	–
Measles	42	–	–	9	14	10	3	2	4	–	–	–	–
Scarlatina	29	–	–	1	7	5	2	3	9	2	–	–	–
Diphtheria	7	–	–	–	2	1	1	1	2	–	–	–	–
Hooping Cough	9	2	–	3	3	1	–	–	–	–	–	–	–
Croup	17	1	–	3	6	2	2	1	2	–	–	–	–
Thrush	2	–	1	1	–	–	–	–	–	–	–	–	–
Diarrhœa	36	3	6	10	6	1	–	1	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	2	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	1	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	1	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	74	–	1	–	1	5	1	2	5	1	3	5	2
Enteric Fever	11	–	–	–	–	1	1	2	1	1	1	2	–
Relapsing Fever	19	–	–	–	–	–	–	–	–	2	2	–	–
Simple Continued Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	11	–	–	–	3	1	2	–	5	–	–	–	–
Metria	4	–	–	–	–	–	–	–	–	–	–	2	–
Rheumatic Fever	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	8	2	2	–	–	–	–	–	–	–	–	–	–
Pyæmia	1	–	–	–	–	–	–	–	–	–	–	–	1
Syphilis	6	4	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	21	–	–	1	–	2	–	1	–	–	–	1	2
Abscess	5	1	–	–	–	–	–	–	–	–	–	–	1
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	4	1	–	–	–	–	–	–	–	–	–	–	–
Cancer	24	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	22	–	1	1	3	1	–	–	4	5	3	–	1
Tabes Mesenterica	26	2	2	3	8	–	3	–	4	2	–	1	1
Phthisis	188	1	1	1	1	4	2	2	13	16	27	24	30
Hydrocephalus	41	–	1	13	6	6	4	5	5	1	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	47	46	58	51	70	49	78	73	64	46	48	21	5	2	–	1
Specified Causes	47	45	57	51	70	48	74	73	64	46	48	21	5	2	–	–
Zymotic Class	8	9	7	10	19	2	10	5	5	7	4	–	–	–	–	–
Uncertain Seat	–	1	5	5	6	5	7	5	6	2	–	2	–	–	–	–
Tubercular Class	20	10	18	7	7	3	3	1	–	–	–	–	–	–	–	–
Brain, etc.	3	1	3	6	8	5	14	15	13	9	8	3	–	1	–	–
Heart, etc.	2	3	3	6	6	6	9	5	3	3	–	–	–	–	–	–
Respiratory Organs	6	8	12	9	13	14	14	18	12	5	3	–	–	–	–	–
Digestive Organs	2	5	1	5	4	5	11	8	3	2	–	–	–	–	–	–
Urinary Organs	1	1	3	–	1	–	1	–	2	–	1	–	–	–	–	–
Generative Organs	4	4	1	1	–	1	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	2	–	–	2	–	–	1	–	–	–	–	–
Skin	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	1	–	2	5	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	5	12	20	17	31	16	5	1	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Violent Deaths	1	3	3	2	2	1	–	2	–	1	–	–	–	–	–	–
Small Pox	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	–	–	1	1	1	3	3	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	4	6	5	7	14	–	4	3	3	2	–	–	–	–	–	–
Enteric Fever	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	3	2	2	1	2	3	1	–	–	1	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	1	–	1	–	1	1	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	1	–	2	2	1	4	1	2	1	–	–	–	–	–	–
Abscess	–	–	1	–	–	–	–	–	1	1	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	1	–	1	–	–	–	1	–	–	–	–
Cancer	–	–	4	3	4	3	3	3	3	–	–	1	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	19	9	17	7	7	3	3	1	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	5	–	–	–	–	1	–	1	2	1	–	–	–
Apoplexy	34	1	2	1	–	–	–	1	7	–	–	2	1
Paralysis	58	–	–	–	–	–	–	1	–	–	–	1	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	1	–	–	–	–	–	–	–	1	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	–	1	–	–
Tetanus	2	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	1	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	8	–	–	3	2	2	–	–	1	–	–	–	–
Brain Disease	14	1	–	–	–	–	1	1	–	–	1	–	–
V. Pericarditis	1	–	–	–	–	–	–	–	1	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	53	–	–	–	–	–	–	–	1	–	2	2	2
VI. Laryngitis	4	1	–	1	1	–	–	–	–	–	–	–	–
Bronchitis	169	17	6	19	24	7	5	–	3	–	–	2	2
Pleurisy	4	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	45	2	–	8	6	3	–	–	3	–	1	2	2
Asthma	6	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	3	2	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	35	–	2	12	19	2	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	35	15	6	1	1	2	–	–	–	1	–	–	1
Peritonitis	1	–	–	–	–	–	–	–	–	–	–	1	–
Ascites	3	–	–	–	–	–	–	–	–	1	–	1	–
Ulceration of Intestines	6	–	–	–	–	–	–	–	–	–	–	–	1
Hernia	6	–	1	–	–	–	–	–	–	–	–	–	–
Ileus	1	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	16	2	–	–	–	–	–	1	2	–	–	–	1
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	3	–	1	–	–	–	–	–	1	–	–	–	–
Jaundice	1	–	–	1	–	–	–	–	–	–	–	–	–
Liver Disease	17	1	–	–	–	–	–	–	–	–	–	–	2
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	1	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	1	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	1	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	4	–	–	–	–	1	–	–	–	–	–	1	–
Stone	1	–	–	–	–	–	–	–	–	–	–	–	1
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	6	–	–	–	–	–	–	–	1	1	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	1
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	15	–	–	–	–	–	–	–	–	–	1	2	3
Organs of Generation	1	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	5	–	–	–	–	–	–	–	–	–	–	–	1
Joint Disease	3	–	–	–	–	–	–	1	1	–	–	–	–
XI. Carbuncle	2	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	3	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	2	2	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	1	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	7	–	–	–	–	–	4	–	1	–	–	1	–
Hanging, etc.	2	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	2	–	–	–	2
Fracture and Contusion	10	–	–	–	–	1	–	–	–	–	2	2	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	2	1	–	–	–	–	–	–	1	–	–	–	–
Not Specified	39	17	4	4	2	–	1	–	3	–	–	–	–

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	1	–	–	4	1	–	3	2	3	4	–	1	–	–	–	–
Paralysis	1	1	2	1	5	5	8	8	9	5	8	2	–	1	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	1	1	–	3	3	–	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	2	3	3	6	6	6	9	5	3	3	–	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Bronchitis	4	6	6	8	9	12	7	15	10	5	2	–	–	–	–	–
Pleurisy	–	1	2	–	1	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	2	1	3	1	2	1	3	3	1	–	1	–	–	–	–	–
Asthma	–	–	–	–	1	1	3	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Enteritis	–	3	1	–	–	2	1	–	1	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ascites	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	1	–	1	1	–	1	1	–	–	–	–	–	–	–	–
Hernia	–	–	–	2	–	–	–	2	–	1	–	–	–	–	–	–
Ileus	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	1	2	2	1	2	1	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	–	–	–	2	2	1	5	4	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Nephria	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Diabetes	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	1	–	1	–	–	–	–	–	2	–	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	4	4	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	1	–	–	2	–	–	1	–	–	–	–	–
Joint Disease	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	1	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	1	1	–	–	1	–	–	–	1	–	–	–	–	–	–
Fracture and Contusion	–	–	1	1	1	–	–	1	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	1	1	–	–	1	4	–	–	–	–	–	–	–	–	1

CAUSES of DEATH in LEITH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	1081	149	51	84	85	51	32	21	81	33	30	30	34
Specified Causes	1077	148	51	84	84	51	32	21	81	32	30	30	34
I. Zymotic Class	307	24	18	20	30	28	23	13	53	19	9	9	10
II. Diseases of Uncertain Seat	30	–	–	1	–	1	–	–	2	–	1	–	–
III. Tubercular Class	153	13	8	15	13	7	4	4	8	4	13	8	13
IV. Brain and Nervous System	100	12	6	2	8	3	–	1	1	4	2	3	2
V. Organs of Circulation	50	–	–	–	–	1	–	–	1	2	1	–	2
VI. Respiratory Organs	180	24	13	33	22	7	1	1	8	1	1	3	2
VII. Organs of Digestion	66	8	1	8	5	1	2	2	2	–	1	–	2
VIII. Urinary Organs	15	–	–	–	1	–	–	–	3	–	–	2	–
IX. Organs of Generation	11	–	–	–	–	–	–	–	–	–	–	2	1
X. Organs of Locomotion	4	–	–	–	–	–	–	–	1	–	–	–	1
XI. Skin, etc.	2	–	–	1	–	1	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	71	66	2	3	–	–	–	–	–	–	–	–	–
XIV. Atrophy	7	–	–	–	3	–	–	–	–	–	–	1	–
XV. Age	41	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	5	–	–	1	1	1	1	–	–	–	–	–	–
XVII. Violent Deaths	34	1	2	–	1	1	1	–	2	2	2	2	1
I. Small Pox	82	1	6	1	–	2	3	1	12	14	6	7	6
Measles	19	1	1	2	7	6	2	–	–	–	–	–	–
Scarlatina	53	1	–	2	5	4	12	5	22	–	1	–	–
Diphtheria	22	1	–	–	2	6	1	3	6	2	–	–	–
Hooping Cough	5	2	1	1	–	1	–	–	–	–	–	–	–
Croup	28	1	–	2	7	5	3	2	8	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	46	16	8	8	7	1	–	–	–	–	–	–	1
Dysentery	4	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	4	1	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	2	–	–	–	1	–	–	–	1	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	9	–	–	–	–	–	1	–	–	–	2	–	–
Enteric Fever	15	–	–	–	–	3	1	2	4	1	–	–	1
Relapsing Fever	5	–	–	–	–	–	–	–	–	1	–	1	–
Simple Continued Fever	2	–	–	1	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	3	–	–	–	–	–	–	–	–	–	–	1	1
Rheumatic Fever	1	–	–	–	–	–	–	–	–	1	–	–	–
Erysipelas	4	–	2	1	–	–	–	–	–	–	–	–	1
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	3	–	–	1	1	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	2	–	–	–	–	–	–	–	1	–	–	–	–
Dropsy	10	–	–	1	–	–	–	–	1	–	–	–	–
Abscess	4	–	–	–	–	1	–	–	–	–	1	–	–
Ulcer	1	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	12	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Scrofula	9	3	1	3	–	–	–	1	1	–	–	–	–
Tabes Mesenterica	11	5	1	–	1	1	1	–	1	1	–	–	–
Phthisis	86	–	2	–	1	–	–	–	4	3	12	8	13
Hydrocephalus	47	5	4	12	11	6	3	3	2	–	1	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	44	42	30	35	31	33	43	37	52	28	13	12	–	–	–	–
Specified Causes	44	42	30	34	31	33	43	37	52	28	13	12	–	–	–	–
Zymotic Class	14	7	7	4	1	2	4	3	7	–	–	2	–	–	–	–
Uncertain Seat	1	1	1	1	3	5	4	7	2	–	–	–	–	–	–	–
Tubercular Class	11	13	6	8	2	2	1	–	–	–	–	–	–	–	–	–
Brain, etc.	1	4	5	2	6	7	9	7	9	5	1	–	–	–	–	–
Heart, etc.	7	6	4	1	4	2	5	4	7	2	1	–	–	–	–	–
Respiratory Organs	3	–	2	6	9	5	8	8	12	5	3	3	–	–	–	–
Digestive Organs	4	7	3	6	2	1	5	2	2	2	–	–	–	–	–	–
Urinary Organs	–	–	–	1	1	2	–	1	1	2	–	1	–	–	–	–
Generative Organs	1	2	–	1	1	2	–	1	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	1	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	2	4	9	12	8	6	–	–	–	–
Sudden Deaths	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Violent Deaths	2	1	2	4	1	3	4	–	2	–	–	–	–	–	–	–
Small Pox	8	6	3	3	–	–	1	–	2	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	–	–	1	–	–	2	–	–	–	2	–	–	–	–
Dysentery	–	–	–	–	–	–	2	–	2	–	–	–	–	–	–	–
Cholera	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	4	1	–	–	–	–	1	–	–	–	–	–	–	–
Enteric Fever	2	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Relapsing Fever	1	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Dropsy	–	1	1	–	2	1	–	3	–	–	–	–	–	–	–	–
Abscess	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cancer	–	–	–	1	1	3	3	2	2	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Tabes Mesenterica	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	11	13	6	8	2	2	1	–	–	–	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	6	–	–	–	1	–	–	–	–	1	1	–	–
Apoplexy	24	1	–	–	1	–	–	–	–	–	–	–	1
Paralysis	28	–	–	–	–	–	–	–	–	–	–	2	1
Delirium Tremens	1	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	3	–	–	–	–	–	–	–	–	1	–	–	–
Tetanus	1	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	29	11	6	2	6	3	–	1	–	–	–	–	–
Brain Disease	8	–	–	–	–	–	–	–	1	2	1	1	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	48	–	–	–	–	1	–	–	1	2	1	–	2
VI. Laryngitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	130	17	11	30	16	6	–	–	4	–	–	–	1
Pleurisy	1	–	–	–	–	–	–	–	–	–	–	1	–
Pneumonia	43	5	2	3	6	1	1	1	4	1	1	1	1
Asthma	2	–	–	–	–	–	–	–	–	–	–	1	–
Lung Disease	2	2	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	11	–	–	6	4	1	–	–	–	–	–	–	–
Quinsey	2	–	–	–	–	–	–	1	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	12	5	1	2	1	–	1	–	–	–	1	–	–
Peritonitis	10	–	–	–	–	–	1	–	1	–	–	–	2
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	5	–	–	–	–	–	–	1	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	3	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	6	2	–	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	1	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	11	–	–	–	–	–	–	–	1	–	–	–	–
Spleen Disease	1	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	2	–	–	–	–	–	–	–	1	–	–	–	–
Nephria	3	–	–	–	1	–	–	–	1	–	–	1	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	2	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	8	–	–	–	–	–	–	–	1	–	–	1	–
IX. Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	1	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	7	–	–	–	–	–	–	–	–	–	–	2	1
Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	4	–	–	–	–	–	–	–	1	–	–	–	1
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	1	–	–	–	–	1	–	–	–	–	–	–	–
Skin Disease	1	–	–	1	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	5	–	–	–	1	1	1	–	1	–	–	–	–
Hanging, etc.	1	–	–	–	–	–	–	–	–	–	–	–	–
Suffocation	6	1	2	–	–	–	–	–	–	–	–	–	–
Drowning	8	–	–	–	–	–	–	–	–	1	2	1	–
Fracture and Contusion	13	–	–	–	–	–	–	–	1	1	–	1	1
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	4	1	–	–	1	–	–	–	–	1	–	–	–

CAUSES of DEATH in LEITH, at different Periods of Life, in 1871.—BOTH SEXES. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
Cephalitis	1	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	4	1	–	2	4	3	3	2	2	–	–	–	–	–	–
Paralysis	–	–	2	1	1	2	6	3	7	2	1	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	–	–	–	–	1	1	–	–	–	1	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	6	6	3	1	4	2	5	4	7	2	1	–	–	–	–	–
Laryngitis	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	3	6	4	8	6	10	3	1	3	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	3	–	1	2	2	1	–	2	1	2	2	–	–	–	–	–
Asthma	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Peritonitis	–	2	2	1	1	–	–	–	–	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	1	–	1	–	–	–	–	1	–	–	–	–	–	–	–
Hernia	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Ileus	1	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	1	–	–	–	–	1	–	–	2	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–
Jaundice	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	1	1	1	3	–	1	2	–	1	–	–	–	–	–	–	–
Spleen Disease	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Nephria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	–	–	1	1	1	–	1	1	1	–	–	–	–	–	–
Paramenia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Childbirth	1	2	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–
Drowning	–	–	–	1	–	1	2	–	–	–	–	–	–	–	–	–
Fracture and Contusion	2	1	2	1	1	1	1	–	–	–	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
All Causes	550	43	23	26	37	14	4	8	20	16	26	21	24
Specified Causes	543	38	23	26	37	14	4	8	19	16	26	21	23
I. Zymotic Class	81	5	4	6	17	8	2	6	7	4	4	2	3
II. Diseases of Uncertain Seat	13	–	–	–	–	–	–	–	–	–	–	–	–
III. Tubercular Class	119	1	3	8	6	–	–	–	9	5	17	12	14
IV. Brain and Nervous System	62	1	3	1	2	–	–	1	1	1	–	1	–
V. Organs of Circulation	33	–	–	–	–	–	–	–	–	1	1	–	–
VI. Respiratory Organs	78	8	8	5	4	4	2	–	2	2	1	2	1
VII. Organs of Digestion	30	–	1	3	1	1	–	–	–	1	–	1	2
VIII. Urinary Organs	12	–	–	–	–	–	–	1	–	–	–	1	1
IX. Organs of Generation	3	–	–	–	–	–	–	–	–	–	–	–	1
X. Organs of Locomotion	3	–	–	–	–	–	–	–	–	1	1	–	–
XI. Skin, etc.	–	–	–	–	–	–	–	–	–	–	–	–	–
XII. Malformation	1	–	1	–	–	–	–	–	–	–	–	–	–
XIII. Premature Debility	26	2	2	2	–	–	–	–	–	–	–	–	–
XIV. Atrophy	9	–	–	–	6	1	–	–	–	–	1	–	–
XV. Age	54	–	–	–	–	–	–	–	–	–	–	–	–
XVI. Sudden Deaths	1	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Violent Deaths	18	1	1	1	1	–	–	–	–	1	1	2	1
I. Small Pox	8	–	1	–	–	–	–	–	1	–	–	1	3
Measles	4	–	–	–	2	2	–	–	–	–	–	–	–
Scarlatina	4	–	–	–	–	1	1	2	–	–	–	–	–
Diphtheria	4	1	–	–	–	–	–	1	–	2	–	–	–
Hooping Cough	18	1	2	3	8	1	1	1	1	–	–	–	–
Croup	10	–	–	1	5	3	–	–	1	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	12	3	–	2	2	–	–	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	1	–	–	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	8	–	–	–	–	–	–	–	2	1	1	1	–
Enteric Fever	6	–	–	–	–	–	–	1	–	1	3	–	–
Relapsing Fever	1	–	–	–	–	–	–	–	1	–	–	–	–
Simple Continued Fever	2	–	–	–	–	1	–	–	1	–	–	–	–
Infantile Remittent	1	–	–	–	–	–	–	1	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	1	–	–	–	–	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	1	–	1	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–
II. Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	3	–	–	–	–	–	–	–	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	1	–	–	–	–	–	–	–	–	–	–	–	–
Cancer	9	–	–	–	–	–	–	–	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–
III. Scrofula	7	–	–	–	1	–	–	–	1	–	2	–	–
Tabes Mesenterica	9	1	2	–	–	–	–	–	1	1	–	1	2
Phthisis	84	–	–	–	–	–	–	–	2	4	15	11	12
Hydrocephalus	19	–	1	8	5	–	–	–	5	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1871.—Both Sexes.

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	?
All Causes	21	23	16	16	21	21	28	28	39	36	30	9	–	–	–	–
Specified Causes	21	23	16	16	21	21	28	28	39	36	30	9	–	–	–	–
Zymotic Class	1	–	2	2	3	1	1	2	–	1	–	–	–	–	–	–
Uncertain Seat	–	–	1	1	2	2	1	–	2	1	2	1	–	–	–	–
Tubercular Class	11	12	7	5	3	2	1	2	–	1	–	–	–	–	–	–
Brain, etc.	1	1	2	5	5	2	8	10	10	5	2	–	–	–	–	–
Heart, etc.	3	2	2	–	2	5	1	4	5	5	2	–	–	–	–	–
Respiratory Organs	1	1	1	2	1	6	4	5	8	6	4	–	–	–	–	–
Digestive Organs	1	3	–	–	2	1	5	2	4	1	1	–	–	–	–	–
Urinary Organs	2	2	–	–	2	–	1	1	–	–	1	–	–	–	–	–
Generative Organs	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Locomotive Organs	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Malformation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Premature Debility	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Atrophy	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Age	–	–	–	–	–	–	4	2	9	13	18	8	–	–	–	–
Sudden Deaths	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
Violent Deaths	1	–	–	1	1	1	2	–	–	3	–	–	–	–	–	–
Small Pox	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Measles	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scarlatina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diphtheria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hooping Cough	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Croup	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Thrush	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diarrhœa	–	–	2	–	1	–	1	–	–	1	–	–	–	–	–	–
Dysentery	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cholera	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Influenza	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Purpura	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Ague	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Worms	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Typhus	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–	–
Enteric Fever	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Relapsing Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Simple Cont. Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Infantile Remittent	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Metria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatic Fever	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Erysipelas	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Pyæmia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Syphilis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Noma	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hydrophobia	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hæmorrhage	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Dropsy	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–
Abscess	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulcer	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Fistula	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Mortification	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
Cancer	–	–	1	1	2	2	1	–	1	–	1	–	–	–	–	–
Gout	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Scrofula	–	1	1	–	–	–	–	1	–	–	–	–	–	–	–	–
Tabes Mesenterica	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phthisis	10	11	6	5	3	2	1	1	–	1	–	–	–	–	–	–
Hydrocephalus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

CAUSES of DEATH in PERTH, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES.												
	ALL AGES.	AGE UNDER											
		MONTHS.											
		3	6	12	2	3	4	5	10	15	20	25	30
IV. Cephalitis	3	–	1	–	–	–	–	–	1	1	–	–	–
Apoplexy	15	–	1	–	–	–	–	1	–	–	–	–	–
Paralysis	26	–	–	–	–	–	–	–	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	4	–	–	–	–	–	–	–	–	–	–	1	–
Tetanus	2	–	–	1	1	–	–	–	–	–	–	–	–
Insanity	3	–	–	–	–	–	–	–	–	–	–	–	–
Convulsions	2	1	–	–	1	–	–	–	–	–	–	–	–
Brain Disease	7	–	1	–	–	–	–	–	–	–	–	–	–
V. Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	2	–	–	–	–	–	–	–	–	–	–	–	–
Heart Disease	31	–	–	–	–	–	–	–	–	1	1	–	–
VI. Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	57	7	8	5	4	2	2	–	1	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	17	1	–	–	–	2	–	–	1	2	1	2	1
Asthma	4	–	–	–	–	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VII. Teething	4	–	–	2	1	1	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	5	–	–	–	–	–	–	–	–	–	–	1	–
Peritonitis	4	–	–	–	–	–	–	–	–	1	–	–	1
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	1	–	–	–	–	–	–	–	–	–	–	–	–
Hernia	2	–	–	–	–	–	–	–	–	–	–	–	1
Ileus	2	–	–	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	3	–	1	–	–	–	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	2	–	–	–	–	–	–	–	–	–	–	–	–
Liver Disease	7	–	–	1	–	–	–	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII. Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	5	–	–	–	–	–	–	1	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	2	–	–	–	–	–	–	–	–	–	–	1	1
Stone	1	–	–	–	–	–	–	–	–	–	–	–	–
Cystitis	1	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	3	–	–	–	–	–	–	–	–	–	–	–	–
IX. Paramenia	1	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	2	–	–	–	–	–	–	–	–	–	–	–	1
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–
X. Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	1	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	2	–	–	–	–	–	–	–	–	1	1	–	–
XI. Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–
XVII. Intemperance	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	1	1	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	1	–	–	1	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	2	–	–	–	1	–	–	–	–	–	–	–	–
Hanging, etc.	3	–	–	–	–	–	–	–	–	–	1	1	–
Suffocation	1	–	1	–	–	–	–	–	–	–	–	–	–
Drowning	2	–	–	–	–	–	–	–	–	1	–	–	–
Fracture and Contusion	4	–	–	–	–	–	–	–	–	–	–	1	1
Gunshot Wounds	2	–	–	–	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	7	5	–	–	–	–	–	–	1	–	–	–	1

CAUSES of DEATH in PERTH, at different Periods of Life, in 1871.—Both Sexes. (*Continued.*)

DISEASES.	BOTH SEXES. AGE UNDER															
	35	40	45	50	55	60	65	70	75	80	85	90	95	100	105	[illegible]
Cephalitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Apoplexy	–	–	–	–	1	1	3	5	2	1	–	–	–	–	–	–
Paralysis	–	–	1	2	3	1	4	2	7	4	2	–	–	–	–	–
Delirium Tremens	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Chorea	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Epilepsy	–	1	–	–	–	–	1	1	–	–	–	–	–	–	–	–
Tetanus	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Insanity	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–
Convulsions	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Brain Disease	1	–	1	1	1	–	–	1	1	–	–	–	–	–	–	–
Pericarditis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Aneurism	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
Heart Disease	3	2	2	–	1	5	1	4	5	4	2	–	–	–	–	–
Laryngitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bronchitis	–	–	1	2	–	3	1	3	8	6	4	–	–	–	–	–
Pleurisy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Pneumonia	1	1	–	–	1	2	1	1	–	–	–	–	–	–	–	–
Asthma	–	–	–	–	–	1	2	1	–	–	–	–	–	–	–	–
Lung Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Teething	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Quinsey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Gastritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Enteritis	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–	–
Peritonitis	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
Ascites	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ulceration of Intestines	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Hernia	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ileus	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–
Intussusception	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stricture of Intestines	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stomach Disease	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
Pancreas Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Hepatitis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Jaundice	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Liver Disease	–	–	–	–	–	–	4	1	–	1	–	–	–	–	–	–
Spleen Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephritis	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Nephria	2	1	–	–	–	–	–	1	–	–	–	–	–	–	–	–
Addison's Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ischuria	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Diabetes	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Stone	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Cystitis	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
Stricture of Urethra	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Kidney Disease	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–
Paramenia	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Ovarian Dropsy	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Childbirth	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Organs of Generation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Bone Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Rheumatism	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
Joint Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Carbuncle	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Phlegmon	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Skin Disease	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Intemperance	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
Privation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Want of Breast Milk	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Neglect	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Cold	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poison	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Poisoned Wounds	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Burns and Scalds	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Hanging, etc.	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
Suffocation	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Drowning	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
Fracture and Contusion	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
Gunshot Wounds	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Cuts and Stabs	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Other Violent Causes	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Not Specified	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

TABLE showing the Distribution of DEATHS according to MONTHS, or the Influence of SEASON on the MORTALITY.

		DEATHS in 1871.												
		Jan	Feb	Mar	Apr	May	Jun	July	Aug	Sep	Oct	Nov	Dec	YEAR.
	MEAN TEMPERATURE in 1871	33°·8	41°·0	42°·6	42°·5	50°·3	53°·4	57°·7	58°·9	52°·2	47°·2	38°·6	38°·0	46°·3
	SCOTLAND	6958	6272	6526	6028	6642	6045	5694	5774	5367	5833	6198	7307	74,644
	PRINCIPAL TOWN DISTRICTS	2950	2559	2763	2511	2799	2570	2438	2430	2154	2477	2611	3103	31,365
	LARGE TOWN DISTRICTS	703	698	716	644	747	666	630	620	580	677	613	775	8,069
	SMALL TOWN DISTRICTS	1497	1305	1407	1268	1410	1278	1214	1289	1259	1277	1394	1625	16,223
	MAINLAND-RURAL DISTRICTS	1611	1539	1482	1420	1530	1396	1284	1305	1255	1277	1412	1640	17,151
	INSULAR-RURAL DISTRICTS	197	171	158	185	156	135	128	130	119	125	168	164	1,836
	DIVISIONS.													
1	Northern	164	139	162	168	160	130	131	132	132	121	157	175	1,771
2	North-Western	254	225	218	237	210	240	173	217	174	205	194	240	2,587
3	North-Eastern	644	534	594	489	574	518	465	457	498	489	602	736	6,600
4	East Midland	1121	979	949	850	948	850	813	883	901	933	1012	1182	11,421
5	West Midland	469	404	415	416	452	380	402	338	351	375	404	470	4,876
6	South-Western	3044	2802	2977	2766	2991	2657	2566	2515	2193	2487	2500	2925	32,423
7	South-Eastern	931	880	920	841	989	933	837	956	850	970	1054	1221	11,382
8	Southern	331	309	291	261	318	337	307	276	268	253	275	358	3,584
	COUNTIES.													
	I. NORTHERN.													
1	Shetland	28	32	42	36	34	31	25	24	28	27	45	35	387
2	Orkney	52	34	38	46	44	27	20	31	25	28	40	44	429
3	Caithness	52	48	52	49	56	43	56	58	54	49	43	49	609
4	Sutherland	32	25	30	37	26	29	30	19	25	17	29	47	346
	II. NORTH-WESTERN.													
5	Ross and Cromarty	136	100	98	106	103	112	65	73	87	106	88	111	1,185
6	Inverness	118	125	120	131	107	128	108	144	87	99	106	129	1,402
	III. NORTH-EASTERN.													
7	Nairn	13	13	12	22	13	13	4	4	18	12	4	6	134
8	Elgin (or Moray)	74	75	62	52	57	49	42	52	50	38	55	72	678
9	Banff	79	79	77	67	81	67	73	53	71	80	75	109	911
10	Aberdeen	432	317	397	314	380	351	312	311	313	322	404	476	4,329
11	Kincardine	46	50	46	34	43	38	34	37	46	37	64	73	548
	IV. EAST MIDLAND.													
12	Forfar	506	456	440	409	412	385	383	409	439	497	515	613	5,464
13	Perth	232	216	201	170	239	168	162	185	185	176	184	197	2,315
14	Fife	316	254	256	232	254	258	213	243	248	219	264	309	3,066
15	Kinross	14	12	17	1	6	7	13	9	4	7	11	13	114
16	Clackmannan	53	41	35	38	37	32	42	37	25	34	38	50	462
	V. WEST MIDLAND.													
17	Stirling	183	146	158	145	180	138	143	121	146	146	153	186	1,845
18	Dumbarton	107	113	113	114	114	96	99	94	79	102	93	119	1,243
19	Argyll	140	122	117	122	117	112	121	89	91	103	119	143	1,396
20	Bute	39	23	27	35	41	34	39	34	35	24	39	22	392
	VI. SOUTH-WESTERN.													
21	Renfrew	487	457	503	401	458	391	385	344	352	416	421	460	5,075
22	Ayr	406	366	361	335	423	341	299	317	281	297	309	408	4,143
23	Lanark	2151	1979	2113	2030	2110	1925	1882	1854	1560	1774	1770	2057	23,205
	VII. SOUTH-EASTERN.													
24	Linlithgow	78	72	86	83	74	79	66	81	80	65	80	78	922
25	Edinburgh	720	654	647	613	736	703	630	700	637	728	779	935	8,482
26	Haddington	55	55	70	41	65	52	47	70	40	61	65	68	689
27	Berwick	45	44	57	46	62	47	42	36	39	49	55	69	591
28	Peebles	11	15	10	25	14	20	21	23	17	15	21	19	211
29	Selkirk	22	40	50	33	38	32	31	46	37	52	54	52	487
	VIII. SOUTHERN.													
30	Roxburgh	79	75	66	53	69	87	78	63	64	48	58	81	821
31	Dumfries	123	119	106	117	143	138	117	117	105	98	111	147	1,441
32	Kirkcudbright	69	55	67	42	61	46	58	56	52	54	56	67	683
33	Wigtown	60	60	52	49	45	66	54	40	47	53	50	63	639

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

CONSTITUTION OF THE COMPOUND DISTRICTS, 1871.

No	District.	Component Parts (Parishes).
13	Birsay	Part of Harray & Birsay.
14	Deerness	Part of St Andrews.
15	Eday & Pharay	Part of Stronsay & Eday.
22	North Ronaldshay	Part of Cross & Burness.
26	Sanday	Lady, and part of Cross & Burness.
86*b*	Carloway	Parts of Lochs and Uig.
87	Lochs	Parts of Lochs and Uig.
112	Kilmuir	(1) Part of Kilmuir, (2) Rest of Kilmuir and part of Snizort.
135	Elgin	Elgin, and parts of New Spynie and St Andrews-Lhanbryde.
147	Banff	Banff, and Part of Gamrie.
152	Enzie	Parts of Bellie and Rathven.
155*b*	Glenriness	Part of Aberlour and Mortlach.
167	Seafield	Parts of Cullen and Rathven.
222*b*	Millbrex	Parts of Fyvie and Monquhitter.
227*a*	New Machar	New Machar, and part of Udny.
227*b*	New Pitsligo	Parts of Aberdour, New Deer, Strichen, and Tyrie.
237*b*	Savoch	Parts of Ellon, New Deer, Old Deer, and Tarves.
240	Strathdon	Strathdon, and part of Tarland.
249*b*	Ythan Wells	Parts of Auchterless and Forgue.
272	Arbroath	Arbroath, and part of St Vigeans.
282	Dundee	Dundee, and part of Liff, Benvie, and Invergowrie.
312	Montrose	Montrose, and part of Dun.
324	Aberfeldy	Parts of Dull, Fortingall, Kenmore, Logierait, and Weem.
331	Balquhidder	Balquhidder, and part of Comrie.
333	Blackford	Blackford, and part of Ardoch.
344	Dowally	Part of Dunkeld & Dowally.
348	Dunblane	Dunblane, and part of Ardoch.
349	Dunkeld	Parts of Caputh and of Dunkeld & Dowally.
355*a*	Fortingall	Parts of Fortingall and Weem.
355*b*	Foss	Part of Dull.
360	Kenmore	Parts of Kenmore and Weem.
361	Killin	Parts of Kenmore, Killin, and Weem.
367	Kinloch-Rannoch	Parts of Fortingall and Logierait.
375	Logiealmond	Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton.
379	Meigle	Meigle, and part of Coupar-Angus.
386*a*	Muthill	Muthill, and part of Ardoch.
386*b*	Persie	Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy & Kinloch, and Rattray.
387	Perth	Perth, and parts of Kinnoull, Scone, and Tibbermore.
394*b*	Strathfillan	Part of Killin.
394*c*	Tenandry	Parts of Blair-Athol, Dull, and Moulin.
423	Dunbog	Dunbog, and parts of Abdie and Flisk.
442	Kirkcaldy	Kirkcaldy, and parts of Abbotshall and Kinghorn.
490	Stirling	Stirling, and part of St Ninians.
493	Bonhill	Bonhill, and part of Dumbarton.
496	Dumbarton	Parts of Cardross and Dumbarton.
506	Ballachulish, &c.	Part of Kilmalie.
509	Cumlodden	Parts of Glassary and Inveraray.
515	Kilbrandon & Kilchattan	Kilbrandon & Kilchattan, and part of Jura.
526	Lochgilphead	Parts of Glassary and South Knapdale.
535	Tarbert	Parts of Kilcalmonell & Kilberry, of Saddell & Skipness, and of South Knapdale.
536	Bowmore (or Killarrow)	Part of Killarrow & Kilmeny.
538	Iona	Part of Kilfinichen & Kilvickeon.
542	Kilfinichen & Kilvickeon	Parts of Kilfinichen & Kilvickeon, and of Torosay.
543	Kilmeny	Part of Killarrow & Kilmeny.
545	Kinlochspelvie	Part of Torosay.
546	Oa	Part of Kildalton.
547	Portnahaven	Part of Kilchoman.
548	Salen	Parts of Kilninian & Kilmore, and of Torosay.
549	Tobermory	Part of Kilninian & Kilmore.
556	Lochranza	Parts of Kilbride and of Kilmory.
557	North Bute	North Bute, and part of Rothesay.
559	Abbey	(1) Parts of Abbey and Renfrew, (2 & 3) Rest of Abbey.
578	Ayr	Ayr, and parts of Newton-upon-Ayr, and of St Quivox.
595	Irvine	Irvine, and part of Dundonald.
612	St Quivox, &c.	Parts of Newton-upon-Ayr, and St Quivox.
626*b*	Calderhead	Parts of Cambusnethan and Shotts.
644	Glasgow	City of Glasgow, including Gorbals and parts of Barony and Govan.
670	Queensferry	Queensferry, and part of Dalmeny.
684	Portobello	Parts of Duddingston and South Leith.
685	Edinburgh	City of Edinburgh, including Canongate and parts of St Cuthberts, Duddingston, Liberton, and South Leith.
690	Kirknewton & East Calder	Kirknewton & East Calder, and part of Kirkliston.
692	Leith	(1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith.
698*b*	Stobhill	Parts of Borthwick, Cockpen, Newbattle, and Temple.
774*a*	Caddonfoot	Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow.
787*b*	Edgerston	Parts of Jedburgh, Oxnam, and Southdean.
813*b*	Brydekirk	Parts of Annan, Cummertrees, and Hoddom.
853*b*	Wanlockhead	Part of Sanquhar.
857*b*	Bargrennan	Parts of Minnigaff (Kirkcudbright), and of Penninghame (Wigtown).
862	Corsockbridge	Parts of Balmaclellan, Kirkpatrick-Durham, and Parton.
864	Dalbeattie	Part of Urr.
899	Stranraer	Stranraer, and parts of Inch and Leswalt.

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

No.	Registration Districts.	Burghs.	Towns.
80	Rosemarkie	*Fortrose.	
130	Drainie	–	*Lossiemouth.
164	Rathven	–	*Buckie.
167	Seafield	Cullen.	
211	Kinnellar	Kintore.	
213	Kintore	Inverurie.	
251 [1]	Banchory-Devenick	Aberdeen.	
253	Benholm	Inverbervie.	
255	Dunnottar	–	Stonehaven.
258 [1]	Fetteresso	–	Do.
262	Kinneff, etc.	Inverbervie.	
274	Barry	–	Carnoustie.
280	Craig	Montrose.	
282 [4]	St Andrews (Dundee)	–	Broughty-Ferry.
310	Monifieth	–	Do.
316	Panbride	–	Carnoustie.
371	Lecropt	–	Bridge of Allan.
374	Logie	Stirling.	Do.
385	Muckhart	–	Dollar.
386 *a*	Muthill	–	Crieff.
389	Rattray	–	Blairgowrie
400	Abdie	–	Suburban of Newburgh.
405	Auchterderran	–	Lochgelly.
408	Ballingry	–	Do.
427	Elie	–	Suburban of Earlsferry.
436	Kilconquhar	*Earlsferry.	Do.
438	Kilrenny	Anstruther-Easter.	
440	Kinglassie	–	Leslie.
456	Scoonie	–	*Leven.
459	Wemyss	–	Buckhaven.
466	Clackmannan	–	Alloa.
475	Campsie	–	*Lennoxtown.
478	Dunipace	–	Denny.
488	St Ninians	–	Bannockburn.
493	Bonhill	–	*Alexandria.
494	Cardross	–	*Renton.
500	New or East Kilpatrick	–	*Milngavie.
503	Row	–	*Helensburgh.
523	Kilmore and Kilbride	*Oban.	
559 [1]	Abbey	Paisley.	
559 [2]	Do. (Landward)	–	Barrhead.
560	Cathcart	–	Busby. Crosshill (Suburban of Glasgow).
562	Eastwood	–	*Pollokshaws and Thornliebank.
564	Greenock (East)	Port-Glasgow.	
571	Mearns	–	Busby.
576 [1]	Old Ardrossan	–	Saltcoats.
577	Auchinleck	–	Cumnock.
593	Galston	–	Newmilns.
597	Kilmarnock	–	Hurlford.
603	Loudoun	–	Galston and Newmilns.
611	Riccarton	*Kilmarnock.	Hurlford.
613	Sorn	–	*Catrine.
615	Stevenston	–	Saltcoats.
621	Avondale	–	*Strathaven.
622 [2]	Shettleston	–	Tollcross.
625 [1]	Bothwell	–	*Bellshill.
625 [2]	Holytown	–	Calderbank.
628	Cambusnethan	–	*Newmains and Wishaw.
639	Dalziel	–	Motherwell.
643	East Kilbride	–	Busby.
646 [1]	Govan Church	–	Suburban of Glasgow.
646 [2]	Partick	–	Hillhead, Whiteinch, and Suburban of Glasgow.
647	Hamilton	–	Larkhall and Motherwell.
651 [2]	New Monkland (Landward)	–	Suburban of Airdrie.
652	Old Monkland		
	(1) Western District	–	Baillieston, and Tollcross.
	(2) Middle District	–	Coatbridge, and Rosehall.
	(3) Eastern District	–	Do. do. and Calderbank.
654	Rutherglen	–	Cambuslang.
664	Carriden	–	Bo'ness.
673	Whitburn	–	*Crofthead.
689	Inveresk	*Musselburgh.	
691	Lasswade	–	Penicuik
727	Ayton	–	Eyemouth.
776 *b*	Ladhope	Galashiels.	
810	Wilton	Hawick.	
813 *b*	Brydekirk	Annan.	
863	Crossmichael	–	Castle-Douglas.
868	Kells	*New Galloway.	
869	Kelton	–	Castle-Douglas.
876	Minnigaff	–	Newton-Stewart.
880	Terregles	Dumfries.	
882	Troqueer	Do	
895	Penninghame	–	Newton-Stewart.

INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from 1 to 901.**

Abbey, . . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour (Aberdeen), . 169
Aberdour (Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy, 326
Abernethy and Kincardine, 90*a*
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . . 651
Airlie, . . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie, . 90
Alyth, . 328
Ancrum, . 780
Anderston, . 644
Annan, . 812
Anstruther-Easter, . 402
Anstruther-Wester, . 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813*a*
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328*b*
Ardrossan, 576
Arisaig, . 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish & Corran of Ardgour, 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino, 409
Balquhidder, 331
Banchory-Devenick, . 251
Ban.-Ternan 252
Banff, . 147
Bargrennan, 857*b*
Barony, . 622
Barr, . 580
Barra (Inverness), . 108
Barrhead, . 572
Barry (Forfar), 274
Barvas, . 86*a*
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . . 126
Benbecula, . 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse, . . 175
Blackford, . 333
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick, 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk, 813*b*
Buchanan, 474
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 3*a*

Cabrach, . 177
Cadder, . 626
Caddonfoot, 774*a*
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate, 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86*b*
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnock, . 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Central (Glasg.) 644
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt, . 180
Cleish, . 460
Closeburn, 816
Clunie (Perth), 339
Cluny (Aberd'n), 181
Clyde, . . 644
Clyne, . . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy and Clova, . 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail, . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Sutherland), . 46
Crichton, . 681
Criech (Fife), 418
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Inverallan, 128*b*
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbrae, 552
Cumlodden, 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie, 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, 665
Dalry (Ayr), 587
Dalry (Kirkcudbright), 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichty, . 95
Deerness, . 14
Delting, . 2
Denny, . 476
Deskford, . 151
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 96
Dornoch (Sutherland), . 47
Dornock (Dumfries, . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96*b*
Dyce, . 190
Dyke, . . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, 436
Earlston, . 736

* The actual number of Districts is 1020—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 10 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Eassie & Nevay, 284
East Kilbride, 643
Eastwood, 562
Eccles, 737
Ecclesmachen, 666
Echt, 191
Eckford, 787*a*
Eday & Pharay, 15
Edderton, 63
Eddleston, 760
Eddrachillis, 49
Edgerston, 787*b*
Edinburgh, 685
Edinkillie, 134
Ednam, 788
Edrom, 738
Edzell, 285
Elgin, 135
Elie, 427
Ellon, 192
Enzie, 152
Errol, 351
Erskine, 563
Eskdalemuir, 824
Ettrick, 774
Evie & Rendall, 16
Ewes, 825
Eyemouth, 739

Fair Isle, 3
Fala & Soutra, 686
Falkirk, 479
Falkland, 428
Farnell, 286
Farr, 50
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, 592
Ferry-Port-on-Craig, 429
Fetlar, 4
Fettercairn, 257
Fetteresso, 258
Findo-Gask, 352
Fintray (Aberdeen), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, 430
Flotta, 32
Fodderty, 65
Fogo, 740
Fordoun, 259
Fordyce, 153
Forfar, 288
Forgan, 431
Forgandenny, 353
Forglen, 154
Forgue, 194
Forres, 137
Fort-Augustus (or Abertarff), 92
Forteviot, 354
Fortingal, 355*a*
Fortrose, 80
Foss, 355*b*
Fossaway and Tulliebole, 461
Foula, 12
Foulden, 741
Foveran, 195
Fowlis-Easter 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, 197

Gairloch, 66
Galashiels, 775
Galston, 593
Gamrie, 155
Gargunnock, 481
Gartly, 198
Garvald, 707
Garvock, 260
Gigha, 537
Girthon, 866
Girvan, 594
Gladsmuir, 708
Glammis, 289
Glasgow, 644
Glass, 199
Glassary, 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, 826
Glencoe and Ballachulish, 525
Glencross, 687
Glendevon, 358
Glenelg, 97
Glengarry, 99
Glenholm, 761
Glenisla, 290
Glenlivat, 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy and Inishail, 512
Glenrinnes, 155*b*
Glenshee, 370
Glenshiel, 67
Golspie, 51
Gordon, 742
Gourock, 567
Govan, 646
Graitney (or Gretna), 827
Grange, 156
Greenlaw, 743
Greenock, 564
Guthrie, 291

Haddington, 709
Halfmorton, 828
Halkirk, 37
Hamilton, 647
Harray, 18
Harris, 111
Hawick, 789
Heriot, 688
High (Glasgow) 644
Hobkirk, 790
Hoddam, 829
Holm & Paplay, 19
Holytown, 625
Holywood, 830
Houston and Killellan, 565
Howmore, 118
Hownam, 791
Hoy & Græmsay, 20
Humbie, 710
Hume, 744
Huntly, 202
Hutchesontown, 644
Hutton (Berwick), 745
Hutton (Dumfries), 831

Inch (Wigtown), 886
Inchinnan, 566
Inchture, 359
Innerkip, 567
Innerleithen, 762
Innerwick, 711
Insch (Aberdn), 203
Inverallen, 98
Inveraray, 513
Inverarity, 292
Inveravon, 157
Inverchaolain, 514
Inveresk, 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverness, 98
Inverurie, 204
Iona, 538
Irongray, 867
Irvine, 595

Jedburgh, 792
Johnstone (Dumfries), 832
Johnstone (Renfrew), 559
Jura, 539

Keig, 205
Keir, 833
Keith, 159
Keith-hall, 206
Kells, 868
Kelso, 793
Kelton, 869
Kemback, 433
Kemnay, 207
Kenmore, 360
Kennoway, 434
Kettins, 294
Kettle, 435
Kilbarchan, 568
Kilberry, 516
Kilbirnie, 596
Kilbrandon and Kilchattan, 515
Kilbride, 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrennan, 517
Kilconquhar, 436
Kildalton, 541
Kildonan, 52
Kildrummy, 208
Kilfinan, 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, 482
Killearnan, 68
Killin, 361
Kilmadock, 362
Kilmalcolm, 569
Kilmalie, 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, 521
Kilmaurs, 598
Kilmelford, 524
Kilmeny (Argyll), 543
Kilmodan, 522
Kilmoniwaig, 99
Kilmorack, 100
Kilmore & Kilbride, 523
Kilmorich, 527
Kilmory, 554
Kilmuir, 112
Kilmuir-Easter, 69
Kilninian and Kilmore, 544
Kilninver, 524
Kilrenny, 438
Kilspindie, 363
Kilsyth, 483
Kiltarlity, 101
Kiltearn, 70
Kilwinning, 599
Kincardine (Perth), 364
Kincardine (Ross), 71
Kincardine O'Neil, 209
Kinclaven, 365
Kinfauns, 366
Kingarth, 555
King-Edward, 210
Kinghorn, 439
Kinglassie, 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kinloch, 372
Kinlochbervie, 49
Kinloch-Rannoch, 367
Kinlochspelvie, 545
Kinloss, 188
Kinnaird, 368
Kinneff and Catterline, 262
Kinnell, 296
Kinnellar, 211
Kinnethmont, 212
Kinnettles, 297
Kinnoull, 369
Kinross, 462
Kintail, 72
Kintore, 213
Kippen, 484
Kirkbean, 870
Kirkcaldy, 442
Kirkcolm, 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, 298
Kirkgunzeon, 872
Kirkhill, 103
Kirkhope, 776
Kirkinner, 889
Kirkintilloch, 498
Kirkliston, 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), 600
Kirkmichael (Banff), 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), 370
Kirknewton and East Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, 838
Kirkton (Assynt), 44
Kirkton (Farr), 50
Kirktown (Roxburgh), 794
Kirkurd, 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, 97
Ladhope, 776*b*
Ladykirk, 746
Laggan, 104
Lairg, 53
Lanark, 648
Langholm, 839
Langton, 747
Larbert, 485
Largo, 443
Largs, 602
Larkhall, 638
Lasswade, 691
Latheron, 38
Lauder, 748
Laurencekirk, 263
Leadhills, 635
Lecropt, 371
Legerwood, 749
Leith, 692
Leochel-Cushnie, 214
Lerwick, 5
Leslie (Aberdeen), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, 891
Lethendy, 372
Lethnott and Navar, 300
Leuchars, 445
Libberton (Lanark), 650
Liberton (Edinburgh), 693
Liff, Benvie, and Invergowrie, 301
Lilliesleaf, 795
Linlithgow, 668
Linton, 796
Lintrathen, 302
Lismore, 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, 99
Lochalsh, 74
Lochbroom, 75
Lochcarron, 76
Lochee, 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, 303
Lochmaben, 840
Lochranza, 556
Lochrutton, 875
Lochs, 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Loglealmond, 375
Logie-Buchan, 216
Logie-Coldstone, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, 376
Longforgan, 377
Longformacus, 750
Longside, 218
Lonmay, 219
Loth, 54
Loudoun, 603
Lumphanan, 220
Lunan, 305
Lundie, 306
Lunnasting, 7
Luss, 499
Lyne, 765

Madderty, 378

Mains, . 307
Makerston, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222*a*
Mid & S. Yell, 6
Millbrex, . 222*b*
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mousewald, 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckhart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, 695
Newburgh, . 450
Newburn . 451
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227*a*
New Monkland, 651
New Pitsligo, 227*b*
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.) 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Knapdale, . 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick, 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Park, . . 646
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuick, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386*b*
Perth, . 387
Peterculter, 231
Peterhead, 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 452
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Portlethen, 251
Port of Menteith, . 388
Portmoak, 464
Portnahaven, 547
Portobello, 684
Portpatrick, 896
Portree, . 114
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, 165
Rothiemurchus, 96*b*
Rousay and Egilshay, 24
Row, . . 503
Roxburgh, 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), . 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clements, 282
St Cyrus, . 267
St Fergus, . 166
St George, 685
St Giles, . 685
St Kilda, . 111
St Madoes, 392
St Marys, . 282
St Martins, . 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, 488
St Peters, . 282
St Quivox, &c., 612
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cunningsburgh, 3
Sanquhar, . 848
Savoch, . 237*b*
Scone, . 394*a*
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, 489
Sleat, . 115
Smailholm, 805
Small Isles, 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Knapdale, 533
South Leith, 692
South Ronaldshay and Burray, . 29
South Uist, 118
Speymouth, 143
Spott, . 720
Springburn, 622
Sprouston, 807
Stair, . 614
Stenscholl, . 112
Stenton, . 721
Stevenston, 615
Stewarton, . 616
Stirling, . 490
Stitchel, . 808
Stobhill, . 698*b*
Stobo, . 770
Stoer, . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, 88
Stow, . 699
Stracathro, 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer, . 899
Strath, . 119
Strathblane, 491
Strathdon, . 240
Strathfillan, 394*b*
Strathmartine, 307
Strathmiglo, 457
Strathoykell, 71
Strathy, . 50
Strichen, . 241
Stromness, . 30
Stronsay, . 31
Sunart, . 505
Swinton, . 755
Symington (Ayr), . 618
Symington (Lanark), 657

Tain, . 82
Tannadice, 321
Tarbat, . 83
Tarbert, . 535
Tarbolton, . 619
Tarland, . 242
Tarves, . 243
Tealing, . 322
Temple, . 700
Tenandry, 394*c*
Terregles, . 880
Teviothead, 809
Thurso, . 41
Tibbermore, 395
Tillicoultry, 468
Tingwall, . 10
Tinwald, . 849
Tobermory, 549
Tomintoul, 160
Tongland, . 881
Tongue, . 56
Torosay, . 550
Torphichen, 671
Torryburn, 458
Torthorwald, 850
Tough, . 244
Towie, . 245
Tradeston, . 644
Tranent, . 722
Traquair, . 771
Trinity-Gask, 396
Troon, . 590
Troqueer, . 882
Tulliallan, . 397
Tullynessle and Forbes, . 246
Tundergarth, 851
Turriff, . 247
Tweedsmuir, 772
Twynholm, 883
Tynron, . 852
Tyree, . 551
Tyrie, . 248

Udny, . 249
Uig, . . 89
Unst, . 11
Uphall, . 672
Urquhart (Elgin), . 144
Urquhart (Inverness), . 107
Urquhart and Logie-Wester, 84
Urr, . . 884
Urray, . 85

Walls (Shetland), 12
Walls (Orkney), 32
Walston, . 658
Wamphray, 853*a*
Wandell and Lamington, 659
Wanlockhead, 853*b*
Watten, . 42
Weem, . 398
Wemyss, . 459
West Calder, 701
Westerkirk, 854
West Kilbride, 620
West Linton, 773
Westray, . 33
Westruther, 756
Whalsay and Skerries, 7
Whitburn, . 673
Whitekirk and Tynninghame, 723
Whiteness and Weisdale, 10
Whithorn, . 900
Whitsome, . 757
Whittinghame, 724
Wick, . 43
Wigtown, . 901
Wilton, . 810
Wiston and Roberton, . 660

Yarrow, . 779
Yester (or Gifford), . 725
Yetholm, . 811
Ythan Wells 249

EDINBURGH: PRINTED BY MURRAY AND GIBB,
FOR HER MAJESTY'S STATIONERY OFFICE.

Brought from Vol. XXVII.

[C. 1142] Report of the Endowed Schools Commissioners.

ENDOWED SCHOOLS COMMISSION.

REPORT

OF THE

ENDOWED SCHOOLS COMMISSIONERS.

Presented to both Houses of Parliament by Command of Her Majesty.

LONDON:
PRINTED BY GEORGE E. EYRE AND WILLIAM SPOTTISWOODE,
PRINTERS TO THE QUEEN'S MOST EXCELLENT MAJESTY.
FOR HER MAJESTY'S STATIONERY OFFICE.

1875.

[C.—1142.] *Price 4d.*

REPORT.

TO THE LORDS OF THE COMMITTEE OF HER MAJESTY'S PRIVY COUNCIL ON EDUCATION.

MY LORDS,

IN discharge of the obligation imposed on us by the 16th section of the Endowed Schools Act, 1873, we submit the following report of our proceedings.

Soon after the date of our Report of 21st February 1872, Mr. Hobhouse vacated his office as a Commissioner on his appointment to an important post in India. His place was supplied by Mr. Roby, who joined our board on the 25th March 1872. Change in Commission.

The Schemes not laid before Parliament, which have been approved by Her Majesty during the present year, are 52 in number, and relate to the following endowments:— Schemes passed in present year.

BEDWAS: Alldworth's Charity. *Monmouthshire.*
BITTERLEY: Grammar School. *Salop.*
BLECHINGLEY: Grammar School. *Surrey.*
BOVEY TRACEY: (1) Free School; (2) Parish Lands Charity; (3) Stooke's Gift. *Devon.*
BUNNY: Parkyns' Charity. *Notts.*
CHESTER: Oldfield's Charity.
CHIPSTEAD: Stevens' Charity. *Surrey.*
COMBMARTIN: Ley's Charity. *Devon.*
GREAT CROSBY: Harrison's Trust. *Lancashire.*
CROSTHWAITE: Grammar School. *Cumberland.*
DARLINGTON: Queen Elizabeth's Grammar School. *Durham.*
ENFIELD: (1) Grammar School; (2) Prounce's Charity. *Middlesex.*
FYFIELD: Walker's Charity. *Essex.*
GRIMSTON: Talman's School. *Norfolk.*
HOLBEACH: Grammar School. *Lincolnshire.*
KIMBOLTON: Grammar School. *Hunts.*
KINGSTON-ON-THAMES: Grammar School, &c. *Surrey.*
KINGTON: Lady Hawkin's School. *Herefordshire.*
LONDON: Drapers' Co. (Clarke's, Kendrick's, and other Charities).
LUTTERWORTH: (1) Sherrier's Charity; (2) Bent's Charity; (3) Elkington's Charity. *Leicestershire.*
MARCH: Consolidated Charities. *Cambridgeshire.*
NORTH WALSHAM: Grammar School. Amending Scheme. *Norfolk.*
ODIHAM: (1) Endowed School; (2) Gurney's Charity; (3) Vause's Charity. *Southampton.*
OMBERSLEY: (1) Lloyds' School; (2) Non-educational Charities. *Worcestershire.*
LOWER PEOVER: Cumberbach's School. *Cheshire.*
OVER PEOVER: Mainwaring's School and other Charities. *Cheshire.*
RASTRICK: M. Law's Charity. *Yorks.*
SEDBERGH: Grammar School. *Yorks.*
SNETTISHAM: Grammar School. *Norfolk.*
TANWORTH: United Charities. *Warwickshire.*
TAUNTON: Huish Charity. *Somersetshire.*

THAME: Grammar School. *Oxfordshire.*
TOTNES: Grammar School and Municipal Charities. *Devonshire.*
WHITTINGTON: School Charities. *Derbyshire.*
WIGAN: (1) Sixsmith's Charity; (2) Morts' Charity; (3) Bullock and Mason's Charity; (4) Welles' Charity; (5) Holt's Charity; (6) Willis and Diggle's Charity. *Lancashire.*
WITTON (Northwich): Grammar School. *Cheshire.*
WOKINGHAM: Maiden School and Palmer's Charity. *Berks.*
YALDING: Cleave's School. *Kent.*
YORKSHIRE: Akroyd's Charity.

In the following cases Schemes were laid before Parliament in pursuance of petitions to Her Majesty, viz:—

CREWKERNE: Grammar School. *Somerset.*
GELLIGAER: E. Lewis' Charity. *Glamorganshire.*
HOWGILL: School, Sedbergh. *Yorks.*
NEWPORT: Grammar School. *Essex.*
REPTON and ETWALL: Sir J. Port's Charity. *Derbyshire.*
TIMBERSCOMBE and CUTCOMBE: Ellsworth's Charity. *Somerset.*

Schemes opposed in House of Lords.

Of the Schemes thus laid before Parliament, three were made the subject of motions in the House of Lords, praying Her Majesty to withhold her consent from them.

These were—

1. A Scheme for Ellsworth's Charity at Timberscombe and Cutcombe in Somerset, opposed on the ground (as stated in debate) that adequate provision had not been made for Elementary Education, in accordance with the doctrines of the Church of England, in the parishes entitled to the benefits of the Foundation.
2. A Scheme for the Grammar School at Crewkerne objected to principally on the ground (as stated in debate) that, whereas "the School had been from time immemorial in "connexion with the Church of England, the Scheme "did not contain a proviso that the religious instruction "should be in accordance with the doctrines of the "Church of England."
3. A Scheme for Lewis's Charity at Gelligaer, in South Wales, made with the concurrence of the Trustees, but objected to by the Rector and certain ratepayers, partly on denominational grounds, partly on account of claims for the maintenance of Elementary Schools.

In the cases of Timberscombe and Crewkerne the motions were carried, and the Schemes were consequently rejected; but as regards Gelligaer the motion as carried was limited to a prayer that Her Majesty would withhold her approval from certain words of the Scheme, which purported to introduce what is commonly called the Cowper-Temple clause.

Annual income of endowments.

The aggregate annual income of the Endowments for which Schemes have been passed during the present year is 15,892*l.* This amount includes the income of Endowments which were originally left for other than educational objects, but have been devoted to the purposes of Education under section 30 of the Act of 1869.

As this Commission expires with the close of the present year, we have thought it convenient to add to this Report a summary of our proceedings during the five years for which we have been employed in the administration of the Endowed Schools Acts. We append, therefore, in a tabular form (*see* Appendix A.), a list of all the Schemes which have been approved by Her Majesty under these Acts to the present time, adding the approximate income of each Foundation dealt with, the main objects of the Scheme, and a few other remarks on each case. Schemes passed during five years.

Owing to the length of time necessary to pass a Scheme through the various processes required by the Acts, and to the fact that, until the 36 & 37 Vict. cap. 87., every Scheme, however unimportant, had to lie 40 days before Parliament before it could be approved by Her Majesty, our list commences with Schemes approved in 1871.

It will be seen from this list that the total number of Schemes passed has been 235, and the annual income of the Endowments dealt with by such Schemes 93,635*l.* Annual income of endowments.

The rate of progress during the successive years of our term is roughly shown by the following summary:— Progress.

In 1871	were passed	24	Schemes.	
„ 1872	„	„ 63	„	
„ 1873	„	„ 92	„	
„ 1874	„	„ 56	„	

It is to be borne in mind that in 1873 the work of the office was considerably interfered with by the demands on our time, arising out of the inquiry by a Committee of the House of Commons, and uncertainty what might be the issue of the inquiry sensibly affected the action of persons locally interested in endowments, as well as of ourselves.

In 1874 the anticipation of fresh legislation in the first place, and afterwards the nature of that legislation, had the effect of further retarding our proceedings, and of almost restricting our action to cases where there was a probability of substantial agreement between ourselves and all parties interested.

Many Schemes, some of them relating to very important Foundations, have been submitted to the Education Department, but have not yet received Her Majesty's approval. These are set out in an Appendix, marked B. They deal with Endowments amounting to about 85,000*l.* a year. Some of them, as will be seen, have already received the approval of the Department. Schemes submitted not yet passed.

Thus the total income of the endowments for which Schemes have been framed and submitted by us is in round figures 180,000*l.* a year.

For the sake of completeness we have added in an Appendix, marked C., a list and brief description of all Schemes, of which drafts were duly published by us, under section 33 of the Endowed Schools Act, 1869, but which, for various reasons, have not been completed and submitted to the Education Department. Schemes published, not submitted.

Ex-officio clerical Governors.

The only case in which any Scheme of ours has been disapproved by the Committee of Council on Education is that of Doddington in 1871. The Scheme, as we had framed it, purported to appoint the Rector of Doddington to be an *ex-officio* Governor of the School, the Endowment not being one to which section 19 of the Act of 1869 applied. The Scheme was disapproved on the ground that in such a case such an appointment was inconsistent with section 17 of the Act. It resulted that we were thenceforth compelled in some cases to displace an ecclesiastical officer from the position theretofore held by him as a Governor *ex officio*. Certain Schemes to which this remark applies were rejected in the House of Lords, in order, as we understood, to secure, among other things, a correction of this result; and ultimately a case was submitted by Her Majesty to the Judicial Committee of the Privy Council by whom the view of the law on which the Education Department had acted was upheld. The difficulty in which we were thus placed, between the Education Department on the one hand and the House of Lords on the other, was solved by the introduction of a special clause, numbered 6, in the Amending Act of 1873.

Amendment in Act of 1873.

The Act of 1873 gave the power to the Committee of Council on Education to remit a Scheme to us for alteration. This power has been exercised in six cases, viz., Great Crosby, Sedbergh, Wakefield, Oakham and Uppingham, Pocklington, and Exeter Episcopal Schools. The amendments required were mostly in matters of detail.

Contested Schemes.

At the time of submitting our former Report no Scheme had been the subject of an appeal to the Privy Council under the 39th section of the Act of 1869 and only the group of Westminster Schemes had been the subject of a motion in either House of Parliament. Since then several of our Schemes have been contested.

Appeals to Privy Council.

There have been six appeals under the 39th section of the Endowed Schools Act, 1869, against our Schemes. The Schemes were those for the Grey Coat Hospital in Westminster, Kelly College, Emanuel Hospital, Huish's Charity at Taunton, Ellsworth's Charity, and E. Lewis' Charity above-mentioned. In only one of these cases (that of Huish's Charity) was the appeal successful. We had held that the Endowment was not within the 19th section, and the decision was against our view. We, of course, revised the Scheme in accordance with the declaration made by Her Majesty on the recommendation of the Court, and it has now received Her Majesty's approval.

In an Appendix, marked D., will be found a list of all the Schemes which have been successfully opposed in the House of Lords.

Addresses in Parliament.

In our previous Report reference was made (p. 26) to the Schemes for certain Hospital Schools in Westminster which had been rejected by the House of Lords. The Schemes were thereupon amended and issued again, but were again contested,

this time in the House of Commons. The motion against the Schemes was, however, rejected (13th May 1873), and the Schemes have since received the approval of Her Majesty.

In two other instances, viz., those of Ripon Grammar School (7th May 1872) and Needham Market Grammar School (13th May 1873) adverse motions were made in the House of Commons, but in neither case was the opposition successful.

General policy.

In matters of general policy, so far as the Acts of Parliament have allowed us a discretion, we have maintained, on the whole, the course indicated in our Report issued in 1872, with such variations in detail as public opinion seemed to us to call for, or our own increased experience suggested.

Extension of endowments to girls.

On one point we will say a few words. We have endeavoured to give substantial effect to the direction of section 12 of Endowed Schools Act, 1869, which requires us to provide, as far as conveniently may be, for the extension to girls of the benefit of educational Endowments. Something we have been able to effect in this way, and we only regret that our success has not been greater. This provision of the Act has been found in many cases to be unacceptable to those concerned in the management of the Endowments. Even where an Endowment was large, and had improved or was likely to improve greatly in value, our proposal to apply a portion of it to female education has frequently encountered determined opposition, and seldom received active support from the locality. Under such circumstances it requires much firmness of purpose on the part of those concerned in the administration of the Endowed Schools Acts to give adequate effect to the intentions of Parliament in this matter.

By reference to the Appendix A. it will be seen that in certain cases we have been able to establish new Girls' Schools; while in other cases provision, by means of exhibitions or otherwise, has been made for the higher education of girls.

Conclusion.

We wish to record our very strong sense of the ability, zeal, and intelligence of the Secretary, Assistant Commissioners, and other members of the staff. We venture to think that no department of the public service can have been more fortunate in its subordinates than that of which we have been the heads.

In conclusion, we desire to express our cordial hope that our successors may be able to complete satisfactorily the great educational reform in which we have been permitted to take part.

(Signed) LYTTELTON.
HUGH GEO. ROBINSON.
HENRY JOHN ROBY.

2, Victoria Street, Westminster,
31st December 1874.

APPENDIX A.

SCHEMES APPROVED BY HER MAJESTY.

1871.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BRADFORD, Grammar School. *Yorks.*	800	(1.) Boys' Day School, 1st grade, in two departments. New buildings. (2.) Yearly sum of 200*l.* (ultimately 250*l.*) to be applied to education of girls under supplementary Scheme.	Scheme was subject of a public inquiry under sects. 35 and 50 of Endowed Schools Act, 1869, after which it was altered and accepted. Subsequent to passing of scheme for Boys' School, large Endowments given by private benefaction to provide Exhibitions, &c.
BRIDGWATER, Morgan's School. *Somerset.*	120	Boys' Day School, 3rd grade, in two departments. Exhibitions for boys from Elementary Schools and others.	Scheme objected to by Governing Body; approved by Town Council.
CHESTERFIELD, Foljambe's Charity. *Derbyshire.*	150	Appropriation of a dole fund in aid of Chesterfield Grammar School.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
CHIGWELL, Harsnetts' School. *Essex.*	169	(1.) Boys' Day and Boarding School, in enlarged buildings, 2nd grade. (2.) Conversion of Bread Dole to Education for Exhibitions for children from Elementary Schools. (3.) Provisions for Elementary Education in Chigwell and neighbourhood.	Scheme made partly with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
FAIRFORD, Lady Mico's Charity. *Gloucestershire.*	150	Appropriation of apprenticing charity to advancement of education in Fairford.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
GRAYS THURROCK, Palmer's School. *Essex.*	900	(1.) Boys' Day and Boarding School, 3rd grade. (2.) Girls' Day and Boarding School, of like character. Both in new buildings. Endowment to be shared equally between them.	Scheme generally accepted.
KEIGHLEY:— (1.) Drake's School. (2.) Tonson's " *Yorks.*	336	(1.) Amalgamation of the two endowments. (2.) Establishment of a Girls' Day School, fees 4*l.* to 8*l.* a year. (3.) Subsidy to Trade School established in connexion with Mechanics' Institute. Endowment equally divisible between Girls' School and Trade School.	Scheme met with no opposition from Governing Body.
KINGSTON-ON-THAMES, Endowments of E. Brown, E. Belitha, and others. *Surrey.*	350	Appropriation of non-educational charities to advancement of education in Kingston in various ways.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
LIVERPOOL, Waterworth's Charity.	100	Appropriation of fund for relief of Insolvent Debtors to aid of schools in Liverpool.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
LONDON, Lord Campden's Exhibitions.	1,000	To remove restriction confining Exhibitions to Trinity College, Cambridge.	Scheme made on application of Governing Body.
LONDON, Carpenters' Charity.	300	Appropriation of loan fund to Exhibitions for children of Bread Street Ward.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
MICHELDEVER, Boothby's Charity. *Hants.*	14	Appropriation of dole fund to building Public Elementary Schools in Micheldever and Exhibition Fund.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
MONKS KIRBY, Wales Charity. *Warwickshire*	120	Appropriation from dole fund to purposes of Monks Kirby Grammar School.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
NORTHAMPTON, Acham and Freeman's Charity.	11	Appropriation of dole fund in augmentation of funds of Blue Coat School in Northampton.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
REIGATE, Bishopp and other Charities. *Surrey.*	45	Appropriation of dole charity in aid of education in Reigate.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
ROCK, Endowed School *Worcestershire.*	5	Union of Endowment with Parochial School to form a Public Elementary School. Income of Endowment devoted to Exhibitions.	Scheme met with no opposition.
ST. MARY CRAY, Endowed School. *Kent.*	78	Public Elementary School for Boys and Girls in new buildings.	Scheme met with no opposition.
SHERBORNE, King's School. *Dorset.*	1,400	Boys' Day and Boarding School, 1st grade, with Scholarships and Exhibitions.	Scheme approved generally by Governing Body.
SKIPTON-IN-CRAVEN, Grammar School. *Yorks.*	850	Boys' Day and Boarding School, 2nd grade, in two departments. New buildings for 100 boys and hostel for 50 boarders. Exhibitions for boys from Public Elementary Schools and others.	Scheme accepted by Governing Body.
WESTMINSTER:— (1.) St. Martin, Tenison's School. (2.) St. James', Tenison's School.	200	Amalgamation of two schools. Boys' Day School, 2nd grade, in two departments. Exhibitions for boys from Elementary Schools in the two parishes and others.	Portions of the Schemes were objected to by the Governing Bodies.
WHITTINGTON:— (1.) Bull Close Charity - -	20	Appropriation of non-educational charities to aid of Whittington Endowed School.	Schemes made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
(2.) Wolstenholme's Charity - *Derbyshire.*	46		
Total in 1871 -	7,164		

1872.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
AINSTABLE, Endowed School. *Cumberland.*	13	Public Elementary School. Expenditure of capital towards providing new buildings.	Scheme made with concurrence of Governing Body and approved by inhabitants in vestry.
ATTLEBOROUGH, Nérford's Charity. *Norfolk.*	28	Advancement of Education of boys and girls at Public Elementary Schools in parish of Attleborough. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
BADDOW, GREAT, Jeffery's Endowed School. *Essex.*	190	(1.) Boys' Day School, 3rd grade. (2.) Extension of benefits of Endowment to Girls if funds admit. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body and approved by committee of inhabitants.
BALA, or Llan-y-cil Grammar School. *Merioneth.*	166	Boys' Day and Boarding School, 3rd grade. Exhibitions for boys from Public Elementary Schools and others.	Governing Body objected to certain provisions of Scheme, but did not actively oppose it.
BATH, King Edward VI.'s Grammar School and Black Alms Charity. *Somerset.*	900	(1.) Boys' Boarding and Day School, 2nd grade, in two Departments. Exhibitions. (2.) Future extension of Endowment to girls. (3.) Yearly payment of 280*l.* to Trustees of Black Alms.	Scheme as finally settled unopposed. Apportionment with consent of Governing Body under sect. 24 of Endowed Schools Act, 1869.
BEAMINSTER, Endowed School. *Dorset.*	200	(1.) Public Elementary School with provision for higher education. (2.) Third grade Boys' School. (3.) Establishment of Girls' School when funds admit. (4.) Temporary provision of Exhibition for girls. Exhibitions for boys from Public Elementary Schools and others.	Scheme generally accepted.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BISHOPSIDE, High and Low:— (1.) Lupton's Charity (2.) Watson's Dole. *Yorks.*	36	Appropriation of dole charities to Education in High and Low Bishopside.	Scheme made with consent of Governing Body under sect. 30 of the Endowed Schools Act, 1869.
BURSLEM, Endowed School. *Staffordshire.*	60	Boys' Day School, 3rd grade, new buildings. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body.
BURTON-ON-TRENT:— (1.) Grammar School (2.) Allsopp's Charity. (3.) Finney's Charity. (4.) Astle's Charity. *Staffordshire.*	1,000	Three Day Schools, viz.: (1.) Boys' Grammar School, 2nd grade. (2.) Boys' Lower or Allsopp's School, 3rd grade. (3.) Allsopp's Girls' School. Exhibitions for boys from (2) to (1), and for boys and girls from Public Elementary Schools (2) and (3) and others.	Some provisions of Scheme objected to by Governing Body and others, but opposition ultimately withdrawn. Scheme for Finney's Endowment made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
CHESTER, Owen Jones' Charity.	—	Appropriation of 2,000*l.* to provide Exhibitions at King's School, Chester, for sons of persons entitled to benefit by Owen Jones' Charity.	Scheme made on application of Governing Body and with consent under sect. 30 of Endowed Schools Act, 1869.
CHURCHDOWN, Wyndowe's Charity. *Gloucestershire.*	25	Public Elementary School, with provision for higher instruction, new buildings. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
DARLINGTON, Bellasses' Charity. *Durham.*	91	Yearly sum of 50*l.* applied in aid of the funds of Darlington Grammar School.	Made on application and with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
DODDINGTON, Endowed School. *Cambridgeshire.*	55	Public Elementary School, new buildings.	Scheme made with concurrence of Governing Body.
DRIGHLINGTON, Margetson's School. *Yorks.*	60	Site and buildings to be used for Public Elementary School. Income to be applied in Exhibitions and other aids to education higher than Elementary.	Governing Body acquiesced in Scheme. School Board and Vicar of Drighlington supported it. Master and Fellows of St. Peter's College, Cambridge, disapproved of it.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
GIGGLESWICK, Grammar School. *Yorks.*	£ 1,200	(1.) Boys' Day and Boarding School, at Giggleswick, 1st grade. Exhibitions for boys from Public Elementary Schools; Exhibitions to Universities. (2.) Boys' Day School at Settle, in new buildings, or as alternative, upper department in Public Elementary School, 3rd grade. Exhibitions for boys from Public Elementary Schools and others. (3.) 100*l.* a year for education of girls.	Scheme made with concurrence of Governing Body.
HAGWORTHINGHAM, Endowed School. *Lincolnshire.*	12	Public Elementary School (mixed).	Scheme made with concurrence of Governing Body and inhabitants.
HAMPSTHWAITE, West Syke Green School. *Yorks.*	14	Public Elementary School (mixed). New buildings.	Scheme made on application of Governing Body.
HAWARDEN, Brereton and Whitley's Charity. *Flint.*	9	Aid of the funds of Hawarden Grammar School.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
ILKLEY, Grammar School. *Yorks.*	107	(1.) Apportionment to Vicar of Ilkley of one third of the property of the Foundation. (2.) Establishment of Boys' Day and Boarding School, 2nd grade. New buildings. Exhibitions for boys from Public Elementary Schools and others.	Governing Body gave a general approval to Scheme.
ILKLEY, Whitton's Charity. *Yorks.*	13	Providing a new site for Ilkley Grammar School.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Object of Scheme.	Remarks.
	£		
KELLY College - *Devon.*	3,000	Boys' Day and Boarding School, 1st grade. New buildings to be erected at Tavistock. Special provisions as to Foundationers, giving preference to Founders' kin and sons of Naval officers. Power to provide Exhibitions at School and elsewhere.	Scheme made in co-operation with Governing Body under sect. 14 (1) of Endowed Schools Act, 1869.
KIRKBY IN CLEVELAND, Endowed School. *Yorks.*	55	Public Elementary School.	Scheme made on the application and with the concurrence of the Governing Body.
KIRKBY MALHAM AND MALHAM:— (1.) Lambert and Topham's Charity. (2.) R. Brayshaw's Charity. *Yorks.*	127	(1.) Consolidation of two Endowments. (2.) Public Elementary School for boys and girls, with an upper department. New buildings. Exhibitions at School and elsewhere.	Buildings erected on new site by aid of a private benefaction of upwards of 2,000*l.*
LANGHO, Endowed School. *Lancashire.*	27	Public Elementary School. New buildings.	Scheme made with concurrence of Trustees.
LONDON, Bedford College Scholarships. (Bequest of Mrs. Eliz. J. Reid.)	60	Scholarships for students at the Bedford College for ladies, Bedford Square.	Scheme made on application of Governing Body under sect. 14 (1) of Endowed Schools Act, 1869.
LOOE, Endowed School *Cornwall.*	50	Public Elementary School for boys and girls in new buildings. Income to be applied to advancement of higher education.	Scheme made with concurrence of Governing Body and general approval of inhabitants.
MANCHESTER, Cartwright's Charity. *Lancashire.*	69	Providing Exhibitions for sons of residents in Manchester and Salford.	Scheme made on the application and with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
MANEA, Endowed School. *Cambridgeshire.*	90	Public Elementary School (mixed). New Buildings.	Scheme made with concurrence of Governing Body and general approval of inhabitants.
MARKINGTON, Endowed School. *Yorks.*	4	Public Elementary School (mixed). Improvement of buildings.	Scheme made with concurrence of Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
MARTOCK, Endowed School. *Somerset.*	15	Exhibitions, &c. for boys and girls attending certain Public Elementary Schools in hundred of Martock.	Scheme made with concurrence of Governing Body. Public inquiry held as to application of sect. 19 of Endowed Schools Act, 1869; section found to be applicable.
MIDDLE RASEN, Wilkinson's Charity. *Lincolnshire.*	25	Public Elementary School (mixed). New buildings. Fund for Exhibitions, &c.	Governing Body concurred in Scheme generally, but addressed Committee of Council in opposition to one clause. This opposition subsequently withdrawn.
MIRFIELD, Endowed School. *Yorks.*	220	Boys' Day School, 3rd grade. New buildings. Power to extend benefits of Endowment to girls. Exhibitions for boys from Public Elementary Schools and others.	Scheme accepted by the Governing Body.
NETHERBURY, Endowed School. *Dorset.*	150	(1.) Consolidation with Tucker's Foundation at Beaminster. (2.) Public Elementary School in Netherbury. New buildings. (3.) 20*l.* yearly for Public Elementary Schools in Netherbury. (4.) Residue for higher education in Beaminster and Netherbury. (Subject to tenure of present master.)	Scheme generally accepted.
NEWCASTLE-UNDER-LYME:— (1.) Orme's School. (2.) Grammar School (3.) Cowell's Charity. (4.) Hatrell's Charity. *Staffordshire.*	2,086	(1.) High School, Boys' Day and Boarding School in new buildings, 1st grade, specially for teaching of science. (2.) Middle School, Boys' Day School in Orme's School Buildings, 3rd grade. (3.) Girls' Day School in new buildings.	Scheme in the main agreed to by Governing Body, and substantially approved by School Board and ratepayers.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
NEWCASTLE-UNDER-LYME:— (1.) Orme's School. (2.) Grammar School. (3.) Cowell's Charity. (4.) Hatrell's Charity. *Staffordshire*—cont.		(4.) Elementary Education. (*a.*) Capital sum of 2,500*l.* towards erection of new buildings. (*b.*) Yearly sum of 300*l.* for advancement of education in Public Elementary Schools. Exhibitions from Middle School to High School, and from Public Elementary Schools to (2) and (3).	
NEWDIGATE, Steer and Booth's Charities. *Surrey.*	81	Public Elementary School (mixed). New buildings.	Made on application, and with concurrence of Governing Body.
NORTON CANON, Barnard's Charity. *Herefordshire.*	7	Public Elementary School (mixed), and new buildings.	Scheme made with concurrence of Governing Body and entirely unopposed.
RIPON, Grammar School. *Yorks.*	700	Boys' Day and Boarding School, 1st grade, in two departments. New buildings. Exhibitions for boys from lower schools and others.	Scheme made with concurrence of Governing Body, but opposed by a section of inhabitants. Motion in House of Commons for its rejection was defeated. Property of the value of 3,000*l.* given for new schools by private benefaction.
RUABON, Grammar School. *Denbighshire.*	180	(1.) Boys' Day and Boarding School, 2nd grade. (2.) Payment of 12*l.* per annum to Vicar of Ruabon for a Catechetical Lecture. Exhibitions for boys from Public Elementary Schools and others.	Scheme objected to by Vicar, the acting Trustee, and by local nonconformist committee, but not actively opposed by anyone.
SHAFTESBURY:— (1.) Lush's Endowed School. (2.) Bimport Grammar School. *Dorset.*	300	Boys' Day and Boarding School, 3rd grade. New buildings. Provisions for education of girls. Exhibitions for scholars from Public Elementary Schools and others.	Scheme generally accepted.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
SHERBORNE:— (1.) Foster's School. (2.) Broughton's and other Charities. (3.) Conington's Charity. (4.) Goadby's Charity. (5.) Woodman's Charity. *Dorset.*	£ 159	Boys' Day School in new buildings, 3rd grade. Provision for education of girls. Exhibitions for boys from Public Elementary Schools and others.	Schemes made with consent of Governing Body, under sects. 24 and 30 of Endowed Schools Act, 1869.
SLALEY, Carr's School *Northumberland.*	3	Public Elementary School (mixed). Exhibitions.	Scheme altogether unopposed.
STANTON ST. JOHN, Holford's Charity. *Oxfordshire.*	63	Public Elementary School (mixed). New buildings.	Scheme accepted by Governing Body.
STONEHOUSE, Endowed School. *Gloucestershire.*	49	Public Elementary School (mixed).	Scheme made on application and with concurrence of Governing Body.
SYKEHOUSE, Parochial School. *Yorks.*	3	Public Elementary School (mixed). Exhibitions.	Scheme made with concurrence of Governing Body.
TOLLER PORCORUM, Endowed School. *Dorset.*	21	Public Elementary School (mixed). New buildings. Exhibitions.	Scheme ultimately passed without opposition.
WALFORD, Endowed School. *Herefordshire.*	5	Public Elementary School. New buildings. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
WESTERDALE, Endowed School. *Yorks.*	20	Public Elementary School (mixed).	Scheme made with concurrence of Governing Body.
WITHINGTON, Endowed School. *Herefordshire.*	14	Public Elementary School (mixed). Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
WOLVERHAMPTON, Grammar School. *Staffordshire.*	1,300	Boys' Day and Boarding School, 1st grade, in two Departments. New buildings. Exhibitions.	Scheme made with approval of Governing Body. Upwards of 6,000*l.* given towards cost of new site and buildings by voluntary contributions.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
YAPHAM-CUM-MELTONBY, School, Church, and Poor Charity. *Yorks.*	160	(1.) Apportionment of Endowment between non-educational and educational objects. (2.) Public Elementary School. New buildings.	Scheme unopposed. Apportionment with consent of Governing Body under sect. 24 of Endowed Schools Act, 1869.
Total in 1872 -	13,246		
		1873.	
ALLESLEY, Flint's School. *Warwickshire.*	52	Public Elementary School for Boys and Girls in new buildings. Fund for Exhibitions, &c.	Scheme made on application of Governing Body, and accepted by them.
AMBLESIDE, Kelsick's School. *Westmorland.*	180	(1.) Boys' Public Elementary School, with upper department for higher instruction. Fund for Exhibitions. (2.) Girls' Day and Boarding School for higher education, to be established in new buildings. Fund for exhibitions.	Scheme accepted by Governing Body and parish.
AUDLEY Grammar School. *Staffordshire.*	350	Boys' Day School in new buildings, 3rd grade. Exhibitions for boys from Public Elementary Schools and others. Provision for higher education of girls.	Scheme objected to in some particulars by Governing Body. Notice of adverse motion in House of Commons given but withdrawn.
BANGOR, Friar's School *Caernarvon.*	550	Boys' Day and Boarding School in improved buildings. 1st grade in two departments. Exhibitions for boys from Public Elementary Schools, and others.	Objections of Governing Body substantially allowed. Scheme ultimately unopposed.
BARNET CHIPPING - (1.) Queen Elizabeth's Grammar School. (2.) Jesus Hospital. *Herts.*	650	Appropriation of capital sum of 5,000*l.* and annual sum of 400*l.* from funds of Jesus Hospital to Grammar School, 2nd grade day and boarding in two departments. New buildings for 250 boys. Provision for higher education of girls, either by Exhibitions for girls from Public Elementary Schools, or by separate school.	Scheme made with consent of Governing Body partly under sect. 30 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BARNET CHIPPING - (1.) Allen's School. (2.) Owen's Charity. (3.) Pratt's ,, *Herts.*	65	Public Elementary School in new buildings. Fund for Exhibitions.	Schemes (2) and (3) made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
BATLEY, Grammar School. *Yorks.*	210	Boys' Day School, 2nd grade, in two departments. New buildings for 200 scholars. Exhibitions for boys from Public Elementary Schools and others. Power to extend benefits to girls.	Scheme objected to in certain particulars by Governing Body, but ultimately unopposed.
BATTERSEA, St. John's, Parvin's and Wix Charities. *Surrey.*	300	(1.) Boys' Day School, 2nd grade. New buildings for 250 scholars. Exhibitions for boys from Public Elementary Schools and others. (2.) Public Elementary School with fund for Exhibitions, &c. Power to establish a 3rd grade school also.	Scheme made on application of Governing Body, and accepted by them.
BEDFORD, Harpur's Charity.	14,000	Income apportioned thus— (*a.*) One eleventh to almshouses, &c. (*b.*) Two elevenths and part of present buildings to Elementary Schools. (*c.*) Four elevenths and part of present buildings to modern schools, viz.:— Boys' School, 2nd grade. Girls' School, 2nd grade for 200 scholars. (*d.*) Four elevenths to high schools, viz.:— Boys' School, 1st grade. Girls' School, 1st grade. Exhibitions connecting the schools with one another and with Universities.	Scheme accepted by Board of Trustees.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BERKHAMSTED, St. Peter, Salter's Charity. *Herts.*	29	Aid to Public Elementary Schools.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
BIDEFORD:— (1.) Grammar School. (2.) The Bridge Trust. *Devon.*	174	Boys' Day School, 2nd grade, new buildings for 100 scholars. Exhibitions for boys from Public Elementary Schools and others. Fund for Exhibitions for girls.	Scheme made with concurrence of Governing Body, Town Council, and Feoffees of Bridge Trust.
BILSBORROW, Cross's Endowed School. *Lancashire.*	75	Public Elementary School in new buildings.	Scheme made with concurrence of Governing Body.
BINGLEY, Grammar School. *Yorks.*	550	Boys' Day and Boarding School, 2nd grade. Exhibitions for boys from Public Elementary Schools and others. Not less than 100*l.* a year for higher education of girls in connexion with Mechanics' Institute or otherwise.	Scheme met with no opposition from Governing Body.
BISHOP AUCKLAND, King James' School. *Durham.*	69	Boys' Day and Boarding School in enlarged buildings, 2nd grade. Exhibitions for boys from Public Elementary Schools, and others.	Scheme made with concurrence of Governing Body.
BLYTHMARSH - - *Staffordshire.*	29	Public Elementary School in improved or new buildings. Fund for Exhibitions, &c. (*See* Dilhorn.)	Scheme generally accepted.
Bow, Prisca Coborn's Charity. *Middlesex.*	950	(1.) 3rd grade Boys' Day School. (2.) Girls' Day School in new buildings for 200 boys and 200 girls. Fund of 200*l.* to 300*l.* a year for Exhibitions, principally for children from Public Elementary Schools.	Scheme accepted by Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BRENTWOOD, Grammar School. *Essex.*	1,450	300*l.* a year reserved for support of almshouses. Purchase from Patron of right to appoint masters. Grammar School to be 1st grade Day and Boarding School for boys, with Scholarships and Exhibitions. Commercial School, 2nd grade Day School for boys, to be established in new buildings for 150 scholars, with Exhibitions for boys from Public Elementary Schools and others. Power to establish a Girls' Commercial School for 100 scholars.	Scheme much canvassed, but ultimately unopposed.
BROMLEY, Endowed School. *Kent.*	45	Enlargement of National School. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
BURNHAM THORPE, Bunting's School. *Norfolk.*	44	Fund for Exhibitions, &c.	Scheme made on application of Governing Body.
BURNLEY, Grammar School. *Lancashire.*	276	Boys' Day School, 2nd grade. Power to provide Special Science Department. Exhibitions for boys from Public Elementary Schools and others. When funds admit provision for higher education of girls.	Scheme made with concurrence of Governing Body. Considerable sum voluntarily raised in aid of new buildings.
CAMBRIDGE, The Perse School.	745	Boys' Day and Boarding School, 1st grade, in two departments. Exhibitions for boys from Public Elementary Schools, and others. Exhibitions, and eventually a High School for girls to be established. Special provisions for science teaching.	Scheme made with concurrence of Governing Body (Caius College), and generally accepted.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
CHELMSFORD, Grammar School. *Essex.*	528	Boys' Day and Boarding School, 2nd grade. Power to rebuild school. Provision for Exhibitions.	Scheme accepted by Governing Body with one reservation.
CHESTER, Cathedral School.	480*	Boys' Day School (boarders allowed). New buildings, 1st grade, in two departments. Twelve King's Scholarships. Six Owen Jones' Exhibitions, and six Oldfield Exhibitions at the school. Power to establish further Exhibitions.	Scheme made with consent of Dean and Chapter, and of Ecclesiastical Commissioners. Upwards of 5,000*l.* voluntarily raised in aid of new buildings.
CHURCHDOWN, Blunt's Charity. *Gloucestershire.*	9	To convert a Dole Fund to educational uses.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
CLYFFE PYPARD, Spackman's Charity. *Wilts.*	39	Site and buildings of school to be sold, and proceeds invested to form fund for Exhibitions, &c. for boys and girls from Public Elementary Schools.	Scheme made on application of Governing Body.
DEDHAM, Royal Free Grammar School of Queen Elizabeth and other Charities. *Essex.*	460	Boys' Day and Boarding School, 1st grade. Exhibitions for boys from privileged parishes, and to Universities. Provision for new Public Elementary School. Fund for Exhibitions, &c. for boys and girls at Public Elementary Schools in privileged parishes.	Scheme accepted by Governing Body.
DILHORN, Endowed School. *Staffordshire.*	260	Public Elementary School at Dilhorn for boys and girls in new buildings. Fund for Exhibitions, &c. Capital sums of 800*l.* and 200*l.* for erection of schools at Longton and Blythmarsh. Residue for school at Longton, q. v.	Scheme generally accepted.

* That is, 280*l.* a year and capital sum of 5,000*l.* provided by Ecclesiastical Commissioners under sect. 27 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
ELLAND, Brooksbank's Charity. *Yorks.*	150	Boys' Day School in improved buildings, 3rd grade. Exhibitions for boys from Public Elementary Schools, and others.	Scheme accepted by Governing Body.
EVERSHOT, Stickland's School. *Dorset.*	75	Public Elementary School for boys and girls in improved or new buildings, with Upper Department for higher instruction. Fund for Exhibitions in either department.	Scheme accepted by Governing Body.
FLINTHAM, Hacker's Charity. *Notts.*	28	Public Elementary School in new buildings. Fund for Exhibitions.	Scheme made with concurrence of Governing Body.
FROSTERLEY, Endowed School. *Durham.*	48	Public Elementary School in new buildings. Fund for Exhibitions, &c.	Scheme accepted by Governing Body.
GILLINGHAM, Feoffee Charity. *Dorset.*	283	82*l.* a year reserved for non-educational purposes. Present school to be a Public Elementary School. Boys' Day and Boarding School to be established in new buildings, 3rd grade. Exhibitions for boys from Public Elementary Schools of various parishes. Provision when funds admit for higher education of girls.	Scheme generally approved by Governing Body.
GREENWICH, Roan's Charity. *Kent.*	2,000	New Day Schools to be erected for 300 boys and 300 girls, 3rd grade. Scholars from Public Elementary Schools to have prior right of admission and at reduced cost.	Scheme made with concurrence of Governing Body and committee of inhabitants. Objected to by vestry.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
GREENWICH, Roan's Charity. *Kent*—cont.		500*l.* a year for Exhibitions in the schools; 300*l.* a year for Scholarships to places of higher education; 150*l.* a year for improvement of Public Elementary Schools in Greenwich.	
HALIFAX, Heath School. *Yorks.*	350	Boys' Day and Boarding School, 1st grade, in two departments. Power to enlarge or rebuild School. Exhibitions.	Motion to reject Scheme in House of Lords; after debate motion negatived.
HOLT - - - (1.) Endowed School (2.) Non-educational Charities. (3.) Griffith Robert's Charity. *Denbigh.*	97	Public Elementary School in new buildings. Fund for Exhibitions for higher education of scholars.	Schemes made partly with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
HOPWAS, Endowed School. *Staffordshire.*	15	Public Elementary School in new buildings.	Scheme made on application and with concurrence of Governing Body.
HOXTON, Aske's Hospital. *Middlesex.*	8,000	1,500*l.* a year reserved for poor freemen of Haberdashers' Company, and 150*l.* a year for augmenting another educational charity in St. Luke's parish. Four new Day Schools to be established, viz.: (1.) Haberdashers' Hoxton Schools for 300 boys and 300 girls, 3rd grade; 400*l.* a year for Exhibitions at the Schools, one half for scholars from Public Elementary Schools; 600*l.* a year for Exhibitions to places of higher education. (2.) Aske's Hatcham Schools for 300 boys and 200 girls, 2nd grade. Exhibitions in the School. 1,200*l.* a year reserved for Exhibitions at the schools mainly for	Scheme approved by Governing Body (Haberdashers' Company).

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
HOXTON, Aske's Hospital. *Middlesex*—cont.		benefit of freemen of Haberdashers' Company. 600*l.* a year for Exhibitions to places of higher education.	
HURSTWOOD, Endowed School. *Sussex.*	—	Erection of Public Elementary School.	Scheme made with concurrence of Governing Body.
ILKLEY:— (1.) Cow Close Gates Charity. (2.) Watkinson's Dole. *Yorks.*	54	Conversion of these Endowments to purposes of Ilkley Grammar School, and foundation of an Exhibition there for boys from Public Elementary Schools.	Schemes made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
ILMINSTER:— (1.) Endowed School. (2.) Hanning's Exhibitions. *Somerset.*	990	(1.) High School for 100 girls, day and boarding, in new buildings. Exhibitions. (2.) Town School for 80 boys. Day School in new buildings, 3rd grade. (3.) Town School for girls. Day School in new buildings. Exhibitions in Town Schools for scholars from Public Elementary Schools, and to places of higher education.	Scheme substantially accepted by Governing Body.
KIDDERMINSTER, Grammar School. *Worcestershire.*	530	Boys' Day (or Day and Boarding) School, 2nd grade.	Scheme generally accepted.
KIRKBY, EAST, and MININGSBY. *Lincolnshire.*	55	Public Elementary School for boys and girls. Power to rebuild.	Scheme accepted by Governing Body.
LEICESTER, Wyggeston's Hospital.	2,500	Establishment and erection of 2nd grade Day Schools for 300 boys and 200 girls respectively, out of funds of the Hospital; 15,000*l.* for building, and 2,000*l.* a year as endowment. 300*l.* a year in Boys' School, and 200*l.* a year in Girls' School	Scheme objected to in some particulars by Governing Body, supported by Town Council; and in different sense by School Board, Nonconformists, and working men. Ultimately assented to generally by Town Council,

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
LEICESTER, Wyggeston's Hospital—*cont.*		for Exhibitions for scholars from Public Elementary Schools. Also Scholarships to places of higher education.	and passed unopposed.
LLANBEDR, Mary Parry's Charity. *Merioneth.*	40	Public Elementary School for boys and girls, with upper department for higher instruction, and Exhibitions for scholars from Public Elementary Schools of Llanbedr and Llandanwg.	Scheme generally accepted.
LLANDANWG, Ellis's Charity. *Merioneth.*	20	Public Elementary School for boys and girls in new buildings. 25*l.* a year to Exhibition fund at Llanbedr School.	Scheme generally accepted. Endowment considerably increased by sale of real estate.
LONDON, Grocers' Co. Schools.	1,000	Establishment of Middle Class Day Schools in London for boys only, but the "Court" of the Grocers' Company to have power to convert them to the use of girls, 3rd grade. Exhibitions in the Schools and elsewhere.	Scheme made with consent of Grocers' Company under sect. 30 of Endowed Schools Act, 1869.
LONGTON, Endowed School. *Staffordshire.*	47	Boys' Day School in new buildings, 3rd grade. Exhibitions preferentially for boys from Public Elementary Schools of Dilhorn. (*See* Dilhorn.)	Scheme generally accepted.
NANTWICH, Hodgkin's Charity. *Cheshire.*	69	Appropriation of yearly sum of 60*l.* from an apprenticing Charity to Exhibitions at the Grammar School for boys from Public Elementary Schools.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
NEEDHAM MARKET, Theobald's School. *Suffolk.*	70	Boys' Day and Boarding School, 3rd grade. Exhibitions for boys from Public Elementary Schools.	Motion to reject Scheme in House of Commons negatived.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
NEWCHAPEL, Hulme's Charity. *Staffordshire.*	138	Boys' Day School in new buildings, 3rd grade. Exhibitions for boys from Public Elementary School and others. Power to admit girls to School.	Scheme substantially accepted by Governing Body.
NORTH WALSHAM, Grammar School. *Norfolk.*	422	Boys' Day and Boarding School in improved buildings, 2nd grade. Retiring pension to Head Master. Exhibitions at the School and to places of higher education.	Scheme partially objected to by some inhabitants, but accepted without objection by Governing Body.
PONTON, GREAT, Archer's School. *Lincolnshire.*	94	Public Elementary School in new buildings. Upper department for higher instruction. Exhibitions in upper department and to places of higher education.	Scheme approved by Trustees.
RODBORNE CHENEY, Wayte's Charity. *Wilts.*	50	Public Elementary School in new buildings. Fund for Exhibitions, &c.	No objections to Scheme until after its approval by the Education Department.
RUABON, Almshouse Charity (part of). *Denbighshire.*	6	Exhibitions for boys from Church of England Public Elementary Schools.	Scheme made without objection from any quarter.
SOWERBY, Bairstow's Charity. *Yorks.*	135	Boys' Day School in new buildings, 3rd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme generally approved by Governing Body.
STAFFORD - - (1.) Grammar Sch. (2.) Queen Elizabeth's Grant. (3.) Farmer's and other Charities.	358	Amalgamation of endowments, including dole charities in support of Grammar School. Boys' Day School, 2nd grade, in two departments. Exhibitions for boys from Public Elementary Schools and others.	No substantial objections raised against the Scheme.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
STAMFORD, Endowed Schools, *i.e.*— (1.) Grammar School. (2.) Blue Coat School. (3.) Browne's Hospital. (4.) King's and other Charities. *Lincolnshire.*	2,348	Amalgamation of endowments, including 1,500*l.* a year from Browne's Hospital, and 66*l.* a year from other non-educational charities, with Grammar and Blue Coat Schools. Establishment of— (1.) Public Elementary School, with fund for Exhibitions for higher instruction. (2.) Middle School, day and boarding, for 150 boys. (3.) Middle School for 100 girls. (4.) High School, 1st grade, day and boarding, for 150 boys, in new buildings. Exhibitions for scholars from Public Elementary Schools to Middle Schools; from Middle Schools to places of higher education; and from High School to Universities, &c.	Scheme made with general consent, partly under sect. 30 of Endowed Schools Act, 1869.
TAMWORTH:— (1.) Grammar School. (2.) Port's Charity. (3.) Wilson and Vaughton's Charities. (4.) Orton and others' Charities. (5.) Smith's Charity. *Staffordshire.*	220	Amalgamation of Endowments, including apprenticing and dole charities, in support of Grammar School. Boys' Day and Boarding School, 2nd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made partly with consent of Trustees under sect. 30 of Endowed Schools Act, 1869.
THORNTON, Grammar School. *Yorks.*	120	Day Schools for boys and girls in new buildings, 3rd grade. Exhibitions for scholars from Public Elementary Schools and others.	Scheme objected to in some particulars; not opposed by Governing Body.
UFFCULME, Ayshford's School. *Devon.*	45	Day and Boarding School for girls. Fees 6*l.* to 15*l.* yearly.	Scheme made with concurrence of Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
WALES, Parochial Charities. *Yorks.*	20	Appropriation of Endowments, chiefly non-educational, to Elementary Schools.	Scheme made with consent of Governing Body.
WALLASEY, Grammar School. *Cheshire.*	164	Boys' Day School in new buildings, 2nd grade, in two departments. Exhibitions for boys from Public Elementary Schools and others. Old buildings devoted to Public Elementary Schools.	Scheme made with concurrence of Governing Body.
WALLINGFORD, Biggs' Charity. *Berks.*	260	(1.) Boys' Day School, and— (2.) Girls' Day School, each in new buildings, 3rd grade. Exhibitions for scholars from Public Elementary Schools and other Scholarships to places of higher education. 26*l.* a year reserved for doles.	Scheme generally accepted.
WALSALL, Grammar School. *Stafford.*	960	Severance of St. Paul's Chapel from the Trust. "Queen Mary's Schools" to comprise— (1.) High School: Boys' Day School in present buildings. (2.) Lower School: Boys' Day School in new buildings, 3rd grade. And, when funds admit, (3.) Girls' School: (4.) Boys' School at Bloxwich. Exhibitions from Public Elementary Schools to Lower School and from Lower to High School.	Scheme much discussed but ultimately accepted by Governing Body and unopposed.
WEST HAM, Bonnell's Charity. *Essex.*	324	Girls' Day School in new buildings for 200 scholars. Fees 2*l.* to 5*l.* yearly. At least 40 Exhibitions for poor girls from Public Elementary Schools. Special provisions for science teaching.	Scheme accepted without any objection.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
WESTMINSTER, (Grey Coat Hospital).	£ 3,500	A Day School for 300 girls. A Boarding School for 100 girls at least. At least 100 Exhibitions in the Day School. At least 60 Exhibitions in the Boarding School. Two thirds of Exhibitions for poor girls from Public Elementary Schools in St. Margaret's and St. John's Westminster. One third for cases of orphanage or other adversity. Scholarships to places of higher education.	Scheme ultimately accepted by Governing Body.
WESTMINSTER, - - (1.) Emanuel Hospital. (2.) St. Margaret's Hospital. (3.) Palmer's Charity. (4.) Emery Hill's Charity.	8,000	Amalgamation of educational endowments and creation of new Boys' Schools, viz.: (1.) St. Margaret's Technical Day School for 300 boys. (2.) Palmer's and Hill's Day School for 300 boys. (3.) Emanuel Boarding School for 150 (ultimately 300) boys, all 3rd grade. At least 100 Exhibitions in each Day School. At least 90 Exhibitions in Boarding School. Two thirds of Exhibitions for poor boys from Public Elementary Schools of St. Margaret's and St. John's, Westminster, and St. Luke's, Chelsea. One third for cases of orphanage or other adversity. Scholarships to places of higher education.	Scheme opposed by Lord Mayor and Aldermen of London as Governors of Emanuel Hospital. Appeal to Privy Council heard, and decided in favour of Scheme. Motion in House of Commons to reject Scheme, defeated on division.
WESTMINSTER (St. Martin's), Parochial School.	550	Girls' Higher Day School in new buildings. Exhibitions at the School of which two thirds for Girls from	Scheme made with concurrence of Governing Body and Vestry.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
WESTMINSTER (St. Martin's) Parochial School—*cont.*		Public Elementary Schools of St. Martin's-in-the-Fields, one third for cases of orphanage or other adversity. 100*l.* a year for Exhibitions to some Boarding School or place of higher education.	
WIGAN, Grammar School. *Lancashire.*	285	Boys' Day School in new or improved buildings for 150 boys, 2nd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made on application of Governing Body and with general assent.
WOODSTONE, Walsham's Charity. *Hunts.*	54	Application of Endowment, principally a dole charity to Public Elementary Schools. 15*l.* a year reserved for doles.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
WORCESTER, Municipal Charities.	170	Appropriation of certain non-educational Endowments to providing exhibitions and other benefits for boys and girls in connexion with Public Elementary Schools of Worcester.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
YETMINSTER, Boyle's School. *Dorset.*	120	Public Elementary School for boys, with Upper Department, for higher instruction. Fund for Exhibitions in upper department, and for benefit of girls in Public Elementary Schools.	Scheme generally accepted.
Total in 1873 -	57,333		
		1874.	
BEDWAS, Alldworth's Charity. *Monmouthshire.*	400	New buildings for Public Elementary Schools. Future provision for higher education of girls of Bedwas and Eglwysilan.	Scheme accepted by Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BITTERLEY, Grammar School. *Salop.*	40	New Public Elementary School for Boys. Fund for Exhibitions, &c.	No constituted Governing Body heretofore.
BLECHINGLEY, Grammar School. *Surrey.*	48	New buildings for Public Elementary School under School Board. Fund for Exhibitions, &c.	Scheme accepted by Governing Body.
BOVEY TRACEY:— (1.) Free School. (2.) Parish Lands Charity. (3.) Stooke's Gift. *Devon.*	130	Boys Day and Boarding School, 2nd grade.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869.
BUNNY, Parkyns' Charity. *Notts.*	60	New buildings for Public Elementary School. Fund for Exhibitions, &c.	Scheme made on application of Governing Body under sect. 3 of Endowed Schools Act, 1873.
CHESTER, Oldfield's Charity.	100	2,000*l.* towards erection of new buildings for King's School. Exhibitions of equivalent amount founded at King's School.	Scheme made with consent of Governing Body.
CHIPSTEAD, Stevens' Charity. *Surrey.*	110	New buildings for Public Elementary School. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
COMBMARTIN, Ley's Charity. *Devon.*	32	New buildings for Public Elementary School. Fund for Exhibitions.	
GREAT CROSBY, Harrison's Trust. *Lancashire.*	1,800	New buildings for Boys Day School, 2nd grade, Girls Day School to be established in Boys old buildings. Exhibitions and Scholarships in both Schools. One-fourth of Charity for Almspeople.	With consent of Governing Body (Merchant Taylor's Company) Scheme largely increases the educational endowment.
CROSTHWAITE, Grammar School. *Cumberland.*	136	Public Elementary School. Upper department or separate School for higher Education. Fund for Exhibitions, &c.	Scheme made with consent of Governing Body.
DARLINGTON, Queen Elizabeth's Grammar School. *Durham.*	277 besides 50*l.* under a previous Scheme.	New buildings, Day (or Day and Boarding) School for 150 boys, 2nd grade.	Scheme made with concurrence of Governing Body. Upwards of 10,700*l.* subscribed voluntarily since date of Scheme.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
ENFIELD:— (1.) Grammar School. (2.) Prounce's Charity. *Middlesex.*	247	Boys' Day School, 2nd grade, Exhibitions at School and elsewhere.	Scheme agreed to by Governing Body.
FYFIELD, Walker's Charity. *Essex.*	92	Buildings improved for Public Elementary School for Boys and Girls. Upper Department for higher instruction, Exhibitions, &c.	Scheme made on the application of the Governing Body under sect. 3 of the Endowed Schools Act, 1873.
GELLIGAER, Lewis' Charity. *Glamorganshire.*	1,300	(1.) Severance of ecclesiastical from educational trusts. (2.) Boys' Day and Boarding, 3rd grade, Technical School; 200*l.* a year for Exhibitions for boys from Public Elementary Schools. (3.) Exhibitions or separate School for Girls.	Scheme made with consent of Governing Body, partly under section 30 of Endowed Schools Act, 1869. Laid before Parliament on petition. Address to omit certain words carried in House of Lords.
GRIMSTON, Talman's School. *Norfolk.*	100	Two Public Elementary Schools. Exhibitions for higher Education, &c.	Scheme made with concurrence of Governing Body.
HOLBEACH, Grammar School. *Lincolnshire.*	300	New buildings for Boys' Day and Boarding School, 2nd grade. Exhibitions. Future Exhibitions for Girls.	Scheme met with no opposition.
KIMBOLTON, Grammar School. *Hunts.*	240	New buildings for Boys' Day and Boarding School, 2nd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body.
KINGSTON-ON-THAMES, Grammar School, &c. *Surrey.*	247 besides 342*l.* under previous Scheme.	New buildings for— (1.) Grammar School of Queen Elizabeth Boys' Day School, 2nd grade. Exhibitions at School and elsewhere. (2.) Tiffin's Day School for boys, 3rd grade. Exhibitions at the School. (3.) Tiffin's Day School for girls. Exhibitions for scholars from Public Elementary Schools to Tiffin's, and from Tiffin's to Grammar School.	Scheme made with concurrence of Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
KINGTON, Lady Hawkins' School. *Herefordshire.*	£ 384	New buildings for Boys' Day School. Boarders also allowed. 3rd grade.	Scheme made with concurrence of Governing Body.
LONDON, Drapers' Co. (Clarke's, Kendrick's, and other Charities).	150 and a capital sum of 1,500*l.*	Conversion to educational uses of certain funds held by the Drapers' Company.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
LUTTERWORTH:— (1.) Sherrier's Charity. (2.) Bent's " (3.) Elkington's " *Leicestershire.*	403	(1.) New building for Boys' Day and Boarding School, 3rd grade. Exhibitions for boys from Public Elementary Schools. (2.) Public Elementary Schools for boys, girls, and infants. Promotion of higher education of girls.	Schemes made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869.
MARCH, Consolidated Charities. *Cambridgeshire.*	1,069	(1.) Grammar School. New buildings for Boys' Day School. Boarders allowed. 3rd grade. Exhibitions for boys from Public Elementary Schools and others. Girls' Day School to be established. (2.) Aid to School Board for Public Elementary Schools. (3.) Maintenance of Almshouses.	Scheme accepted by the Governing Body.
NEWPORT, Grammar School. *Essex.*	300	(1.) Boys' Day and Boarding School in enlarged buildings, 3rd grade. (2.) Girls' Day School to be established. Exhibitions preferentially for scholars from Public Elementary Schools.	Scheme laid before Parliament on petition. No objection taken in Parliament.
NORTH WALSHAM, Grammar School. Amending Scheme. *Norfolk.*	—	To supply a clerical omission in the principal Scheme.	

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
ODIHAM:— (1.) Endowed School. (2.) Gurney's Charity. (3.) Vause's Charity. *Hants.*	466	New buildings for Boys' Day and Boarding School, 3rd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869.
OMBERSLEY:— (1.) Lloyd's School. (2.) Non-Educational Charities. *Worcestershire.*	266	Two Public Elementary Schools for boys and girls. Upper Departments for higher instruction. Fund for Exhibitions, &c.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869.
LOWER PEOVER, Cumberbach's School. *Cheshire.*	110	New buildings for Public Elementary School. Fund for Exhibitions, &c.	Scheme made with concurrence of Patron (Lord de Tabley).
OVER PEOVER, Mainwaring's School and other Charities. *Cheshire.*	54	New buildings for Public Elementary School for boys and girls. Fund for Exhibitions, &c.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869.
RASTRICK, M. Law's Charity. *York, W.R.*	100	Boys' Day School in improved building, 3rd grade. Exhibitions for boys from Public Elementary Schools and others. Girls may be admitted to School.	Scheme generally accepted.
REPTON AND ETWALL, Port's Charity. *Derbyshire.*	2,000	Boys' Day and Boarding School in new or enlarged buildings, 1st grade, with scholarships and exhibitions. 100*l.* a year for education of girls. Provisions for elementary education in Etwall and Repton, &c. 900*l.* a year reserved for Etwall Hospital.	Scheme made with concurrence of Governing Body. Laid before Parliament on petition. No objection taken in Parliament.
SEDBERGH, Grammar School. *Yorkshire, W.R.*	1,000	(1.) Grammar School: Boys' Day and Boarding School in new or enlarged buildings, 1st grade, with scholarships and exhibitions. Pension for present Head Master.	Scheme made with concurrence of Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
SEDBERGH, Grammar School. *Yorkshire, W.R.* —cont.		(2.) Middle School: Boys' Day School (girls admissible), 3rd grade, with exhibitions for boys from Public Elementary Schools. (3.) Future provision for girls education (200*l.* a year).	
SEDBERGH, Howgill School. *Yorkshire, W.R.*	32	Public Elementary School for boys and girls.	Scheme laid before Parliament on petition. No objection taken in Parliament.
SNETTISHAM, Grammar School. *Norfolk.*	140	Boys' Day and Boarding School, 3rd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body.
TANWORTH, United Charities. *Warwickshire.*	213	New or improved buildings for three Public Elementary Schools, with two upper departments for higher instruction. Exhibitions to higher schools.	Scheme made with concurrence of Governing Body.
TAUNTON, Huish Charity. *Somersetshire.*	800	1. To maintain existing hospital. 2. To provide Exhibitions at Oxford or Cambridge. 3. To build and establish in Taunton,— Day School for boys, and, Day School for girls, 3rd grade. Exhibitions for boys and girls from Public Elementary Schools and others.	The Scheme as first framed was remitted to the Commissioners on appeal of the Governing Body to the Queen in Council. As amended it was accepted by the Governing Body.
THAME, Grammar School. *Oxfordshire.*	709	New buildings for Boys' Day and Boarding School, 2nd grade. Exhibitions for boys from Public Elementary Schools and others. (Trusts for Almspeople also.)	Scheme made with concurrence of Governing Body (New College, Oxford).
TOTNES, Grammar School, and Municipal Charities. *Devonshire.*	337	New buildings for— (1.) Grammar School, Day and Boarding for boys, 2nd grade. (2.) Borough School, Day and Boarding for girls.	Scheme made with concurrence of Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
WHITTINGTON, School Charities. *Derbyshire.*	360	New buildings for two Public Elementary Schools. Provision for higher instruction. Fund for Exhibitions, &c.	Scheme made with concurrence of Governing Body.
WIGAN:— (1.) Sixsmith's Charity. (2.) Mort's Charity. (3.) Bullock's and Mason's Charity. (4.) Welle's Charity. (5.) Holt's Charity. (6.) Willis and Diggles' Charity. *Lancashire.*	200	About 6,000*l.* to be applied towards the erection of new buildings for Wigan Grammar School. Exhibitions to that School for boys from Public Elementary Schools in Wigan.	Schemes made under sect. 30 of Endowed Schools Act, 1869, with consent of Governing Body.
WITTON (Northwich), Grammar School. *Cheshire.*	490	Boys' Day and Boarding School in two departments, 2nd and 3rd grade. New boarding house. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body.
WOKINGHAM, Maiden School and Palmer's Charity. *Berks.*	29	New buildings for Public Elementary School.	Scheme made on application of Governing Body under sect. 3 of Endowed Schools Act, 1873.
YALDING, Cleave's School. *Kent.*	126	Boys' Day School in improved buildings (boarders allowed), 3rd grade. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body.
YORKSHIRE, Akroyd's Charity.	450	Maintaining University Scholarships. Aiding Batley Grammar School. Aiding Yorkshire College of Science.	Scheme made with concurrence of Governing Body.
Total in 1874 -	15,892		
" 1871 -	7,164		
" 1872 -	13,246		
" 1873 -	57,333		
Grand Total -	£93,635		

APPENDIX B.

SCHEMES SUBMITTED TO THE EDUCATION DEPARTMENT, BUT NOT YET APPROVED BY HER MAJESTY.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
ABBOTS' BROMLEY, Clark's School. *Staffordshire.*	40	Public Elementary School with Upper Department for higher instruction.	
ALDENHAM, Platt's Charity. *Herts.*	4,500	(1.) Boys' 1st grade Day and Boarding School in enlarged buildings at Aldenham. 20 Scholarships at the School, and 450*l.* a year for Exhibitions to Universities, &c. (2.) Erection and partial support of Public Elementary Schools in Aldenham, with Exhibitions, &c. (3.) Endowment of North London Collegiate School for Girls (vide infra "St. Pancras"). [200*l.* a year reserved for almsfolk.]	Scheme made with concurrence of Governing Body (Brewers' Company).
ASBY, Endowed School. *Westmorland.*	80	Public Elementary School in new buildings. Fund for Exhibitions.	Scheme made with assent of Governing Body and School Board. Approved by Education Department.
ATHERSTONE:— (1.) Grammar School (2.) Simmond's Charity. (3.) Martin's Charity (4.) Sharpe's " (5.) Abell's " *Warwickshire.*	400	Amalgamation with Grammar School of Endowments partly non-educational. Boys 2nd grade Day and Boarding School. 40*l.* a year for Exhibitions for boys from Public Elementary Schools.	Schemes made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869. Approved by Education Department.
BEVERLEY, Ann Routh's Charity. *Yorks.*	20	Appropriation of a dole fund to education.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
BORDEN, Barrow's Charity. *Kent.*	1,996	Establishment of new Day and Boarding School for boys. 2nd grade. Exhibitions at the School, with preference to boys from Public Elementary Schools of neighbourhood. Girls' School to be established hereafter, and meanwhile 50*l.* a year for Exhibitions for girls from Public Elementary Schools.	Trust originally founded for purposes not educational, converted principally to education by Chancery Scheme. Part reserved for almsfolk.
BRADFORD, Girls' Endowed School. *Yorks.*	200 eventually 250	Girls' High School endowed with payment from funds of Bradford Grammar School.	Scheme made with concurrence of Governing Body of Grammar School and local committee.
BRISTOL:— (1.) Grammar School	1,793	Boys' 1st grade Day and Boarding School in new buildings for 400 boys. 200*l.* a year for Exhibitions to Universities.	Scheme agreed to by Governing Body.
(2.) Queen Elizabeth's Hospital, and (3.) Red Maids' School.	8,106 4,378	Establishment of 3rd grade Schools— (1.) Boarding School for 160 boys to be maintained and educated gratuitously, viz., 60 orphans, 50 boys from Public Elementary Schools of Bristol, 50 boys from Day Schools on this Foundation. (2.) Two Day Schools in new buildings, each for 300 boys, 100 to be Exhibitioners, chiefly from Public Elementary Schools. (3.) Boarding School, similar to (1.) for 80 girls (50 being orphans) in new buildings. (4.) One or two Day Schools for girls, 50 girls to be Exhibitioners, chiefly from Public Elementary Schools.	Schemes agreed to by Governing Body.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
BRISTOL—*cont.*	£		
(4.) Colston's Hospital.	6,059	(1.) Boarding School for 100 poor boys, orphans, or scholars from Public Elementary Schools, to be maintained and educated gratuitously; and for other boys on payment. (2.) Trade School, with 100*l.* a year for Exhibitions to places of higher education. (3.) Girls' School in new buildings for 300 girls, with Exhibitions for girls from Public Elementary Schools, and 100*l.* a year for Exhibitions to places of higher education.	Schemes agreed to by Governing Body.
(5.) Diocesan Trade School.	—		
(6.) Loan Money Charities. (7.) Prisoners' Charities. (8.) Peloquin's Charity.	*450	Appropriation of non-educational endowments for re-building Grammar School, and for purposes of Girls' Schools on Foundations of Queen Elizabeth's Hospital and Red Maids' Schools. Exhibitions at Grammar School for poor boys from Public Elementary Schools.	Schemes made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
(9.) Cathedral School	†500	To build and establish a College for training teachers for Schools higher than the Elementary.	Scheme made with assent of Dean and Chapter, and of Ecclesiastical Commissioners. Approved by Education Department.
BUNTINGFORD, Grammar School. *Herts.*	65	To provide buildings for and to establish a 2nd grade Day and Boarding School for 60 boys, half the cost to be subscribed voluntarily.	No objections to the Scheme received since its publication.

* That is capital sum of 14,500*l.*

† That is 120*l.* a year and capital sum of 12,000*l.* provided by Ecclesiastical Commissioners under sect. 27 of Endowed Schools Act, 1869.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
CAMBERWELL:— (1.) Dulwich College (2.) Wilson's Grammar School. *Surrey.*	15,600 300	1. Maintenance of site and buildings of present College as a 1st grade School for boys, with 100 boarders. Power to divide it into departments, and to establish Preparatory School. 2*l.* per scholar up to 1,400*l.* a year for Scholarships and Exhibitions. 2. Establishment and annual Endowment of new Schools in Camberwell, viz.:— High School for 250 girls. Middle School for 250 girls. 3. Development and annual Endowment of Wilson's School in Camberwell; to be rebuilt for 500 boys, 2nd grade, in two departments. 4. Assignment of 50,000*l.* and annual Endowment for new Schools in or near St. Botolph's, Bishopsgate, or St. Luke's, Middlesex. 5. Assignment of 15,000*l.* and annual Endowment for Grammar School of St. Saviour's, Southwark. Provisions for Scholarships and Exhibitions at all the Schools. Special provisions with regard to Chapel, Almshouses, and Picture Gallery.	Schemes agreed to by Governing Body and Vestry of parish of Camberwell and St. Saviour's, Southwark. Objected to on various grounds by various other parties interested.
CHIPPENHAM:— (1.) Gifts of Scott and others. (2.) Ray's and Popham's Charities. *Wilts.*	50	Appropriation of non-educational charities to education.	Schemes made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869. Approved by Education Department.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
DARESBURY, Grammar School. *Cheshire.*	58	Sale of School buildings and creation of fund for Exhibitions for higher education of boys and girls.	Scheme made with concurrence of Governing Body.
ECCLESTON, Pemberton's School. *Lancashire.*	155	Public Elementary School in new buildings. 40*l.* a year for Exhibitions, &c.	Scheme substantially agreed to.
EXETER:— (1.) St. John's Hospital. (2.) Hele's Gift. (3.) Blue Maids' Hospital.	2,660	1. Boys' 1st grade Day and Boarding School in new buildings, with Scholarships and Exhibitions. 2. Girls' High School to be established in new buildings. 3. Hele's School for boys; 3rd grade, with Scholarships and Exhibitions to higher schools. 4. Public Elementary School for 150 boys. 5. 600*l.* a year for Exhibitions to value of 30*l.* each yearly for orphan boys and girls, from Public Elementary Schools, or otherwise poor.	Scheme substantially agreed to. Objections on some points.
(2.) Episcopal School. *Devon.*	612	1. Public Elementary Schools for boys and girls, with fund for Exhibitions, &c. 2. Middle School for girls with Exhibitions for girls from Public Elementary Schools and others.	Scheme substantially accepted by Governing Body.
GILLING, Hartforth School. *Yorks.*	120	To form a fund for Exhibitions, preferentially for boys from Public Elementary Schools in certain parishes, to be held at Richmond Grammar School or other like School.	Scheme substantially agreed to by Governing Body. Objected to by certain inhabitants. Approved by Education Department.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
GRANTHAM:— (1.) Grammar School. (2.) Curteis' Charity. (3.) Dole Charities. *Lincolnshire.*	£ 1,000	Amalgamation of Endowments to form— (1.) First grade Day and Boarding School for Boys, with Exhibitions at School and to Universities. (2.) Second grade Day and Boarding School for boys, with Exhibitions for boys from Public Elementary Schools and for boys proceeding to places of higher Education. Power to apply surplus income for higher education of girls.	Schemes made with consent of Governing Bodies, partly under sect. 30 of Endowed Schools Act, 1869. Objected to by Town Council, and certain memorialists.
GREAT GREENFORD. Betham's Charity. *Middlesex.*	217	Public Elementary School in new buildings, with fund for Exhibitions, &c. Residue of Endowment to form fund for Exhibitions, &c. for higher education.	Scheme submitted to Education Department in 1872, but not proceeded with.
HARTLEBURY, Grammar School. *Worcestershire.*	435	Boys' 2nd grade Day and Boarding School, with Exhibitions for boys from Public Elementary Schools and others.	Scheme approved by Governing Body. No objection from any quarter. Approved by Education Department.
HASLINGFIELD, United Charities. *Cambs.*	260	Public Elementary School. Power to provide efficient buildings and to establish Upper Department for higher instruction. Exhibitions for children from Public Elementary Schools to higher Schools.	No objections received since publication of Scheme.
HEVERSHAM:— (1.) Grammar School. (2.) Wilson's Charity. *Westmorland.*	237	First grade Day and Boarding School for boys in new buildings. Special Scholarships for parishioners, and Exhibitions to Universities.	Schemes made with general concurrence of Governing Body. Large voluntary subscriptions for new buildings.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
KIBWORTH, Grammar School. *Leicestershire.*	400	Second grade Day School for boys. Power to admit boarders. 60*l.* a year for Exhibitions for boys from Public Elementary Schools.	Part of Scheme objected to by Governing Body.
KINGSBRIDGE, Grammar School. *Devon.*	528	Second grade Day and Boarding School for boys. 80*l.* a year for Exhibitions, and further aid especially for boys from Public Elementary Schools. 60*l.* a year for Exhibitions to higher Schools.	Part of Scheme objected to by Governing Body.
LEICESTER, Wyggeston's Hospital.	—	To increase by 5,000*l.* the sum applicable for building new Schools under Scheme of 1873.	Scheme made with concurrence of Governing Bodies of Hospital and Schools. Approved by Education Department.
LONDON:— (1.) Datchelor's Charity.	—	To amend an existing Scheme of the Charity Commissioners.	Scheme made on application of Governing Body.
(2.) St. Paul's School. (3.) Campden Exhibitions.	12,000 *	Removal of present School and establishment of three (or more) 1st grade Schools, to be erected in or near London— (1.) Classical School for 500 boys. (2.) Modern School for 500 boys. (3.) High School (or High Schools) for 400 or more girls. 153 Foundation Scholars, 57 in (1.), 57 in (2.), and 39 in (3.). 1,000*l.* a year for Campden Exhibitions from (1.) to Universities. Like sum for like purpose from (2.) 700*l.* a year for like purpose from (3.)	Scheme objected to by Governing Body (Mercers' Company). No objections from any other quarter.
(4.) Dr. Daniel Williams' Charity.	350	Establishment of a Middle School for girls at Dolgelly on condition of the locality providing 1,000*l.*, and a site for School building.	Scheme made with concurrence of Governing Body in London on receipt of local guarantee that the necessary funds for building would be be provided.

* *See* ante, p. 9.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
(5.) Lady Holles' Charity, St. Giles, Cripplegate.	1,500	Establishment of a Middle School for girls. 650*l.* a year devoted to purposes of existing Elementary School.	Scheme made with concurrence of Governing Body.
MANSFIELD, Grammar School. *Notts.*	926	(1.) Boys' Day (or Day and Boarding) School, in new buildings, for 150 boys, 2nd grade. (2.) 100*l.* a year for Exhibitions or classes for higher education of girls. (3.) Ultimately, in lieu of (2.), a Girls' School for 100 day-scholars, in new buildings.	Scheme objected to in part by Governing Body; accepted by committee of inhabitants.
NEWLYN, Trevilson Charity. *Cornwall.*	120	Appropriation of a non-educational Charity for building Public Elementary Schools, and providing Exhibitions and other aids to education in Newlyn.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
NUNEATON, Grammar School. *Warwickshire.*	400	Second grade Day School for boys in new buildings. Exhibitions for boys from Public Elementary Schools and others.	Scheme agreed to by Governing Body, objected to by certain inhabitants.
OAKHAM, Archdeacon Johnson's Charity. *Rutland.* (And *see* UPPINGHAM.)	4,280	Second grade Day and Boarding School for boys, with additional buildings. 50*l.* a year for Exhibitions for boys from Public Elementary Schools; 200*l.* a year for Exhibitions to places of higher education. Special provision for Science teaching. On lapse of pension to present Head Master, 200*l.* a year for higher education of girls.	Scheme objected to by Governing Body.
POCKLINGTON, Grammar School. *Yorks.*	1,300	First grade Day and Boarding School for boys. Exhibitions for local boys and for boys from Public Elementary Schools. 200*l.* a year for higher education of girls.	Scheme objected to in part by Governing Body and certain inhabitants.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
PORTSMOUTH, Grammar School. *Hants.*	313	Second grade Day School in new buildings for 250 boys. Exhibitions for boys from Public Elementary Schools and others.	Scheme agreed to by Governing Body (Christ Church, Oxford) and by the town. Approved by Education Department.
READING, Kendrick's Charity. *Berks.*	200	Third grade Day Schools to be erected for 100 boys and 100 girls. Exhibitions for scholars from Public Elementary Schools.	Scheme made with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869.
REIGATE, Grammar School and other Charities. *Surrey.*	358	Second grade Boys' School; boarders permitted. Exhibitions for boys from Public Elementary Schools and others.	Scheme made with concurrence of Governing Body. Approved by Education Department. Laid before Parliament on petition of certain inhabitants.
RIVINGTON:— (1.) Grammar School (2.) BLACKROD:— Grammar School *Lancashire.*	570 300	Amalgamation of two endowments. Establishment of— (1.) Day and Boarding School in new buildings for 110 boys with 50 boarders. 2nd grade, 100*l.* a year for Exhibitions for boys from Public Elementary Schools. Exhibitions to places of higher education. (2.) Fund of 200*l.* a year for higher education of girls. (3.) Appropriation of present buildings at Rivington to Public Elementary School.	Schemes made with consent of Governing Bodies. Approved by Education Department.
RUGELEY:— (1.) Grammar School (2.) Chetwynd's Charity. *Staffordshire.*	372 400*	Augmentation of Grammar School Endowment by 100*l.* a year and mineral rent of 400*l.* a year from Chetwynd's Charity. 3rd grade Day and Boarding School for Boys, with Exhibitions for boys from Public Elementary Schools.	Schemes made with consent of Governing Body and accepted by town.

* Exclusive of mineral rent.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
ST. ASAPH:— (1.) Grammar School (2.) E. Williams' Charity. (3.) Bishop Barrow's Charity. *Flintshire.*	14 100 12	Amalgamation of Endowments. 2nd grade Day and Boarding School for boys. Exhibitions for boys from Public Elementary Schools and others.	Schemes generally accepted. Approved by Education Department.
ST. HELEN'S, Cowley Charity. *Lancashire.*	974	Erection and establishment of— (1.) Second grade School for 150 boys. (2.) Second grade School for 150 girls. Exhibitions at each School for Scholars from Public Elementary Schools, and Science Exhibition from these Schools to places of higher education. Present buildings to be used for Public Elementary Schools.	Scheme substantially accepted by Governing Body and Town Council.
ST. PANCRAS, North London Collegiate School, and Camden School for Girls. *Middlesex.*	—	Endowment of these Schools with 20,000*l.* stock and 600*l.* a year out of Platt's Charity at Aldenham. Buildings to be erected for 400 girls in each School. "The Collegiate School" to be a High School, "the Camden School" a Middle School. 200*l.* a year for Exhibitions and Scholarships. Power to establish Training School for Female Teachers, and Preparatory Schools for Young Girls.	Scheme made with concurrence of Governing Body (Brewers' Company).
SCORTON, Robinson's Charity. *Yorks.*	324	Public Elementary School for Boys and Girls with Upper Department for higher instruction and Exhibitions in such Department. Residue of Endowment for Exhibitions to Richmond Grammar School, or other higher School preferentially for boys from Public Elementary Schools.	Scheme generally accepted.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
STANHOPE:— (1.) Hartwell's School (2.) Hartwell's Apprenticing Charity. (3.) Chapman's Charity. *Durham.*	£ 41	Appropriation of non-educational Charities to Education. School to be Public Elementary.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869. Objected to by certain inhabitants. Approved by Education Department.
STOURBRIDGE:— (1.) Grammar School (2.) Charities of Glover and others. *Worcestershire.*	721 130	Augmentation of Grammar School Endowment by dole Charity. Second grade Day School in enlarged buildings. Exhibitions and further aid for boys from Public Elementary Schools. Exhibitions to places of higher education.	Schemes made with consent of Governing Body partly under sect. 30 of Endowed Schools Act, 1869.
UPPINGHAM, Archdeacon Johnson's Charity. *Rutland.* (And *see* OAKHAM.)	—	First grade Day and Boarding School. 100*l.* a year for Exhibitions tenable here or at Oakham by residents in Uppingham. Other Exhibitions at the School, and 300*l.* a year for Exhibitions to universities, &c.	Scheme substantially agreed to.
WAKEFIELD:— (1.) Grammar School (2.) Storie's University Gift. (3.) Storie's Pettie Gift. (4.) Bromley's Old Gift. (5.) Bromley's New Gift. (6.) Green Coat Charity Schools. (7.) Wilson's Gift. (8.) Watson's Gift.	2,930	Amalgamation of Endowments— (1.) Day and Boarding School for Boys. 1st grade in two departments. (2.) Trade School for boys. (3.) High School for girls. 240*l.* a year for Exhibitions from (1.) to universities, &c. Exhibitions from Public Elementary Schools to (2.), and from (2.) to higher schools; also for girls, from Public Elementary Schools to (3.), and from (3.) to training schools, &c.	Scheme made with consent of Governing Body, partly under sect. 30 of Endowed Schools Act, 1869. Approved by Education Department.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
WARTON, Grammar School and Hospital. *Lancashire.*	80	Public Elementary School with Upper Department for higher instruction. Provision for Exhibitions.	Scheme objected to in part by Governing Body.
WARWICK:— (1.) The King's School. (2.) Henry VIII.'s Charity. (3.) Weale's Exhibitions. (4.) Oken's Charity. (5.) Greville's " (6.) F. Weale's " (7.) Sir T. White's Charity. (8.) Johnson's Charity. (9.) Griffin's Charity (10.) Busby's " (11.) Edgworth's " (12.) R. Heath's " (13.) Wheatley's "	2,455	Amalgamation of Endowments. Erection and establishment of— (1.) Grammar School, Day and Boarding, for 250 boys. (2.) Middle School for at least 100 day boys. (3.) Middle School for at least 80 girls. Exhibitions:—100*l.* a year at (1) and 300*l.* a year from (1) to universities, &c. Exhibitions at and from (2) and (3). 250*l.* a year for Exhibitions for Boys and Girls at Public Elementary Schools to Higher Schools.	Schemes made with consent of the various Governing Bodies, chiefly under sect. 30 of the Endowed Schools Act, 1869.
WESTMINSTER:— (1.) Holborn Estate Charity.	Upwards of 4,000*	Day Schools for 250 boys and 150 girls, 2nd grade. Exhibitions for Scholars from Public Elementary Schools, 100*l.* a year for boys, and 60*l.* a year for girls. Power to establish further Exhibitions and Prizes, &c.	Scheme understood to be substantially accepted by Governing Body.
(2.) St. Clement Danes Charity Schools.	600	Property to be sold and Public Elementary Schools to be built for 700 children.	Scheme made with consent of Governing Body.

* Of which upwards of 1,500*l.* for education.

APPENDIX C.

DRAFT SCHEMES PUBLISHED BUT NOT SUBMITTED TO EDUCATION DEPARTMENT.

1870.

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
CROYDON, Whitgift's Hospital. *Surrey.*	2,000	Scheme not proceeded with in consequence of objections from Governing Body.
STANTON HARCOURT, Dole Charities. *Oxon.*	35	Scheme with consent of Trustees under sect. 30 of Endowed Schools Act, 1869. Consent subsequently withdrawn, and Scheme accordingly dropped.

1871.

BRISTOL:—	—	Schemes withdrawn in view of other Schemes afterwards published for Bristol charities.
(1.) G. Owen's Charity.		
(2.) S. Gist's Charity.		
(3.) R. Hughes' Charity.		
(4.) Pile Street Charity School.	137	Scheme not proceeded with in consequence of local objections.
BRUTON, Grammar School *Somerset.*	416	Scheme not proceeded with in consequence of objections from Governing Body and others.
COLCHESTER, Grammar School. *Essex.*	194	Scheme not proceeded with in consequence of local objections.
FROME:—		Schemes not proceeded with in consequence of objections from Governing Body.
(1.) Charity School -	298	
(2.) Stevens' Asylum for Girls. *Somerset.*	374	
MORETON, Frampton's Charity. *Dorset.*	146	Scheme with consent of Governing Body under sect. 30 of the Endowed Schools Act, 1869. Consent subsequently withdrawn and Scheme accordingly dropped.

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
BATLEY, School for Female Children. *Yorks.*	10	Schemes dropped by Commissioners, partly in consequence of local objections. Endowments since exempted from Endowed Schools Act, 1869, by sect. 3 of Endowed Schools Act, 1873.
LLANERFYL, Foster's School *Montgomeryshire.*	31	
WOODCHURCH, Endowed School. *Cheshire.*	50	

1872.

BOSTON:— (1.) Charter Lands Charities. (2.) Usher's Charity. (3.) Laughton's Charity. (4.) Bluecoat School and Mary Faulkner's Charity. *Lincolnshire.*	2,000	Schemes not proceeded with in consequence of local objections.
BRADWELL-NEAR-THE-SEA, Buckeridge's Charity. *Essex.*	280	Proceedings suspended for a time, in consequence of objections. Negotiations renewed in 1874, but not concluded.
CHARD, Grammar School. *Somerset.*	?	Scheme was part of a proposal to amalgamate this Endowment with Endowments at Crewkerne and Ilminster. Scheme subsequently abandoned by Commissioners.
CLITHEROE, Grammar School. *Lancashire.*	360	Scheme not proceeded with in consequence of local differences of opinion.
HIGHGATE, Grammar School. *Middlesex.*	2,254	Scheme not submitted to Education Department in consequence of doubt, not yet solved, as to application of sect. 19 of the Endowed Schools Act, 1869.
HIPPERHOLME:— (1.) Grammar School. (2.) Sunderland's Charity. *Yorks.*	216	Schemes not proceeded with in consequence of conflicting objections from Governing Body and inhabitants.
KINVER, Grammar School *Staffordshire.*	212	Scheme not proceeded with in consequence of objections of Governing Body.

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
LOWESTOFT:— (1.) Wilde's School. (2.) Annott's Charity. *Suffolk.*	248	Scheme proposed with consent of Governing Body as to part of the funds subject to their control. Consent eventually withheld.
NEWPORT:— (1.) Grammar School. (2.) English " *Salop.*	1,846	Schemes not proceeded with in consequence of local objections.
PETERSFIELD, Churcher's College. *Hants.*	831	Scheme not proceeded with in consequence of local objections.
RISHWORTH, Wheelwright's Charity. *Yorks.*	2,714	Scheme not proceeded with in consequence of objections from Governing Body.
STAMFORD, Marshall's Charity. *Lincolnshire.*	331	Scheme not proceeded with in consequence of difficulties in applying sect. 24 of the Endowed Schools Act, 1869.
TRENT, Young's School - *Somerset.*	120	Scheme not proceeded with in consequence of local objections.
WELLS, Endowed School *Somerset.*	464	Scheme not proceeded with in consequence of local objections.
WESTMINSTER:— (1.) Burlington School. (2.) Endowment under St. James' Chapel Act, 1869.	646	Schemes not proceeded with in consequence of objections from Governing Body of Burlington School.
WIMBORNE, Grammar School. *Dorset.*	830	Scheme objected to by Governing Body. Amended Scheme issued in 1874, but not accepted.
YEOVIL:— (1.) Nowes' Charity - (2.) Free School - *Somerset.*	810 75	Scheme not proceeded with in consequence of objections from Governing Body.
BOLDRE, Gilpin's Charity *Hants.*	87	These Endowments were exempted from the Endowed Schools Act, 1869, by sect. 3 of the Endowed Schools Act, 1873. The Schemes were therefore not proceeded with.
BRAUNTON:— (1.) Endowed School - (2.) Acland and Beare's Charity. *Devon.*	83 4	

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
ELLAND, Ramsden's Charity *Yorks.*	76	These Endowments were exempted from the Endowed Schools Act, 1869, by sect. 3 of the Endowed Schools Act, 1873. The Schemes were therefore not proceeded with.
STOURBRIDGE, Wheeler's Charity. *Worcester.*	46	

1873.

BEVERLEY, Warton's Charity. *Yorks.*	15	Scheme with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869. Consent subsequently withdrawn.
BOLTON ABBEY, Petyt's Charity. *Yorks.*	83	Scheme not proceeded with on account partly of legal difficulties, partly of objections from Governing Body.
BRIDGNORTH:— (1.) Grammar School. (2.) Blue Coat School. *Salop.*	165	Schemes not proceeded with in consequence of connexion of Grammar School with Careswell's Exhibitions, for which Scheme not prepared.
BUXTED, Saunders' Charity. *Sussex.*	—	Scheme dealing only with half an acre of land. Withdrawn by consent.
CHUDLEIGH, Pinsent's School. *Devon.*	30	Scheme not proceeded with in consequence of local objections.
FAREHAM, Price's Charity. *Hants.*	476	Scheme not proceeded with in consequence of objections from Governing Body.
LONDON, Sir John Cass' Charity, St. Botolph, Aldgate.	5,468	Scheme objected to by Governing Body. Amended Scheme issued in 1874, but not accepted.
STONHAM ASPAL, Metcalfe's Charity. *Suffolk.*	100	Scheme not proceeded with partly in consequence of local objections, partly from doubt as to jurisdiction (sect. 3 of Endowed Schools Act, 1873).
THORNDON, Town Estate - *Suffolk.*	105	Scheme prepared at request of Governing Body, and at their request withdrawn.
TIVERTON:— (1.) Blundell's School. (2.) Down's Exhibitions. *Devon.*	1,048	Schemes supported by Governing Body, but not proceeded with in consequence of opposition from the town.

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
WALTHAMSTOW:— (1.) Endowed Schools. (2.) Sir G. Monox's Charity. (3.) Maynard's Charity. (4.) Charities of Coleby and others. *Essex.*	480	Schemes dependent on consent of parish vestry to conversion of certain Endowments under sect. 30 of Endowed Schools Act, 1869. Consent not forthcoming.
WESTLEY WATERLESS, Poor's Lands. *Cambs.*	32	Scheme prepared with consent of Governing Body under sect. 30 of Endowed Schools Act, 1869, objected to by certain nhabitants, and not proceeded with.
WREXHAM, Grammar School, and other Charities. *Denbighshire.*	134	This Scheme being analogous to those proposed for Denbigh, was dropped on rejection by House of Lords of Denbigh Schemes.
GREAT YELDHAM, Ford's and Simond's Charities. *Essex.*	70	Parish much divided in opinion. Public inquiry held under sect. 50 of Endowed Schools Act, 1869. No arrangement concluded.
COLTISHALL, Endowed School. *Norfolk.*	21	These endowments were exempted from the Endowed Schools Act, 1869, by sect. 3 of the Endowed Schools Act, 1873. The Schemes were therefore not proceeded with.
CORHAMPTON, Collin's Charity. *Hants.*	42	
KINGSTON BAGPUZE, Blandy's Charity. *Berks.*	32	
LUTTERWORTH:— (1.) Ryder's Charity (2.) Poole the Elder's Charity. (3.) Poole the Younger's Charity. *Leicestershire.*	24 20 38	
UPPER HOLKER, Brow Edge School. *Lancashire.*	50	

1874.

Place and Endowment.	Annual Gross Income.	Remarks.
	£	
BERKHAMPSTED:— (1.) Bourne's School - (2.) Grammar School - *Herts.*	304 1,500	Negotiations not concluded.
BETHNAL GREEN, Parmiter's Charity. *Middlesex.*	1,300	Not proceeded with in consequence of objections from Governing Body.
FAVERSHAM:— (1.) Grammar School. (2.) Dole Charities. (3.) " " *Kent.*	658	Schemes made with consent of Trustees, partly under sect. 30 of Endowed Schools Act, 1869. Objected to by certain inhabitants. Negotiations not concluded.
FRODSHAM, Grammar School. *Cheshire.*	45	Scheme not proceeded with in consequence of objections from Governing Body.
HAYDON BRIDGE, Shaftoe's Charity. *Northumberland.*	1,318	Negotiations not concluded.
NETHER HEYFORD, Bliss's Charity. *Northants.*	223	Scheme made on application from the Governing Body, but, in consequence of objections from them, not proceeded with.
STRATFORD-ON-AVON:— (1.) Grammar School - (2.) Charities of Quiney and others. *Warwickshire.*	376 221	Schemes accepted by Governing Body, but objected to by certain inhabitants. Negotiations not concluded.
THETFORD:— (1.) School and Hospital Charity. (2.) Binding Charity. *Norfolk.*	872	Much local difference of opinion concerning the Scheme. No arrangement concluded.
TIVERTON, Charity School *Devon.*	380	The settlement of this Scheme was dependent upon that of the Scheme for the Grammar School.

APPENDIX D.

SCHEMES REJECTED BY PARLIAMENT.

I.—By House of Lords.

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
Beaumaris, D. Hughes' Charity. *Anglesey.*	£ 1,000	New buildings for Boys' Boarding and Day School, 2nd grade, in two departments in some convenient part of Anglesey. Girls' School to be established in Boys' old buildings. Exhibitions in Boys' School (1) for boys in Public Elementary Schools of Anglesey; (2) for other boys; (3) in aid of maintenance; (4) for boys resident in Beaumaris; (5) Exhibitions tenable at universities or higher schools. One-fourth of Charity for almspeople.	Scheme objected to by Governing Body, and also by County Committee acting on behalf of non-conformists. Address carried against the Scheme on motion of Bishop of Bangor (26th July 1872).
Birmingham, King Edward's School.	14,600	Upper School for at least 200 boys. Middle School for at least 400 boys. Trade School for boys. Four Lower Schools for at least 650 boys. Upper School or Schools for at least 300 girls. Four Lower Schools for at least 650 girls. Evening classes for students of both sexes. Scholarships and Exhibitions connecting all the schools with the Public Elementary Schools on the one hand, and the universities and other places of the highest education on the other.	Scheme objected to by Governing Body. At first objected to, but eventually approved by Town Council and Grammar School Reform Association. Address carried against the Scheme on motion of Marquis of Salisbury (19th May 1873).
Crewkerne:— (1.) Grammar School (2.) Owsley Exhibitions. (3.) Hoskyns and Wynford Exhibitions. (4.) School Exhibitions. *Somerset.*	515	Boys' 2nd grade Day and Boarding School. Exhibitions at the School. "Owsley," "Hoskyns and Wynford," and "Crewkerne School" Exhibitions elsewhere.	Address carried against the Scheme on motion of Bishop of Bath and Wells (4th May 1874).

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
DENBIGH:— (1.) Grammar School. (2.) Blue Coat School.	210	Consolidation of endowments with annual payment out of Dr. Williams' Trust to provide School buildings, and to establish a 2nd grade Boarding and Day School for boys. Exhibitions (1) for boys from Public Elementary Schools to Grammar School; (2) for Grammar School boys to higher schools.	Schemes approved at public meeting of inhabitants and by formal resolution of Town Council. Objected to by Rector of Denbigh as Trustee of Blue Coat School. Address carried against Scheme on motion of Bishop of Bangor (18th July 1873).
FELSTEAD, Grammar School. *Essex.*	2,300	Boys' 1st grade School with Hostel for boarders. Exhibitions at School. "Felstead" Scholarships to university, &c. Trusts for almspeople and other charitable purposes.	Scheme accepted by Governing Body and others. Address carried against it on motion of Bishop of Rochester (26th July 1872).
TIDESWELL, Grammar School. *Derbyshire.*	300	Boys' 3rd grade Day and Boarding School in new buildings. Exhibitions at the School and elsewhere, some of which for boys from Public Elementary Schools. Future provision for promoting the higher education of girls. 50*l.* a year for relief of poor people.	Scheme objected to by Governing Body. Address carried against it on motion of Marquis of Salisbury (26th July 1872).
TIMBERSCOMBE and CUTCOMBE, Ellsworth's Charity. *Somerset.*	274	(1.) Boys' 3rd grade Day and Boarding School to be established at or near Minehead. (2.) Public Elementary School at Timberscombe. (3.) Public Elementary School at Cutcombe in new buildings. (4.) Exhibitions, &c. for scholars at Public Elementary Schools in certain parishes.	Scheme agreed to by Governing Body, but opposed by some Governors. Address carried against it on motion of Bishop of Bath and Wells (4th May 1874).

Place and Endowment.	Annual Gross Income.	Main Objects of Scheme.	Remarks.
	£		
WESTMINSTER:—	6,000	—	Schemes for these endowments were rejected on the 30th day of June 1871. The Schemes were thereupon amended, and have since received the approval of Her Majesty.
(1.) Emanuel Hospital.			
(2.) Green Coat School.			
(3.) Palmer's Charity.			
(4.) E. Hill's Charity.			
(5.) Grey Coat Hospital.	3,500		

II.—By House of Commons.

None.

D. C. RICHMOND,
Secretary to the Commissioners.

LONDON:
Printed by George Edward Eyre and William Spottiswoode,
Printers to the Queen's most Excellent Majesty.
For Her Majesty's Stationery Office.